


A HISTORY OF GUITAR TONE

THE SIGNAL CHAIN

*A Player's History of Amplifiers, Effects, and the Pursuit of
Electric Guitar Tone*



JASON COLAPIETRO

JOHNNY SUEDE PRESS

A HISTORY OF GUITAR TONE

THE SIGNAL CHAIN

*A Player's History of Amplifiers, Effects, and the Pursuit of
Electric Guitar Tone*

by **JASON COLAPIETRO**

*Tone is not a thing you buy. It is the whole journey of a string's
voice, from steel to speaker.*



AN ILLUSTRATED HISTORY · WITH TABLATURE

JOHNNY SUEDE PRESS

CONTENTS

Front Matter

Preface & How to Read This Book

Part I • Foundations

Chapter 1 - The Electric Signal: Strings, Pickups, and Why Tone Exists

Chapter 2 - Anatomy of an Amplifier: Preamp, Power, and the Magic of the Tube

Chapter 3 - The Language of Tone: How to Describe What You Hear

Chapter 4 - Pickups, Wood, and the Honest Truth About Tone

Part II • Birth of Amplification

Chapter 5 - From the Frying Pan to the Charlie Christian Sound

Chapter 6 - Leo Fender and the Tweed Era

Chapter 7 - The Tweed Bassman: The Accidental Blueprint for Rock

Chapter 8 - Gibson, Valco, and the American Combo

Chapter 9 - Danelectro, Supro, and the Genius of Cheap

Part III • The British Invasion

Chapter 10 - Jim Marshall and the Birth of the Stack

Chapter 11 - The Vox AC30: Chime, Jangle, and the British Invasion

Chapter 12 - Fender Blackface and Brownface: The Clean Machine

Chapter 13 - Hiwatt and the Command Sound

Part IV · The First Effects

Chapter 14 - Tremolo and Vibrato: The First Modulation

Chapter 15 - Spring Reverb: Surf, Drip, and the Sound of Space

Chapter 16 - The Fuzz Explosion

Chapter 17 - The Wah-Wah: The Voice of the Guitar

Chapter 18 - The Treble Booster and the British Lead Voice

Part V · The Pedal Revolution

Chapter 19 - The Uni-Vibe: Rotary Dreams

Chapter 20 - The Big Muff and the Wall of Sustain

Chapter 21 - MXR, the Phase 90, and the Pedal Goes Mainstream

Chapter 22 - The Tube Screamer and the Art of Overdrive

Chapter 23 - Echo and Delay: Tape, Analog, and Digital

Chapter 24 - Chorus, Flange, and the Modulation Boom

Chapter 25 - The Compressor and the Secret of Clean Funk and Country

Part VI · High Gain & the Modern Era

Chapter 26 - Mesa/Boogie and the Birth of High Gain

Chapter 27 - The Hot-Rodded Marshall and the Hunt for the Brown Sound

Chapter 28 - Rack Systems and the Big 80s Studio Rig

Chapter 29 - Soldano, Bogner, and Boutique High Gain

Chapter 30 - Grunge and the Return of the Fuzz

Chapter 31 - Digital Modeling and the Future of Tone

Part VII · Tone in Practice — The Players

Chapter 32 - Jimi Hendrix: Fuzz, Wah, and the Reinvention of the Guitar

Chapter 33 - Eric Clapton: Woman Tone and the Beano Burst

Chapter 34 - Jimmy Page: The Studio as Instrument

Chapter 35 - David Gilmour: The Architecture of a Solo

Chapter 36 - Eddie Van Halen: The Sound That Changed Everything

Chapter 37 - Stevie Ray Vaughan: A Texas Flood of Tone

Chapter 38 - The Edge: Delay as Composition

Chapter 39 - Kurt Cobain and the Power of Restraint

Chapter 40 - The Modern Blues Torchbearers: Mayer, Moore, and Bonamassa

Chapter 41 - Brian May and the Orchestra of One Guitar

Chapter 42 - Tom Morello: Texture as Tone

Part VIII · Building Your Rig

Chapter 43 - Signal Chain Order: Why Sequence Is Tone

Chapter 44 - Gain Staging: The Art of Stacking Dirt

Chapter 45 - Building the Pedalboard: Power, Buffers, and Signal Integrity

Chapter 46 - Matching Tone to the Music: Choosing Your Voice

Appendices

Appendix A - A Glossary of Tone and Gear

Appendix B - A Visual Timeline of Amps and Effects

Appendix C - Tablature and Technique Reference

Appendix D - Recommended Listening: A Tone Discography

I Preface

Somewhere around 1951, in a small shop in Fullerton, California, a radio repairman with no real ear for music wired up a wooden plank with a single magnetic pickup and plugged it into an amplifier he had also built. The amplifier was, in a sense, the more radical invention. A guitar that made almost no acoustic sound of its own was a strange object — nearly silent in a quiet room, useless at a campfire. It only became an instrument when the signal left the strings, traveled down a cable, and was reborn as a column of moving air pushed by a paper cone. From that moment forward, the electric guitar was never one instrument. It was always at least two, and usually more: a string, a magnet, a cable, a circuit, a tube, a transformer, a speaker, a room. The thing we casually call "the guitar sound" is the sum of all of them, and the great secret of electric tone is that no single link owns it.

This book is built on a simple, stubborn conviction: the amplifier and the pedal are not accessories. They are instruments. We do not say a violin's body is an accessory to its strings, or that a piano's soundboard merely "colors" the hammers. We understand those as one integrated voice. Yet generations of guitarists have treated the amp as a necessary appliance and the pedalboard as a bag of tricks, as though tone lived entirely in the fingers or the wood and everything downstream was just volume. The history tells a different story. When **Link Wray** punched holes in his speaker cone in 1958 to record "Rumble," he was not adjusting the guitar; he was composing with the speaker. When a Memphis engineer let a small **Fender** amp distort because there was no money for a clean one, he was not failing to capture the guitar; he was discovering a new instrument that had not existed the day before. Tone lives in the whole signal chain, from string to speaker, and the players who understood this earliest — often by accident, often by poverty, occasionally by genius — are the ones who changed what music sounded like.

To trace that chain is to trace a hidden history of the twentieth century's most influential sound. It runs through the dance halls and the chitlin' circuit, through wartime surplus tubes and Cold War transistors, through the cheap and the broken as much as the expensive and the prized. It is a history of constraint as much as invention: the spring reverb that exists because a telephone company needed to simulate long-distance delay; the fuzz pedal born from a faulty transformer on a country session; the wall of stacked cabinets that exists because a band got too loud for the gear that came before. Every tone we revere was, at some point, somebody solving a problem with whatever was in the room. Understanding those problems — why a 1959 amplifier behaved the way it did, why an **EL84** power tube breaks up sooner and sweeter than a **6L6**, why germanium transistors sound warm and unreliable while silicon sounds bright and steady — is not trivia. It is the literacy of the instrument.

And here is the practical heart of the matter, the reason this is a book for players and not only for collectors: learning this history makes you a better, more intentional guitarist. When you understand that a cranked amp compresses your dynamics and adds harmonic overtones that fatten a single note into something choral, you stop fighting your gear and start playing it. When you know that a wah pedal is a sweepable filter emphasizing a moving band of frequencies, you phrase with your foot the way a singer phrases with their throat. When you grasp that rolling your guitar's volume knob back cleans up a fuzz not by getting quieter but by changing the way the circuit clips, you gain a second set of hands. The mythology of tone says it is a mystery you chase with your wallet. The truth is that it is a system you can learn to think inside. The player who knows the chain can hear, in their mind, the difference between a bridge pickup into a clean blackface amp and the same pickup into an over-driven plexi — and can choose, deliberately, the voice the song needs.

This is also, unavoidably, a book about myth, and I want to be honest with you from the first page about how we will handle it. Electric guitar lore is gorgeous and frequently wrong. The famous "brown sound" was supposedly conjured with a **Variac** dialing the wall voltage down; the story is repeated everywhere and the details are genuinely contested, so we will tell you what is documented and what is legend and let you hear the difference. We will not pretend that a particular tonewood audibly transforms a solidbody plank, because the evidence is far weaker than the marketing. We will not invent a player's exact knob settings to sound authoritative. Where the record says "approximately," we will say approximately. The goal is not to puncture romance — the romance is real and earned — but to replace fragile mythology with something sturdier: an understanding of the physics and the history that holds up when you plug in and test it yourself.

What you hold is meant to be read with a guitar nearby and, ideally, an amp humming in the corner. The chapters move through the great families of tone — the amplifiers and their tubes, the speakers and their cones, the fuzzes and overdrives and the modulation and time-based effects, the players who bent them all to song. Throughout, we will stop and explain the music itself: the intervals stacked inside a chord, the scales a soloist leans on, the small rhythmic and melodic decisions that separate a lick from a phrase. You do not need to read music. You need only to be curious about why the sounds you love sound the way they do, and willing to believe that the answer is knowable. Tone is not magic. It is a chain. Let us learn to hear every link.

| How to Read This Book

Every chapter that follows is built on the same architecture, so that once you learn the rhythm of one, you can settle into all of them. First comes a **scene** — a moment, a record, a room — because tone is always anchored in a real sound somebody made. Then the **history**: the people, places, years,

and circuits, told as a story rather than a spec sheet, because the gear was invented by humans solving human problems. After that, a **how it works** section explains the physics and electronics plainly — what the circuit is actually doing to your signal and why that produces the sound it does. We then move into **the sound itself**, described in concrete sensory and frequency terms, so you can connect a word like "woody" or "glassy" to an actual region of the audible spectrum. Each chapter carries **at least two or three case studies** of specific named players using specific gear on specific recordings, with their signal chains and approximate settings where those are genuinely known and clearly flagged where they are not. Woven through all of it is **music theory**, introduced only when the music in front of us calls for it and always defined the first time it appears. And every chapter closes with a **Listen For** box — a short blockquote naming exact recordings and telling you precisely what to listen for, so the reading sends you back to the music with sharper ears.

The musical examples throughout this book are written in **guitar tablature**, the centuries-old shorthand that tells you where to put your fingers rather than which pitches result. This is the legend the entire book relies on. Read it carefully once, and everything that follows will be clear.

The tab staff is six lines, one for each string of the guitar, drawn in pitch order with the **highest-sounding string on top**:

TAB

e	-----	<- high E (thinnest string)
B	-----	
G	-----	
D	-----	
A	-----	
E	-----	<- low E (thickest string)

This top-down arrangement feels upside down to newcomers — the thinnest, highest string sits at the top — but it matches how the strings appear when you tilt the guitar's neck up to look down at the fretboard. A **number on a line** is the fret you press on that string; **0** means the open string, played without fretting. Reading **left to right is reading forward in time**, exactly like text. Numbers stacked vertically in the same column are played together as a chord or double stop; numbers spread across columns are played in sequence. Because the tab is strictly monospaced and column-aligned, horizontal spacing represents rhythm: notes close together happen quickly, notes spread apart are held or separated by time. Above each example you will find a tempo and feel note (such as "Slow blues, around 70 BPM, triplet feel"), and below it a one-line caption explaining the tone and technique and how to dial it in.

The articulation symbols tell you *how* to move between and sound the notes — and on the electric guitar, the *how* is most of the music. Here is the complete vocabulary used in this book:

- **h** — hammer-on. Sound a higher note by striking the string against the fret with a left-hand finger, without picking again (5h7).
- **p** — pull-off. The reverse: pull the finger off to sound a lower fretted or open note without picking (7p5).
- **b** — bend. Push the string to raise its pitch. A **half-step bend** raises the pitch by one fret (7b); a **full bend** raises it by two frets (often written 7b9 to show the target). We will write (1/2) or (full) when clarity demands it.
- **r** — release. Lower a held bend back to its original pitch (7b9r7).
- **/** — slide up. A forward slash means slide from a lower fret to a higher one, keeping pressure so the pitch glides (5/7).
- **** — slide down. A backslash slides from a higher fret to a lower one (7\5).
- **~** — vibrato. A wavering of pitch produced by rapidly bending and releasing a fretted note; the more tildes, the wider and more dramatic the vibrato (7~~~).
- **x** — dead note. A muted, pitchless click made by resting the fretting hand on the string without pressing down; essential to funk and percussive rhythm playing.
- **PM** — palm mute. Rest the picking-hand palm lightly on the strings near the bridge to produce a tight, choked, percussive thud; shown above the staff, often with a dashed line marking its duration.
- **t** — tap. Sound a note by hammering a picking-hand finger directly onto the fret (t12), the foundation of two-handed technique.
- **NH** — natural harmonic. Lightly touch the string directly over a fret (commonly the 12th, 7th, or 5th) without pressing, then pick, to produce a chiming bell-like overtone (NH12).
- **AH** — artificial or pinch harmonic. Pick the string so the edge of the thumb catches it immediately after the pick, producing a squealing high overtone; a staple of hard rock lead playing.
- **()** — grace or ghost note. A note in parentheses is played very quickly and lightly as an ornament, or is a faint, barely-sounded "ghost" that adds rhythmic texture without clear pitch.

Chords are shown as a vertical stack of numbers in a single column, read from the low E at the bottom to the high e at the top, just as you would strum them. Here is one fully worked example that

puts several of these symbols to work at once:

Slow blues, around 72 BPM, heavy triplet swing — think a neck pickup into an amp on the edge of breakup.

TAB

```
e |-----|
B |-----8b9r8-----8-----|
G |---7b9~~~-----9b(full)~~~---7-----|
D |-----9-----|
A |-----|
E |-----|
```

A classic minor-pentatonic blues phrase: bend into the note, let the vibrato sing, and answer it lower — dial in a touch of amp grit so the sustained notes bloom rather than simply ring.

In that single line you can read the grammar of expressive lead guitar. The opening **7b9** on the G string is a full bend — pushing the 7th fret up until it sounds like the 9th — immediately shaken with **~~~** vibrato so the note breathes. The **8b9r8** on the B string bends up and then *releases* back down, a vocal sigh. The **9b(full)** is another full bend, marked explicitly so there is no doubt, again given vibrato. The phrase resolves by stepping down to fretted notes, a small act of call-and-response within a single breath. None of these pitches mean anything as raw numbers; they mean everything as gestures. That is the entire point of tablature, and of this book. The notes are where you put your fingers. The tone is what happens to them on the long journey to the speaker — and the music is what you decide to do with both.

♪ LISTEN FOR

Before the first chapter, do one thing. Put on a recording you have heard a hundred times — B.B. King's *Live at the Regal* (1965), the opening of "Sweet Little Angel" will do — and listen past the notes. Hear the *blooming* of the sustained vibrato, the way each held note swells and thickens instead of decaying like an acoustic guitar would. That swelling is not King's finger. It is the amplifier compressing his dynamics and adding overtones; it is the speaker and the room. The finger started the conversation. The signal chain finished it. Once you can hear that, you are ready to begin.

PART I

Foundations



CHAPTER 1

The Electric Signal: Strings, Pickups, and Why Tone Exists




FIGURE 1 *A struck string sounds a fundamental plus a stack of quieter overtones; pickup position decides which you hear.*

A WOUND G STRING, STRUCK HARD WITH A PICK NEAR THE BRIDGE OF A TELECASTER plugged straight into a tweed amp, does something a piano cannot do and a saxophone can only dream of. It hangs in the air, twisting, blooming, the attack snapping out first and then softening into a long, complaining sustain that you can bend a quarter-step sharp with the side of your finger and let sag back down. That sound -- that specific, electric, slightly insolent voice -- did not exist before roughly 1931. It is not the sound of a guitar. It is the sound of a *signal*: a faint electrical disturbance, born in a slot of magnetism a few millimeters under the string, then amplified, clipped, filtered, and pushed through paper and a wire coil until your chest feels it. Everything we will spend this book chasing -- the brown growl, the glassy chime, the singing sustain, the spongy sag -- begins here, in the conversion of mechanical motion into voltage. Understand this one event and the rest of the signal chain stops being mysterious. It becomes a series of choices about what to do with a tiny, fragile current.

I The Year the String Started Singing Electric

Before amplification, the guitar lost. In the big dance bands of the late 1920s, a guitarist could strum his heart out and the trumpets would simply erase him. The instrument was rhythm furniture, felt more than heard. The problem was physics: an acoustic guitar radiates sound by vibrating a wooden top, and there is only so much air a spruce soundboard can move. The men who fixed this were not luthiers steeped in centuries of craft. They were tinkerers, radio men, and frustrated working musicians.

The breakthrough belongs, in most tellings, to **George Beauchamp** and **Adolph Rickenbacker**. Beauchamp, a Texan vaudeville guitarist who had already been involved with the resonator guitars of National, wanted volume by any means necessary. Around 1931, working with engineer Paul Barth, he wound a coil of wire around a pair of horseshoe magnets so that the magnets straddled the strings, and discovered he could capture the strings' vibration as an electrical signal. The first production instrument built around this idea, the Rickenbacker "Frying Pan" -- a cast-aluminum lap steel with a small round body and a long neck, hence the kitchen nickname -- went on sale in 1932. It is, by broad agreement, the first commercially viable electric guitar. The horseshoe pickup it carried was crude, microphonic, and gloriously loud.

What followed was a scramble. Gibson hired an engineer-musician named **Walter Fuller**, and in 1936 introduced the **ES-150**, an archtop hollowbody fitted with a bar-magnet pickup. The guitar would have been a footnote except that a young man in Oklahoma named Charlie Christian bought one, plugged it into an amplifier, and began playing single-note lines with the fluidity and volume of a horn player. Within a few years Christian had redefined what a guitar could *be* in a band -- a lead voice, an improviser's instrument, the equal of the saxophone -- and the pickup that made it possible became known, forever, as the **Charlie Christian pickup**. He died of tuberculosis in 1942 at twenty-five, but the argument was settled. The guitar had found its electric voice, and there was no going back.

The story's third act is the one most readers know. **Leo Fender**, a radio repairman in Fullerton, California, with no formal training as a musician or a luthier, reasoned like an engineer: if the pickup, not the body, made the sound, then the body could be a slab of solid ash with a bolted-on neck, cheap to build and immune to feedback. The **Broadcaster** of 1950 -- swiftly renamed the **Telecaster** after Gretsch objected -- was the first mass-produced solidbody electric. Gibson answered in 1952 with the **Les Paul**, a carved mahogany-and-maple solidbody bearing the name of its most famous endorser, himself a relentless tone tinkerer. The two instruments, and the two pickup philosophies inside them, drew the battle lines that still define electric tone today.

| Faraday's Ghost in the Pickup

Here is the physics, and it is older than the guitar by a century. In 1831 **Michael Faraday** demonstrated that a changing magnetic field induces a voltage in a nearby conductor. This is **electromagnetic induction**, and it is the entire secret of the magnetic guitar pickup. Strip away the romance and a pickup is almost insultingly simple: one or more permanent magnets, and a coil of very fine copper wire -- typically several thousand turns of wire thinner than a human hair -- wound around a bobbin.

The magnet's job is to magnetize the steel string hanging just above it. (This is why a pickup is dead silent under a nylon string or a bronze acoustic string -- those metals are not ferromagnetic, so there is nothing for the magnet to grab.) When you pluck the string, it vibrates, and as the now-magnetized steel moves toward and away from the coil, it changes the magnetic flux passing through that coil. By Faraday's law, a changing flux induces a voltage. The string's mechanical vibration -- a few hundred wiggles per second for the low notes, a few thousand for the high -- is transcribed directly into an alternating current that wiggles at exactly the same frequencies. The voltage is minuscule, on the order of a few hundred millivolts at most, often far less. This faint electrical copy of the string's motion is the raw material. Everything downstream -- the cable, the amp's input, every knob and tube and speaker -- is in the business of shaping and magnifying it.

Two features of this arrangement matter enormously for tone. First, a coil of wire is not a neutral microphone. It is an **inductor**, and together with its own internal capacitance and the capacitance of your guitar cable, it forms a resonant filter. Every pickup has a resonant peak -- a frequency it emphasizes -- usually somewhere between two and five kilohertz, smack in the region the human ear finds most present and cutting. Roll back your guitar's tone knob and you are adding capacitance that drags that peak downward, dimming the highs. The pickup is not a passive window onto the string; it has a voice of its own before the signal ever leaves the guitar.

Second, the pickup only "hears" the part of the string directly above it. And that single fact is the doorway to understanding tone itself, because a string is not vibrating at one frequency. It is vibrating at many at once.

| The Overtone Series: Why One Note Is a Chord

Pluck the low E string and you would swear you hear one note. You don't. You hear a *fundamental* -- the slowest, biggest vibration of the whole string flapping as one -- stacked with a ladder of fainter, faster vibrations called **partials** or **overtones**. The string divides itself, simultaneously, into halves, thirds, quarters, fifths, and so on, each division ringing its own pitch on top of the fundamental. This ladder is the **harmonic series**, and it is the single most important idea in this entire book. The mix

of these overtones -- which are loud, which are soft, which decay fast -- is what we call **timbre**, and timbre is most of what we mean by "tone."

The math is beautiful in its simplicity. If the fundamental vibrates at some frequency we'll call f , the partials arrive at whole-number multiples: $2f$, $3f$, $4f$, $5f$, and upward. And here is where music theory falls directly out of physics. An **interval** is the distance in pitch between two notes. The very first partial above the fundamental, at $2f$, is exactly twice the frequency -- and a doubling of frequency is the interval we call an **octave**, the most consonant interval there is, two notes so alike we give them the same letter name. The next partial, $3f$, sits an octave-plus-a-fifth above the root; reduced into a single octave it is the **perfect fifth**, the interval whose frequency ratio is a clean 3:2. The fourth partial ($4f$) is two octaves up; the fifth partial ($5f$) gives us the **major third**, ratio 5:4.

Sit with that for a moment. The octave, the fifth, and the third -- the three notes that build a major chord -- are not human inventions or cultural accidents. They are the lowest rungs of a ladder that *every vibrating string climbs on its own*. Western harmony is, in large part, a formalization of what a plucked string was already doing acoustically. When luthiers and players talk about a note sounding "rich" or "full," they usually mean it is generous with these low partials.

This also explains the **power chord**, the bedrock of rock and the first "chord" many electric players truly fall in love with. A power chord is just a root and its perfect fifth -- no third at all -- often with the root doubled an octave up. Why does it sound so massive, so much bigger than two notes have any right to sound? Because the fifth you are playing reinforces a partial the root is *already generating*. The fretted fifth lands right on top of the root's third harmonic, and the octave doubling lands on the second harmonic. You are not adding foreign notes; you are pouring gasoline on overtones the root already contains. The chord becomes a thick, unified pillar of reinforcing frequencies. That is also why power chords stay coherent under heavy distortion while full major chords turn to mud: distortion generates its own swarm of new harmonics, and a chord built only of octaves and fifths keeps those harmonics consonant, while the third -- whose 5:4 ratio is not a simple match in the distorted harmonic stack -- clashes and muddies.

Let's hear the overtone ladder directly. Lightly touch -- don't fret -- the string at certain points and you isolate a single partial, silencing the fundamental and the rest. These are **natural harmonics** (marked NH below). The 12th fret is exactly halfway along the string and gives the second harmonic, one octave up. The 7th fret divides the string in three and rings the third harmonic, an octave-plus-a-fifth. The 5th fret divides it in four, two octaves above the open note.

Slow and ringing -- let each harmonic bloom fully before the next

```
e|-----|
B|-----|
G|-----|
D|--NH12---NH7---NH5-----|
A|--NH12---NH7---NH5-----|
E|--NH12---NH7---NH5-----|
```

The overtone series made audible: 12th fret = octave (2nd partial), 7th fret = octave + fifth (3rd partial), 5th fret = two octaves (4th partial). Bridge pickup, clean, tone wide open so the chime rings clear.

You just played the bottom of the harmonic series with your own hands. Octave, then fifth-above-the-octave, then the second octave -- the same intervals that build the major chord, drawn straight out of one string.

| Where You Sample the Wave: The Magic of Pickup Position

Now combine two facts: a string vibrates as a sum of partials, and a pickup only senses the string's motion directly above it. The consequence is one of the most elegant pieces of physics in the whole instrument.

Picture the string's motion not as a blur but as a set of standing waves laid on top of one another. The fundamental has its biggest swing at the very center of the string and is motionless at the two ends. The second harmonic has a still point -- a **node** -- at the center and two bellies of motion on either side. Higher harmonics chop the string into ever more nodes and bellies. Crucially, *the motion of each harmonic is large in some places along the string and zero at others.*

A pickup placed at a given spot samples the total motion at that one location. Park it near the bridge and it sits where the fundamental's swing is relatively small but the higher harmonics are still kicking -- so the bridge pickup delivers a signal rich in upper partials: bright, cutting, edgy, with that nasal snap that lets a Telecaster slice through a band. Move to the neck position, far closer to the center of a vibrating string, and you are sampling near the belly of the fundamental and the lower partials, where their motion is greatest -- so the neck pickup sounds rounder, warmer, fatter, fundamental-heavy, the voice of a jazz ballad or a creamy blues solo. Nothing about the string changed. You simply chose *where to listen*, and by choosing the location you chose which overtones to emphasize. The position knob on your guitar is, in the most literal sense, an overtone-balance control.

Hear it for yourself with the same phrase played twice, first at the neck, then at the bridge:

TAB

Medium shuffle, ~100 bpm -- identical notes, switch position between lines

```

e|-----|-----|
B|-----|-----|
G|-----|-----|
D|-----|-----|
A|--5--7b8r7--5----5h7p5-----|--5--7b8r7--5----5h7p5-----|
E|-----8--5---|-----8--5---|
      (NECK pickup)                (BRIDGE pickup)
  
```

Same lick, two voices. Neck position: round, vocal, the bend sounds throaty. Bridge position: brighter and more aggressive, the bend cuts and stings. Keep amp and hands identical; only the selector moves.

If your guitar has a middle position that combines two pickups, you will hear yet another color -- often a hollow, "quacky," scooped sound, because when two pickups are wired together, frequencies where their signals are out of phase partially cancel. The famous "in-between" Strat tones live here.

Three Philosophies of the Coil

Not all pickups translate the string the same way. Three designs have shaped most of recorded guitar history, and the differences between them are differences of construction that you can hear in seconds.

The **single-coil** is the original and the simplest: one coil, one row of magnetic pole pieces, the design at the heart of the **Fender Stratocaster** and **Telecaster**. Because the coil is narrow, it samples a small slice of the string and resonates high, giving single-coils their signature voice -- bright, clear, glassy, articulate, with a percussive top end and a slightly scooped midrange that sounds like sunlight on water. The price is hum. A single coil is also a beautiful antenna for the 60-cycle (or 50-cycle) hum radiated by power transformers, fluorescent lights, and dimmers, which is why a Strat near a computer monitor buzzes like an angry wasp.

The **humbucker** was invented precisely to kill that buzz. At Gibson, engineer **Seth Lover** patented a design in the late 1950s -- the legendary **PAF**, for the "Patent Applied For" sticker on its base -- that used *two* coils wired together and reverse-wound, with their magnetic polarity flipped relative to each other. The trick is one of the most satisfying in all of electronics: the string's signal adds constructively across the two coils, but the ambient hum -- which hits both coils identically -- arrives out of phase and cancels itself out. Hence "hum-bucker." The musical side effect is just as important. Two coils side by side sample a wider stretch of string and have more total wire, so a humbucker is hotter (a bigger signal, which pushes an amp into distortion sooner), thicker, and far richer in the midrange, with the highest, glassiest partials softened. It is the warm, woody, vocal, mid-forward

growl at the core of the **Gibson Les Paul** and **SG** -- the sound that, slammed into a cranked amp, became hard rock.

Between these two sits the **P-90**, Gibson's single-coil from the late 1940s and an instrument of pure character. It is a single-coil electrically, so it has single-coil clarity and bite and, yes, single-coil hum -- but its coil is wider and flatter than a Fender's and uses bar magnets beneath the poles, giving it a fatter, grittier, more midrange-forward voice. Players reach for the P-90 when a Strat sounds too thin and a humbucker too smooth: it growls and spits while keeping a single-coil's open top end. The neck P-90 in a hollowbody is one of the great jazz and blues tones; the bridge P-90 in a Les Paul Junior is one of the great punk and rock-and-roll tones.

| Tone Is the Whole Chain

Notice the word "tone" sliding around in this chapter. We have used it for the timbre of a single string, for the character of a pickup, for the sound of a whole instrument. That looseness is honest, because **tone is not located in any one component**. It is an emergent property of the entire signal chain, from the alloy of the string to the cone of the speaker and the air of the room. The pickup converts and colors; the cable subtly bleeds high end; the amplifier's input stage, tone stack, and power tubes filter and compress and ultimately clip; the speaker -- itself a wildly uneven filter that rolls off everything above five kilohertz or so -- delivers a final, heavily sculpted version to your ears. The string's raw harmonic series is the clay. Every stage that follows is a hand pressing into it.

This is why two players with identical rigs sound different, and why a great player sounds like themselves through almost anything. The hands are the first link. *Where* you pick (near the bridge for bright attack, over the neck for warmth -- the same standing-wave physics as pickup position, now controlled by your right hand), *how hard*, with flesh or plectrum, with **vibrato** that is wide and slow or narrow and fast, with the precise grading of a string **bend** -- all of it reaches the pickup as part of the string's motion and gets faithfully transcribed into the signal. The chain can only shape what the hands give it.

| Three Players, Three Conversions

Consider **Buddy Holly** on "Peggy Sue" (1957). The frantic, choppy rhythm that drives the track is a sunburst Fender Stratocaster -- almost certainly its bridge pickup, the brightest position -- run into a small tweed amp and strummed in fast downstrokes with the palm. The single-coil's high resonant peak and the bridge position's wealth of upper partials are exactly what make that rhythm cut

through with its nervous, paradiddle snap. Move that same part to a neck humbucker and it would go soft and lose the urgency entirely. The tone is inseparable from the physics of where and how the string was sampled.

Now **B.B. King**, whose semi-hollow Gibson he famously named Lucille. King is the patron saint of the neck-humbucker lead voice: he played the neck pickup almost exclusively, tone rolled back, and what came out was a warm, round, fundamental-heavy cry with the highest harmonics gentled away -- the closest a guitar comes to the human voice. His genius lived in the left hand: a fast, shimmering **vibrato** produced by rocking the wrist, and an unerring instinct for **target tones**, the notes that land on chord tones at the moment a chord arrives. He drew his lines mostly from the **minor pentatonic** scale -- the five-note scale (root, flat-third, fourth, fifth, flat-seventh) that omits the half-steps and so cannot sound truly "wrong" -- but he hovered constantly around the major third and the sixth, the sweet notes that pull the minor pentatonic toward a brighter, more vocal major sound. That hovering, voiced through a dark neck humbucker, is the B.B. King sound, and you can chase it tonight: neck pickup, tone at four or five, amp clean and just starting to break up, and a single bent note held with all the vibrato you can muster.

Here is the minor-pentatonic-with-a-major-lean idea, the B.B. King "sweet spot" approach, in the key of A:

TAB

Slow blues, ~60 bpm -- let every note ring, heavy wrist vibrato on the holds

```
e|-----|
B|-----5b6r5-----5~~~~~-----5-----|
G|-----7-----7-----6b7~~~~~-----|
D|--7-----7-----7-----|
A|-----|
E|-----|
```

The bend on the G string pushes the flat-third up toward the major third -- the bittersweet "blue" note. Neck pickup, tone rolled back, clean amp on the edge of breakup. Vibrato is everything.

Finally, contrast the two camps in one band's history through **Jimmy Page** and Led Zeppelin. On the first album (1969) Page leaned heavily on a Telecaster -- single-coils, bright and wiry -- and the solo on "Good Times Bad Times" has that thin, stinging, hyper-articulate snarl. By the time of the riff-monster era he had switched largely to a Les Paul with PAF-style humbuckers, and the change is audible everywhere: the thick, midrange-saturated crunch of those riffs is the humbucker's fatter, hotter signal slamming the front end of a cranked Marshall and pushing it into distortion far harder than a single-coil could. Same player, same hands, two pickup philosophies -- and two distinct chapters of rock tone, separated mostly by how the string was converted into voltage. (Page's specific guitars,

amp settings, and studio tricks are the stuff of endless and often contradictory lore; what is not in doubt is the single-coil-to-humbucker shift and how plainly it reads in the recordings.)

Let's put the power-chord physics under the fingers, the reinforcing root-and-fifth shape that humbuckers and overdrive were practically built for:

TAB

Driving rock, ~120 bpm -- palm-muted chugs, then let the open chord ring

PM PM (let ring)

Each shape is just root + fifth + octave-root. The fretted fifth doubles the root's 3rd harmonic and the top note doubles its 2nd, so the chord reads as one thick, reinforced pillar -- and stays clear under heavy distortion where a full chord would smear. Bridge humbucker into a cranked amp; palm-mute tight, then open up for the ring-out.

That is the whole game in miniature. A string vibrates; it climbs the harmonic ladder it cannot help but climb; a coil of wire and a magnet steal a faint electrical copy of that motion from one chosen spot along the wave; and a power chord works because it doubles down on overtones the root was generating all along. Every amp, pedal, and speaker in the chapters ahead is an answer to a single question that begins right here, at the string and the coil: now that we have this fragile little signal, *what shall we do with it?*

- **Charlie Christian, "Solo Flight" (1941, with Benny Goodman):** the birth of the guitar as a horn-like lead voice -- a warm, woody single bar-pickup tone, fat and round, cutting through a big band for the first time in history.
- **Buddy Holly, "Peggy Sue" (1957):** a Stratocaster bridge pickup at its brightest -- hear the nervous, snapping upper partials that let the rhythm part drive the whole song.
- **B.B. King, "The Thrill Is Gone" (1969):** the neck-humbucker lead voice in full -- round, vocal, fundamental-heavy, every note shaped by that shimmering wrist vibrato and a sixth or major third leaning out of the minor pentatonic.
- **Led Zeppelin, "Good Times Bad Times" vs. "Whole Lotta Love" (1969):** A/B the wiry single-coil Telecaster snarl of the former against the thick humbucker crunch of the latter to hear two pickup philosophies in one band.
- **Any guitar you own:** play one note, then touch the 12th, 7th, and 5th frets to ring the natural harmonics. You are hearing the octave, the fifth, and the second octave straight off the string -- the harmonic series that everything else in this book is built on.

Anatomy of an Amplifier: Preamp, Power, and the Magic of the Tube




FIGURE 2 *The path of your signal through a tube amplifier, from input jack to speaker cone.*

PUSH THE DOOR OPEN ON A GUITAR SHOP'S BACK ROOM AND YOU CAN SMELL IT BEFORE you understand it: warm dust baking on glass, a faint sweetness of phenolic and old solder, the particular ozone tang of high voltage doing slow work behind a chrome-trimmed grille. Somebody flips a stiff toggle, a red jewel lamp blooms, and for thirty seconds nothing happens. The amp is *thinking*. Then a faint hiss rises out of the speaker like a tide coming in, and when you finally hit an open E chord the room answers — not with a clean reproduction of your strings but with something thicker, rounder, alive at the edges. That gap between what you played and what came out is the entire subject of this chapter. It is where tone is born, and almost all of it happens inside a handful of glowing glass bottles and the iron and paper that surround them.

A guitar amplifier is not a single device so much as a small chain of devices bolted into one cabinet, and the signal walks through them in order, getting transformed at every step. Understanding tone means understanding that walk. So let us follow a single note — say, the G on the third fret of the high E string — from the moment your pick releases the string to the moment air moves against your chest.

| The Walk Through the Box

It begins at the **input jack**, where the few thousandths of a volt your pickup generates arrive looking pathetically small — far too weak to move a speaker cone, which wants something on the order of tens of volts swinging back and forth many times per second. The amp's first and most basic job is therefore to make the signal bigger. But "bigger" is never neutral. Every stage that amplifies also colors, and the colorations are the point.

The signal's first real encounter is with the **preamp**, and the preamp's beating heart is the **12AX7** vacuum tube — known in Europe as the **ECC83**, the same bottle by a different name. This little dual-triode is the most important component in the history of electric guitar tone, full stop. It is small, cheap, microphonic, prone to noise, and it has shaped more records than any single guitar model you could name. Inside its glass envelope, a heated filament boils electrons off a cathode; those electrons stream toward a positively charged plate; and a third element, the grid, sits in the middle like a venetian blind, controlling the flow. A tiny voltage wiggle on that grid produces a large voltage wiggle at the plate. That is amplification — a *gain stage* — and a single 12AX7 contains two of them, because it holds two triodes in one bottle.

Crucially, a 12AX7 has very high gain (its amplification factor, μ , is around 100), and when you drive it hard it does not amplify cleanly. It runs out of room. The grid can only swing so far before the tube saturates at the top and cuts off at the bottom, and when that happens the smooth wave coming in gets its peaks gently flattened on the way out. We will return to what that flattening *sounds* like, because it is the whole ballgame, but hold the thought: the preamp is where most of what people call "distortion" or "gain" or "drive" is generated, by cascading the signal through one overdriven 12AX7 stage into another.

Between and after those gain stages sits the **tone stack** — the passive network of capacitors, resistors, and potentiometers behind your Treble, Middle, and Bass knobs. The word *passive* matters: a tone stack does not add anything. It can only take away. It is a set of carefully tuned filters that throw frequencies on the floor, and the genius (and the limitation) of an amp's voice is often baked into how this little circuit bleeds off certain bands.

Here is one of the great forking paths in tone history. The **Fender** tone stack and the **Marshall** tone stack are close cousins — Jim Marshall's early circuits were, by his own cheerful admission, lifted almost directly from the Fender Bassman 5F6-A schematic — but small differences in component values send them in opposite directions. The classic Fender stack, with its tone controls placed where they are, produces a pronounced *mid-scoop*: it carves out the frequencies around 400 Hz, leaving a sound that is glassy and sparkling on top, fat and firm on the bottom, and politely recessed in the middle. That scoop is why a blackface Fender sounds so clean and three-dimensional, and also

why it can disappear in a loud band unless you push it. The Marshall stack, tuned slightly differently and fed by a hotter front end, lets far more midrange through — it has that nasal, vocal honk around 600–800 Hz that lets a Les Paul cut through a wall of cymbals like a hot knife. Same family tree, opposite philosophies: American clarity versus British aggression, and both decisions live in a few resistors and caps.

From the tone stack the signal, now shaped, heads toward the back half of the amp — and crosses an important border. Everything so far has been *voltage* work: making the signal taller without much concern for the muscle behind it. Now we need power, the ability to actually shove a heavy paper cone through air. That demands a different kind of tube and a different kind of circuit.

First, in most amps of any size, the signal hits the **phase inverter** (also called the phase splitter or driver). Its job sounds dull but its tonal fingerprint is real: it takes the single signal and splits it into two mirror-image copies, one the exact upside-down twin of the other. This is the setup for a *push-pull* power section, where one set of tubes amplifies the positive half of the wave while the other set handles the negative half, the two halves then recombined at the output. The phase inverter, often itself a 12AX7 or a 12AT7, can be driven into distortion too, and on a cranked Marshall a good deal of the snarl and compression you hear is the phase inverter clipping, not just the preamp.

Then come the **power tubes** — the big bottles, the ones that glow brightest and run hottest and cost the most to replace. This is where the watts are made, and the choice of power-tube family is arguably the single biggest fork in an amp's accent. We will give them their own section, because the difference between a 6L6 and an EL84 is the difference between a Texas blues tone and a British Invasion jangle.

After the power tubes, one last component does heavy, unglamorous, essential work: the **output transformer**. Power tubes operate at high voltage and low current; a speaker wants the opposite, low voltage and high current. The output transformer is the impedance-matching gearbox between them — a heavy lump of laminated iron and copper wire that couples the tubes to the speaker. It is also a tone component in its own right. Transformers saturate, roll off the frequency extremes, and add subtle harmonic complexity, and the lore that "the transformer is half the amp" is not entirely lore. A cheap, undersized output transformer will compress and blur on big low notes; a beefy one stays firm and articulate. Finally the signal reaches the **speaker**, which turns electrical motion into moving air — and which, as we will see, lies to you about your tone in the most flattering possible way.

| The Voices of the Power Tubes

If the 12AX7 is the universal preamp tube, the power section is where amplifiers choose their nationality. Four families dominate, and a fifth haunts the early Marshall story.

The **6L6** (and its close relative the **5881**, a ruggedized military-spec version) is the American voice — the beam-power tube at the heart of nearly every large Fender, from the tweed Bassman through the blackface Twin Reverb. A 6L6 delivers firm, deep, well-controlled low end and a glassy, extended top, with a midrange that tends to sit back rather than push forward. Paired with the Fender tone stack's natural mid-scoop, it produces that bell-like clean shimmer and the headroom to stay clean *loud* — a Twin Reverb's two 6L6s can put out around 85 watts, which is enough to stay pristine at volumes that would have a smaller amp screaming. The 6L6 is the sound of country Telecasters, of Stevie Ray Vaughan's thick blues clean, of a Stratocaster's neck pickup sounding like liquid glass.

The **EL34** is the British voice — the tube that, more than any single component, defines the Marshall crunch. Where the 6L6 is scooped and firm, the EL34 is mid-forward and a little loose, with a vocal, slightly compressed character and a top end that frays into a pleasing grind earlier than a 6L6 does. That aggressive midrange is why a Marshall stack cuts through a loud rock band and why power chords through one sound *angry* in the best way. The EL34 doesn't want to stay clean; it wants to growl, and it rewards you for pushing it. It is the sound of Marshall stacks at full roar — of hard rock's entire rhythm-guitar vocabulary.

The **EL84** is the Vox voice — smaller, chimier, and the most eager to break up of the bunch. Found in the **Vox AC30** (which uses four of them) and a thousand smaller combos, the EL84 produces a bright, glassy, harmonically rich chime at clean volumes and a sweet, sparkly, slightly crunchy bark as soon as you lean on it. It has less clean headroom than a 6L6 by a wide margin, which is a feature, not a bug: it means an EL84 amp starts singing at lower, more manageable volumes. That shimmering top end and early, musical breakup is the chime of the British Invasion, the jangle behind a Rickenbacker twelve-string, the bite of countless garage and indie records.

The **6V6** is the sweetheart — essentially the 6L6's little brother, found in small Fenders like the tweed Deluxe and the Princeton. A pair of 6V6s makes only around 15–22 watts, which means they distort early and beautifully. The 6V6 has the Fender family DNA — clear lows, sweet highs — but with a softer, warmer, more compressed character and a low-wattage willingness to overdrive that has made the little tweed Deluxe one of the most recorded amps in rock history. It is the sound of a small amp turned all the way up in a quiet room, fat and forgiving and golden.

Finally, the **KT66** belongs to the origin myth of the British sound. The very early Marshall JTM45 amplifiers — built before EL34 supply was reliable — used KT66 power tubes, a big, robust British beam tetrode. A KT66 splits the difference between American and British voices: it has some of the 6L6's girth and authority but with a thicker, more aggressive midrange. The fattest, woodiest early Marshall tones — the bridge between Fender's tweed lineage and the EL34 Marshall to come — owe their character to the KT66. It is a tube worth knowing because it explains the sonic genealogy: the

JTM45 was essentially a Bassman with a KT66 heart, and the moment Marshall switched to EL34s, the modern British rock tone snapped into focus.

| Rectifiers, Sag, and the Bloom

There is one more component family that shapes feel as much as tone: the **rectifier**, the part that converts the wall's alternating current into the direct current the tubes drink. An amp can do this with a **tube rectifier** (a 5AR4/GZ34, a 5U4, a 5Y3) or with solid-state silicon diodes. The diodes are cheaper, more efficient, and stiffer — they deliver the full voltage instantly and hold it firm no matter how hard you play.

A tube rectifier, by contrast, has internal resistance, and here is where the magic word enters: **sag**. When you dig into a big chord, the power tubes suddenly gulp current. A tube rectifier can't supply that surge instantly; the voltage to the power section momentarily droops, then recovers as the demand eases. The audible result is a soft, breathing compression — the attack of a hard-struck note gets gently squashed for a split second and then *blooms* back up as the voltage catches up. Players describe it as touch-sensitivity, as the amp "giving" under your hand, as a rubbery, dynamic feel where soft playing stays clean and hard playing slams into a forgiving wall of compression. It is why an old tweed amp feels so conversational, so responsive to pick attack. A solid-state-rectified amp feels tighter, faster, more immediate — better for precise, aggressive, percussive playing — while a tube-rectified amp feels warmer and more elastic, better for expressive blues and roots playing where the bloom becomes part of the phrasing. Neither is correct; they are different conversations.

| Class A, Class AB, and the Honest Version

You will hear amps marketed as "Class A," usually with the implication that it is purer, sweeter, more boutique. The truth is more modest and worth getting right. The terms describe how the power tubes share the work.

In a true **Class A** design, the power tube (or tubes) conducts current through the *entire* waveform, all the time — it never gets to rest. This runs the tube hot and inefficient but can yield a particular richness, and small single-ended amps like a tweed Champ are genuinely Class A by necessity, since there's only one power tube to do all the work.

In a **Class AB** design — which describes the vast majority of larger amps, including most big Fenders and Marshalls — the tubes work in push-pull pairs, and each tube handles a bit more than its half of the wave, idling cool until the signal calls it into action. This is far more efficient, which is

how you get 50 or 100 clean watts. The honest catch is that the famous Vox AC30, the poster child for "Class A" marketing, is technically closer to Class AB in operation; the "Class A" label attached to it is more heritage and habit than strict engineering. What you actually hear as the "Class A sound" — that immediate, raw, harmonically rich chime — owes at least as much to the EL84 tubes, the cathode-bias circuit, and the absence of negative feedback in those Vox designs as it does to the textbook class of operation. So when someone insists Class A is the holy grail, take it as shorthand for a *family* of design choices, not a magic switch. The class of operation matters, but it is one variable among many, and the marketing has long outrun the physics.

| Why Tube Clipping Sounds Warm

Now to the question that haunts every tone discussion: *why does tube distortion sound good and so much solid-state distortion sound bad?* The answer lives in the harmonic series, and it's worth building from the ground up.

When you pluck a string, it doesn't vibrate at just one frequency. It vibrates at a fundamental — the pitch you hear — and simultaneously at a whole ladder of higher frequencies called **harmonics** or **overtones**, each a whole-number multiple of the fundamental. If your low E rings at about 82 Hz, the harmonics stack above it at 164 Hz, 246 Hz, 328 Hz, and so on up the ladder. Here is the beautiful part: those harmonics are not random noise. They are *musical intervals*. The second harmonic (twice the fundamental) is exactly one octave up. The third harmonic is an octave plus a perfect fifth. The fourth is two octaves. The fifth harmonic is two octaves plus a major third. The very physics of a vibrating string spells out a major chord. This is why a single note sounds rich rather than sterile, and it is the foundation of all Western harmony — the intervals we build chords from are the intervals nature already put inside every note.

Now, distortion. When an amplifier stage clips — flattens the peaks of the waveform because it has run out of voltage room — it does not merely make the existing sound louder or fuzzier. It *adds new frequencies* that weren't in the original signal: it generates additional harmonics. And the type of harmonics it generates is everything.

Distortion that flattens the wave *symmetrically* — squashing the top and bottom peaks identically — generates predominantly **odd-order harmonics** (the third, fifth, seventh). The third harmonic is that octave-plus-a-fifth, which is consonant enough, but as you climb the odd ladder you reach intervals that clash, and a wave full of high odd-order harmonics sounds harsh, buzzy, brittle — the classic "transistor fizz." Distortion that flattens the wave *asymmetrically* — squashing one peak more than the other, which is exactly how a single triode behaves — generates a healthy dose of **even-order harmonics** (the second, fourth, sixth). And the second harmonic, recall, is a pure octave; the fourth

is two octaves; the sixth is two octaves plus a fifth. Even-order harmonics are octaves and octave-relatives of the note you played. Adding them is like adding a singer doubling your melody an octave up — it reads to the ear as fullness, warmth, body, *more of the same note* rather than dissonance.

A single overdriven 12AX7 triode clips asymmetrically and so brews up that pleasing even-order warmth. As you cascade and push harder, the spectrum gets richer and more complex, the clipping softens at the corners rather than slamming into a hard ceiling, and the whole thing compresses gently instead of brick-wallings. Soft, asymmetric, even-rich clipping: that is the sonic signature of a tube saturating, and it is why a cranked tube amp sounds *bigger and warmer*, not just dirtier. Early solid-state amps clipped hard and symmetrically, manufacturing exactly the harsh odd-order harmonics the ear dislikes — which is where tubes earned their reputation, and why modern designers work so hard to make silicon clip softly and asymmetrically too.

There is a second gift hiding in here. Clipping is a form of **compression**: by flattening the loud peaks and letting the quieter tail of the note catch up, distortion narrows the gap between a note's loud attack and its soft decay. The practical consequence is **sustain**. A clean note dies away quickly as the string loses energy; a distorted note holds and holds, because the amp keeps amplifying the dwindling string energy up against that flattening ceiling. Sustain isn't a separate effect bolted on — it is distortion and compression seen from the side. The same physics that adds the warm harmonics also makes the note *last*, which is why a screaming lead tone can hang a single bent note in the air for as long as your fingers can hold it.

Let's hear the difference in your hands. First, clean headroom — a 6L6 Fender at moderate volume, where the amp faithfully reproduces a chord with sparkle and air.

TAB

Slow, let it ring — bright clean tone, neck or middle pickup

```
e|---0-----|
B|---3-----|
G|---0-----|
D|---0-----|
A|---2-----|
E|-----|
```

An open Cadd9 stab into a clean, mid-scooped Fender: roll Treble to ~6, Bass to ~5, dig in and hear the high strings shimmer with no grit — pure fundamental and harmonics, nothing added.

Now take that same shape and chord motion, push the amp (or an overdrive) into breakup, and palm-mute the low strings. Watch how the dirt thickens the attack and the muted notes chug.

Driving eighth-notes, palm mute marked PM – amp just into breakup

The same voicing, lower strings only, palm-muted at the bridge into a cranked EL34 or a tube screamer. Each chug is the wave clipping — even-order warmth fattening the note, compression tightening the attack into a percussive "chunk."

Finally, the sound of sag and bloom: a single note, bent and held, where a tube-rectified amp's voltage droop lets the attack soften and the sustain swell.

Free time – bend slow, hold, let the amp bloom (high-gain or tube-rectified breakup)

e |
B | --7b9-----
G |
D |
A |
E |

Bend the 7th-fret B string up a whole step (to the pitch of fret 9) and hold with wide vibrato. On a sagging amp the picked attack compresses for an instant, then the note blooms louder and sustains — distortion's compression turning a dying string into a held vocal cry.

Three Players, Three Power Sections

Stevie Ray Vaughan is a 6L6 master class. Through the mid-1980s — *Texas Flood*, *Couldn't Stand the Weather* — Vaughan ran banks of Fender Vibroverbs and a Dumble-modified setup, heavy-gauge strings (famously up to .013 on top) tuned down a half step, and he played hard enough to make those firm 6L6 lows and glassy highs work for a living. The clean-but-thick sound of "Lenny" or the snapping attack of "Pride and Joy" is the Fender voice — scooped mids, deep controlled bottom, sparkling top — pushed to the edge of breakup by sheer right-hand force rather than by a wall of gain. Notice how much of his "overdrive" is really a loud clean amp barely clipping, the 6L6s and his

attack doing the compression together. Crank a blackface or tweed Fender, hit it hard, and you are in his neighborhood.

Brian May of Queen built an entire orchestra out of EL84 chime and the AC30's early breakup. Playing his homemade "Red Special" guitar through a wall of Vox AC30s — often with a treble booster slammed into the front end to push those EL84s into singing saturation — May layered harmony guitar lines into the cathedral textures of "Killer Queen" and the soaring multi-tracked solo of "Bohemian Rhapsody." The AC30's bright, harmonically rich top end is what lets those stacked parts stay distinct instead of turning to mud; each guitar keeps its glassy edge. His sustain on long-held notes is the EL84's compressed, blooming breakup doing exactly what we described above. The lesson: a treble-boosted AC30 turns thin single notes into a violin section.

Jimmy Page sits on the KT66-to-EL34 fault line. The first Led Zeppelin records lean heavily on a Marshall in the British tradition, and the JTM45-lineage tones — fat, woody, midrange-rich crunch — are exactly what the KT66/early-Marshall voice delivers. Plug a Les Paul into a cranked Marshall, let the midrange honk through, and you have the engine of "Whole Lotta Love" and the riff-architecture of "Heartbreaker." A familiar piece of contested lore claims Page cut the first album's rhythm tracks through a tiny **Supro** combo rather than a Marshall; he has told versions of that story over the years, but the make and model have shifted in the retellings and it remains exactly the kind of half-remembered studio anecdote worth enjoying without treating as gospel. What is *not* in doubt is the sound: midrange-forward British crunch, sustaining and vocal, the Marshall family's defining accent.

| The Speaker's Beautiful Lie

We end where the air begins, because the speaker is the final and most underrated tone-shaper in the box — and the place where a great deal of "amp tone" actually lives. A guitar speaker is not a hi-fi component; it is a deliberately limited, deliberately colored device, and four classic types tell most of the story.

The **Celestion Greenback** (the G12M, named for the green magnet cover) is the voice of British rock: it rolls off the harsh top end early and breaks up readily, the cone itself distorting and adding a vocal, grainy crunch when you push it. It cannot take huge power — a quartet was needed for a loud stack — but that low power handling is precisely why it sounds so musically ragged. The **Celestion Vintage 30** is its higher-powered descendant, tighter and louder with a pronounced upper-midrange spike that cuts through dense modern mixes; it stays composed where a Greenback would be tearing, which is why high-gain players love it and traditionalists sometimes find it too forward. The **Celestion Alnico Blue** (the Vox speaker, with its alnico magnet) is the chime made physical: bright, bell-like, low-powered, and it compresses and breaks up sweetly and early — the perfect dance part-

ner for an EL84 amp, which is exactly why the AC30 wears them. And the **Jensen** alnico and ceramic speakers are the American tweed-and-blackface sound: airy, glassy, quick to a sweet cone breakup in the smaller models, the speaker behind the classic Fender chime.

That phrase — *cone breakup* — deserves a final word, because it completes the picture of where distortion comes from. We have watched the signal clip in the preamp, in the phase inverter, in the power tubes. The speaker clips too. Push enough power into a cone and the paper can no longer move linearly; it stops faithfully following the signal and adds its own compression and harmonic grit, a softening and a "give" right at the top of the level. This is why a small amp cranked in a room sounds so satisfying, and why the same amp through a stiff, high-powered hi-fi speaker sounds sterile by comparison. The speaker's limitations are not flaws to be engineered away. They are the last, warm, lying, beautiful filter between your hands and the air — and like every stage before it, it gives you back something richer than what you put in.

♪ LISTEN FOR

- **The 6L6 clean:** Stevie Ray Vaughan, "Lenny" (*Texas Flood*, 1983). Listen to the deep, firm low end and the glassy, scooped-midrange shimmer of a loud Fender just kissing breakup — clean tone with weight and air.
- **The EL34 Marshall crunch:** Led Zeppelin, "Whole Lotta Love" (*Led Zeppelin II*, 1969). The midrange-forward British honk, vocal and sustaining — a Les Paul and a cranked Marshall, the riff cutting clean through the mix.
- **The EL84/Alnico chime:** Queen, "Killer Queen" (*Sheer Heart Attack*, 1974). Brian May's layered Vox AC30 harmony guitars — hear how the bright, breaking-up top end keeps each stacked part distinct and glassy.
- **Sag and bloom:** any cranked tweed Fender on a slow blues — listen for how a hard-picked note compresses on the attack, then swells and sustains as the amp's voltage recovers. Neil Young's *Tonight's the Night* tones through a tweed Deluxe are a vivid place to hear the breathing, blooming, ragged-edged voice of a small amp pushed past its comfort.

CHAPTER 3

The Language of Tone: How to Describe What You Hear




FIGURE 3 *The guitar's frequency range, band by band, and what each one does for your tone.*

THE CLERK AT THE GUITAR SHOP ASKS WHAT YOU'RE AFTER, AND YOU SAY THE WORD that everyone says. *Warmer*. You want it warmer. He nods the way clerks nod, reaches for a **Tube Screamer**, and you plug in, and it is not warmer at all -- it is louder in the middle and a little congested, and you stand there holding the pick wondering whether the problem is the pedal or the amp or your ears or the word itself. It is the word. "Warm" is true and useless at the same time, the way "delicious" is true and useless when you are trying to reorder a meal you ate once in another city. Everyone in a room can agree a tone is warm and still be hearing four different things, because warmth lives across a band of frequencies wide enough to hold both a hollow, woody jazz box and a saturated brown roar, and those two sounds share almost nothing except that neither of them is *bright*.

This chapter is about closing that gap -- about turning the soft, impressionistic words guitarists use into a working map, so that when you say warm you can also say *where*, and when a record stops you in your tracks you can name what stopped you. The vocabulary is not academic. It is the difference between turning knobs at random and turning the right knob a little. Every adjective in the gui-

tarist's lexicon -- warm, bright, dark, chimey, scooped, woody, fizzy, tight, spongy -- points at something physical: a region of the frequency spectrum, a behavior in the power supply, a shape in how a note begins and ends. Learn the map and the words stop being mood and start being coordinates.

| A Map of the Spectrum

Human hearing runs from roughly 20 Hz to 20 kHz, but the electric guitar lives in a narrower country than that, and the words we use cluster around a handful of neighborhoods inside it. Think of the spectrum the way you'd think of a mixing console's faders, low frequencies on the left, highs on the right, and walk it once slowly.

Down at the bottom, from about **80 to 250 Hz**, is the body of the sound -- the chest-thump, the boom, the part you feel in the floor of a club before you consciously hear it. The low E string's fundamental sits at roughly 82 Hz, so this band is where the lowest notes you play actually *are*. Too little here and a tone sounds thin, papery, like a transistor radio. Too much and it turns to boom and mud, the notes smearing into one another so a riff loses its edges. Just above, from **250 to 500 Hz**, are the low-mids, and this is the contested zone where "warmth" and "mud" are next-door neighbors who are constantly being mistaken for each other. A touch of 300 Hz is the woody fullness of a good neck-pickup tone; a pile of it is the boxy honk of a cheap amp in a small room.

The broad middle, from **500 Hz to 2 kHz**, is the guitar's home and its battleground. This is presence in the oldest sense of the word -- the band that lets a guitar cut through a band, sit forward in a mix, sound *present* in the room rather than behind a curtain. It is also where the so-called nasal or honking quality lives, the cocked-wah quack, the sound of a hand cupped over a megaphone. The single most consequential tonal decision in electric guitar history is a decision about this band: whether to leave it in or scoop it out. We'll come back to the scoop, because it is less a knob than a worldview.

Climbing higher, **2 to 4 kHz** is the upper-mids, the attack and bite of the sound, the click of the pick against the string, the snarl that makes a distorted riff sound aggressive rather than merely loud. This is the band the human ear is most ruthlessly sensitive to, which is why a little boost here reads as "more," as energy, as the guitar getting in your face. Above that, **4 to 6 kHz** is the presence band proper -- the modern usage, named after the presence control on an amplifier -- the sheen and definition that make a tone sound detailed and "hi-fi," the difference between a note that is merely there and a note with a glint on its edge. And from **6 kHz up** is air: the open, spacious shimmer at the very top, the breath around a clean arpeggio, the sparkle of a chiming twelve-string. Push it too hard and air becomes hiss, fizz, the sound of sandpaper on the high end.

Now the words have addresses. **Warm** is energy in the lows and low-mids with the very top rolled gently off -- present below 500 Hz, polite above 5 kHz. **Bright** is the mirror image, lifted in the pres-

ence and air bands, lean in the lows. **Dark** is warm taken further, with the upper-mids and treble genuinely pulled down, the tone of a jazz archtop with the tone knob at three. **Chimey** and **jangly** are cousins, both rich in upper-mids and air, but chime implies a bell-like clarity and sustain -- think of a struck tuning fork -- while jangle adds the busy, ringing interference of many strings sounding at once, the shimmering wash of a Rickenbacker twelve-string through a clean amp. **Glassy** is a clean, bright tone with a hard, reflective top end and fast transients, like sun off a window. **Woody** is the opposite texture: a hollow, breathing low-mid character with a soft attack, the sound seeming to come from inside a resonant box. **Brittle** is brightness gone wrong, too much upper-treble with no body underneath to support it, so the tone shatters instead of sings.

| How the Tone Stack Actually Works

Here is the part that humbles every guitarist eventually: the tone controls on a typical tube amp do not work the way the labels imply, and they do not work independently. The classic **Fender/Marshall tone stack** -- the bass, middle, and treble knobs on a black-panel Fender or a plexi Marshall -- is a *passive* circuit, meaning it has no power of its own to boost anything. It can only take away. Every one of those knobs is a way of throwing some part of the signal to ground, and "boosting the treble" really means cutting the bass and mids by comparison. The faders only go down; turning one up is letting more through by cutting its neighbors less.

This is why the knobs interact so maddeningly. The bass and treble controls in a Fender stack share components, so dialing in more bass quietly pulls down the lower treble, and cranking the treble thins out the lows. And the middle control is the strange one. In the most famous version of this circuit, there is a frequency around 400 Hz that gets attenuated no matter what you do -- a built-in notch, a scoop baked into the design -- and turning the middle knob all the way down deepens it into a canyon. That notch, an accident of cheap mid-century circuit design, is the sound of a Fender amp: the glassy, scooped, three-dimensional clean that defined the surf and country and into much of what came after. Leo Fender did not set out to invent the mid scoop. The tone stack he borrowed simply had one, and the world decided it liked the hole.

Marshall used a close relative of the same circuit and arrived somewhere else entirely, partly through different component values and partly because they drove it harder, into distortion, where the scoop interacts with saturated harmonics differently. The lesson is not that one is right. The lesson is that **the tone stack is a system, not three separate sliders**, and the only way to learn it is to move one knob at a time, all the way through its travel, and *listen* -- which is exactly what the first musical example is for.

So here is a tempo-free chord, held so you can hear the spectrum shift as you sweep each knob:

Tone-stack sweep -- a Cadd9 voicing. Strum slowly and let each chord ring while you turn one knob, then the next, through its full travel.

TAB

Sweep BASS, then MID, then TREBLE, 0 to 10. Let each strum ring.

```
e|---0---  
B|---3---  
G|---0---  
D|---0---  
A|---2---  
E|---3---
```

A Cadd9 voicing -- the open C chord with the third finger on the B string's 3rd fret reaching to add the 9th (a D, two octaves up from the root's neighbor). The ringing open G and high E give you upper-mid and air content to audition; the open A and low fretted notes feed the lows. Strum it, then turn one tone knob slowly from 0 to 10 and hear which neighborhood of the spectrum lights up or goes dark. The "add9" is just the major chord with the 9th degree of the scale stacked on top, adding shimmer without the sweeter, jazzier color a 7th would bring -- ideal here because it spreads energy evenly across the bands you're trying to hear.

| Timbre, Transients, and Why Two Notes Are Never the Same

Underneath all of this sits a single piece of physics that the whole vocabulary is secretly describing: **timbre**, the reason a guitar and a trumpet playing the same note sound nothing alike. When a string vibrates, it does not produce one frequency. It produces a fundamental -- the pitch you name -- plus a stack of quieter **overtones** at whole-number multiples above it, the harmonic series. Pluck a low A at 110 Hz and you also get 220, 330, 440, 550 and on up, each fainter than the last, and the particular *recipe* of those overtones -- which ones are loud, which are weak -- is the timbre. A pickup near the bridge favors the higher overtones, so it sounds bright and cutting. A neck pickup catches the string where it swings widest and emphasizes the fundamental, so it sounds warm and round. The wood, the strings, the amp, the speaker each reshape that recipe. When you say a tone is "creamy," you are describing a particular overtone balance: strong fundamental, smoothly rolled-off highs, and -- crucially -- the rounded harmonics that amplifier distortion *adds* to the original recipe, filling in the spaces between a string's natural overtones until the sound thickens into something liquid.

The other half of timbre is time. Every note has a **transient** -- the sharp spike at the very front, the pick-attack, the click and snap of the string being set in motion -- and then a **sustain**, the longer ringing tail as it decays. The transient is mostly high-frequency energy and it is brief, a few millisec-

onds, but the ear uses it to identify the sound and to feel rhythm. This is what guitarists mean by **articulation**: how clearly each note's transient comes through, how defined the front edge is. A tone with strong articulation lets you hear every pick stroke; a smeared, compressed tone blurs the transients together so a fast line turns to porridge.

Which brings us to the two behaviors most often confused with each other. **Compression** is the narrowing of the gap between loud and soft -- the transient gets squashed down toward the level of the sustain, so picking dynamics flatten out and the note seems to "bloom," swelling and holding instead of spiking and fading. A compressed tone sounds even, polished, sustaining; it also sounds less *touch-sensitive*, because it has stopped translating how hard you hit the string. **Headroom** is the opposite virtue: how loud a tone can get before it distorts, how much clean signal the amp will pass before the transients start clipping. A high-headroom amp -- a big black-panel Fender, say -- stays clean and articulate even when it's loud, every transient intact. A low-headroom amp breaks up early and willingly, trading articulation for grit.

| Sag, Bloom, and the Feel of the Power Supply

There is one more region of the vocabulary that has nothing to do with the tone knobs at all, and it is the one players reach for when they're trying to describe how an amp *feels* under the hands rather than how it sounds across the room. The key word is **sag**.

When you hit a big chord hard, the power amp draws a sudden gulp of current, and in older amplifiers -- particularly those using a tube rectifier rather than solid-state diodes to convert the wall current -- the power supply can't deliver it instantly. The voltage momentarily droops, *sags*, and then recovers a few milliseconds later. The audible result is that the attack is slightly softened and then the note swells back up as the voltage returns -- the famous **bloom**, the sense of a note pushing back into your chest a half-beat after you strike it. A tube-rectified tweed amp does this; it feels rubbery, elastic, alive, and it is why those amps are described as **spongy** -- the pick meets a cushion of give rather than a wall. A **tight** amp is the inverse: solid-state rectification, a stiff power supply, a fast and firm response with no droop, the attack snapping back immediately. Tight is precise and punchy; spongy is forgiving and musical. Neither is better, and the difference is real and physical, not lore -- it lives in the rectifier and the filter capacitors, and you can measure the voltage dip on a scope.

What you should be careful about is the *mythology* that grows around it. The legendary "brown sound" -- the warm, sagging, slightly compressed roar associated with Eddie Van Halen's first records -- gets credited to a **Variac**, a device he used to lower the voltage feeding his **Marshall**. It's commonly cited that running the amp on reduced voltage induced extra sag and a darker, browner saturation, and Eddie himself spoke of using a Variac. But how much of the brown sound came from voltage

starvation versus the specific amp, the speakers, the room, the tape, and the player's hands is genuinely debated among the people who have tried hardest to reverse-engineer it, and you should treat the single-cause Variac story as plausible lore rather than settled fact. The same skepticism applies to any "secret setting" you read as gospel; tone is a chain, and no one link explains the whole sound.

The word **fizzy**, finally, belongs to the failure modes of distortion. When a tone has too much high-frequency content in its saturation -- ragged, undamped harmonics up above 6 kHz with no warm body beneath them -- it fizzes, like a poorly tuned radio or a wasp in a jar. Fizz is what you get from too much gain into a small speaker that can't smooth the highs, and taming it is mostly a matter of rolling off the very top and letting the speaker and a little low-mid do their work.

I Note Separation Under Gain

The cruelest test of any high-gain tone is whether you can still hear the individual notes. Distortion adds harmonics, and harmonics from one note interact with harmonics from another, generating new sum-and-difference tones that didn't exist in the clean signal -- **intermodulation distortion**. Play a power chord clean and you hear two notes; play it through a wall of gain and you hear a thick, complex roar that is no longer obviously two notes at all. This is why **note separation** -- the ability to hear each pitch distinctly even under saturation -- is so prized, and so hard to keep. A tone with good separation under gain is usually one with a tight low end (so the bass notes don't smear), restrained low-mids (so the 300 Hz region doesn't congest), and enough upper-mid articulation to preserve each note's transient.

The next example is a single-note line designed to expose exactly this. Played clean it should be effortless to follow; pile on the gain and you'll hear separation either survive or collapse into mush.

A-minor-pentatonic line -- play it once clean, then again with heavy gain, and listen to whether the note edges survive.

TAB

Moderate, even eighth notes. Watch the note edges as the gain rises.

```
e|-----  
B|-----  
G|-----  
D|-----5--7--5--7-----  
A|---5--7--8-----8--7--5---  
E|-8-----8--
```

A minor-pentatonic line in A (the five-note scale -- root, flat-3rd, 4th, 5th, flat-7th -- that is the bedrock of blues and rock soloing). The descending-then-ascending shape forces adjacent notes close

together in pitch, which is the hardest case for separation. To keep it clear under gain, pick each note cleanly and let the upper-mids (2-4 kHz) stay present; if it turns to porridge, you have too much low-mid mud or too much compression smearing the transients.

| Case Studies in Vocabulary

The Scoop and the Chime: Hank Marvin's "Apache." In 1960, Hank Marvin of the Shadows recorded the instrumental "Apache" on a **Fender Stratocaster** through a **Vox** amplifier with tape echo, and the result is a clinic in glassy, scooped, chiming clean tone. The Strat's bridge and middle pickups feed those bright upper-mid and air bands; the Fender-style mid scoop hollows out the 400 Hz honk and leaves a three-dimensional, almost vocal clarity; and the echo's repeats add the bloom and space that make each melody note hang in the air. Listen and you can hear every term from this chapter at once -- glassy, chimey, scooped, with strong transients on each picked note. Marvin's tone is bright but not brittle, because there is just enough body in the lows to anchor the sparkle on top.

Warmth and Bloom: B.B. King's "Lucille." B.B. King's tone on the live records -- through a clean, loud amplifier, neck-favoring, with that singing sustain -- is the dictionary illustration of "warm" done right. The fundamental is strong, the very top is rolled off so nothing turns harsh, and his vibrato sets each note shimmering. Crucially, King played a **semi-hollow Gibson**, and the body resonance feeds that woody low-mid warmth around 300 Hz. His phrasing is **call-and-response**: a sung-sounding lick, a breath of silence, an answer -- the guitar imitating a human voice, which is exactly why warmth (strong fundamental, gentle highs, vocal mid character) is the right palette. A bright, scooped tone could never cry the way Lucille cries.

Tight Lows and Articulation: James Hetfield's Rhythm Sound. Metallica's *Master of Puppets* is built on palm-muted downpicking that has to stay tight and articulate at extreme gain, and Hetfield's tone -- a **Mesa/Boogie**-driven sound into closed-back cabinets with **Celestion** speakers -- is a study in keeping note separation alive under massive saturation. The lows are tight and fast (no boomy smear to blur the chug), the deep mids are pulled back, and the upper-mid attack is preserved so every palm-muted eighth note has a defined front edge. It's a heavily scooped, aggressive voice, but the articulation never dissolves, which is the whole trick of metal rhythm tone.

The third example puts that under your hands -- a palm-muted chug where you can hear "tight" succeed or fail:

An open-E palm-muted chug. Drive it hard with all downstrokes and hear whether "tight" holds or the bottom blooms loose.

Driving, all downstrokes. PM = palm-muted: rest the picking-hand edge on the strings near the bridge so each note stays choked.

```
e|-----
B|-----
G|-----
D|-----
A|-2--2--2--2--2--2--2--2--2--2--2--
E|-0--0--0--0--0--0--3--3--0--0--0--
PM.....
```

An open-E-based palm-muted chug (the low E with the A-string 5th interval -- the "power chord," just root and fifth, no third, so the heavy gain doesn't muddy it with extra harmonics). Palm-muting damps the string so the transient stays sharp and the sustain stays short, which is what "tight" means physically: controlled lows, fast decay, every chug separated from the next. If your low E booms and the notes run together, that's loose, untamed bottom around 80-120 Hz -- pull it back at the amp or move your muting hand and the chug snaps into focus.

Why Your Bedroom Tone Lies to You

A final, practical truth that the vocabulary can't fix but can at least explain. The same amp at the same settings will sound genuinely different at bedroom volume than it does on a stage, and the reason is your own ears. In the 1930s, researchers Harvey Fletcher and Wilden Munson at Bell Labs measured how human hearing responds to loudness across the frequency spectrum, and they found that our sensitivity is not flat -- the **equal-loudness contours** (often loosely called the Fletcher-Munson curves) show that at low volumes the ear is much less sensitive to bass and treble than to the mids, and that as volume rises the lows and highs seem to come up to meet the middle.

The consequence is direct: a tone dialed to sound full and balanced at low volume will be carrying extra bass and treble to compensate for your ears' weakness there -- and when you turn it up on stage, where your ears suddenly hear those bands clearly, that same tone blooms into a boomy, harsh, over-EQ'd mess. The reverse is just as true. The legendary "this amp only sounds good loud" is not entirely mysticism; part of it is that the amp was voiced for the volume where the equal-loudness curves flatten out and you finally hear what the designer heard. This is why you should set your tone at something near the volume you'll actually play, why a great stage sound can collapse in a quiet room, and why "warmer" at bedroom level and "warmer" at gig level are, once again, two different requests. The words are the same. The ears underneath them are not.

• LISTEN FOR

- **Glassy, scooped chime:** the Shadows, "Apache" (1960). Hear the hollowed-out 400 Hz mids, the bright air on top, and the bloom of tape echo on each picked melody note.
- **Warm with vocal bloom:** B.B. King, *Live at the Regal* (1965), "How Blue Can You Get." Strong fundamentals, rolled-off highs, woody low-mid resonance, and call-and-response phrasing that makes the guitar sing.
- **Tight lows, surviving separation:** Metallica, *Master of Puppets* (1986), the title track's main riff. Palm-muted chugs with controlled bottom and preserved upper-mid attack -- every note distinct under enormous gain.
- **Equal-loudness in action:** take any one amp setting and A/B it at whisper volume and at band volume. The bass and treble that vanished when quiet are the Fletcher-Munson curves at work.

Pickups, Wood, and the Honest Truth About Tone

A MAGNET WRAPPED IN FORTY-TWO-GAUGE COPPER WIRE, SITTING A FEW MILLIMETERS under six vibrating steel strings. That is the whole miracle. Everything that happens after it — the cable, the pedalboard, the tube straining at the edge of breakup, the twelve-inch speaker pushing air across a room — is downstream of this one small, dumb, beautiful transaction. A string moves through a magnetic field. The field wobbles. The wobble pushes electrons through the coil. The coil hands a tiny, fragile alternating voltage to the world, and the rest of the signal chain spends its whole life arguing with that voltage about what it should become.

Understanding the pickup is understanding the source. You can chase tone for thirty years through boutique overdrives and NOS tubes and hand-wired cabinets, but if you do not understand what the magnet under your strings is actually doing, you are decorating a room you have never seen the floor plan of. So before we go any further into amps and effects, we need to stop at the very front of the chain and tell the honest truth about where electric guitar tone comes from — and, just as importantly, where it does *not* come from, no matter how confidently the forums insist otherwise.

I The Coil and the Magnet: How a Pickup Actually Hears

Let us start with the physics, because it makes everything else make sense. A guitar pickup is a transducer — a device that converts one form of energy into another. Here, mechanical motion becomes electrical signal. Underneath each string sits one or more permanent magnets, and around those magnets is wound a coil of fine copper wire, often somewhere between five thousand and nine thousand turns of it. The magnet does two jobs at once. First, it magnetizes the steel string directly above it, turning a passive piece of metal into a moving magnetic object. Second, it provides the field that the coil "watches."

When you pluck the string, it vibrates, and because it is now magnetized, its motion disturbs the magnetic field threading through the coil. A changing magnetic field through a coil induces a voltage — this is Faraday's law of electromagnetic induction, the same principle that runs every generator on earth. The faster and harder the string moves, the bigger the voltage. The result is an alternating cur-

rent whose waveform mirrors the string's motion: a complex, decaying wave full of the fundamental frequency and a tall stack of overtones above it.

That stack of overtones deserves a moment, because it is the foundation of nearly everything we will say about tone, theory, and timbre for the rest of this book. When a string vibrates, it does not simply move as one lazy arc. It vibrates as a whole *and* in halves *and* in thirds *and* in quarters, all at once, each division producing a pitch. These are the **harmonics**, or the **overtone series**. The whole-string vibration gives you the fundamental — the note you think you are playing. The half-string vibration rings an octave above it. The third produces an octave plus a fifth; the fourth, two octaves; the fifth, two octaves plus a major third, and onward up an ever-tightening ladder. An *interval*, by the way, is simply the distance in pitch between two notes; the octave (a 2:1 frequency ratio) and the fifth (close to 3:2) are the most consonant intervals precisely because they sit lowest and strongest in this natural series. The relative loudness of each harmonic — how much fifth, how much third, how much high sparkle versus low thud — is timbre. It is why a piano and a trumpet playing the same A sound nothing alike, and it is the raw material a pickup carves into.

Here is the part players rarely internalize: the pickup does not hear the whole string equally. It hears the string *at one specific point along its length*, and that location changes everything.

I Standing Waves, Nodes, and Why the Neck Pickup Sounds Fat

Picture the string as a length of rope tied at both ends — at the nut and at the bridge saddle. When it vibrates at its fundamental, the two ends stay still (these still points are called **nodes**) and the middle swings the widest (the point of maximum motion is an **antinode**). This is a **standing wave**. Now picture the second harmonic, the octave: it has a node not only at both ends but also dead-center, with two antinodes flanking it. The third harmonic has two interior nodes; the fourth, three; and so on. Every harmonic lays its own pattern of still points and swinging points along the same string, all superimposed.

A pickup placed at a given spot along the string samples the *total* sideways motion happening right there. And motion varies wildly by harmonic depending on position. Right next to the bridge, every harmonic is near a node, so total motion is small but rich in upper overtones — the string is barely moving there, but what little movement exists is dominated by the higher, brighter partials. That is your bright, cutting, slightly thin bridge tone. Move toward the neck, out around the twenty-fourth-fret area where many neck pickups sit, and you are near the antinode of the fundamental and the lower harmonics — the part of the string swinging widest in its big, slow, whole-length arc. The pickup gorges on the fundamental and the low overtones and comparatively starves the high ones. That is your warm, round, fundamental-heavy neck tone.

This is not a marketing story or a tonewood debate. It is geometry. The neck pickup sounds fat because it is physically parked where the low harmonics do their biggest dancing, and the bridge pickup sounds bright and wiry because it is parked where only the high harmonics have any meaningful motion left. Slide a pickup half an inch and you genuinely change which harmonics it favors — which is exactly why the same model of pickup sounds different in the neck and bridge positions of the same guitar, and why pickup *placement* is one of the most underrated tone decisions a builder makes.

A quick experiment: play a sustained open low E and gently rest a finger directly over the twelfth fret without pressing down. The fundamental dies and the octave rings out — you have just damped the antinode of the fundamental (which sits at the twelfth fret, the string's midpoint) while leaving the octave's node untouched. You are hearing standing waves with your own hands.

| Three Families: Single-Coil, P-90, and Humbucker

Three broad pickup designs have shaped electric guitar tone, and the differences between them are real, audible, and rooted in construction.

The **single-coil** is the original and the simplest: one coil, wound around magnets, usually six individual magnetic pole pieces (often Alnico, an aluminum-nickel-cobalt alloy) standing up through the bobbin like little soldiers. This is the pickup of the **Fender Stratocaster** and **Telecaster**. With a single coil and relatively modest winding, it produces a clear, articulate, harmonically detailed signal with a pronounced upper-midrange and treble presence. The catch is hum: a single coil acts as an antenna for the sixty-cycle electromagnetic hum radiating from power transformers, fluorescent lights, and dimmer switches. That sixty-hertz buzz is the tax you pay for single-coil clarity.

The **humbucker**, introduced by Gibson engineer **Seth Lover** around 1955 and patented in 1959 (the famous "PAF," for the *Patent Applied For* sticker on its base), solved the hum with elegant physics. Lover placed two coils side by side, wound them in opposite directions, and reversed the magnetic polarity between them. Hum from the environment hits both coils equally and, because the coils are reverse-wound and reverse-polarity, the hum cancels — it *bucks the hum*, hence the name. But the string signal, being a real magnetic event tied to the reversed magnet, adds together rather than canceling. The result is a quieter pickup with roughly double the coil and therefore higher output, a thicker midrange, and a rolled-off top end. Two coils also act as a wider "aperture," sampling a longer span of string, which averages out some of the highest harmonics and contributes to the humbuck-

er's characteristic warmth and slightly softer attack. This is the engine of the **Gibson Les Paul** and the **ES-335**.

The **P-90**, also from Gibson and predating the humbucker, is the fascinating middle child. It is a single-coil — so it has single-coil clarity and bite and, yes, single-coil hum — but its coil is wound wider and flatter, with bar magnets sitting beneath the coil rather than pole pieces running through it. The geometry gives the P-90 more turns of wire in a squat, wide shape, yielding higher output than a Strat single-coil and a thick, gnarly, midrange-forward voice with a raw edge that humbuckers smooth over. Think of it as a single-coil wearing a heavier coat: grittier than a Strat, more open and snarling than a humbucker.

| Magnets and Output: Alnico II, III, V, and Ceramic

The magnet is not a neutral component; its strength shapes both tone and feel. **Alnico II** is a relatively weak magnet, and weaker magnets pull less on the string, allowing longer sustain and producing a softer, sweeter, more vintage-voiced sound with a gentle treble roll-off — it is the magnet often associated with that creamy, vocal Les Paul lead tone. **Alnico V** is considerably stronger, gripping the string harder for more output, a tighter low end, a more aggressive attack, and a brighter, more articulate top. **Alnico III**, weaker even than II in some formulations, shows up in certain vintage-style single-coils for a soft, airy character. **Ceramic** magnets are stronger and cheaper still, pushing high output and aggressive brightness, which is why they populate so many hard-rock and metal pickups — the extra strength and winding slam the front end of the amp harder.

That phrase — *slam the front end of the amp* — is the practical heart of pickup output. Output is simply how big a voltage the pickup hands to your signal chain, and it is governed mostly by the number of coil turns and the magnet strength. A vintage Strat single-coil might put out a gentle signal; a hot ceramic humbucker can deliver several times the voltage. A higher-output pickup does not merely sound "louder" at the same amp setting — it drives the first gain stage of the amp closer to, or into, clipping. The pickup, in other words, is your *first* overdrive pedal. A cranked tweed amp that stays clean under a Strat will break into snarling distortion under a hot humbucker, with nothing changed but the source. This is why output level is a tone control, not just a volume control: it decides how hard you are punching the amplifier before you have touched a single knob.

| The Strat Quack, the Tele Twang, and the Les Paul's Thickness

Now the fun part — the specific voices these designs create, and why.

The Stratocaster's most beloved sound is the "**quack**" of positions 2 and 4: the bridge-and-middle pickups together, or the neck-and-middle together, selected by the in-between notches of its five-way switch. When two pickups are combined, their outputs sum — but because they sit at different points along the string, they are sampling different mixtures of harmonics. At certain frequencies the two signals fall slightly out of step and partially cancel, while at others they reinforce. This creates a series of gentle notches and peaks across the spectrum, a phenomenon called **comb filtering** (so named because the resulting frequency response, plotted out, looks like the teeth of a comb). The deepest scoop tends to land in the low mids, and the result is that hollow, glassy, slightly nasal cluck — vowel-like, almost like the guitar is saying "ow." Players and writers often call positions 2 and 4 "out of phase," and there is a grain of truth in it — the spatial offset does put certain frequencies out of phase with each other — but a true wiring-reversed out-of-phase sound is thinner and more extreme than the Strat's musical, partial cancellation. The honest description is *comb filtering between two spaced pickups*, and it is one of the most identifiable textures in recorded music.

Here is a figure built to chase that quack — a clean funk move in position 4 (neck and middle):

TAB

Funk sixteenths, ~100 BPM, position 4, clean with a touch of compression

```
e|-----|
B|--8--8-x-8----8--8-x-8----6--6-x-6----6--6-x-6--|
G|--7--7-x-7----7--7-x-7----5--5-x-5----5--5-x-5--|
D|-----|
A|-----|
E|-----|
```

A clipped, percussive double-stop riff — two notes plucked together — riding the neck-and-middle quack. Keep the picking-hand pressure light, let the muted x's snap, and roll the tone knob to about 7 so the glassy top stays sweet rather than brittle. A **double stop** is simply two notes sounded at once, the funk and blues player's bread and butter.

The Telecaster's signature is **twang** — a bright, springy, spanky snap with a percussive front edge and a long, singing sustain, especially from the bridge pickup. Several things conspire to produce it. The Tele's bridge pickup is mounted on a steel baseplate and set into a metal bridge plate, which adds eddy-current effects and reinforces certain frequencies; its slightly steeper magnet stagger and bright single-coil voice emphasize the high mids and treble where pick attack lives. Combine that with the Tele's typically hard, snappy attack and you get the cluck and twang that built country music and cut through a hundred honky-tonk mixes. The neck pickup, by contrast, is famously dark and round — a covered single-coil that many players find almost jazzy.

The Les Paul's calling card is **thickness** — a dense, sustaining, midrange-rich tone with a smooth top and an almost vocal quality when pushed. That comes from the humbuckers (warm, high-output,

top-end softened by two-coil averaging), a shorter twenty-four-and-three-quarter-inch scale length that lowers string tension for a slinkier feel and a slightly looser, warmer fundamental, and a mahogany body with a maple cap that the lore credits heavily — a claim we will examine honestly in a moment. The shorter scale and fatter pickups together give the Les Paul its singing sustain and its tendency to bloom into smooth, controllable feedback when a cranked amp and a willing guitarist meet in a loud room.

And then there is the **ES-335**, the semi-hollow compromise that splits the difference between a solidbody and a full archtop. A solid maple block runs down the center of an otherwise hollow body. The center block fights the runaway feedback that plagues fully hollow guitars at volume and tightens the low end, while the hollow wings add a touch of air, a slightly looser resonance, and a woody warmth that a slab solidbody does not have. It is the guitar of the player who wants humbucker thickness with a breath of acoustic openness — blues, jazz, soul, and rock all live comfortably inside it.

| A Tele Bend and a Les Paul Power Chord

The Telecaster taught country guitar to *cry*, and a great deal of that is the **bend** — pushing a string sideways to raise its pitch, often up to a target chord tone. Here is a characteristic move in the Tele idiom, the kind of double-stop bend that imitates a pedal-steel guitar:

TAB

Country shuffle, ~120 BPM, bridge pickup, clean and bright with spring reverb

```
e|-----|
B|--8b9---8b9---8b9---8-----8-----|
G|--7-----7-----7-----7-----7-----7~-----|
D|-----|
A|-----|
E|-----|
```

*Hold the G-string note steady while you bend the B string up a half step (8b9) and back — the two strings rub against each other in a tense, then resolved, harmony that mimics a steel guitar's pedal action. The brightness of the Tele bridge pickup makes the bend ring with that characteristic spank. End on a slow, hand-vibrato wiggle (~) to let it sing. **Vibrato** is the small, repeated pitch oscillation a player adds with the fretting hand to make a held note breathe.*

The Les Paul, by contrast, wants weight. Its humbuckers and shorter scale make even a simple power chord sound enormous. Here is a thick, palm-muted figure built to show off that density:

Heavy mid-tempo rock, ~96 BPM, bridge humbucker, amp on the edge of breakup

```

e|-----|
B|-----|
G|-----|
D|--5-5-5-5-5-----7-7-7-7-7-----5-5-5-5-5-----|
A|--5-5-5-5-5-----7-7-7-7-7-----5-5-5-5-5-----|
E|--3-3-3-3-3-----5-5-5-5-5-----3-3-3-3-3-----|
  
```

Root-fifth-octave power chords (a **power chord** omits the third, leaving only the root and the perfect fifth, which is why it reads as neither major nor minor — harmonically open and perfect for distortion, since the third would clash with the overtones an overdriven amp generates). Palm-mute (PM) the strings near the bridge so each chord chugs rather than rings, and let the Alnico humbucker's thick midrange and the amp's gentle clipping fuse it all into one wall of sound. The shorter Les Paul scale makes the low strings feel slinky and the fundamental bloom.

| The Honest Truth About Tonewood

Now we arrive at the campfire that has burned hottest in guitar forums for decades: does the wood of a solidbody electric guitar audibly change its amplified tone?

Let us be careful and fair, because this is genuinely contested and the dogmatists on both sides are equally tiresome.

The case *for* wood mattering rests on resonance and sustain. A guitar body and neck are not perfectly rigid; they vibrate slightly in sympathy with the string. Wherever the body resonates strongly at a given frequency, it absorbs a little energy from the string at that frequency, damping that note's sustain faster and subtly reshaping the decay. Different woods, with different densities and stiffnesses, have different resonant signatures — so in principle a dense maple-and-mahogany Les Paul and a lighter swamp-ash Telecaster will let their strings ring with slightly different sustain profiles and "dead spots." Players who trust their hands report that an exceptional piece of wood feels and responds differently under the fingers, and feel genuinely affects how you play, which genuinely affects tone. None of that is crazy. It is real physics, just a *small* effect.

The case *against* wood dominating rests on signal-chain reality. The pickup, as we have seen, responds to string motion in a magnetic field. The overwhelming majority of that motion comes from the string itself; the body's sympathetic vibration feeds back only a tiny fraction of energy. Compared to the *gigantic* tonal swings produced by changing pickups, string gauge, pick attack, the amp, and the speaker, the contribution of body wood to a *solidbody* electric's amplified sound is, by most careful listening and measurement, small — and frequently swamped entirely by the variation between two "identical" pickups, or by where you set the tone knob. Several blind tests and a number of thought-

ful measurement-based investigations have struggled to reliably distinguish body woods in a solidbody once the obvious confounds are controlled, though such tests are hard to run cleanly and none has settled the matter to everyone's satisfaction.

So what is the honest position? Wood is not nothing, and it is not magic. On a *solidbody*, its audible effect on amplified tone is real but modest, easily overwhelmed by the bigger variables, and far smaller than marketing copy and forum lore would have you believe. On a *hollow or semi-hollow* guitar — where the body genuinely participates in producing the sound — wood matters considerably more, which is exactly why nobody seriously argues about tonewood in acoustic guitars. Anyone who tells you that swapping a solidbody's body wood transforms its plugged-in tone the way swapping pickups does is selling something; anyone who tells you wood is *completely* inaudible is overcorrecting into their own dogma. The truth lives in the unglamorous middle, and a good player should be suspicious of any voice that sounds too certain at either edge.

| The Variables That Actually Move the Needle

If wood is the overrated tone variable, strings and pick attack are the criminally *underrated* ones — the things that genuinely transform your sound and cost almost nothing.

String gauge — the thickness of the strings, measured in thousandths of an inch — changes everything you can feel and much of what you can hear. Heavier strings (say, .011 to .049) carry more mass, so they store and release more energy: bigger fundamental, fatter low end, more sustain, more output into the pickup, and a stiffer, more resistant feel that demands a stronger hand. Lighter strings (.009 to .042) bend like butter, favor speed and easy vibrato, and sound a touch brighter and thinner with less low-end weight. This is not a subtle effect. Stevie Ray Vaughan famously fought enormously heavy strings — commonly cited around .013 at the top, tuned down a half step to make them playable — and a huge part of his massive, fundamental-rich tone lived in that string mass and the violent attack it demanded. Billy Gibbons of ZZ Top went the opposite way, championing famously light strings (he has spoken of gauges as light as .007 or .008) for their effortless, singing bend and feel. Same idea, opposite poles, and in both cases the *string* is doing more for the tone than any tonewood ever could.

Pick attack is the other giant. How hard you hit the string, the angle of the pick, where along the string you strike, and the pick's own thickness and material all reshape the harmonic content at the source — before the pickup, before the amp, before anything. Pick near the bridge and you excite the higher harmonics for a bright, biting, nasal tone (this is *playing sul ponticello*, in classical terms); pick over the neck and you favor the fundamental for a round, dark, flute-like sound. Dig in hard and you generate more high-frequency content and drive the pickup hotter; play softly and the tone rounds

off and quiets. A thin pick flexes and adds a soft, clacky top; a heavy pick transfers energy cleanly for a fatter, more controlled note. Two players with identical rigs sound nothing alike, and *this* — the hands, the attack, the touch — is the largest reason why. The cliché that "tone is in the fingers" is not mysticism; it is the literal acoustic truth that the player's attack sets the harmonic recipe the entire signal chain merely seasons.

Stack these honestly and the hierarchy becomes clear. The hands and attack come first. Then the pickup — its type, position, magnet, and output. Then strings and how hard you hit them. Then the amp and speaker, which we will spend whole chapters worshipping. And somewhere down the list, real but modest on a solidbody, sits the wood. Get the order right and you stop chasing ghosts.

| Three Players, Three Truths

Stevie Ray Vaughan and the Stratocaster make the single-coil case better than any spec sheet. His main guitar, "Number One," was a Fender Stratocaster he often described as a 1959 (later inspection suggested a 1963 body with mixed-year parts — itself a small lesson in how guitar lore drifts from fact). Strung with heavy gauges and tuned down a half step, played through cranked Fender and Marston-built clean amps and Tube Screamer-style overdrive, his tone was enormous, vocal, and singing — proof that single-coils, far from being thin, can sound gigantic when fed by a violent right hand and thick strings. Listen to the neck pickup on the slow-blues phrasing of "Lenny" or "Texas Flood": that is fundamental-heavy neck-position warmth, the standing-wave geometry we described, turned into pure feeling. His use of the **minor pentatonic scale** — the five-note scale (root, flat third, fourth, fifth, flat seventh) that is the spine of blues lead playing — and the **blues scale**, which adds the flatted fifth (the "blue note") as a passing tone for tension, lived inside that thick single-coil voice and let every bent third and quivering vibrato cut and sustain.

Jimmy Page and the Les Paul tell the humbucker story. After early Telecaster work (the solo on "Stairway to Heaven" was famously cut on a Tele, a useful reminder that the player and the part matter more than the dogma), Page moved to a Gibson Les Paul for most of Led Zeppelin's heaviest riffing. The PAF-style humbuckers, the short scale, and a cranked Marshall stack produced that thick, sustaining, midrange-saturated roar — "Whole Lotta Love," "Black Dog," the crushing main riff of "Heartbreaker." Notice how those riffs lean on the power chord and the **Mixolydian** flavor — a major scale with a flatted seventh, the dominant-seventh mode that gives so much blues-rock its swaggering, unresolved lift. The humbucker's smoothed top and fat low mids are what let those riffs sound heavy rather than harsh; a bright single-coil through the same amp would have spat and fizzed where the Les Paul growled.

Chuck Berry and the **ES-335** (and its semi-hollow Gibson cousins) close the circle. Berry's bright, biting, double-stop-driven rhythm-and-lead — the foundational vocabulary of rock guitar — rang out of semi-hollow Gibsons through loud, slightly dirty amps. His signature move, two notes bent and shaken together over a driving boogie, is the **double stop** put to work as a whole style. Those two-note jabs, often a major third or a fourth apart on adjacent strings, exploit the way two voices moving together imply a chord while cutting through a band — and the semi-hollow body gave them a woody snap and a touch of air that a slab solidbody would not. Out of that came Keith Richards, Angus Young, and ten thousand garage bands; the semi-hollow's blend of thickness and openness is woven into the DNA of rock rhythm guitar.

Three guitars, three pickup designs, three completely different truths about tone — and not one of them is primarily a story about the species of tree the body was cut from. Each is a story about a magnet, a coil, a set of strings, and most of all a pair of hands deciding, plectrum stroke by plectrum stroke, exactly which harmonics to set ringing at the very front of the chain.

♪ LISTEN FOR

- **Stevie Ray Vaughan, "Lenny"** (*Texas Flood*, 1983): the warm, fundamental-heavy neck-pickup Strat tone — soft attack, rounded top, vocal sustain. Hear how the neck position fattens every note, exactly as standing-wave geometry predicts.
- **The Meters / classic New Orleans funk, and any clean Strat funk in position 4:** listen for the hollow, vowel-like "quack" of two single-coils combined — the comb-filtered scoop in the low mids that makes the rhythm part cluck and breathe.
- **Led Zeppelin, "Heartbreaker"** (*Led Zeppelin II*, 1969): the thick, sustaining, midrange-saturated Les Paul-and-Marshall roar. Note how the humbucker's softened top lets the riff sound heavy and round rather than brittle.
- **Chuck Berry, "Johnny B. Goode"** (1958): the bright, snapping double-stops of a semi-hollow Gibson — two notes bent and shaken together, the birth-cry of rock rhythm guitar, with the body's woody air around the attack.
- **An experiment of your own:** plug any guitar in, leave every knob untouched, and play one note picking first hard near the bridge, then soft over the neck. The tone change you hear — bright and biting versus round and dark — is bigger than most pickup swaps and nearly all wood swaps. That is the honest truth about tone, in two plucks.

PART II

Birth of Amplification



From the Frying Pan to the Charlie Christian Sound

ON A BANDSTAND IN 1939, IN A DANCE HALL THICK WITH CIGARETTE SMOKE AND the roar of a swing orchestra in full flight, something happened that had never happened before. A young man from Oklahoma named Charlie Christian sat in a chair beside the rhythm section, hunched slightly over a blond archtop guitar, and when Benny Goodman pointed at him, he stood up and played a melody. Not a strummed chord lost beneath the horns. Not a faint chunk-chunk of rhythm felt more than heard. A *melody* — liquid, horn-like, swinging, every note landing with the weight and clarity of a tenor saxophone, riding clean over the top of a band that could otherwise have buried a banjo player six feet deep. The crowd heard a guitar speak in complete sentences for the first time. They were hearing electricity. They were hearing the future, and most of them had no idea that the future had arrived through a small coil of copper wire wound around a magnet, plugged into a box with a tube glowing softly inside it.

To understand why that moment mattered so much, you have to understand the silence that came before it. For the entire history of the instrument up to that point, the guitar had a single, crippling limitation in an ensemble: it was quiet. A flat-top or an archtop, played acoustically, simply could not compete with brass, reeds, and drums. Guitarists in the big bands of the 1920s and '30s were rhythm players by necessity, not by choice. They kept time. They were felt in the chest more than heard in the ear, a percussive engine churning four-to-the-bar under the soloists. The great Freddie Green would build an entire legendary career on exactly that role with Count Basie — and it was a noble role — but it was a cage. The guitar could not sing. It could not solo. It could not, in the modern sense, be *heard*. The problem was not the player or the music. The problem was physics. And physics would be solved, as it so often is, by a couple of restless tinkerers in Southern California who were trying to fix something else entirely.

| The Men Who Made the Guitar Loud

The story begins not with a guitar but with a Hawaiian craze and a frustrated steel player. In the late 1920s, Hawaiian and lap-steel music was wildly popular across America, and the lap steel — played flat on the lap, fretted with a sliding metal bar, voiced in shimmering glissandos — had exactly the

same volume problem as the Spanish guitar, only worse, because it was so often a featured solo voice. **George Beauchamp**, a vaudeville performer and steel guitarist with an inventor's itch, had already been chasing volume the mechanical way. He had been a driving force behind the resonator guitar — those gleaming metal-bodied Nationals with spun-aluminum cones inside them, acoustic megaphones in guitar form, built with the Dopyera brothers. But the resonator was a partial fix, a louder acoustic, not a new principle. Beauchamp wanted more. He wanted to take the sound out of the air and put it into a wire.

The principle he reached for was electromagnetic induction, the same phenomenon Michael Faraday had described in the 1830s. Move a magnet near a coil of wire, or move a wire through a magnetic field, and you induce a tiny electrical current in that wire. A vibrating steel guitar string, sitting inside a magnetic field, disturbs that field as it moves — and if you wrap a coil of fine wire around the magnet, the string's vibration induces a faint alternating current in the coil that mirrors the string's motion exactly. That current is, in essence, the sound of the string translated into electricity. Amplify it, send it to a speaker, and the string can be as loud as you like. This is the beating heart of every electric guitar ever built, and Beauchamp, working at his kitchen table with experimental coils wound on a sewing-machine motor, was one of the first people to make it genuinely practical for a musical instrument.

He needed a partner who could actually manufacture the thing, and he found one in **Adolph Rickenbacker**, a Swiss-born engineer with a precision tool-and-die shop and the metalworking expertise to turn a tinkerer's dream into a production object. Together, around 1931 and 1932, with the designer Paul Barth involved as well, they produced the instrument that history remembers as the "**Frying Pan**." The nickname is perfect and tells you everything: a small round body, a long neck, the whole thing often cast in aluminum, looking for all the world like a skillet you might fry an egg in. Officially it was the Rickenbacker (initially "Ro-Pat-In," then "Electro") A-22 and A-25 lap steel. It was, by most reasonable accounts, the first commercially produced, electrically amplified, magnetic-pickup stringed instrument in the world. Other inventors were circling the same idea in the same years — this was an idea whose time had come, and credit is genuinely shared and somewhat contested — but the Frying Pan got there as a real product you could buy.

What made it work was the **horseshoe-magnet pickup**, and it is worth picturing, because it was unlike anything that came later. Two large U-shaped magnets curved up and over the strings like a pair of horseshoes — hence the name — with the coil and pole pieces sitting beneath the strings inside that magnetic embrace. The strings passed *through* the opening of the horseshoes. It was a massive, powerful magnetic structure, and it produced a strong, clear signal with a distinctive voice: bold and a little raw, with a singing sustain that suited the long sliding lines of steel playing. Plugged into the small companion amplifier Rickenbacker sold alongside it — a wooden cabinet with a field-coil

speaker and a handful of vacuum tubes inside, a primitive but genuine guitar amp — the Frying Pan did the impossible thing. It made a fretted-string instrument loud enough to lead. The electric era did not begin with a rock star. It began with a Hawaiian steel guitar shaped like cookware. And once the principle was proven on the lap steel, it was only a matter of time — and a few short years — before someone bolted the same idea onto a Spanish guitar held upright against the body, and changed music forever.

| Gibson Answers: The ES-150 and the Blade

The someone, in the most consequential instance, was Gibson. By the mid-1930s the major manufacturers could see which way the wind was blowing. Volume was the future, and the company that put a usable electric *Spanish* guitar into the hands of working dance-band players first would own the next era. In 1936, Gibson introduced the **ES-150**, and the "ES" stood for "Electric Spanish" — a phrase that now sounds quaint and then sounded like a thunderclap. The "150" referred to the price of the package: roughly \$150 for the guitar plus the matching EH-150 amplifier, a fair sum in the depths of the Depression, but an investment that could pay for itself the first time a guitarist landed a featured spot in a paying band.

The ES-150 was a 16.25-inch archtop, a hollow-body instrument with a carved or pressed arched top, f-holes, and a warm acoustic resonance of its own — but its soul was the single pickup mounted near the neck. That pickup is one of the most important objects in this entire book. It used a single blade-shaped pole piece — a flat bar of metal running under all six strings instead of the individual round pole pieces we know today — wrapped in a coil and driven by magnets mounted underneath the top. Officially designed in large part by the Gibson engineer **Walter Fuller**, it would forever be known by another name, the name of the man who made it immortal: the "**Charlie Christian**" pickup. Its tone was not the bold rawness of the Rickenbacker horseshoe. It was something else entirely — something that would define the very idea of what a "jazz guitar" sounds like, an idea so durable that players chase it to this day.

| How the Charlie Christian Sound Works

Why does an early electric archtop with a blade pickup sound *warm, dark, woody, and hollow* — the four words every guitarist reaches for when describing this tone? The answer lives in three places at once: the body, the pickup, and the amplifier, each contributing its part of the recipe.

Start with the body. A large hollow archtop is a resonant acoustic chamber. Even with an electric pickup doing the heavy lifting, the wood is moving, the air inside the body is moving, and the top is flexing in response to the strings. This adds a complex bloom and a slightly soft, breathing attack to every note — a "woodiness" that no solid plank of wood can produce, because in a solidbody the energy stays in the string and the wire. The hollow body also tends to roll off the very brightest, glassiest high frequencies and add a faint, warm low-midrange resonance, which is exactly the "hollow" quality the ear recognizes. (This same resonance, pushed hard, is what makes big hollow guitars prone to feedback at high volume — a problem that would not be solved until the semi-hollow and solidbody designs of the next two decades.)

Now the pickup. That single blade pole piece, sitting in the neck position, is the brightness-killer and the warmth-maker in one stroke. The neck position is the single darkest, roundest place you can put a pickup, because it sits under the part of the string with the widest, slowest vibration — the string's fundamental and lower harmonics are strongest there, while the bright upper harmonics are weakest. A neck pickup therefore "hears" mostly the fat, fundamental part of the note. The blade design and the relatively modest output of these early units add their own character: a smooth, even response across the strings with no spiky high end. Together they deliver a signal already rich in low-mids and gentle on the treble before it ever reaches the amp.

To understand *why* that placement matters, you need a single idea that will recur throughout this entire book: the **harmonic series**, sometimes called the overtone series. When a string vibrates, it does not produce a single pure tone. It vibrates as a whole (the fundamental, the pitch you name) and *simultaneously* in halves, thirds, quarters, and so on, each fraction producing a higher, quieter tone called a harmonic or overtone. The fundamental is the note's identity; the overtones are its color, its timbre, the thing that makes a guitar sound different from a flute playing the same pitch. The first overtone is an octave up (the string vibrating in halves); the next is an octave and a fifth (in thirds); the next two octaves (in quarters); then up a major third above that (in fifths), and onward. Those intervals — octave, fifth, fourth, major third — are not arbitrary. They are baked into the physics of every vibrating string, and they are the reason those particular intervals sound *consonant*, stable, and sweet to human ears. Music theory is, in large part, humanity's millennia-long negotiation with the overtone series. A neck pickup emphasizes the fundamental and the lowest, most consonant overtones, and that is the physical root of its dark, warm, fundamental-heavy voice.

Finally, the amplifier. The little EH-150 and its kin ran small complements of tubes — typically a couple of preamp tubes and a pair of power tubes in push-pull driving a single speaker. Tube amplifiers, by their nature, do not amplify cleanly to infinity. As you push them, they begin to compress the signal — softening transient peaks, fattening sustain — and to add even-order harmonic distortion, which (because of the overtone series we just met) is musically consonant and pleasing rather

than harsh. At the volumes Charlie Christian played, the amp was likely running on the edge of breakup, just starting to round off and thicken the sound. That gentle compression is a huge part of why his single notes have such a vocal, sustaining, hornlike quality. The string sings a little longer, the attack is a touch softer, and the whole sound gains the breathing warmth of a saxophone or a clarinet — which, not coincidentally, were the instruments Christian was effectively competing with as a soloist.

Put it together: resonant hollow wood, a dark neck pickup heavy on fundamentals, and a small tube amp gently compressing at the edge of breakup. That is the Charlie Christian sound. Warm. Dark. Woody. Hollow. A guitar that finally sounded less like a percussion instrument and more like a voice.

| Charlie Christian: The Voice in the Band

Charlie Christian was born in Texas in 1916 and raised in Oklahoma City, where he grew up in a deeply musical family and absorbed the blues, the territory bands of the Southwest, and the swinging language of players like the saxophonist Lester Young — whose light, legato, melodically logical lines Christian openly adored and translated onto the guitar. By the late 1930s he was a known quantity among Southwest musicians. His break came in 1939, when the talent scout and producer John Hammond — the same Hammond who would later sign Bob Dylan and Bruce Springsteen — heard him and, in a now-legendary maneuver, smuggled him onto the bandstand at one of Benny Goodman's engagements. Goodman, by some accounts irritated at the imposition, called a tune meant to dispatch the kid quickly. Christian proceeded to play chorus after chorus of such melodic invention that Goodman kept the tune going for the better part of an hour and hired him on the spot. Whether every detail of that story is literally true or has been polished by retelling, the outcome is documented fact: Christian joined Goodman, primarily featured in the small-group settings of the Benny Goodman Sextet, and over the next roughly two years he rewrote what a guitar could do.

What made his playing revolutionary was not just that it was loud. It was *what* he played with that newfound volume. Christian thought like a horn player. He built solos out of long, flowing, single-note lines — not chord-melody, not strumming, but linear melodic improvisation, the way a saxophonist or trumpeter would phrase. His lines were **arpeggio-based**, meaning he outlined the chords by playing their notes one at a time (an arpeggio is simply a chord played as a sequence rather than all at once), and he connected those chord tones with smooth scalar runs and **chromatic** passing notes — notes outside the key, slipped in between chord tones to create forward-leaning tension that resolves. This is, in embryo, the vocabulary of **bebop**, the revolution that Charlie Parker and Dizzy Gillespie would detonate just a few years later in the same after-hours Harlem clubs — Minton's

Playhouse, most famously — where Christian himself jammed late into the night. He was a crucial bridge: the swing era's guitarist who was already speaking the coming language.

Listen to the Phrasing: Swung Eighths Over a Turnaround

Central to that language is **swing** — not a vibe but a specific rhythmic feel. In straight eighth notes, the beat divides evenly: two equal halves, "one-and-two-and." In swing, each beat divides unevenly into a long-short pair, roughly two-thirds and one-third, often notated as the first and third notes of an eighth-note triplet. "Doo-da, doo-da" rather than "doo-doo, doo-doo." That lilting, galloping unevenness is the engine of swing, and it must live in your right hand. Here is an original Christian-style line over a **I-VI-ii-V turnaround** in the key of C — a "turnaround" being the four-chord progression that loops the end of a phrase back to the top, and one of the most common chord movements in all of jazz. In C the chords are C major (the I), A7 (the VI, made dominant to pull harder), Dm7 (the ii), and G7 (the V).

TAB

Medium swing, ~150 BPM. Swing the eighths hard (long-short). Neck pickup, tone rolled back.

C6	A7	Dm7	G7
e ----- ----- ----- -----			
B --5-----3----- ----- ----- -----			
G ---5-----4----- ---2h4---2----- ---5---4---2----- 2---4---5-----			
D ----- ---5----- ----- -----			---5-----3-----
A ----- ----- ----- -----			
E ----- ----- ----- -----			

Tab 1 — A horn-like single-note line outlining each chord across the I-VI-ii-V turnaround. Note the half-step approach (2h4 on the G string) into A7 and the smooth landing on chord tones. Dial it in with a warm neck-pickup tone, treble rolled off, the amp just starting to compress so the notes bloom and sustain.

The single most important theory concept hiding inside that lick is the idea of **guide tones** — and if you take one piece of harmonic wisdom from this chapter, take this. Every chord has a root that names it, but the notes that define its *quality* and its *function* are the **third and the seventh**. The third tells you major or minor (a major third is the bright, happy one; a minor third, a half-step lower, is the dark one). The seventh tells you whether the chord wants to resolve (a dominant chord's flatted seventh creates instability that pulls toward home). In a chord progression, if you simply connect the thirds and sevenths of each chord by the smallest possible movement — often just a half-step or whole-step slide from one to the next — you produce a beautifully logical melodic line that makes the harmony *audible* even with no chords played underneath. Charlie Christian understood

this in his bones. His solos are full of long lines that are really just guide tones, decorated. It is why a single melodic line from him can imply an entire progression so vividly that you can hear the chords that aren't there.

| The ii-V-I and the Architecture of Jazz Harmony

The progression hiding behind nearly everything Christian played — and behind the vast majority of jazz standards to this day — is the **ii-V-I** (spoken "two-five-one"). It is to jazz what the I-IV-V is to blues and rock: the fundamental gravitational unit, the cell from which whole tunes are built. In the key of C, the ii-V-I is Dm7 - G7 - Cmaj7. Why these three chords, in this order? Because they enact, in miniature, the deepest principle of Western functional harmony: tension built and tension released.

Build a chord on the second degree of the major scale and you get a **minor seventh** chord (ii) — in C, that is D-F-A-C, a Dm7, gentle and slightly unresolved. Build on the fifth degree and you get a **dominant seventh** chord (V) — G-B-D-F, a G7 — and that chord contains a deliciously unstable interval, the *tritone* between its third (B) and its seventh (F), three whole steps apart, the most tension-laden interval in tonal music. That tritone *aches* to resolve, and it resolves most naturally inward by half-steps: the B wants to climb to C, the F wants to fall to E. And C and E are the root and third of — C major, the I chord, home. So the ii sets up the V, the V's tritone strains against gravity, and the I is the relief of arrival. The whole emotional arc of tension and resolution that underpins centuries of music is right there in three chords, and once your ear learns to hear it, you will hear it everywhere. Christian's solos are guided tours through ii-V-I after ii-V-I, his guide tones tracing the resolution of each tritone in real time.

A guitarist also needs to be able to *comp* those chords — "comp" being jazz shorthand for the accompaniment role, playing chords behind a soloist — and the early electric guitarists developed efficient, punchy voicings for exactly that. One of the most useful is the **drop-3 voicing**, especially for dominant seventh chords. Here is the idea: take a four-note chord stacked closely together (root, third, fifth, seventh from the bottom up), then take the *third note from the top* and drop it down an octave. The result spreads the chord out, putting the root on a low string and the rest of the chord clustered on the higher strings, with a gap in the middle that gives the voicing air and punch. It is perfect for a guitarist comping in a small group, because the low root anchors the harmony while the upper notes cut through. Here is a drop-3 G7 and its resolution to a drop-3 Cmaj7 — a comping move straight out of the swing-era playbook.

TAB

Slow swing comp, ~120 BPM. Strike once, let ring, mute on the rests. Pick or thumb.

G7	Cmaj7
e -----	-----
B ----7-----	----5-----
G ----7-----	----4-----
D ----6-----	----5-----
A ----x-----	----3-----
E ----3-----	----x-----

Tab 2 — Drop-3 voicings: root on the low E (G7) and root on the A string (Cmaj7). The low root with the cluster up top gives the "comp chord" its punchy, woody thump on a hollow archtop. Keep the amp clean-ish and let the body resonance fatten each stab. The x marks a muted string — rest your fretting finger lightly across it so it doesn't ring.

Notice the economy: each chord is just four notes, and between them only a few notes actually move. The G (root of G7) drops to E and the cluster shifts down — but crucially, the B and F of the G7 (its guide tones, that aching tritone) resolve to the C and E of the Cmaj7. Even in the comping, the guide-tone logic governs everything. The voicings are designed so the most important voices move the least and resolve the most naturally, which is why good jazz comping sounds so smooth even when the chords are changing constantly.

I Chromatic Approach: The Bebop Seasoning

The final ingredient in the Christian sound — and the one that most clearly points forward to bebop — is the **chromatic approach note**. The chromatic scale is simply all twelve notes, every half-step, the full set of frets in order. Most of those notes are "outside" any given chord and will sound wrong if you land on them and stop. But played *into* a chord tone — a half-step below or above a strong note, hit on a weak part of the beat and immediately resolved — a chromatic note creates a tiny, delicious friction that makes the resolution feel inevitable and the line feel like it is leaning forward. It is the difference between walking up a staircase and gliding up a banister. Christian peppered his lines with these approaches, and they became absolutely fundamental to the bebop vocabulary that followed. Here is an original chromatic-approach lick over a Dm7-to-G7 (the ii-V in C), the kind of forward-tumbling phrase that connects two chords with chromatic momentum.

Medium-up swing, ~170 BPM. Swung eighths, light palm rest for control, even attack.

Dm7	G7
e -----	-----
B -6-5-----	-6-5-3-----
G -----5h6h7-5-7--	-----5-----
D -----7-8-----	-----5-4-3-
A -----	-----
E -----	-----

Tab 3 — Half-step approaches (the 6-5 and 5h6 moves) slide chromatically into chord tones. The line tumbles forward and resolves down the D string into G7. Roll the tone control most of the way down and let the neck pickup do its dark, vocal thing; the chromatic notes pass so fast the ear hears momentum, not "wrong notes."

The reason this works — and the reason you can get away with playing a note that is technically outside the key — comes back to two principles we have already established. First, the overtone series: consonance and dissonance are not absolute, they are a matter of degree and context, and a brief dissonance heightens the pleasure of the consonance that follows. Second, rhythmic placement: a chromatic note on a weak beat, passing quickly to a chord tone on a strong beat, registers to the ear as *motion toward* a target rather than as a destination in itself. The target notes — the chord tones, the guide tones — are where the line "lands," and everything in between is the running approach. Christian's genius was to make those running approaches sound as inevitable and singable as the targets, so that a fast, chromatic, harmonically sophisticated bebop line still sounded like a *melody* a person might hum. That is the hardest thing in improvised music, and he made it sound easy.

| The Sound That Wouldn't Fade

Charlie Christian's life was tragically brief. Tuberculosis, worsened by the punishing late-night life of a touring and jamming musician, killed him in March of 1942. He was twenty-five years old. He had been a national figure for barely two and a half years. And yet in that sliver of time he did more to define the electric guitar as a solo instrument than almost anyone before or since. Every jazz guitarist who came after — Wes Montgomery, Barney Kessel, Herb Ellis, Grant Green, Tal Farlow, on down to the present day — built on the foundation he laid, the linear, horn-influenced, guide-tone-driven single-note language played through a warm hollow guitar. And the influence leaked far beyond jazz. The young blues and rock players of the next generation, plugging in for the first time, were following a door that Christian and the Frying Pan had kicked open: the simple, world-changing idea that a guitar could be loud enough to *lead*.

The instruments themselves became templates. The Gibson ES-150's descendants — the ES-175, the ES-335, the entire lineage of electric archtops and semi-hollows — carry his pickup's name and its spirit in their DNA. The horseshoe pickup and the Frying Pan proved the principle; the ES-150 and Charlie Christian proved the *music*. Between roughly 1931 and 1942, in barely a decade, the electric guitar went from a Hawaiian novelty shaped like a skillet to the most expressive new solo voice in American music. The silence that had caged the guitar for its entire history was broken, and it would never return. Everything else in this book — every screaming Marshall stack, every chiming Vox, every fuzz pedal and wah and tape echo and shimmering reverb — is a chapter in the story that began the moment a quiet instrument learned to sing through a wire and a glowing tube, and a young man from Oklahoma stood up beside Benny Goodman and played a melody that the whole room could finally hear.

♪ LISTEN FOR

- **Benny Goodman Sextet, "Rose Room" (1939)** — Christian's recorded debut with Goodman and the track most associated with that legendary audition. Listen for the long, flowing, horn-like single-note choruses, every note clear and sustaining over the band. This is the sound of the guitar becoming a solo voice.
- **Benny Goodman Sextet, "Seven Come Eleven" (1939)** — A Christian co-composition built on a riff. Hear how his lines outline the chords (arpeggio-based) and how the chromatic approach notes push each phrase forward. Note the warm, dark, woody tone of the ES-150 neck pickup — almost no treble, all fundamental and bloom.
- **Benny Goodman Sextet, "Air Mail Special" (1940-41)** — Up-tempo and virtuosic; the clearest preview of bebop in Christian's recorded work. Follow the swung eighth-note phrasing and the way he targets guide tones (3rds and 7ths) on the strong beats.
- **"Swing to Bop" / "Stompin' at the Savoy" (Minton's Playhouse, 1941)** — Amateur recordings from the after-hours Harlem jams where bebop was being born. Rough fidelity, but you can hear Christian stretching out for chorus after chorus, the bridge between swing and the revolution to come.
- **Bonus — any early Rickenbacker/Electro lap-steel Hawaiian recording of the 1930s** — to hear the bolder, rawer, sustaining voice of the horseshoe pickup that started it all, and to appreciate by contrast just how dark and woody the Gibson's neck blade really was.

Leo Fender and the Tweed Era

TURN THE VOLUME ON A TWEED DELUXE TO SEVEN, LET AN OPEN G CHORD RING, and listen to what the amp does with the decaying note. The first second is loud, slightly furred at the edges, the chord blooming into a thick haze of harmonics. Then, as the strings lose energy, the distortion recedes on its own, the haze clears, and the chord settles into a clean, woody ring -- without you touching a thing. The amplifier has followed your pick the whole way down. Nobody told it to. That responsiveness, that sense of an amp breathing along with the player, is the sound of a small lacquered-cotton box built in Fullerton, California, by a man who never learned to play guitar and who would have been baffled to hear his repair-shop power amps described as expressive instruments. Leo Fender wanted his amps to be loud, dependable, and easy to fix. What he accidentally built was the most touch-sensitive musical interface of the century.

| The Radio Man from Fullerton

Clarence Leonidas Fender was an accountant by training and a tinkerer by obsession. He had lost an eye to a tumor as a child, wore a glass prosthetic, and never played an instrument with any seriousness. Through the 1930s and into the 1940s he ran **Fender's Radio Service** in downtown Fullerton, a shop where he repaired radios, built PA systems, and rented out homemade amplification to local dance bands and country acts. He was a working electronics man in a working agricultural town, and that biography is stamped into everything he made. He thought like a service technician, not like a hi-fi designer or a concert-hall acoustician. His questions were always practical: Will it survive the back of a pickup truck on a dirt road to a Saturday-night barn dance? Can a guy with a screwdriver fix it on the bandstand? Is it loud enough to cut through a fiddle and a pedal steel and a room full of dancing people?

That last question mattered most. The Western swing and honky-tonk players who were Leo's first real customers had a brutal problem: the archtop guitar was acoustically quiet and, when you stuck a pickup in it and turned up an amp, it fed back into an uncontrollable howl. Leo's solidbody **Esquire** and **Broadcaster**, which became the **Telecaster** in 1951, solved the feedback problem. But a solidbody electric guitar is only half a system. It produces no useful sound on its own. The other half -- the half that turns a string's tiny wiggle into a sound that fills a room and carries an emotion -- was

the amplifier. Leo understood, perhaps better than anyone of his era, that the guitar and the amp were a single instrument with a wire running through the middle of it.

The amps that carried his philosophy through the 1950s wore jackets of lacquered cotton twill, a tan herringbone-flecked fabric that everyone called **tweed**. The line ran from the tiny student **Champ** up through the **Princeton**, the **Deluxe**, the **Pro**, the **Bandmaster**, the **Super**, the big **Bassman**, and the **Twin**. Leo and his collaborators -- among them the brilliant, hard-drinking engineer **Freddie Tavares**, who joined in 1953 and helped shape the entire amplifier line, and later the young **Forrest White** on the management side -- iterated relentlessly. Each circuit revision got a code stamped on the tube chart: 5C3, 5D3, 5E3 for the successive Deluxes; 5F1 for the final, definitive Champ. The letter tracked the generation, the number the model. By reading those codes today, collectors can date a chassis to within a year and tell you exactly which resistor values and which phase-inverter topology are inside.

| Loud, Simple, Repairable -- and Accidentally Musical

To understand why tweed amps sound the way they do, you have to understand that almost every quality we now prize was, from Leo's point of view, either a happy accident or a frank compromise. Consider the 5F1 Champ: a single **6V6** power tube, a single **12AX7** doing both gain stages, a **5Y3** rectifier tube, no negative feedback loop, one volume knob, and no tone control at all. It puts out somewhere around five watts into a single eight-inch speaker. It is about the simplest functional guitar amplifier that can exist. Leo built it that way because it was cheap to manufacture and nearly impossible to break, a perfect amp to sell to a beginner or to a parent buying for a kid. He was not chasing tone. He was chasing a price point and a reliability target.

But that radical simplicity is exactly why the Champ -- and its bigger tweed siblings -- became a touchstone for recording engineers and tone obsessives. Walk through the chain. A 12AX7 (the European designation is ECC83) is a dual-triode preamp tube, two amplifying stages in one glass envelope, prized for high gain and a thick, slightly compressed character. Push enough signal into it and it can no longer reproduce the waveform cleanly; the peaks of the wave get rounded off and flattened, which the ear hears as harmonic distortion -- a warm thickening rather than a harsh tearing. Then the signal hits a small power tube. The classic small-Fender power tube is the 6V6, a beam tetrode that distorts softly and musically when driven hard, with a fat low midrange and a forgiving top end. (The bigger tweeds -- Pro, Super, Bassman, Twin -- used pairs of **6L6** tubes, stiffer and louder and cleaner, for more headroom and a deeper low end.) Behind the power tubes sits a tube rectifier, the 5Y3 or, in larger models, the 5U4 or 5AR4. A rectifier converts the wall's alternating current into the direct current the amp runs on, and a *tube* rectifier does it imperfectly: when you hit a loud chord and

the power tubes suddenly gulp current, the rectifier can't deliver it instantly, so the supply voltage briefly droops. That droop is **sag** -- a momentary softening of the attack, a half-beat of give before the note swells back to full volume. Solid-state rectifiers, which Leo adopted in the blackface amps that followed, are stiff and instantaneous and do not sag. The tweed sag is part of why these amps feel rubbery and alive under the hand, as if the note is being pushed through something slightly elastic.

The final piece is what Leo left out of the small amps: a negative feedback loop. In most amplifier designs, engineers tap a bit of the output signal and feed it back into the circuit out of phase, which tightens the bass, flattens the frequency response, and lowers distortion -- it makes the amp behave. The 5F1 Champ and the cathode-biased 5E3 Deluxe have little or none of it. The result is an amp with a pronounced midrange bark, a loose and slightly woolly low end, and a strong, early, *dynamic* breakup. "Dynamic" is the key word. Because there's no feedback policing the circuit and because the whole signal path compresses gradually rather than slamming into a wall, the amount of distortion you get is set almost entirely by how hard you hit the strings and where you set the guitar's volume knob. Dig in and the amp snarls. Ease off and it cleans up. The gain control isn't on the amp. It's in your right hand.

That is the tweed voice, and it is worth naming its frequency signature precisely. There's a fat low-mid hump centered roughly in the 250-to-500 Hz region that gives these amps their "barking" or "honking" quality -- a vocal, almost trumpet-like midrange push. The treble is rolled off and slightly soft; tweeds rarely sound glassy or brittle the way the later blackface Fenders can. The bass is present but loose, undamped, prone to a pleasant flubbiness at high volume. And the whole thing compresses, squeezing the dynamic range so that quiet passages come up and loud ones get held back, which is exactly the behavior that makes a single-note line sustain and sing instead of dying the instant you pick it.

| The Volume Knob Is the Most Important Pedal You Own

Here is a piece of music-making technique that almost nobody teaches beginners and that separates players who *understand* a cranked amp from players who merely own one: the guitar's volume knob is a gain control, and rolling it back does not just make you quieter -- it changes your distortion, your harmonic content, and your entire timbre.

When you turn an amp up until it breaks up and then roll the guitar's volume control down to, say, six or seven, two things happen. First, you send a weaker signal into that first 12AX7 stage, so it distorts less -- the sound cleans up and chimes. Second, on a passive guitar circuit, rolling down the volume also subtly rolls off some treble (which is why many players add a small "treble bleed" capacitor to preserve high end as they turn down). The combined effect is that one knob takes you from a

clean, rounded rhythm tone to a snarling overdriven lead tone and back, with every shade in between available under your fingertips. You stop being a guitarist with two sounds -- clean channel, dirty channel -- and become a guitarist with a continuous gradient of sounds controlled in real time, the way a horn player controls dynamics with breath.

This is why touch sensitivity is the true subject of this chapter. On a stiff, high-headroom, heavily-feedbacked amp, the picking hand mostly controls volume. On a tweed, the picking hand controls *texture*. A light touch with the flesh of the thumb produces a clean, hollow, woody tone; the same note attacked hard with the pick edge produces a compressed, distorted, vocal cry. Players who came up on these amps -- and the records they made -- learned to compose with that gradient, structuring a solo so that it whispers in the verses and screams in the choruses without ever stepping on a switch.

Let's put it under the fingers. The first example is a chord-melody figure -- a way of playing chords and a melody line at the same time, with the top notes carrying the tune -- voiced so that it sparkles and stays clean when you play it gently, then thickens into overdrive if you dig in. Set a tweed Deluxe-style amp to the edge of breakup, guitar volume on full, and play this with the fingers, lightly:

Feel: slow, ~70 BPM, fingerstyle, very light touch, let it ring.

	G		G/B		Cadd9		D/A	
e	3	3	2	2	0	0		
B	3	3	3	3	1	1	0	
G	0	0	2	2	0	0	0	
D	0	0			2		2	
A	2		x		3		3	
E	3		2		x		x	

Caption: A clean-to-dirty chord-melody figure -- play it lightly with the fingers on a tweed Deluxe at the edge of breakup, and the touch, not the knob, becomes the tone control.

Played with the pad of the thumb and a feather-light attack, this stays glassy and clean -- the amp never crosses into breakup. Dig into the same shapes with a pick and the low-mid hump blooms and the chords fur up at the edges. The point is not the chords; it's that the *touch* is the tone control. The **Cadd9** shape -- a C major triad with the ninth (the note D) added on top -- gives that open, ringing, slightly suspended color so beloved in country and roots rock; the *add9* means we added the 9th without including the 7th, leaving the chord bright and unresolved-sounding rather than jazzy.

| Four Players, Four Ways Into the Tweed

Neil Young is the patron saint of the dynamically-driven tweed amp, and his rig is one of the most idiosyncratic and beloved in rock. His main guitar, the 1953 Gibson Les Paul Goldtop he calls "**Old Black**" -- refinished black, fitted at various points with a Bigsby vibrato and a Firebird mini-humbucker in the bridge -- runs into a 1959 **tweed Fender Deluxe (5E3)**, a roughly 15-watt amp that Young drives flat-out. The whole point of Young's electric sound, the thing that makes "Cinnamon Girl" and "Cortez the Killer" and the long, ragged solos with Crazy Horse so emotionally direct, is that small cranked amp on the edge of collapse. A 5E3 at full tilt is a feral, compressed, midrange-saturated thing, and Young plays it with enormous dynamic range -- one note a clean shimmer, the next a distorted bark, all from the same single-coil-meets-mini-humbucker guitar and the same untouched amp knob. He famously controls it through a homemade switching system (his tech Larry Cragg has discussed the elaborate setup over the years) and a few key effects, but the soul of it is the tweed Deluxe pushed past where any sensible engineer intended. There's no metal-precise palm-muting in Young's playing; there's the feel of a man leaning into a small amp until it screams, then backing off until it weeps. Listen to the guitar on *Everybody Knows This Is Nowhere* (1969) or the live ferocity of *Rust Never Sleeps* (1979) and you are hearing the 5E3's voice as clearly as anyone has ever captured it.

Billy Gibbons of ZZ Top represents the other classic tweed application: the small amp as a recording weapon for fat, vocal, harmonically rich blues-rock lead tone. Gibbons is famously cagey and playful about his gear -- he is as likely to tell you he used a peso for a pick or a particular brand of light strings as to give you a straight answer -- but the well-documented core of his early sound is a **tweed Fender** (the small ones, Champ and Deluxe-class, frequently cited for studio work) miked close and pushed hard, often with his 1959 Les Paul "Pearly Gates." The reason a five-watt Champ shows up on records that sound enormous is precisely the tweed virtues we've been describing: a

tiny single-ended amp wound out to full distortion produces a singing, compressed sustain and a thick midrange that sits beautifully in a mix and takes EQ and overdubbing wonderfully. You don't need 100 watts to sound huge on tape; you need a small amp working hard, distorting evenly, with that 250-to-500 Hz bark doing the heavy lifting. Gibbons built a career partly on understanding that a cranked little tweed, recorded right, is one of the biggest sounds in rock.

Joe Walsh -- of the James Gang, the Eagles, and a long solo career -- is a connoisseur and collector of vintage tweed amps, particularly the larger **tweed Fenders** like the 4x10 Bassman and the bigger combos, which he prizes for their blend of warmth and the ability to stay articulate while overdriven. Walsh's tone is fatter and rounder than a typical blackface-Fender sound, with a vocal, talking midrange that owes a great deal to the tweed voicing, and his slide and lead work (think of the singing, sustained lines in "Rocky Mountain Way") leans on exactly the compressed, harmonically dense sustain that a driven tweed delivers. Walsh has spoken in interviews over the decades about hunting down vintage amps and about how the old tweed circuits respond to the player; he is an articulate evangelist for the idea that the amp is a partner, not a passive box.

For a fourth and contrasting voice, consider the cleaner side of **Larry Carlton**. Carlton is best known for his Gibson ES-335 and his blackface Fender and Dumble amps, and his signature tone -- the sustaining, vocal lead on Steely Dan's "Kid Charlemagne" (1976) being the canonical example -- is generally cleaner and more refined than the snarling tweed sound. But Carlton's whole approach is instructive precisely because it lives at the threshold: a warm amp set just below or right at the edge of breakup, so that hard-picked notes get a touch of hair and sustain while softer ones stay glassy. That is the tweed *principle* even when the specific amp is something else -- the player using attack and the volume knob to ride the line between clean and dirty, treating dynamics as the primary expressive tool. Carlton's playing is a master class in how much music lives in that narrow band of "just barely breaking up," which is the band a tweed amp puts under your fingers more readily than almost any other design.

| Riffs That Bloom

The second example is a dynamic blues-rock riff in the key of A, the kind of thing that sits politely under a vocal when you play it with a relaxed wrist and then *blooms* -- swells into overdriven life -- when you dig in for the turnaround. This is the tweed gradient turned into a riff. Set the amp to the verge of breakup. Play the first two bars with a loose, palm-muted touch (PM); then attack the third bar hard, no muting, and let the amp snarl.

TAB

Feel: medium shuffle, ~96 BPM. Bars 1-2 light & palm-muted (PM); bar 3, dig IN -- attack hard, no muting, and let the amp snarl.

```

e|-----|-----|-----|
B|-----|-----|-----|
G|-----|-----|-----5b7r5-----|
D|-2---2---2-2-----|-2---2---2-2-----|----5/7-----7--5-|
A|-0---0---0-0---0-2|-0---0---0-0---0-2|-5h7-----7|
E|-----|-----|-----|
    PM PM PM          PM PM PM          (dig in, full volume)

```

Caption: A blues-rock riff in A that sits politely under a vocal, then blooms into overdrive on the third-bar turnaround -- same notes, same settings; the only variable is how hard you dig in.

The riff lives on the A and D strings -- the open A with the 2nd-fret double-stop is a classic boogie move, two notes a fifth apart played together (a *double stop* is simply any two notes sounded at once). Kept quiet and palm-muted, it's a clean, percussive chug. The third bar climbs into the upper register and that **5b7** -- bend the G string up a whole step, from the 5th to the 7th fret pitch -- is where you lean in and let the tweed's compression catch the note and sustain it. Same riff, same settings; the only variable is how hard you play. That is the entire lesson of the tweed amp in three bars.

There's real theory under that riff worth naming. The notes sit in the **A minor pentatonic** scale (A, C, D, E, G -- the five-note scale that is the bedrock of blues and rock lead playing) with the addition of the flat-fifth "blue note" (E-flat), which together form the **blues scale**. The bend from the 5th fret up a whole step targets a chord tone, landing the line on a note that belongs to the underlying harmony rather than fighting it -- a *target tone*. The reason a bend "resolves" and sounds satisfying is that it arrives on a note the ear expects from the chord; arriving there by bending, rather than fretting, lets you control the pitch with your hand and add **vibrato** (the ~ symbol) by oscillating it once you reach the top. On a driven tweed, that bend-and-vibrato move is hugely amplified by the amp's sustain and compression: the note that would die quietly on a clean, stiff amp instead hangs in the air and sings, giving you time to shake it.

| The Volume Swell: Erasing the Pick

The third technique is the **volume swell**, and it is the purest expression of the tweed-era idea that the player's hands are the dynamics. The move is simple to describe and devilish to master: pick a note with the guitar's volume rolled off to zero, then roll the volume up with your pinky so the note fades in from silence with no audible pick attack. Done well, it turns a guitar into something between a cello and a pedal steel -- the very swelling, attackless quality that suits a warm, compressed amp. (Players also do this with a volume pedal; the knob is the original method and the one that ties directly to the volume-as-gain philosophy of this chapter.)

TAB

Feel: rubato, no strict tempo. Pick each note with the guitar volume at 0, then swell UP so it fades in with no pick attack.

```
e|-----7~-----|
B|-----8~-----5~-----|
G|--7~-----|
D|-----|
A|-----|
E|-----|

    ^swell  ^swell  ^swell  ^swell
    (volume up on each note; no pick attack audible -- add ~ vibrato)
```

Caption: A volume-swell arpeggio outlining a major chord. On a tweed at the edge of breakup, each note fades in clean and grows its own overdrive as it swells past the threshold.

Each note is picked silent and swelled in with the picking-hand pinky on the volume knob, then given vibrato (~). On a tweed amp set just at breakup, the swell does something magical: as the note fades in and gains energy, it crosses the breakup threshold partway through, so the note begins clean and *grows* its own overdrive and harmonic bloom as it swells -- the amp's dynamic response painting a crescendo of distortion onto a single sustained pitch. These four notes outline an arpeggio you'd hang over a major chord; the swell technique is genre-agnostic, equally at home in Neil Young's ambient washes and in pedal-steel-flavored country. Roll back the amp's volume and the swells stay glassy; push it and they sigh into saturation.

| Why It Still Matters

The tweed era ended, in a strict sense, around 1960, when Fender moved to the smooth "brownface" and then the iconic black-tolex "blackface" amps with their bright, scooped, higher-headroom voice and solid-state rectifiers -- amps built deliberately for the clean, sparkling sound that defined surf music and a thousand country and pop records. Those amps are magnificent and they are a different philosophy: more headroom, more treble, more discipline, the gain pushed up and out of the player's reach so you reach for a pedal instead. The story of distortion after about 1962 is largely the story of putting the breakup *back* in front of the amp, in a stompbox, because the amps themselves had been engineered to stay clean.

But the tweed idea never died, and in fact it has only grown more revered. The 5E3 Deluxe and 5F1 Champ are among the most cloned circuits in the history of guitar amplification; boutique builders, kit makers, and major manufacturers all still sell faithful reissues and variations, because no one has ever improved on that particular marriage of simplicity and responsiveness. Every time a guitarist sets an amp to the edge of breakup and rides the dynamics with pick and volume knob -- every time a player chooses a small, honest, slightly broken-up sound over a big sterile clean one -- they are working inside the philosophy Leo Fender stumbled into while trying to build a cheap, rugged amp for a kid in Fullerton. He wanted loud, simple, repairable. He got expressive. The wire from the guitar to the amp turned out to run straight through the player's hands, and the tweed amps were the first to make that connection impossible to ignore.

- **Neil Young & Crazy Horse, "Cinnamon Girl" and "Cortez the Killer"** (*Everybody Knows This Is Nowhere*, 1969; *Zuma*, 1975): the 5E3 tweed Deluxe with Old Black, flat-out. Listen for how the distortion swells and recedes with his attack, and how a single note can go from clean shimmer to feral bark with no change but the picking hand.
- **ZZ Top, "La Grange"** (*Tres Hombres*, 1973): Billy Gibbons's small-amp recording voodoo -- a fat, compressed, midrange-forward lead tone that sounds enormous despite (because of) coming from a little cranked tweed. Note the singing sustain on held notes.
- **Joe Walsh, "Rocky Mountain Way"** (*The Smoker You Drink, the Player You Get*, 1973): vocal, talking midrange and sustained slide lines that lean on the tweed's harmonic density. Hear how articulate the overdrive stays even as it saturates.
- **Steely Dan, "Kid Charlemagne"** (*The Royal Scam*, 1976): Larry Carlton's lead as the counter-example -- a warm amp poised right at the threshold, hard notes catching a touch of hair while soft ones stay glassy. The whole solo is a study in dynamics as expression.
- **Anything on a cranked Champ:** put a five-watt 5F1 on full and play one bent, sustained note. That swelling, compressed, woody sustain -- shrinking and blooming with your hand -- is the entire tweed era in a single sound.

The Tweed Bassman: The Accidental Blueprint for Rock

SOMEWHERE IN A CLUB IN WEST LONDON IN LATE 1962, A YOUNG DRUM-SHOP OWNER named Jim Marshall plugged a borrowed American amplifier into a wall socket and listened. He was looking for a sound his customers kept asking him to sell -- the guitarists who drifted into his Hanwell shop wanted something louder, ruder, hairier than the polite combos then on offer. The amplifier in front of him was a Fender, lacquered in worn cream-and-brown cloth, with a row of four ten-inch speakers stacked in a tall cabinet, and when somebody leaned into a barre chord the whole thing seemed to grin back: round and fat at the bottom, biting and present up top, and in the middle a thick, growling compression that bloomed the harder you hit it. It was, of all unlikely things, a bass amplifier. And it was about to become the literal schematic from which British rock was built.

That amplifier was the **Fender Bassman**, and the story of how a product designed to amplify Leo Fender's new electric bass became the most influential guitar amp ever made is one of the great accidents of the instrument's history -- an accident so productive that the entire boutique amplifier industry still mines it for a living.

| A Bass Amp That Couldn't Sit Still

Leo Fender did not set out to build a guitar amplifier in 1952. He had just introduced the **Precision Bass** -- the first commercially successful fretted electric bass -- and he needed something to amplify it. Upright bassists had gotten by with a microphone and a prayer; the new solidbody bass demanded an amp with real low-end authority and enough headroom to keep the notes tight and defined. Fender's answer, the original Bassman, was a single-fifteen-inch combo. It was fine. It was not history.

History arrived in stages across the 1950s as Fender's chief engineers -- Leo himself, with Freddie Tavares doing much of the circuit refinement and Bill Carson and others field-testing -- iterated through a now-legendary sequence of model codes. Around 1954 the Bassman was reconceived with **four ten-inch speakers** instead of one fifteen, a configuration chosen because four smaller cones could move air faster, handle the transients of a plucked bass string, and resist the cone-tearing that a single fifteen suffered at volume. The cabinet was covered in lacquered cotton twill -- the famous

tweed -- and over the next few years the circuit passed through revisions stamped 5D6, 5E6, 5F6, and finally, in 1958, the one that mattered: the **5F6-A**.

The 5F6-A Bassman is the amplifier guitarists mean when they say "tweed Bassman" in a reverent voice. It pushed roughly 40 to 45 watts from a pair of **5881 power tubes** (the rugged, military-spec sibling of the 6L6, a beam-power pentode prized for its firm, glassy clarity), driven by **12AX7** pre-amp tubes and a **12AY7** in the first gain stage, with **GZ34** tube rectification softening the power supply just enough to give the amp a springy, breathing response under hard picking. It carried two channels -- one labeled Normal, one Bright -- each with its own pair of inputs, and crucially it added a control that earlier tweeds lacked: a **Presence** knob.

That presence control is worth pausing on, because it is part of the secret. Most tone controls are passive -- they can only subtract, bleeding treble or bass to ground. The presence knob does something cleverer. It works inside the power amp's negative-feedback loop, the circuit that feeds a portion of the output signal back to an earlier stage to tighten and linearize the amp. By bleeding the high frequencies out of that feedback path, the presence control reduces feedback specifically in the treble region, which lets the upper harmonics swell back up -- adding bite and air and a kind of forward, in-your-face sparkle that cutting in the normal tone stack could never produce. It is an active boost disguised as a knob, and it is one reason the tweed Bassman cuts through a band the way it does.

Here is the irony at the heart of the chapter. Every choice Fender made for the bass -- the fast four-by-ten speaker array, the generous wattage, the firm 5881 bottom end -- conspired to make a guitar amplifier of uncommon richness. The four tens gave guitarists a wide, full-range voice with a tight low end and a chime up top. The healthy power rating meant the amp stayed clean at conversation volume but, when a guitarist pushed it past a band's roar, did not collapse; instead it slid into a thick, vocal, harmonically generous overdrive. The bass-oriented design had accidentally produced the perfect loud guitar amp. By the late fifties, players were buying Bassmans to plug *guitars* into, and Fender, ever the pragmatist, did not argue.

| Jim Marshall Opens the Box

Cross the Atlantic to 1962. In suburban London, Jim Marshall's drum shop had become a hangout for a generation of young guitarists -- among them Pete Townshend and Ritchie Blackmore -- who wanted more aggression and more volume than they could buy, and who could not easily afford or even reliably *import* the American Fenders they coveted. Marshall, along with his repairman Ken Bran and a gifted young technician named **Dudley Craven**, decided to build their own.

What they built, the **JTM45**, was -- by Marshall's own cheerful admission -- a tweed Bassman with a British accent. The circuit topology of the early JTM45 is, to a close approximation, the 5F6-A: the same preamp architecture, the same two-channel layout, the same tone stack, the same presence control wired into the same kind of feedback loop. Marshall and Bran reverse-engineered the American schematic and rebuilt it from parts they could source in England. And it is exactly in the *substitutions* that British rock got its voice.

The differences were small on paper and enormous in the air. The JTM45 used British-made components throughout. Its output transformer was sourced domestically and ran a little differently from Fender's. Most consequentially, where the Bassman's American 5881s gave a glassy, slightly scooped breakup, Marshall amps soon migrated to the **KT66** -- and, by the mid-sixties, to the **EL34**, the power tube that would define the Marshall sound forever after. The EL34 is a true pentode with a more aggressive, midrange-forward distortion and a crunchier, grindier top end than the American 6L6 family. Marshall also moved away from the open-backed combo cabinet loaded with Jensens toward closed-back cabinets stuffed with **Celestion** speakers -- the path that led, within a couple of years, to the closed 4x12 cabinet and the towering "stack." A closed back focuses and tightens the low end and throws the sound forward like a cannon; **Celestion Greenbacks** added their own midrange honk and a sweet, ragged top-end break-up.

So the lineage is direct and well documented: Fender designs a bass amp; guitarists adopt it; Jim Marshall copies the circuit; swaps American tubes and speakers for British ones and closes the cabinet; and the result is the foundational tone of hard rock and, eventually, heavy metal. The tweed Bassman is, quite literally, the common ancestor of both the warm American clean and the snarling British crunch. When you hear a vintage Fender shimmer and a classic Marshall roar, you are hearing two children of the same 1958 schematic, raised on different continents with different diets.

This is also why, walk into any high-end amplifier showroom today, you will find a dozen builders selling their own "Bassman." The 5F6-A circuit is simple, robust, musical, and -- because Fender's original is now a five-figure collector's piece -- endlessly worth recreating. Builders revere it because it is the rare design that does almost nothing wrong: it has a touch-sensitive overdrive, a usable clean, a wide frequency response, and that magical presence control. It is the blues-rock amplifier in its platonic form, and it remains the reference against which boutique 4x10 designs are measured.

| How It Sounds, and Why

Set a tweed Bassman clean -- volume at nine or ten o'clock -- and you get a sound that is warm but never dull, with a tight, woody low end from the four tens, a slightly forward midrange, and a top

that chimes without the icy sparkle of Fender's later blackface amps. Roll the volume up past noon and the amp begins to *bloom*. This is the part players chase.

The blooming comes from several things working together. As you push the preamp and then the power tubes harder, the amp begins to clip -- to round off the peaks of the waveform -- and that rounding generates harmonic overtones. Crucially, tube clipping of this kind is rich in *even-order harmonics*: the octave, the octave-plus-a-fifth, the double octave. To understand why that sounds musical rather than harsh, you have to understand the **harmonic series** -- the ladder of overtones that every plucked string produces above its fundamental pitch. Pluck a low E and you hear, faintly stacked above it, an E an octave up, then a B (a fifth above that), then another E, then a G-sharp, then another B, and on up. These are the natural overtones, the same intervals nature builds into every vibrating string. When an amplifier adds *even-order* harmonics -- octaves and fifths -- it is reinforcing pitches already consonant with the note you played, which is why a good tube amp's distortion sounds like the note getting *fatter and warmer* rather than dirtier. Odd-order harmonics add edge and bite; the EL34-equipped Marshalls lean harder into those, which is part of why they sound more aggressive than their Fender ancestor.

The tweed's GZ34 tube rectifier contributes the other signature trait: **sag**. A tube rectifier cannot supply current instantly. When you dig in hard and the power tubes suddenly demand a gulp of current, the supply voltage momentarily dips and then recovers -- a fraction of a second of compression and bloom that players feel as a soft, elastic give under the pick. Hit a chord hard and it swells; back off and it cleans up. That dynamic, touch-sensitive response -- the amp answering how hard and how softly you play -- is the heart of what makes a cranked tweed feel *alive* in a way a clinically clean amp does not.

One caution on lore: you will hear claims that this or that legendary tone came from a "secret" Bassman setting, or that a particular player ran the amp through some mysterious modification. Treat specific "secret settings" with healthy skepticism. The honest truth is plainer and more useful: a tweed Bassman makes its magic when the master volume is high enough to push the power tubes, the bright channel feeds the grind, and a guitar's volume knob is used as a second gain control. That is most of the recipe, and no folklore is required.

I The Music It Was Born to Play: The 12-Bar Blues

To understand why the tweed Bassman became the engine of blues and rock rhythm guitar, you have to understand the music those guitarists were playing, because the amp and the form fit each other like a hand in a glove.

The overwhelming majority of early rock and electric blues is built on the **12-bar blues** -- a twelve-measure harmonic cycle that is the most important chord progression in twentieth-century popular music. It uses just three chords, named by their scale-degree position: the **I** (the home chord, built on the first note of the key), the **IV** (built on the fourth note), and the **V** (the fifth). In the key of A, that is A, D, and E. The classic arrangement runs: four bars of I, two bars of IV, two bars of I, one bar of V, one bar of IV, and two final bars of I -- the last of which usually houses a *turnaround*, a little melodic figure that winds the ear back to the top to start the cycle again.

What makes the blues sound like the blues, harmonically, is that all three chords are typically played as **dominant seventh chords**. A plain major chord is built from the root, the major third, and the fifth (a "major triad"). A dominant seventh adds the *flat seventh* -- the note a whole step below the octave. In an A7 chord, that is the root A, the major third C-sharp, the fifth E, and the flat seventh G-natural. That flat seventh is mildly dissonant, slightly unresolved, and it gives the dominant chord its characteristic restless, bluesy grit. In functional classical harmony you would only use a dominant seventh on the V chord, where it pulls hard back to the I. The blues breaks that rule gloriously: it makes *every* chord a dominant seventh, so the whole progression lives in a permanent state of sweet, unresolved tension. That sound -- three growling dominant sevenths chugging in a circle -- is what a cranked tweed Bassman was, by happy accident, perfectly voiced to deliver, its midrange thickening the chords and its breakup adding harmonic fur to every stab.

Most of this music is played with a **shuffle feel**, sometimes called a swing or triplet feel. Instead of dividing each beat into two even eighth notes (the straight "rock" feel), the shuffle divides each beat into a long-short triplet pattern -- imagine the rhythm of "humpty-dumpty" rather than "one-and-two-and." The first eighth gets two-thirds of the beat, the second gets one-third. It lopes. It rolls. It is the gait of a slow walk, and it is the rhythmic DNA of the blues.

Here is a classic boogie-shuffle rhythm pattern, the kind of figure a rhythm guitarist would chug behind a singer for chorus after chorus. It uses a moving voice on the upper strings against a steady root, alternating between the fifth and the sixth (and reaching up to the flat seventh) of each chord -- the foundational blues-boogie move. The first two bars sit on the I chord (A); the next two bars move the same shape to the IV chord (D) before falling back home.

Boogie-Shuffle Rhythm in A (I-IV) -- shuffle feel (long-short triplets), ~96 BPM, palm-muted, dig in

	A6	A7	D6	D7
e	-----			
B	-----			
G	-----			
D	2--2--4--4--2--2--5--5-----7--7--9--9--7--7-10-10-----			
A	0--0--0--0--0--0--0--0-----5--5--5--5--5--5--5--5-----			
E	-----			
	I (A)		IV (D)	

Palm-mute the strings lightly with the heel of your picking hand and swing the eighths hard; on a tweed Bassman, push the volume past noon so the dominant chords thicken and growl. This is the 12-bar engine in miniature: the I chord (A) for the opening bars, then the same boogie shape moved up to the IV chord (D), ready to fall back home to A.

I The Notes Over the Top: The Blues Scale

If the dominant-seventh chords are the harmonic floor, the soloist's vocabulary is built on the **minor pentatonic** and the **blues scale**. The minor pentatonic is a five-note scale -- in A, those notes are A, C, D, E, and G (root, flat third, fourth, fifth, flat seventh). The blues scale adds one more note, the **flat fifth** -- in A, an E-flat -- the famous "blue note" that gives the scale its keening, vocal ache. So the full A blues scale, arranged in pitch order, is A, C, D, E-flat, E, G.

Now notice something that confuses every beginner and rewards every working bluesman: the soloist is playing *minor* scale tones -- a flat third (C-natural) and a flat seventh (G-natural) -- over chords that contain the *major* third (C-sharp) and the dominant tones above it. Played over an A7 chord, the flat third C clashes, by a half step, against the chord's major third C-sharp. By the rules of classical harmony this should sound wrong. In the blues it sounds *right* -- it is the central, defining tension of the entire idiom. That deliberate rub of the flat third against the major third is the sound of the blues, the audible friction that the whole style is built to celebrate. The flat fifth (E-flat) is the most dissonant note of all, a tone you typically *pass through* on the way to the fifth or the fourth rather than landing on, used as a brief, crying inflection.

A turnaround is where a player shows off this vocabulary in miniature -- the two-bar figure at the end of the 12-bar cycle that creates maximum tension before resolving home. Here is a classic descending blues turnaround in A, the kind of move that closes a verse and hurls the ear back to the top.

TAB

Descending Blues Turnaround in A -- shuffle feel, ~96 BPM, let the top notes ring against the moving bass

```
e|-----|
B|--5-----4-----3-----2-----5b7r5-----0-----|
G|----6-----5-----4-----3-----2-----|
D|-----|
A|-----|
E|-----|
  resolve toward A . . . . . end on the V (E7)
```

A descending double-stop turnaround: two notes move down in parallel (a "double stop," simply two notes sounded together), creating that classic walking-down tension. The "5b7r5" is a bend up to the seventh fret's pitch and a release back. Keep the tweed's bright channel up so the double stops snarl; let the notes ring into each other, then land on the V chord (E7) to spin the cycle back to the top.

And here is the kind of single-note lead lick a blues-rock player reaches for over the I chord -- pure minor-pentatonic-and-blues-scale phrasing, built from bends, a brush against the flat fifth, and a heavy finishing vibrato. This is the lick as *speech*: a phrase, a breath, an answer.

TAB

A Blues-Scale Lead Lick over the I (A7) -- slow-to-moderate shuffle, ~84 BPM, vocal phrasing

```
e|-----|
B|-----8b10r8-----5~~~~|
G|-----5b7-----7-----5-----7-----5-----|
D|--5--7b7--7-----7-----7-----7-----|
A|-----|
E|-----|
  play it like you're singing -- A minor pentatonic + blue note
```

Built from the A minor pentatonic with the flat-fifth E-flat brushed in passing (the 6th fret on the G string, slid through, not landed on). Bend the D-string 7th fret up a whole step ("7b"), and crown the phrase with wide finger vibrato (the "~~~~") on that final fifth-fret B-string note. Through a cranked tweed Bassman the sustained notes bloom and the bends sing; use the guitar's volume knob to clean up between phrases.

Three Players, One Circuit

Buddy Guy is the patron saint of the loud, clean-into-filthy tweed sound. In the late 1950s and early 1960s, recording for Chess Records in Chicago -- on his own sessions and behind the likes of Muddy Waters and Howlin' Wolf -- Guy played a Fender (often a Strat) through a tweed Bassman cranked

past the polite zone, pioneering a violent dynamic range that swung from glassy whisper to overdriven scream depending entirely on his touch and his volume knob. His playing on his own 1960s sides and his later signature records is the sound of a Bassman being *used as designed* by accident: clean headroom when he eased off, snarling power-tube grind when he leaned in. Guy's whole aesthetic -- the sudden dynamic leaps, the stinging high bends, the way a single held note swells -- is built around the tweed's touch-sensitive bloom and its sag.

Billy Gibbons of **ZZ Top** is the textbook case the boutique builders cite. Gibbons is famous for a tone -- thick, furry, singing, with a vocal midrange and a creamy sustain -- that he has spent decades being asked about. He has spoken often about the tweed Bassman as a cornerstone of his sound; his prized 1959 Les Paul "Pearly Gates" through cranked low-wattage and Bassman-style amplification produced the fat, harmonically rich crunch that defined ZZ Top's early-to-mid-1970s records like *Tres Hombres* (1973) and *Fandango!* (1975). Listen to the rhythm work on "La Grange" or "Jesus Just Left Chicago" and you hear exactly the qualities this chapter has described: dominant-seventh shuffle chords thickened by power-tube overdrive, single notes that bloom and sustain, and a midrange presence that lets the guitar speak over a hard-swinging rhythm section. (Gibbons's exact rig is the subject of endless and contradictory lore -- he is famously coy, and has cheerfully muddied the waters over the years -- so treat any single "this is the secret amp" claim as one piece of a deliberately mysterious puzzle. What is well established is the tweed Bassman's central place in his stated tonal vocabulary.)

Brian Setzer carries the tweed-and-4x10 banner into rockabilly's high-velocity revival, and his case shows the circuit's range beyond slow blues. From the Stray Cats onward, Setzer built a slapping, twangy, explosively dynamic tone -- a big Gretsch hollowbody through cranked tweed-style and Bassman-voiced amplification -- where the amp's fast four-ten response tracks his frantic right-hand picking and the power-tube breakup adds bark to every staccato chord stab. The shuffle feel runs through rockabilly as surely as through blues, just at double the tempo and with the cleaner-but-edge-of-breakup setting that lets every note's attack snap through. Setzer proves the tweed Bassman is not just a slow-blues machine; it is a *dynamics* machine, equally at home behind a lazy twelve-bar and a hundred-and-eighty-beat rockabilly burner.

What unites these three -- and the thousands of players between them -- is that they all discovered the same thing the young Jim Marshall discovered in that London club: a bass amplifier, designed to keep a Precision Bass tight and clean, turned out to be the most musical, most touch-responsive, most gloriously overdriving guitar amplifier of its age. The 5F6-A did not know it was supposed to be a guitar amp. It did not know it was supposed to be the seed of every Marshall stack and half the boutique catalog. It just sounded, when you turned it up and hit it hard, like the future.

- **Buddy Guy, "First Time I Met the Blues" (1960, Chess single)** -- listen to the dynamic leaps from clean to overdriven scream, the tweed Bassman blooming and sagging under his attack; the high stinging bends are the blues scale's flat third and flat fifth crying against the I chord.
- **ZZ Top, "Jesus Just Left Chicago" (from *Tres Hombres*, 1973)** -- a slow 12-bar shuffle; hear the dominant-seventh chords thickened by power-tube grind, and Gibbons's single notes blooming with that furry, vocal midrange sustain.
- **ZZ Top, "La Grange" (from *Tres Hombres*, 1973)** -- the boogie-shuffle rhythm engine in action: the moving fifth-to-sixth figure under a droning root, swung hard, dripping with cranked-amp harmonic fur.
- **Stray Cats, "Stray Cat Strut" / "Rock This Town" (from *Stray Cats*, 1981)** -- Setzer's fast, dynamic, edge-of-breakup tweed tone; listen to how the amp's four-ten response snaps to every staccato chord stab and slapped note.
- **Any clean-to-cranked Fender against any classic Marshall** -- play them back to back and hear two children of the same 1958 schematic: the warm American chime and the snarling British roar, separated only by EL34s, Celestions, and a closed back.

Gibson, Valco, and the American Combo

THE RECORD IS A 45 CUT IN A SMALL CHICAGO STUDIO SOMETIME IN THE MID-1950S, the kind of session that took an afternoon and cost almost nothing. A guitarist plugs into a squat little combo with a single eight- or ten-inch speaker, turns the volume past the point where the manufacturer ever intended it to go, and lets the amp do something the engineer cannot fully control. The cabinet starts to bark. The midrange thickens and hardens; the note edges fray into a halo of crunch that no clean amplifier could produce. There is one microphone in the room, a ribbon or a dynamic, pointed roughly at the grille from a few feet back, and whatever that little box is doing, the mic hears all of it. When the song presses onto vinyl, that overdriven snarl becomes the sound of the record itself -- not an effect layered on afterward, but the literal voice of an underpowered amplifier pushed until it complained beautifully. This is the other lineage of American amplification, the one that runs alongside Fender's clean, hi-fi West Coast vision: cheaper, gnarlier, midrange-forward, and in retrospect, wildly influential. It is the sound of Gibson's GA amps and of the strange Chicago conglomerate called Valco, whose **Supro**, **National**, and **Airline** amplifiers wound up under the fingers of bluesmen, garage bands, and eventually some of the loudest rock guitarists who ever lived.

| A Tale of Two Chicagos

To understand these amps you have to understand that in the postwar years, the electric guitar amplifier was not yet a prestige object. It was an accessory, often sold as a package with a student guitar, built down to a price by companies whose ambitions lay elsewhere. **Gibson**, the venerable Kalamazoo, Michigan instrument maker, had been building amplifiers since the 1930s precisely because it had to: if you sold electrified instruments, you needed something to plug them into. Gibson's amplifier line carried the **GA** prefix -- "Gibson Amplifier" -- and ran through a bewildering catalog of models across the 1940s, '50s, and '60s. The **GA-40 Les Paul** amp, introduced around 1952 to accompany the new Les Paul guitar, became the best-known of them: a roughly 14-to-16-watt combo built around a pair of 6V6 power tubes and, in its classic form, a tube rectifier and a pair of speakers. Its tone was rounder and darker than a Fender of the same era, with a thick midrange and a soft, spongy low end that compressed and bloomed when you dug in.

Gibson's circuits were idiosyncratic. Where Fender chased headroom and sparkle with stiff power supplies and bright-voiced tone stacks, Gibson amps tended toward warmth, early compression, and a vocal midrange honk. Many Gibson designs ran their preamp and phase-inverter stages in ways that produced a softer, more gradual transition into distortion -- you didn't get a slamming wall so much as a thickening, a furring-over of the note. That made them less pristine for jazz comping (though plenty of jazzers used them) and more characterful when shoved. A great many Gibson amps of the era also used the company's own circuit quirks around tremolo and, later, reverb, and the firm experimented with everything from tiny practice amps to the big stereo-ish **GA-79** and the piggyback designs of the 1960s.

The other Chicago, the more anarchic one, was **Valco**. The name is a portmanteau of the first initials of its three founders -- Victor Smith, Al Frost, and Louis Dopyera -- "V-A-L" plus "Co." Dopyera was one of the Dopyera brothers, the family behind the resonator guitar and the original **National** and **Dobro** brands, and Valco emerged in the 1940s as the corporate vessel that controlled the National and Supro names. Valco was, above all, a manufacturer-for-hire. It built instruments and amplifiers under its own marques -- National and Supro -- and also stamped out gear for other people's badges, most famously **Airline**, the house brand sold through the Montgomery Ward catalog. Mail-order retail was the engine here: a teenager in a small town could open a catalog, find a guitar-and-amp package for a modest sum, and have an electric rig delivered to the door. These were people's amps in the most literal sense, sold by the same companies that sold washing machines and work boots.

Because they were built to a price and aimed at students and working players rather than audio-philies, Valco amps embraced exactly the qualities a hi-fi designer would have tried to engineer out. They were typically low-powered -- often in the single digits up to the teens of watts -- with small speakers, modest power supplies, and inexpensive components. Many used compact power tubes; the smallest student models leaned on tubes like the 6V6 or even single-ended designs, while larger Supros employed octal output tubes such as 6973s and 6L6-family bottles depending on the year and model. The point was not specification-sheet glory. The point was that these little boxes, when you turned them up, fell apart in the most musical way imaginable -- a gritty, compressed, midrange-saturated overdrive that arrived early on the dial and stayed there. In a genre built on attitude rather than polish, that was not a bug. It was the entire aesthetic.

| How a Cheap Combo Makes a Great Record

The magic of these amps is mostly a story about gain structure, speaker behavior, and the physics of a single microphone in a small room. Start with the power section. A big, clean amplifier has a stiff

power supply -- lots of filter capacitance, a solid-state or robust tube rectifier -- so that when you hit a loud chord, the voltage feeding the power tubes barely sags. The note stays tight and the amp stays clean until quite high volumes. A cheap combo is the opposite. Its power supply is soft. When you strike hard, the high voltage momentarily droops, the power tubes lose headroom, and the amp compresses -- the attack of the note gets squashed and the sustain swells up behind it. Players describe this as "sag," and it is the secret ingredient in a lot of vintage grit: a touch-sensitive bloom where the amp seems to breathe with your picking hand.

Then there is the way the distortion itself is voiced. Distortion is, at bottom, the generation of new harmonic content -- overtones that were not in the original signal. When a tube stage is driven hard, it clips the waveform, and that clipping manufactures a stack of harmonics related to the fundamental note: octaves, fifths, and so on, plus less consonant higher partials. A small, single-ended or lightly-built amp tends to produce a thick, somewhat asymmetrical clipping rich in lower-order harmonics, which the ear reads as warm and fat rather than harsh. Crucially, these amps make that harmonic stew in the *midrange*, the band roughly between 400 Hz and 2 kHz where the human ear is most sensitive and where the guitar's fundamental energy and first few overtones live. A midrange-forward distortion cuts through a mix the way a clean, scooped tone never can. On a mono record played through a jukebox or a cheap radio, that midrange honk was survival: it was the part of the signal that still spoke when everything else got lost.

The speaker matters as much as the tubes. A small, inexpensive speaker has a limited frequency range and a relatively early mechanical breakup point -- the cone and voice coil start to distort and add their own character at moderate volumes. It rolls off the deep lows and the brittle highs, leaving a focused, midrange-heavy voice that is already most of the way to "guitar tone" before you've added a single pedal. And because the whole package is physically small, the cabinet has its own resonances and box-talk that color the sound further. Put one microphone in front of all this -- the standard early-studio approach, before close-mic multitracking became routine -- and the mic captures the amp as a single fused voice: tubes, speaker, cabinet, and room all bleeding together into one gritty, cohesive signal. There was no isolating the guitar from its amp, no re-amping, no editing the distortion after the fact. What the band played was what the record kept. That immediacy -- the sense that you are hearing a real box being abused in real time -- is a huge part of why those mid-century sides still sound alive.

There is a lesson in here that outlasted the equipment. A small amp turned up captures the *interaction* between a player and a circuit at the edge of its capability. The dynamics, the way a chord blooms and decays, the way backing off the guitar's volume knob cleans the tone up -- all of that is baked into the recording because the amp was operating in its nonlinear, expressive region the whole time. Engineers and players spent the next several decades trying to recapture that quality with mas-

ter volumes, attenuators, and isolation cabinets, precisely because the cheap-combo-in-a-room approach had set a standard that big, clean amplifiers struggled to meet.

| The Sound in Words

Set a small Valco-built combo or a tweed-era Gibson next to a clean blackface Fender and the difference is immediate and physical. The Fender is open and three-dimensional, with a scooped midrange that makes chords ring like a piano and a top end that sparkles. The little American combo is the opposite kind of beautiful: it is narrow, focused, and pugnacious. The low end is round and a little loose -- there's no deep, tight thud, more of a warm thump that compresses when you hit it. The midrange is the whole show, a vocal, slightly nasal bark centered in that ear-grabbing 400 Hz-to-2 kHz region, the frequencies that make a human voice cut across a crowded room. The top end is rolled off and grainy rather than glassy, so single notes come out thick and a little dark, with the pick attack softened into the body of the tone.

Push the volume and the amp doesn't suddenly switch on a fuzz. It *thickens*. Clean chords start to fur at the edges, sustained notes bloom and sag, and palm-muted figures turn into a tight, gravelly chug. There is a spitty, slightly ragged quality at the front of each note -- the sound of a small speaker and a soft power supply protesting -- that engineers chase to this day. Roll the guitar's volume back and the grit recedes into a warm, woody near-clean; dig in with the pick and it snarls again. That responsiveness, the way the tone tracks your hands, is the signature of an amp living at the edge of breakup rather than one slamming into a brick wall of gain. It is grit you can play, not just grit you can hear.

| Three Players, Three Roads Out of the Little Combo

Magic Sam -- born Samuel Maghett -- is one of the architects of the West Side sound of Chicago blues, and his 1957 Cobra single "All Your Love" is a primer in what a small, breaking-up combo does for a guitar. The record is built on a tremolo-soaked, minor-tinged figure and Sam's reverb-and-grind tone, a sound that helped define the more melodic, single-note-driven West Side style as distinct from the harmonica-and-slide-heavy older Chicago records. The amps on these West Side sessions were typically modest combos run hot; the grit on the guitar isn't a pedal, it's the amp itself working at the edge. His 1967 Delmark album *West Side Soul* extends the same idea -- a thick, vocal, midrange-forward guitar voice that sounds like a man singing through six strings. The lesson of Magic Sam is

that a little amp's compression and midrange honk can make a single-note line as expressive as a vocal: the tone fills the space a horn section might otherwise occupy.

Link Wray took the same raw materials and pointed them at something far more menacing. His 1958 instrumental "Rumble" is one of the most consequential recordings in this whole story -- a slow, swaggering, power-chord-driven menace so suggestive of violence that it was reportedly banned from some radio play despite having no lyrics at all. The sound is dominated by tremolo, primitive distortion, and a wall of attitude, and Wray is famously said to have punched holes in his speaker cone with a pencil to get that ragged, torn-up tone. (That speaker-stabbing story is widely repeated and has the ring of garage-rock myth; treat it as celebrated lore rather than documented fact, even if the resulting sound -- ragged, fuzzy, falling-apart -- is exactly what a damaged or overdriven cheap speaker produces.) Wray's records, made with the kind of low-powered combos common to the era, are the bridge between the blues and what would become garage rock and heavy guitar: proof that a small amp, abused, could sound enormous and dangerous.

The Kinks carried that idea across the Atlantic and into the British Invasion. The detonating riff of "You Really Got Me" in 1964 -- those slabbed, distorted power chords marching up the neck -- is one of the founding sounds of hard rock, and by the band's own account the distortion came from guitarist Dave Davies slicing the speaker cone of a small green amplifier, often described as an inexpensive **Elpico**, with a razor blade, then feeding that wrecked little box into a larger amp. Whatever the precise rig, the principle is pure cheap-combo gospel: a small, overdriven, deliberately damaged speaker produces a buzzing, midrange-saturated rasp that a big clean amp never could, and that rasp became the riff. The throughline from Magic Sam's hot Chicago combo to Link Wray's torn cone to Dave Davies' razored speaker is unbroken -- it is the discovery, made over and over by different hands, that the most exciting electric guitar sounds came not from making amplifiers cleaner and bigger but from pushing the small, cheap ones until they broke.

| The Theory: Building Rock and Roll Out of Open Chords

The music these amps recorded was, harmonically, built from the ground up out of a few simple, powerful materials, and understanding them tells you why the gritty combo and the riff were made for each other.

Start with the **double stop** -- two notes played at once, usually a recognizable interval, that sits between a single-note line and a full chord. An **interval** is just the distance between two pitches; the workhorses of blues-rock are the major and minor third (the notes that color a chord happy or sad), the perfect fourth and fifth (the open, hollow, stable sounds), and the sixth. Double stops are perfect for a midrange-forward amp because two notes in close harmony generate strong, reinforcing over-

tones that the amp's distortion then thickens into something that sounds far bigger than two fingers should produce. A small combo turns a humble pair of notes into a slab of sound.

Then there is the **boogie pattern**, the rhythmic and harmonic engine of countless blues and early rock-and-roll records, lifted straight from boogie-woogie piano. Over each chord of a blues, the guitarist plays the **root** and the **fifth** of the chord, then reaches up to the **sixth**, alternating in a rolling, repeating figure -- often shuffled, with the eighth notes swung long-short into a loping triplet feel. (The fifth is the note seven half-steps above the root; the sixth is nine half-steps up. Adding the sixth to a power-chord shape implies a dominant, bluesy harmony without committing to a full chord.) The pattern is so satisfying because the moving sixth creates gentle harmonic motion against the steady root, and because palm-muting it through an overdriven combo produces a tight, chugging, percussive drive that propels the whole band.

Underneath the soloing sits the **blues scale**. The **minor pentatonic** is a five-note scale -- root, flat third, fourth, fifth, flat seventh -- and the blues scale adds one more note, the flatted fifth or "blue note," a deliciously dissonant passing tone that gives the lick its tension and release. The interplay of the major third (in the chords) against the flat third (in the melody) is the harmonic friction at the heart of the blues, and a midrange-forward amp puts that friction right in your face. Pile on **vibrato** -- a controlled, repeated bending of a held note that makes it sing and breathe -- and **call-and-response** phrasing, where a sung or played line is answered by the guitar, and you have the entire vocabulary that these small amps were built, however accidentally, to amplify.

A gritty open-string blues riff

TAB

Slow, dirty 12/8 blues feel (~72 BPM). Amp on the edge of breakup; bridge pickup.

```
e|-----|
B|-----|
G|-----|
D|-----2~|
A|---0---0---3b---3---2---2~|
E|---0---0-----0~|
```

Caption: A gritty open-string blues riff in E.

Let the open A and low E ring against the moving notes so the amp's compression smears them into one fat voice; that 3b is a quarter-tone "smear" bend, not a full step, and the held double stop should bloom and sag as the combo sags with it.

A boogie shuffle pattern

TAB

Medium shuffle in A (~120 BPM), swing the eighths long-short. Palm-mute throughout (P.M.).

```
e|-----|
B|-----|
G|-----|
D|-----|
A|---2--2--4--4--2--2--4--4--2--2--4--4--2--4|
E|---0--0--0--0--0--0--0--0--0--0--0--0--0--0|
  P.M.-----
```

Caption: A root-fifth-sixth boogie shuffle in A.

This is the root-fifth-sixth boogie figure over an A chord: the open A string is the root, fret 2 on the A string is the fifth (E), and fret 4 is the sixth (F#). Tight palm-muting through a small overdriven combo turns it into the chugging engine of a shuffle; move the shape to the D and E strings for the IV and V chords.

An open-tuning slide figure

TAB

Open G tuning (low to high: D G D G B D). Slow, vocal slide blues (~66 BPM).
Strings shown high to low: D B G D G D.

```
D|-----|
B|----12~----12~-----|
G|----12~----12~-----|
D|-----0---0---|
G|-----|
D|----0-----0-----|
```

Caption: An open-G slide figure at the 12th fret.

Tune to open G, lay the slide flat across the strings at the 12th fret, and let the doubled G/B notes ring with heavy vibrato (rock the slide back and forth over the fret) before falling back to the open droning bass. Through a gritty single-speaker combo the slide's natural sustain and the open strings' drone fuse into the keening, vocal cry of early bottleneck blues; keep the picking-hand muting light so the overtones bloom.

| What the Little Amps Left Us

The clean, powerful amplifier won the spec war and the concert stage, but the small, gritty American combo won something arguably more important: it set the template for what overdriven electric guitar is supposed to *feel* like. The compression, the midrange bark, the touch-sensitive bloom, the sense of a real box being pushed past its comfort by a real pair of hands -- these are the qualities that boutique builders, modeling engineers, and pedal designers have spent decades trying to bottle. Every "low-watt" combo marketed today on the promise of "great cranked tone at bedroom volume" is a direct descendant of a Valco-built Supro or a tweed Gibson GA, sold once upon a time to a kid with a mail-order catalog and no idea he was holding the future of the electric guitar.

♪ LISTEN FOR

- **Magic Sam, "All Your Love" (Cobra, 1957)** -- the tremolo pulse and the thick, vocal, midrange-forward guitar tone of the West Side sound; hear how the small cranked combo makes single notes sing like a voice. Then hear the same approach stretched out on the album *West Side Soul* (Delmark, 1967).
- **Link Wray, "Rumble" (1958)** -- slow, menacing power chords drenched in tremolo and primitive distortion; listen for the ragged, torn-up edge of an overdriven, possibly damaged speaker, and how enormous a low-powered amp can sound.
- **The Kinks, "You Really Got Me" (1964)** -- the buzzing, slabbed power-chord riff born from a deliberately razored small-amp speaker; hear the midrange-saturated rasp that launched hard rock, and how it cuts straight through a mono mix.
- **General listening exercise** -- on any of these, roll your attention to the *attack* of each note: that spitty, compressed front edge is the fingerprint of a small amp at the edge of breakup, the sound this whole chapter is about.

Danelectro, Supro, and the Genius of Cheap

THE SOUND THAT OPENS SO MANY GREAT RECORDS IS NOT THE SOUND OF AN EXPENSIVE amplifier filling a concert hall. It is the sound of a small box, no bigger than a suitcase, screaming into a microphone placed an inch from its cloth. It is a six-inch speaker pushed past the point of politeness, a single cheap tube clipping the tops off the loudest notes, and a guitar built from the same brown pressed board they used to make movie-theater walls. Played in a room, that rig sounds thin and farty and almost embarrassing. Recorded close, compressed, and turned up in the mix, it sounds enormous -- like a wasp the size of a refrigerator, like a transistor radio that learned to roar. This is the genius of cheap: instruments and amplifiers built down to a price that, by accident of physics and economy, ended up producing some of the most thrilling tones ever committed to tape.

The story begins not in a guitar workshop but in a New York City factory full of phonographs and home-radio kits. **Nathan Daniel** had spent the late 1930s building amplifiers for Epiphone before launching his own company, Danelectro, in 1947. Daniel was an engineer and a pragmatist, not a luthier in the old-world sense, and he looked at the electric guitar the way a Depression-raised industrialist would: as a problem of manufacturing cost. Solid mahogany and carved maple were expensive and slow. So Daniel reached for **Masonite** -- a hardboard made of steam-cooked wood fibers pressed into sheets, the stuff of pegboards and cheap furniture -- and stapled it to a simple poplar frame to make a hollow, lightweight body. He routed the cavities, screwed on a bolted maple neck, and capped the headstock with a shape that hot-rodders would later nickname the "Coke bottle." The guitars were sold under Danelectro's own name and, crucially, through the **Sears** catalog under the **Silvertone** brand, where a teenager in 1958 could order a guitar-and-amp set for the price of a few weeks of paper-route money.

| The Lipstick Tube and the Masonite Box

The pickup is where the accidental magic lives. To keep costs down, Daniel bought surplus chrome lipstick tubes -- yes, the actual metal cylinders made for cosmetics -- and wound a coil that he dropped inside, potting it so the whole magnetic assembly sat enclosed in that bright little chrome casing. The result, the **lipstick-tube pickup**, is a single-coil with no top or bottom plate of its own, the metal tube acting as partial shielding. It reads as bright, glassy, and slightly scooped in the low

mids, with a chiming top end and a peculiar transparency -- you hear the strings, the pick, the room, more than you hear the pickup imposing a character. Mounted on a thin, hollow Masonite body with very little mass to damp the strings, the guitar rings and blooms in a way a slab of solid ash never quite does.

That hollowness matters. A Masonite-and-poplar body is closer to a resonant drum than to the dead, sustaining plank of a Les Paul. Notes start fast, bloom slightly, and decay with a woody, almost acoustic complexity. The pickups, being relatively low in output, do not slam the front of an amplifier; they tickle it, which means the amp's own character -- its compression, its breakup, its specific way of distorting -- comes through undisguised. Pair that with the famous Danelectro feature of the era, two pickups wired in **series** when both are selected (rather than the usual parallel), and you get a thick, hollow, almost cocked-wah honk in the middle position that no Stratocaster makes. The whole instrument is a study in how constraints become signatures.

Here is a clean figure built for that lipstick jangle -- think of the bridge-and-neck "both on" position, volume up, into a clean amp with a touch of spring reverb.

Moderate, clean, let the open strings ring ($J \approx 96$)

	Dsus2-ish	Cadd9-ish (drone)
e	-----0-----0----- -----0-----0-----	-----0-----0-----
B	---3-----3-----3--- ---1-----1-----1---	
G	--0-----0-----0----- --0-----0-----0-----	
D	0----- 2-----	
A	----- 3-----	
E	-----	

Figure 9.1 -- A ringing, harp-like jangle: keep an open high E droning under fretted notes so adjacent strings overlap. The lipstick pickups' glassy top makes the dissonant seconds shimmer instead of clash. Roll treble back slightly if it gets icy.

A word on what is happening musically there. By holding an open string while moving fretted notes beneath it, you create a **drone** -- a sustained pitch that the moving notes lean against. When the moving note lands a whole step away from the open string, you get a **major second** interval ringing together, the same gentle dissonance that gives a **sus2** chord (a triad with the third replaced by the second) its open, unresolved sweetness. The lipstick pickup's transparency is what lets you hear those overlapping strings as distinct, chiming voices rather than a blurred wash. This is jangle's whole secret: ringing intervals, lots of open strings, and a pickup clear enough to keep them separate.

I Valco, Supro, and Amplifiers That Want to Be Pushed

While Daniel was stapling Masonite in New York, a parallel cheap-genius operation was running in Chicago under the name **Valco**, which built amplifiers and guitars sold under the **Supro**, **National**, and **Airline** badges. Valco's amps were not built to be loud or clean or hi-fi. They were built to be affordable, and their circuits reflect that: small power transformers, simple tube complements, and a willingness to distort early and gracefully. A typical small Supro of the late 1950s and early 1960s might run a single **6V6** or a pair of them in the power section -- the same sweet, early-breaking output tubes Fender used in tweed Champs and Princetons -- feeding a small speaker, often a humble eight- or ten-inch, sometimes two. Some models used the cheaper, octal-based **6973** power tubes, a beam-power bottle with its own slightly raspier, aggressive flavor of clipping.

The point is not the spec sheet. The point is the behavior. A big, clean amplifier with a hundred watts of headroom stays linear until it is painfully loud -- it amplifies your signal faithfully and only distorts when the room is already shaking. A small, cheap amp does the opposite. With ten or fifteen watts and an undersized output transformer, it runs out of clean headroom almost immediately. Turn it past halfway and the power tubes start to clip, the transformer saturates, the small speaker's cone breaks up and adds its own ragged harmonics, and the whole circuit collapses into a warm, compressed, harmonically rich distortion -- at a volume you could hold a conversation over. This is **power-amp distortion** and **speaker breakup**, and it is musically different from a fuzz pedal slammed into a clean amp. It moves with your pick. Dig in and it snarls; back off your volume knob and it cleans up to a fat, slightly hairy shimmer. The amp becomes an instrument you play with your hands, not a setting you dial.

There is a deep technical reason these tones record so well, and it is worth understanding because it explains half the great electric guitar sounds in the catalog. **Recorded tone is not the same as live tone.** Live, you experience an amp as a sound pressure wave filling a room -- the low end you feel in your chest comes from the speaker physically moving air, and a small amp simply cannot move much air, so it sounds thin across the room. But a microphone an inch from the speaker does not care about the room. It captures the speaker's near-field output, where the small cone is actually producing a dense, midrange-forward, harmonically saturated signal. That midrange focus -- roughly the 1 to 4 kilohertz region where the human ear is most sensitive and where a mix has the most competition -- is exactly what cuts through a dense arrangement. A close mic on a cranked small amp also captures all the pleasant **compression** of a saturated tube and a flapping cone, which glues the part together and makes it sit forward without you riding a fader. The imperfection -- the rattle, the slight farting low end, the ragged edges -- is the character. Engineers learned this early, and the lesson is

permanent: a tiny amp, cranked and close-mic'd, can sound vastly bigger than a stack recorded clean from across the room.

Here is the kind of riff that lives in that small-amp grind -- power-amp clip, single pickup, palm-muted and snarling.

TAB

Driving, slightly behind the beat, palm-muted (♩ ≈ 116)

e|-----|-----|

B|-----|-----|

G|-----|-----5b7~|

D|2--2--2--2--2--2--5--3--|2--2--2--2--2--2-----|

A|2--2--2--2--2--2--5--3--|2--2--2--2--2--2--5--3--|

E|0--0--0--0--0--0--3--1--|0--0--0--0--0--0-----|

PM PM PM PM PM PM PM PM PM PM PM PM PM PM PM

Figure 9.2 -- A lo-fi, fuzzy power-chord riff: let the cheap amp do the distorting. Palm-mute (PM) the chugging open-E figure so it tightens, then release on the higher chords so they bloom and clip. The 5b7 is a full-step bend into a microtonal, vocal whine -- let it sit slightly sharp and add hand vibrato (~).

The theory underneath that riff is the **power chord**, and it pairs with cheap-amp distortion for a reason rooted in physics. A power chord is just the root and the fifth -- here, E and B -- with no third. The **third** of a chord is what tells your ear whether it is major (bright, happy) or minor (dark, sad); leaving it out makes the chord neutral, neither, just raw and strong. That neutrality is essential when you are distorting heavily, because distortion generates **intermodulation** -- new frequencies created from the sums and differences of the notes you play. A major third interval, distorted, produces clashing, dissonant overtones that sound muddy and sour. A perfect fifth, by contrast, is the most consonant interval in music after the octave: its frequencies relate by a simple 3:2 ratio, so the new tones distortion creates reinforce the harmonic series instead of fighting it. That is why power chords sound massive and clean-edged through a screaming amp while full barre chords turn to mush. The cheap amp's eager distortion and the power chord's open fifth are made for each other.

| Jimmy Page and the Supro: Lore, Not Gospel

No discussion of small amps and big records survives long before someone invokes the most famous story in the genre: that **Jimmy Page** tracked much of *Led Zeppelin I* (1969) -- and parts of later records -- through a small **Supro** amplifier. Page himself repeated a version of this for decades, often describing a small Supro combo (the model usually cited is a **Supro Coronado**, sometimes a single-twelve

"S6616"-type design) cranked up and close-mic'd, sometimes paired with a Telecaster he played on those early sessions, the Telecaster gifted to him by Jeff Beck.

It is a wonderful story and it may well be substantially true. But it must be flagged plainly as **contested lore, not settled fact**. Page's own recollections shifted over the years, and the exact model has never been pinned down with documentary certainty -- the "Supro" he describes does not cleanly match a single known production model, and some researchers suspect the amp may have been a related Valco-built design or even misremembered after fifty years of retelling. The brilliance of those records -- the snarling, midrange-saturated rhythm tone on "Communication Breakdown," the way a single guitar sounds like a wall -- is real and audible. The precise gear behind it is partly undocumented and partly mythologized. Treat the small-amp-cranked-and-close-mic'd technique as the verified lesson; treat "it was definitely a Supro Coronado" as a story Page told, repeated until it hardened into received wisdom. The technique is what you can actually use; the specific serial number is lore.

What is not in dispute is the approach, because you can hear it. The early Zeppelin rhythm tones are not big-amp tones. They are tight, compressed, aggressively mid-forward, with the specific ragged-edged clip of a small output stage pushed hard -- exactly what a cranked low-wattage combo gives a close microphone. Whatever the badge on the front, the physics tells the story: small box, big clip, mic an inch away.

Page also leaned hard on **Mixolydian** color in this era, and it is worth defining. Mixolydian is the major scale with a flattened seventh -- in the key of A, that is A B C# D E F# G (a G natural instead of G#). It sounds major and bright but with a bluesy, unresolved tug from that flat seventh, the same note that makes a **dominant seventh chord** (a major triad plus a flat seventh) feel like it wants to move. Riffs that hammer a major-flavored root against a flat-seven, the backbone of so much British blues-rock, live in this mode.

| Jeff Beck's Grit and the Voice Beyond the Gear

If Page is the lore, **Jeff Beck** is the proof that the magic was always in the hands as much as the box. Beck came up through the same British blues-rock crucible -- he replaced Eric Clapton in the Yardbirds in 1965 -- and his early tone was all grit and snarl, a Telecaster or Esquire into small, hard-driven amps, generating a vocal, stinging distortion that he bent and shook into something that sounded almost human. Beck rarely cared which expensive amp was in the room; he cared about how the rig responded to his right hand. He played with his fingers and the side of his thumb, controlled

feedback like a violinist controls a bow, and rode the volume and tone controls of the guitar constantly so that a single static "setting" never really existed. His grit was a living thing.

The lesson Beck embodies is the one cheap gear teaches most ruthlessly: the instrument's job is to respond, and the player's job is to make it sing. A transparent lipstick pickup, a low-headroom amp that clips under your pick, a guitar light enough to feel every note -- these are not limitations to a player like Beck. They are an open channel between the hands and the tape. The "imperfection" of cheap gear is really just *sensitivity*: the rig hides nothing, so a great player's touch comes through naked, and a clumsy player's mistakes do too. That honesty is why these humble rigs reward expression and punish autopilot.

| Jack White and the Modern Cult of Lo-Fi

Three decades after the Silvertone catalog era, **Jack White** of the **White Stripes** built an entire aesthetic on the genius of cheap, and did it on purpose. White's signature guitar through the band's most famous records was a 1960s **Airline** -- a Res-O-Glas (fiberglass-bodied) Valco-made instrument originally sold through the Montgomery Ward catalog, an oddball budget guitar with map-shaped body and microphonic, low-fi pickups that most serious players had ignored for years. He also reached for Danelectros and other thrift-store-grade instruments, and ran them into amps pushed into ragged distortion, deliberately courting the rattle and bite of gear that was never meant to be precious.

On *White Blood Cells* (2001) and especially *Elephant* (2003), that philosophy produced some of the most physical guitar sounds of the era. The riff to "Seven Nation Army" -- famously an octave-pedaled guitar line, not a bass -- is a masterclass in how a simple, mid-forward, slightly fuzzy tone played with conviction beats any amount of hi-fi polish. White's whole project argued that restriction breeds creativity: a guitar with one good pickup, an amp on the edge of breaking, no rack of effects to hide behind, and you are forced to play harder, choose better notes, and commit. The lo-fi was not a budget compromise. It was an artistic position -- imperfection as a sound, scarcity as a discipline.

White is also a serious slide player, and slide is where these cheap, ringing, hollow-bodied guitars truly come alive. Their bright pickups and resonant bodies sustain a slid note beautifully, and the lack of fret precision under a glass or metal slide stops mattering. Here is a slide figure in the spirit of that raw, country-blues-into-garage tradition -- open-position, lots of ringing, played with a slide on a guitar tuned to standard.

Loose, vocal, heavy hand vibrato on every held note (♩ ≈ 84)

```

e|-----|
B|-----12/14~-----12\10~-----|
G|--/9~---9---7/9~---7---/9~-----|
D|-----|
A|-----|
E|-----|

```

Figure 9.3 -- A crying slide figure: slide (/) up into each note from a fret or two below, never landing dead-on, and shake it (~) like a singer's vibrato. Light overdrive and bright lipstick or microphonic pickups let the slid pitch bloom and sustain. The 12\10 is a slide back down -- mournful, like a held breath let out.

The musical frame for nearly all of this is the **blues scale** and the **minor pentatonic** it grows from. The minor pentatonic is five notes -- in A, that is A C D E G, the root, flat third, fourth, fifth, and flat seventh. Add one more note, the flat fifth (E-flat in A), and you have the **blues scale**, that flat-five being the famous "blue note," a dissonant passing tone that gives the blues its ache. Slide guitar lives in these scales because the slide can hit the *spaces between* the frets -- the slightly flat third, the bent-up fourth-toward-fifth -- the microtonal cracks where the deepest emotion in this music has always hidden. A note bent or slid to land a hair flat of the major third is the single most vocal sound on the instrument, and a bright, sensitive cheap guitar transmits exactly that subtlety. The gear and the scale are telling the same truth: the most expressive music often lives in the imperfect places between the "correct" notes.

That is finally what unites a Silvertone ordered from Sears, a cranked Supro half-remembered by Jimmy Page, Jeff Beck's snarling Esquire, and Jack White's fiberglass Airline. None of them was built to be excellent. Each became excellent in the hands of someone who understood that a microphone an inch from a small, screaming, imperfect amplifier captures something a perfect rig cannot -- the sound of a machine pushed past its comfort, glowing, clipping, and utterly alive. Cheap was never the compromise. Cheap, cranked, and close-mic'd was the secret all along.

• LISTEN FOR

- **Led Zeppelin, "Communication Breakdown"** (*Led Zeppelin I*, 1969): the tight, compressed, mid-forward rhythm guitar -- the classic cranked-small-amp, close-mic'd snarl, whatever the actual amp was. Note how huge a single guitar sounds with zero clean headroom.
- **The White Stripes, "Seven Nation Army" and "Ball and Biscuit"** (*Elephant*, 2003): on the latter, hear the Airline's raw, microphonic bite and White's volume-knob dynamics as the solo erupts; lo-fi gear played with maximum commitment.
- **The Jeff Beck-era Yardbirds, "Shapes of Things"** (1966): vocal, stinging, hand-controlled grit -- the tone responding to the right hand, not a static pedal setting.
- **Anything tracked on a Danelectro/Silvertone with both pickups engaged:** listen for the hollow, honking, series-wired midrange and the glassy, transparent top of the lipstick-tube pickups -- the chime no Stratocaster quite makes.

PART III

The British Invasion



Jim Marshall and the Birth of the Stack




FIGURE 4 *The full stack: a 100-watt head atop a 4x12 cabinet of Celestions.*

THE SHOP SAT AT 76 UXBRIDGE ROAD IN HANWELL, WEST LONDON, AND ON A Saturday afternoon in 1962 it was the loudest room in England. Drummers came for the kits Jim Marshall sold and the lessons he gave, but increasingly it was the guitar players loitering by the counter who mattered — young men with Stratocasters and Telecasters, restless, broke, and dissatisfied. They wanted something the Fender amplifiers shipped over from California did not quite give them. They wanted more. More volume, certainly, but also more bite, more aggression, a sound that could shove a crowd backward rather than merely reach them. One of those young men was a session player and shop regular who would become Pete Townshend. Another worked the counter: a teenager named Mitch Mitchell, soon to sit behind Jimi Hendrix. Jim Marshall, a big-band drummer turned

businessman with a publican's gift for reading a room, listened to what they were asking for. Then, with two employees and a borrowed circuit, he built it.

| The Drummer Who Heard the Future

Jim Marshall was not an electronics man by training. Born in 1923, he had survived childhood tuberculosis that kept him in a hospital and a body cast for long stretches, emerging into the dance-band era as a drummer and singer good enough to work professionally through the war years. By the late 1950s he had parlayed teaching into a music shop, and the shop into a clientele of London's emerging rock-and-roll generation. He understood his customers because they were standing in front of him every weekend telling him exactly what they could not buy.

What they could not buy, affordably, was a loud, punchy amplifier. The **Fender Bassman**, a 4x10 combo voiced for bass guitar that electric players had hijacked, was the gold standard, but import duties made American amps brutally expensive in Britain. So Marshall set his small team to reverse-engineering one. The team mattered: **Ken Bran**, his service engineer, and a gifted young technician named **Dudley Craven**, did the actual circuit work, with Marshall directing the goal. The amp they were copying was the tweed Bassman of the late 1950s — specifically the celebrated 5F6-A circuit, with its long-tailed-pair phase inverter and a pair of 5881/6L6 power tubes. They built roughly half a dozen prototypes, tweaking as they went, until the sixth one sounded right to the players in the shop. The amplifier that resulted in 1962 was the **JTM45** — the initials standing for Jim and Terry Marshall, Jim's son — and although it began life as a Bassman tribute, it did not stay one for long.

Several substitutions, some deliberate and some forced by what an English supplier could deliver, pushed the JTM45 away from its California parent. The most consequential were the output tubes. Where Fender used American 6L6 and 5881 beam tetrodes, Marshall's early production leaned on the **KT66**, a fat, robust British power tube from the Marconi-Osram Valve company. The KT66 has a slightly different transfer characteristic and a richer, more vocal breakup than a 6L6 — rounder in the low mids, with a particular sweetness as it saturates. Marshall also fitted different output and mains transformers (early on sourced from a supplier called Radiospares), and crucially paired the head with closed-back cabinets rather than the open-backed Fender combo format. The result was an amp that was recognizably in the Bassman family but darker, thicker, and more aggressive when pushed. The same schematic, filtered through British iron and British glass and a sealed box, had begun to grow a personality of its own.

| From Combo to Column: The Stack Is Born

The story of the stack is, at bottom, a story about a guitarist who wanted to be heard over a band that was getting violently loud, and a shopkeeper willing to keep building bigger boxes until the problem went away. That guitarist was Pete Townshend.

In the earliest Marshall cabinets the speakers were larger — Marshall initially built cabs with two 12-inch speakers, and then, at Townshend's insistence, a single large cabinet loaded with eight 12-inch speakers. That 8x12 was a monster: tall, heavy, and prone to toppling. The practical compromise, arrived at around 1965, was to split the eight speakers into two more manageable cabinets of four speakers each — the **4x12** — and to stand one cabinet on top of the other with the amplifier head perched on top. The visual drama was immediate and the acoustics were genuinely useful: stacking the cabinets vertically put one set of speakers nearer the player's ears and projected sound up toward the back rows. The **full stack** — a head atop two 4x12 cabinets — and its more portable sibling the **half stack** — a head and a single 4x12 — were born of this very practical bit of furniture engineering. The slope on the upper cabinet's front baffle, that distinctive angled face, was a later refinement to aim the top speakers slightly upward and outward.

A word, because the book demands honesty, about the famous "100-watt because Townshend asked for it" tale: the broad outline is well documented and Townshend himself has told versions of it, but the specifics get fuzzy and the dates blur in the retelling. Treat the precise sequence as living lore. What is not in dispute is that by the mid-1960s Marshall was building progressively more powerful amplifiers, and that the demand came directly from players locked in a volume arms race against drummers and each other.

That arms race produced the amplifier this chapter is really about. To get past 50 watts Marshall's team moved from two output tubes to four, and from the warm KT66 to the **EL34**, a pentode that would become the defining voice of British rock. The 100-watt head that emerged in 1965 carried the model number **1959** — not a year, simply a catalog number — and became immortal under a nickname earned by the clear acrylic "Plexiglas" panel on its front: the **Plexi**. The full designation was the 1959 **Super Lead**. Four EL34s, a pair of large transformers to feed them, and a deliberately minimal tone stack made it brutally direct. There was no master volume on these early heads; the single volume control governed both the preamp and, by extension, how hard the whole amplifier was driven. To get the sound, you turned it up. All the way up, if you dared.

I How a Plexi Makes Its Noise

To understand the Marshall voice you have to understand what happens inside the amplifier as you advance that volume control, because nearly everything we love about the sound is a byproduct of pushing the circuit beyond polite operation.

Signal from the guitar hits the preamp, built around **12AX7** dual-triode tubes (designated ECC83 in Europe — the same tube, different naming convention). The 12AX7 has very high voltage gain, and the Plexi cascades two gain stages so that even at moderate settings the preamp is already coloring the signal, fattening it and beginning to round off the sharpest transients. The tone stack — the bass, middle, and treble controls — sits passively between stages, and the Marshall version of this circuit is voiced with a pronounced presence in the **upper midrange**, that crucial band roughly from 1 to 4 kilohertz where the human ear is most sensitive and where a guitar cuts through a mix. This is the root of the Marshall "honk" or "roar." Where a blackface Fender scoops the mids and emphasizes glassy highs and tight lows, the Plexi pushes the mids forward and slightly compresses the extremes, producing a sound that is aggressive, vocal, and almost impossible to bury under a loud rhythm section.

Then comes the power section, and here is where the magic compounds. The four EL34s, fed by the phase inverter, drive the output transformer hard. As you crank the volume, three things happen at once. First, the power tubes themselves begin to **clip** — they can no longer reproduce the peaks of the waveform cleanly, so they flatten them, generating a cascade of harmonics. Crucially, the dominant harmonics from this kind of symmetrical overdrive are odd-order (the third, the fifth), which the ear reads as edgy, aggressive, and present, rather than the soft, sweet even-order character of a single lightly distorting triode. Second, the power supply — using tube rectification in the earliest examples, later solid-state — cannot deliver current instantaneously, so when you hit a hard chord the supply voltage momentarily droops, or **sags**, and the note blooms slightly as the voltage recovers. This dynamic give-and-take is felt as touch sensitivity and a springy responsiveness under the pick. Third, the output transformer itself begins to saturate at high levels, adding its own gentle compression and harmonic thickening.

The closed-back 4x12 completes the picture. A sealed cabinet loads the speakers differently than an open back, tightening and extending the low end and giving the cabinet a focused, forward thump. And the speakers were not incidental. The classic Plexi cabinet was loaded with **Celestion G12M Greenbacks** — 12-inch speakers with ceramic magnets, rated around 25 watts each, and named for the green plastic on the back of the magnet. The Greenback's defining trait is that it begins to break up and compress at relatively modest power, and its frequency response has a pronounced upper-midrange peak and a deliberately limited top end that rolls off the brittle highs the EL34s pro-

duce. The speaker is, in effect, a tone control and a distortion device of its own. When people describe the Marshall sound they are nearly always describing the inseparable marriage of EL34 power-tube clip and Greenback cone breakup, filtered through a sealed box. Change the speaker and you change the amp's voice as much as changing a tube.

The combined effect, when a Plexi is run flat out, is **sustain** and **controllable feedback**. Because the amplifier is compressing and the speakers are saturating, a held note decays much more slowly than it would on a clean amp — it hangs in the air, fat and singing. Push the guitar's volume and stand in front of the cabinet and the string begins to be driven by the sound coming off the speaker, looping into self-oscillation: feedback, which a skilled player can coax, bend, and shape into a controlled, vocal howl rather than an accident. This is the physical foundation of an entire vocabulary of lead playing, and it is impossible to separate from the music that followed.

I The Power-Chord Vocabulary

Before the players, a little theory, because the Marshall stack did not just make existing music louder — it changed what guitarists played.

Start with the **power chord**, the foundational shape of hard rock. Take any note as your root, add the note seven semitones above it — the **perfect fifth** — and you have a power chord, usually written with a "5" (E5, A5, G5). An interval is simply the distance between two pitches; the perfect fifth is the second member of the **harmonic series**, the natural ladder of overtones a vibrating string produces above its fundamental, and the ear hears it as rock-solid and consonant. Most players add the **octave** — the same note one register up, the very first overtone in that series — on top, giving the familiar three-note shape: root, fifth, octave. On the bottom three strings this is two or three fingers and a world of music.

Here is why the power chord and the Marshall belong together. A full major or minor chord contains a **third** — the interval that tells you whether the chord is happy (major) or sad (minor) — and thirds are mathematically "impure": their frequencies do not line up neatly with the root. When you send a third through heavy distortion, the clipping process generates sum-and-difference tones between the notes, and those clash, producing a muddy, dissonant snarl. The fifth and the octave, by contrast, are nearly pure intervals, so their distortion artifacts reinforce the root instead of fighting it. A power chord stays clean and powerful no matter how much gain you pour on. The Marshall didn't invent the fifth-and-octave shape, but by making high-gain tone the default sound of rock, it made the power chord the default chord.

Here is a characteristic Plexi rhythm figure — root-fifth-octave shapes, palm-muted on the low strings for chunk, then opening up. Dial it in with the volume near maximum, presence up, and let

the amp do the distorting rather than a pedal.

TAB

Plexi rhythm: G5-to-A5 power chords, ~132 bpm, aggressive downstrokes

```
e|-----|
B|-----|
G|-----|
D|---5---5---5---7~-----5---5---5---7---7---5-----|
A|---5---5---5---7~-----3---3---5---5---5---7---7---5---3---3-----|
E|---3---3---3---5~-----3---3---3---3---3---5---5---3---3---3-----|
    PM  PM      let      PM      PM      PM
```

ring

Caption: A G5-to-A5 stomp with palm-muted chugs between the accents. Mute by resting the picking-hand heel lightly on the strings near the bridge, and lift it for the ringing A5 to hear the sustain bloom.

| Hendrix: The Stack as an Instrument

When Jimi Hendrix arrived in London in late 1966, he plugged into Marshall stacks and never really looked back, and what he did with them redefined the electric guitar in roughly eighteen months. Hendrix typically played a right-handed Fender Stratocaster flipped over and restrung for left-handed playing — a detail that subtly altered his tone, since the staggered pickup pole-pieces and the angled bridge pickup now sat in reverse relationship to the strings — run into 100-watt Marshall Super Lead heads and 4x12 cabinets, often several stacks at once on a big stage. He cranked them.

What that gave him was the whole palette this chapter has described, deployed with unmatched imagination. On "Voodoo Child (Slight Return)," from *Electric Ladyland* (1968), you hear the wah-wah pedal in front of the Marshall, the rhythm work built on a vocabulary of sliding chord fragments and embellished dominant shapes, and lead lines that sustain and bloom because the amp is compressing hard. On the same album's "Burning of the Midnight Lamp" and across his catalog, you hear his signature chord: the **7#9**, a dominant-seventh chord with a sharpened ninth piled on top, so beloved and so identified with him that it is universally called the "**Hendrix chord**." It works because the sharp-ninth is enharmonically the minor third sitting against the chord's natural major third, so the chord contains both the "happy" and "sad" thirds at once — a built-in blues ambiguity that sounds simultaneously triumphant and aching. Through a Marshall's midrange roar, that internal tension becomes thick and electric.

Hendrix's lead language was rooted in the **blues scale** — the minor pentatonic (root, flat-third, fourth, fifth, flat-seventh) with an added flat-fifth "blue note" — but he treated the Marshall's sustain

as a compositional tool, holding bent notes until they fed back, layering wide vibrato, and using the amp's responsiveness to play with extraordinary dynamics from his hands and guitar volume alone. His settings are the subject of endless debate; he adjusted constantly and recorded through a changing array of gear, so be wary of anyone who hands you a definitive "Hendrix" knob chart.

Townshend, Page, and the Architecture of Loud

If Hendrix showed what one player could do inside the stack's sound, **Pete Townshend** showed what the stack could do to an audience. The Who's entire live aesthetic — the windmilled chords, the feedback squalls, the sheer architectural wall of the band — was built on Marshall (and later Hiwatt) backline. Townshend played rhythm as a lead instrument, smashing out **suspended** voicings (the **sus4**, where the major third is replaced by the fourth, and the **sus2**, where it is replaced by the second) that ring with an unresolved, chiming tension before resolving back to the major chord. On "I Can't Explain" and across *The Who Sing My Generation* (1965) and *Live at Leeds* (1970), the harmonic motion is often just a chord sliding between its sus4, its plain major, and its sus2 — a tiny melodic move on a single finger that, amplified and roaring, sounds enormous. The distortion thickens those suspensions into a drone-like wash.

Here is a Townshend-flavored rhythm move: an open-position chord ornamented with sus4 and sus2 colorations, the kind of figure that fills space and feeds back when you let it ring into a cranked stack.

TAB

Townshend rhythm: Gsus4-G-Gsus2 to C, ~120 bpm, big open downstrokes, let it ring

```
e|--3--3--3--3--3--3--3--3--2--2--3--3--0--0--0--0-----|
B|--3--3--1--1--3--3--3--3--3--3--3--3--1--1--1--1-----|
G|--0--0--0--0--0--0--0--0--0--0--0--0--0--0--0--0-----|
D|--0--0--0--0--0--0--0--0--0--0--0--0--0--2--2--2--2-----|
A|--2--2--2--2--2--2--2--2--2--2--2--2--2--3--3--3-----|
E|--3--3--3--3--3--3--3--3--3--3--3--3--x--x--x--x-----|
           sus4          sus2      back to G      C
```

Caption: A G chord decorated by lifting and adding a finger on the B string to flick between Gsus4 and Gsus2, then a C. Strum hard and even, and the cranked amp turns the suspensions into a shimmering drone.


Then there is **Jimmy Page**, whose use of Marshall power on early Led Zeppelin recordings helped codify the heavy-rock template even as he layered it with subtler tools. Page's most famous studio tones came largely from a small **Supro** combo and other amps on the first album, and the precise rig behind any given track is genuinely contested — another piece of lore to handle with care — but by

Led Zeppelin II (1969) and the touring that followed, Marshall stacks were central to his live and much of his recorded sound. On "Whole Lotta Love" the main riff is a masterclass in the **pedal-tone** idea: a low, insistent open or fretted note hammered repeatedly while other notes move around it, so the ear hears a fixed anchor with melodic motion above. Page built riffs around the minor pentatonic and its modal neighbors, and the Marshall's sustain let those riffs ring with menace.

The pedal tone is worth its own example, because it is one of the most powerful tools in the heavy-rock kit. Keep a low note constant — here the open low E — and move a melodic line against it on the strings above. The tension between the static anchor and the moving voice is the whole point.

TAB

Pedal-tone riff: open low-E anchor, swung sixteenths, ~108 bpm, palm-mute the low E



Caption: The open low E is the pedal; the moving notes climb on the A and D strings against it. Palm-mute the E tightly so the open string chugs, and let the moving notes speak more openly for contrast — a Marshall's tight, sealed-cab low end keeps the pedal note from turning to mush.

I The Singing Lead and the Wide Vibrato

The third great gift of the cranked Marshall is to the lead player, and it is fundamentally about time. On a clean amplifier a picked note begins to die almost immediately. On a saturated Marshall, compression and feedback hold the note up, so a single pitch can sustain for seconds, blooming rather than fading. This changes phrasing at a structural level. You can play long, vocal lines; you can bend a note up and let it hang; you can apply **vibrato** — a controlled, repeated oscillation of pitch produced by rocking or shaking the string — slowly and widely, the way a great blues or soul singer holds and shakes a note, because the sustain gives you something to shake. Fast, narrow vibrato sounds nervous; the slow, wide, hand-from-the-wrist vibrato that the British blues-rock players developed sounds confident and human, and it only works because the amp keeps the note alive long enough to oscillate it.

Bends, too, become expressive in a new way. A **target tone** is the note you are bending toward — usually a chord tone or a strong scale degree — and on a sustaining amp you can bend slowly into that target, let the listener register the arrival, add vibrato at the top, and then release. The note is loud and present the whole way. **Call-and-response**, the conversational phrasing borrowed directly from the blues and from gospel, becomes architectural: you can play a "question" phrase and let its final note feed back and sustain as the "breath" before the "answer."

Here is a lead phrase built for a cranked stack: minor pentatonic, a slow bend into a sustained target tone, wide vibrato, and a tail that lets the amp sing.

TAB

Lead phrase: A minor pentatonic, slow blues-rock, ~76 bpm, neck pickup, amp on the edge of feedback

bend & hold rel landing note held & shaken let it ring/feed back

Caption: In A minor pentatonic at the fifth-position box, bend the G string up a whole step and release, then bend the B string into its target and hold it with slow, wide vibrato. The final G-string note should ring long enough that, with the guitar volume up and the player facing the cabinet, it can blossom into controlled feedback.

| What It Made Possible

By the end of the 1960s the Marshall stack was no longer an amplifier. It was an institution and a sound that defined a genre being born. The aggressive upper-midrange roar, the singing sustain, the controllable feedback, the brutal directness of a single volume control turned to ten — these were the raw materials from which hard rock and, soon, heavy metal would be assembled. Later Marshall designs would add master volumes (so players could get preamp distortion at lower volumes), cascading high-gain preamps, and more channels, chasing ever-heavier tones for ever-heavier music. But the template was set in those wood-and-Plexiglas boxes built in Hanwell. The combination of EL34 power-tube saturation, a midrange-forward tone stack, a sealed 4x12, and Greenback speakers compressing under load became the reference point against which every "British" amp tone would be measured.

It is worth remembering that none of it was inevitable. A drummer with a shop full of demanding teenagers asked his engineers to copy a Fender bass amp, and the accidents and substitutions of doing it in 1962 Britain — the KT66s, the British transformers, the closed-back cabinet — produced something new. Then the players got hold of it and discovered that when you ran it past its limits, the amplifier stopped being a reproduction device and became a partner in the performance, generating sustain and feedback and harmonic richness that became the music itself. The stack was furniture that learned to sing.

♪ LISTEN FOR

- **Jimi Hendrix, "Voodoo Child (Slight Return)"** (*Electric Ladyland*, 1968): wah-wah and rhythm fragments up front, then the way held lead notes bloom and sustain — the Marshall compressing under a flat-out Stratocaster. Listen for the 7#9 "Hendrix chord" color in his rhythm voicings.
- **The Who, "Young Man Blues"** (*Live at Leeds*, 1970): Townshend's rhythm-as-lead, the suspensions roaring into one another, and the sheer wall of cranked backline behind a power trio. The dynamic swings from near-silence to full stack are the whole point.
- **Led Zeppelin, "Whole Lotta Love"** (*Led Zeppelin II*, 1969): the pedal-tone main riff — a fixed low anchor with motion above — and the menace the Marshall sustain lends it. Note how tight the low end stays under the distortion.
- **Cream, "Sunshine of Your Love"** (*Disraeli Gears*, 1967): Clapton's lead through cranked British amplification, the slow wide vibrato and held bends that only sing because the note refuses to die — the singing-sustain lead language in its purest early form.

The Vox AC30: Chime, Jangle, and the British Invasion

ON THE EVENING OF FEBRUARY 9, 1964, SEVENTY-THREE MILLION AMERICANS turned their televisions to *The Ed Sullivan Show* and watched four young men from Liverpool detonate the rest of the century. Behind George Harrison and John Lennon, half-hidden by the bodies and the screaming and the jittering black-and-white camera, sat the real co-conspirators: squat black boxes with diamond-patterned grille cloth and a curious chrome script badge that read **Vox**. You could not hear them properly through a single mono television speaker, of course. But the sound those boxes made in the room — bright as struck glass, ringing with overtones that seemed to hang in the air a half-second longer than they should, compressed and fat and shimmering all at once — was already loose in the world. It would become the defining timbre of an era. Where the American sound of the 1950s had been the deep, scooped thump of a tweed Fender pushed by a Telecaster, the British Invasion arrived on a wave of treble. Bright, insistent, chiming, *jangling* treble. And almost all of it came out of one amplifier.

I A Music Shop in Dartford

The story does not begin with rock and roll. It begins with an electronics tinkerer named **Tom Jennings**, who in the late 1940s was building accordions and amplifiers in Dartford, Kent, just southeast of London. Jennings Musical Industries — JMI — sold organs and accordion amps to dance bands, and Jennings had an instinct for what a working musician needed and what he could afford. By the mid-1950s, skiffle and then rock and roll were spilling out of British coffee bars, and electric guitars were suddenly the thing every teenager wanted. Jennings hired a young engineer named **Dick Denney**, himself a guitarist, to design an amplifier for this new market. The result, around 1958, was the **Vox AC15** — fifteen watts, two EL84 power tubes, a single twelve-inch speaker, and a tone that was already recognizably *Vox*: glassy, present, eager to break into a warm overdrive when you leaned on it.

The AC15 was a hit. Hank Marvin of **The Shadows**, the most influential British instrumental guitarist of his generation, made it the sound of British pop guitar. But the AC15 had a problem familiar to every band on a rising tide: it was not loud enough. As venues grew and audiences screamed, fif-

teen watts and one speaker simply vanished. Denney's answer in 1959 was not subtle and was not complicated. He roughly doubled everything. Four EL84 power tubes instead of two, a beefier output transformer, and — crucially — two twelve-inch speakers instead of one. The **Vox AC30** was born, putting out a nominal thirty watts, and in the cathode-biased, lightly-regulated way these amps behaved, often a good deal more apparent loudness than the number suggested.

The early AC30 came in a "twin" combo with two speakers in an open-ish back cabinet, and over the next couple of years it sprouted variations: the AC30/4 (four inputs) and the AC30/6 (six inputs across multiple channels — Normal, Brilliant, and Vib-Trem). The Normal channel was clean and round. The Brilliant channel had a treble boost wired in that made the high end positively sparkle. And then, around 1961, came the modification that turned a very good amplifier into a legend.

| Top Boost: The Circuit That Made the Sound

Guitarists kept asking Jennings for more treble and more cut. Hank Marvin wanted it; so did countless others fighting to be heard over drums and bass. JMI's initial answer was an outboard **Top Boost** unit — a small add-on with treble and bass controls that could be bolted onto the back of an existing AC30. It proved so popular that by late 1961 and into 1963 the circuit was built into the amplifier itself, occupying a third channel. The factory-fitted version is the one collectors mean when they speak in hushed tones of a "Top Boost" AC30 — the AC30/6 TB.

What Top Boost actually does is worth understanding, because the magic is real but it is not mysterious. The circuit adds an extra gain stage using one half of a **12AX7** (known in Britain as the ECC83), a high-gain dual-triode preamp tube, followed by a Baxandall-style tone stack with separate treble and bass controls. A Baxandall network is an active, interactive tone circuit — turn up the treble and you are not merely boosting highs but reshaping the entire curve, scooping the mids as the extremes rise. This is the secret architecture behind the classic Vox voice: as you advance the treble control, the amp brightens dramatically *and* the midrange recedes, leaving that open, hollow, vocal quality with sparkle stacked on top. The extra triode stage also adds gain, so the AC30 with Top Boost dialed up doesn't just get brighter — it gets *hotter*, breaking into harmonic distortion earlier and more musically. That combination of a treble lift and a gain lift feeding the power section is the whole game.

It is worth pausing on the earlier voicing, because there is a parallel Vox lineage that gets less press but matters to the tone. Some of the very early AC15 and AC30 circuits used a single **EF86** in the Normal channel — a pentode preamp tube rather than a triode. The EF86 has a thick, dense, almost chewy character with enormous gain and a midrange push that is quite different from the airy 12AX7 Top Boost sound. EF86 pentodes were also microphonic and prone to failure under the vibra-

tion of a loud combo, which is part of why JMI moved away from them. But that pentode voice — dark, rich, throaty — is the sound on a good deal of early-1960s British recordings, and boutique builders revived it decades later precisely because it offers a meatier alternative to the glassy Top Boost chime.

I Why It Chimes: Class A, Cathode Bias, and the Blue Speaker

Marketing has muddied the technical waters here, so let us be careful and honest. The AC30 is universally described as a "**Class A**" amplifier, and that phrase has become almost synonymous with the Vox sound. Strictly, in textbook terms, a push-pull four-EL84 output stage is almost certainly running in **Class AB** — the tubes are not conducting through the entire waveform cycle the way a true single-ended Class A design would. Engineers have argued this point for years. What is true, and what actually matters to your ears, is *how* the AC30 is biased and regulated, because that is where the character lives.

The AC30's power tubes are **cathode-biased** (sometimes called self-biasing or "auto-bias") rather than fixed-biased like a typical Fender or Marshall. In a cathode-biased amp, a resistor sets the operating point, and there is no separate bias adjustment; the tubes run hot and the design is simpler. Critically, the AC30 also has **no negative feedback loop** in its power amplifier and a relatively unregulated, "sag"-prone power supply using tube rectification in vintage units. Strip away the jargon and here is the sonic consequence: when you dig in hard, the power supply voltage momentarily droops, the cathode bias shifts, and the amp *compresses* — it gives a little, swells, and blooms rather than slamming a hard ceiling on the signal. The absence of negative feedback means the amp is more harmonically generous and breaks up more readily, with a touch of looseness in the low end and a rich spray of even- and odd-order harmonics as it overdrives. This is the source of that famous "compressed-yet-bright" quality: the AC30 squashes your dynamics into a thick, singing midrange while the Top Boost treble keeps the top end glittering. You hear the chime and the squish at the same time, and the two together are unmistakable.

Then there is the speaker. The classic AC30 shipped with a pair of **Celestion "Alnico Blue"** speakers — twelve-inch drivers using an alnico (aluminum-nickel-cobalt) magnet, finished in a distinctive blue paint, originally derived from Celestion's G12 design. (Celestion still produces the Alnico Blue today, and Vox's own reissues use a version of it.) The alnico magnet gives a particular response: a sweet, slightly soft attack that compresses gracefully when pushed, a pronounced and complex upper-midrange presence, and a bell-like top end that rings rather than spits. Alnico speakers tend to "give" under power in a way ceramic-magnet speakers do not, adding their own layer of compression and harmonic bloom on top of what the amp is already doing. Pair two of them in an AC30, push

them with cathode-biased EL84s and a Top Boost treble lift, and you have manufactured chime almost from first principles. The speaker is not an accessory to this sound. It is this sound, as much as the tubes are.

A quick word on EL84s themselves, since they are the heart of the matter. The EL84 is a small power pentode, the same tube family that powers a tweed Fender Champ's bigger cousins and countless British amps. Compared to the bigger American **6L6** (deep, clean, lots of headroom) or the **6V6** (sweet and early-breaking but low-powered), the EL84 has a brighter, more aggressive, more midrange-forward voice with a distinctive crunchy "chime" when overdriven. Four of them in an AC30, run hot and cathode-biased, produce a sound no 6L6 amp can replicate: present, cutting, and chiming, with a grind in the upper mids that sits perfectly in a dense band mix.

I Jangle as a Musical Idea

"Jangle" is one of those words that everyone recognizes and few define. It is worth treating as a genuine musical concept, because the AC30 did not invent jangle by itself — it was the amplifier that made a particular *way of playing* audible and beautiful.

Jangle lives at the intersection of three things: a bright, chiming amplifier voice; open or open-ish chord shapes that ring sympathetically; and arpeggiation — playing the notes of a chord one at a time, or in shimmering broken patterns, rather than strumming them as a block. When you let open strings ring against fretted notes, you get sustained tones at different frequencies decaying at different rates, and the AC30's compression and treble lift make every one of those overtones bloom. Add chord *extensions* and the effect intensifies. The most important of these is the **add9** chord — a major triad (root, major third, fifth) with the ninth (the second scale degree, an octave up) added on top, but *without* the seventh. On a D chord, the ninth is the note E; a Dadd9 rings root, third, fifth, and that bright E together, and because the ninth is a major-second interval away from the root, it creates a gentle, sparkling rub rather than a clash. Closely related are the **sus2** chord (the third is replaced by the second, leaving the chord suspended and unresolved) and **sus4** (the third replaced by the fourth). These voicings are catnip for a chiming amplifier because the close-interval tones beat and shimmer against each other.

The other engine of jangle is the **interval** — specifically harmony in **thirds** and **sixths**. A third is the interval that defines major versus minor (a major third spans four frets, a minor third spans three); stacking thirds is how Western harmony builds chords in the first place. When two guitar lines, or two strings, move in parallel thirds, the ear hears them as a single sweetened melody. Sixths are simply thirds turned upside down (invert a third and you get a sixth), and they have a more

open, country-and-soul flavor. The Beatles, the Byrds, and a hundred bands after them built hooks out of parallel thirds and sixths ringing through bright Vox amplifiers.

And no account of jangle is complete without the **Rickenbacker 12-string**. A twelve-string guitar pairs each of the six strings with a second string; on a Rickenbacker, the lower four pairs are tuned in *octaves* (the added string an octave higher) and the top two in unison. Strum or arpeggiate one and you get instant octave-doubling — the same note sounding at two pitches simultaneously, which is exactly the overtone-rich shimmer the harmonic series produces naturally. (The **harmonic** or **overtone series** is the ladder of frequencies that sounds above any fundamental note — octave, then fifth, then octave again, then major third, and so on. Octave doubling reinforces the lowest and most consonant rung of that ladder, which is why it sounds so pure and so bright at once.) Run a Rickenbacker 12 into an AC30 with the Top Boost up and you have, in two pieces of equipment, the entire sonic vocabulary of 1965.

Here is a jangly arpeggiated progression in the add9 idiom — let every string ring as long as it can.

TAB

Moderate, flowing, let all notes ring (Dadd9 - A - Gadd9 - A)

e		--0----	0-----	0-----	0-----	3-----	3-----	0-----	0-----		
B		--3----	3-----	2-----	2-----	3-----	3-----	2-----	2-----		
G		--2----	2-----	2-----	2-----	0-----	0-----	2-----	2-----		
D		-----									
A		--0-----	0-----	2-----		0-----		-----			
E		-----				3-----		-----			

Pick each note cleanly and don't mute the open strings; the ringing ninth — the open high E against the Dadd9, the C# against the A — is the whole point. Bridge or middle pickup, Top Boost treble at about 2 o'clock, amp just shy of breakup so the chime stays clean.

| Case Study: The Beatles and the Wall of Vox

Vox and the Beatles grew up together, and the relationship was as much commercial as sonic. JMI supplied the band with gear, and as the venues grew from the Cavern to Shea Stadium, the Beatles' need for volume became the stuff of legend. By 1963 George Harrison and John Lennon were playing AC30s; the iconic *Ed Sullivan* setup put them front and center. The early hits — the bright, propulsive rhythm guitar on "All My Loving," the chiming figures across *A Hard Day's Night* — are the AC30 caught at the edge of breakup, that treble channel doing exactly what Dick Denney designed it to do.

The defining Beatles-and-Vox moment, though, is the opening chord of "A Hard Day's Night" (1964) — that great clangorous *braaang* that announces the film and the album in a single stroke. Its exact construction has been debated for decades and analyzed with everything from ears to mathematics, with the most-cited study (by Jason Brown of Dalhousie University) concluding the recording layers Harrison's Rickenbacker 12-string, Lennon's six-string, McCartney's bass, and a piano note all at once — which is why no single guitarist can reproduce it cleanly. What is not in dispute is the *sound* of Harrison's contribution: a Rickenbacker 360/12 through an AC30, all those octave-doubled strings ringing through that bright, compressed Vox voice. That tone became the Byrds' entire identity within months — Roger McGuinn heard it, bought the same Rickenbacker, and "Mr. Tambourine Man" was the result — and jangle pop was born.

The Beatles were not subtle about volume. As Beatlemania peaked, the band stacked AC30s and, by 1965-66, prevailed on Vox to build larger and more powerful amplifiers to be heard over the screaming. The screaming usually won.

| Case Study: Brian May and the Treble Booster

If the Beatles show the AC30 at the edge of breakup, **Brian May** of Queen shows what happens when you push it clean over the cliff and hold it there for an entire career. May's tone is one of the most identifiable in rock — thick, vocal, endlessly sustaining, capable of stacking into those cathedral-sized guitar orchestras on "Bohemian Rhapsody" and "Killer Queen" — and it comes from a deceptively simple chain.

May plays his homemade "Red Special," a guitar he built with his father out of a fireplace mantel, into a **Dallas Rangemaster**-style treble booster, and from there into a wall of AC30s, typically run flat-out. The treble booster is the key that unlocks everything. A Rangemaster is a simple germanium-transistor booster that lifts the high frequencies and slams a hot, treble-heavy signal into the front of the amp. Hitting an already-bright AC30 with a treble-boosted signal does two things: it drives the preamp and power tubes hard into harmonic saturation, and it keeps that saturation focused in the upper midrange where the EL84s and Alnico Blues sing. The result is a singing, violin-like sustain with enormous harmonic content but very little fizz — the distortion is dense and vocal rather than scratchy. May famously runs the amps loud enough that the power section is doing the work, and he controls dynamics with his guitar's volume knob and his pick attack. Listen to the layered solo and harmony guitars on "Killer Queen" (1974), or the soaring lead on "Brighton Rock," and you

are hearing a treble booster, an AC30 pushed past its limit, and a player using compression and sustain as melodic instruments. The settings are well documented in spirit if not in exact numbers: boosters on, amps near full, tone shaped almost entirely by the hands.

Here is a chiming, 12-string-flavored figure in the bright Rickenbacker tradition — even on a six-string, the octave shapes imply the doubling.

TAB

Bright, jangly, ~120 bpm, let ring throughout (G - C - D)

```
e|--3-----3-----0-----0-----2-----2-----|
B|----3-----3-----1-----1-----3-----3-----|
G|-----0-----0-----2-----2-----|
D|--0-----2-----0-----|
A|-----3-----|
E|--3-----|
```

Arpeggiate with a light, even pick attack, almost like a mandolin tremolo if you have a Rick 12. The trick is consistency — every note the same volume so the chord blooms as one shimmering wash. Treble channel up, reverb off or light.

Case Study: The Edge, Tom Petty, and the Long Reach of Chime

The AC30's influence radiated outward for decades. **The Edge** of U2 took the chiming Vox voice and married it to a digital delay set to dotted-eighth-note rhythms, turning a single picked note into a cascading, self-harmonizing pattern. On "Where the Streets Have No Name" or the shimmering arpeggios of "Pride (In the Name of Love)," The Edge plays sparse, bright figures — often arpeggiated, often using open strings and add9 voicings — into AC30s, and lets the delay multiply them into something architectural. The amp's clean chime is essential: a darker, more compressed amp would muddy the repeats. The AC30's treble and clarity keep every echo distinct.

Tom Petty and the Heartbreakers built an entire American jangle on the same foundation. **Mike Campbell**, Petty's guitarist and co-writer, is a connoisseur of chiming Rickenbacker and Vox tones; Petty himself played a Rickenbacker 12-string, and the band wore their Byrds-and-Beatles influences proudly. The opening of "American Girl" (1976) is a clinic in jangle — bright, ringing chords with that Byrds-derived 12-string sparkle, propulsive and open. "The Waiting" and "Here Comes My Girl" trade in the same currency: arpeggiated and chiming guitar parts, harmony lines in thirds, and a top end that owes everything to the British amplifiers of a decade earlier.

The list goes on, and it is worth naming. **Rory Gallagher**, the great Irish bluesman, used AC30s to get a raw, biting, dynamic blues-rock tone — proof that the Vox is not only a clean-jangle machine but a ferocious overdrive amp when you push it, his Stratocaster and a cranked AC30 producing a stinging, vocal lead voice. And **Radiohead** — Jonny Greenwood and Ed O'Brien both lean heavily on AC30s — used the amp's chime and its capacity for chaos across *The Bends* and *OK Computer*, from the ringing arpeggios of "Street Spirit (Fade Out)" to the controlled feedback and texture of "Paranoid Android." Across forty years and wildly different genres, the throughline is that bright, compressed, harmonically alive Vox character.

Harmony in thirds is the connective tissue of all this music, so here is a harmonized-thirds riff in the British-Invasion idiom — two voices moving in parallel up the neck.

TAB

Medium swing feel, ~110 bpm (harmonized in 3rds, key of A)

```
e|-----|
B|--5--7--9--7--5-----5--7--9--7--5-----5--7--10~-----|
G|--6--9--9--9--6-----6--9--9--9--6-----6--9--11~-----|
D|-----|
A|-----|
E|-----|
```

Both notes struck together with the pick (or pick-and-finger) so the third rings as one sweetened voice. Slight vibrato (~) on the held notes. This is the Beatles/Harrison double-stop language — bright pickup, amp on the edge of breakup so the thirds get just a hint of grit and bloom.

The double stops above point at one more technique central to this sound: **double stops** are simply two notes played at once, and when those two notes are a third or a sixth apart and ring through a chiming amp, they carry the warmth of a full chord with the agility of a single line. Harrison built solos out of them; so did Mike Campbell; so did every player who wanted melody and harmony in one gesture. The AC30's compression glues the two notes together, and its treble lift lets them cut. It is, once again, the amplifier doing in hardware what the music is doing in theory.

What endures about the AC30 is that it was never neutral. A great Fender of the same era aimed, at least at low volume, for a kind of clean fidelity — get out of the way of the guitar. The AC30 had an opinion. It took whatever you fed it and rendered it brighter, springier, more compressed, more alive with overtones, more *itself*. That is why the same amplifier could sit behind the Beatles in 1964 and Radiohead in 1997 and sound, in both cases, exactly right: not because it disappeared, but because its voice — chime, jangle, and bloom — was always already part of the song.

LISTEN FOR

• LISTEN FOR

- **The Beatles, "A Hard Day's Night" (1964)** — the opening chord: a Rickenbacker 12-string through an AC30 (layered with six-string, bass, and piano), all octave-doubled shimmer and bloom. The single most famous "jangle" in recorded music.
- **The Byrds, "Mr. Tambourine Man" (1965)** — Roger McGuinn's Rickenbacker 360/12 into a chiming Vox-style voice; listen for the arpeggiated 12-string figure that launched folk-rock.
- **Queen, "Killer Queen" (1974)** — Brian May's Red Special into a Rangemaster-style treble booster into cranked AC30s; the layered, violin-like sustain and the stacked harmony guitars in the solo.
- **Tom Petty and the Heartbreakers, "American Girl" (1976)** — bright, ringing, Byrds-derived jangle; open chords and 12-string sparkle driving the whole track forward.
- **U2, "Where the Streets Have No Name" (1987)** — The Edge's AC30 chime through dotted-eighth delay; one picked note multiplying into a cascading harmonic architecture.
- **Radiohead, "Street Spirit (Fade Out)" (1995)** — arpeggiated, chiming AC30 figures; the cleaner, darker end of the Vox palette used for hypnotic, ringing texture.

Fender Blackface and Brownface: The Clean Machine

STRIKE AN OPEN E CHORD THROUGH A 1965 **FENDER TWIN REVERB** WITH THE VOLUME at four and the reverb dwelling somewhere around three, and the room itself seems to change shape. The note doesn't so much leave the speaker as bloom out of it -- a wide, glassy, faintly metallic shimmer with air around every string, the low E firm and round, the high E ringing like struck crystal, and beneath it all a faint wash of spring reverb that hangs in the air a half-second after your hand has left the strings. There is no grit, no hair, no compression smearing the transients. Each pick attack arrives with a fast, percussive *snap* and then opens into sustain. This is the sound of headroom -- of an amplifier so powerful and so clean that it refuses to break up no matter how hard you dig in -- and for sixty years it has been the reference point against which every other clean tone is measured.

That sound was not an accident. It was the product of a deaf radio repairman's relentless, almost obsessive pursuit of clarity, and of a particular moment in the early 1960s when Leo Fender's company stopped chasing volume alone and started chasing fidelity. The amplifiers that came out of Fullerton, California, between roughly 1959 and 1967 -- first the chocolate-paneled "brownface" models, then the black-paneled "blackface" line that followed -- defined what a clean electric guitar could be. They became the bedrock of surf, the unspoken default of country music, a favorite of jazz players who wanted a pedestal rather than a personality, and decades later the platform on which the entire pedalboard era was built. To understand why a Twin Reverb is the amp you reach for when you want your overdrive pedal to sound like itself, you have to understand how Leo got there.

| From Tweed to Brown to Black

Leo Fender could barely hear the amplifiers he built. He suffered from significant hearing loss, and he relied on a rotating cast of working players -- and on his own meticulous, engineer's instinct for measurement -- to tell him what sounded right. Through the 1950s, Fender's amps wore lacquered tweed cloth and ran circuits descended directly from the application notes RCA published to sell its vacuum tubes. The tweed **Bassman** of 1959, with its four 10-inch Jensen speakers and a pair of 5881/6L6 power tubes, is the most famous of these: warm, woody, gloriously crunchy when pushed, and -- as a later chapter in any honest history of amplification must concede -- the literal schematic

Jim Marshall's team copied to build the first JTM45. But the tweed amps broke up early and got muddy when you leaned on them. Leo wanted cleaner. Louder *and* cleaner.

The transition began around 1959 and 1960 with what collectors now call the **brownface** era, named for the brown control panels and, on many models, the rough brown or "blonde" Tolex covering that replaced the fragile tweed. These were the first Fenders with the now-iconic front-facing control panel, and they introduced a feature that remains one of the most beguiling and misunderstood effects Fender ever built: **harmonic tremolo**. We will return to how it works, because it is genuinely strange and genuinely beautiful. The brownface amps -- the Vibrolux, the Concert, the Pro, the Super, and the holy-grail brown **Vibroverb** of 1963, the first Fender amp to combine reverb and tremolo in a single combo -- ran slightly warmer and a touch looser than what came next. They are the bridge: cleaner than tweed, not yet as glassy and scooped as the black-panel amps that would define the decade.

Then, in late 1963 and into 1964, Fender rolled out the design that would echo through the rest of guitar history. The control panels turned black with white silkscreened lettering. The circuits -- catalogued by the "AB763" designation that became a kind of magic number among amp techs -- were refined for maximum clean headroom, a scooped midrange voicing, and that characteristic sparkling top end. The line was a family: the **Princeton Reverb** (a single 10-inch speaker, around 12 watts, the bedroom and studio darling), the **Deluxe Reverb** (a 12-inch speaker and roughly 22 watts from a pair of 6V6 power tubes), the **Vibrolux Reverb** (two 10s, about 35 watts), the **Pro Reverb** and **Super Reverb** (the Super with its four 10-inch speakers and around 40 watts of 6L6 power, beloved for the way those small cones move air), and at the top the mighty **Twin Reverb** -- two 12-inch speakers, four 6L6GC power tubes, and an honest 85 watts that could fill a hall and stay clean doing it. This was the moment Fender's clean machine reached its final form.

The party did not last. In January 1965, Leo Fender, in failing health and convinced his company had peaked, sold Fender to CBS for thirteen million dollars. The blackface circuits continued essentially unchanged for two more years -- which is why "blackface" and "pre-CBS" are not quite synonyms, a distinction collectors will correct you on at length. But in 1967 CBS revised the line into the **silverface** era: aluminum trim, redesigned circuits with more negative feedback and, in many models, a stiffer, slightly less responsive feel. Some silverface amps are superb and undervalued; the early-CBS engineering changes are real and audible, and a cottage industry exists to "blackface" a silverface amp back toward the 1965 spec. But the legend was already cast. The blackface sound -- and to a lesser, cultier degree the brownface sound -- had become the definition of clean.

I How the Clean Machine Works

Three design choices give these amplifiers their character: enormous headroom, a deliberately scooped midrange, and two of the most musical modulation effects ever put in a guitar amp.

Start with headroom, because it is the whole point. **Headroom** is the gap between the loudest clean signal an amplifier can produce and the point at which it begins to distort. A high-headroom amp stays clean and linear right up until it is very loud; a low-headroom amp starts to compress and break up at modest volumes. The Twin Reverb is the headroom champion of the electric-guitar world. Its four 6L6GC power tubes, run in a stiff, well-filtered circuit with a generous power supply, deliver around 85 watts that simply will not distort at any volume you are likely to use indoors. The result is that every nuance of your pick attack, every chord voicing, every overtone passes through cleanly and undisturbed. The amplifier adds sparkle and reverb but imposes almost no compression or harmonic distortion of its own. It is, in the truest sense, a clean slate.

The midrange voicing is the second signature. Fender's tone stack -- the simple network of capacitors and resistors behind the Treble, Bass, and (on larger models) Middle knobs -- has a built-in scoop. Even with the Middle control turned full up, the frequencies around 400 to 800 Hz, where the human ear hears "honk" and "boxiness," sit recessed relative to a Marshall or a Vox. The lows are firm, the highs are pushed forward and glassy, and the middle steps back. This is why a Strat through a blackface Fender sounds "hi-fi" and three-dimensional, and why the same rig can sound thin and brittle if you over-treble it. The scoop is also why these amps are such forgiving pedal platforms: an overdrive or fuzz pedal typically adds midrange and compression, exactly the things the Fender voicing lacks, so the two halves complete each other. Run a Tube Screamer into a Twin and the pedal supplies the mids and the hair while the amp supplies the clarity and the spread.

Now the magic. The **reverb** in these amps is true tube-driven spring reverb. A dedicated 12AX7 (in Fender's nomenclature a 7025, a low-noise-selected 12AX7) drives a small transformer, which sends the signal through a long-spring tank -- typically the Accutronics tanks bolted into the bottom of the cabinet. As the springs vibrate, they smear and re-radiate the signal back into a recovery stage, producing that famous drippy, splashy, three-dimensional wash. It is not a clean digital delay; it is a slightly metallic, slightly chaotic blur that adds enormous depth and a wet, surf-soaked ambience. Crank the reverb past five and individual notes seem to detonate into a cloud of spray.

The vibrato is stranger still -- and misnamed. Fender's panels say "Vibrato," but on most blackface amps the effect is technically **tremolo**: a rhythmic pulsing of *volume*, not pitch. (True vibrato is a wobble in pitch; tremolo is a wobble in loudness. Leo, hard of hearing, simply got the labels backwards, and Fender never corrected it.) The blackface tremolo is generated by an optocoupler -- a small light bulb and a light-dependent resistor sealed together -- whose pulsing glow modulates the

signal's amplitude. The result is a smooth, almost throbbing swell, gorgeous on slow ballads and surf alike.

The brownface harmonic tremolo, though, really is something close to its name. In the brown amps Fender used a more complex circuit that split the signal into high and low frequency bands and modulated them out of phase with each other, so that as the highs swelled the lows ebbed and vice versa. The audible result is a watery, almost phaser-like, pseudo-pitch-bending pulse -- much more dimensional than the simple amplitude tremolo of the blackface amps. It is harder to build, was dropped in the blackface redesign, and has been mythologized ever since by players chasing that liquid, vocal throb.

| The Sound in Words

Picture the frequency spectrum as a landscape. A blackface Fender builds you a wide valley with two peaks. Down low, around 80 to 120 Hz, the bass is tight and percussive -- not the loose, bloomy thump of a Bassman but a firm, fast pulse that gives chords a solid floor without mud. Up high, somewhere between 3 and 6 kHz, sits a pronounced, airy peak that produces the famous "Fender sparkle" -- the chime on the top two strings, the glassy attack, the sense that the treble extends forever into the air. Between them, the midrange valley keeps everything uncluttered and open, so that complex chord voicings ring with each note distinct rather than blurring into a wall.

Dynamically, the amp is a mirror. Because there is so little compression, soft playing stays soft and delicate, and hard playing leaps out with a sharp transient *crack* before opening into clean sustain. Roll back the guitar's volume knob and the tone cleans up and thins; dig in with the pick and you get attack and bloom but still no breakup. This honesty is exactly what makes the amp demanding -- it hides nothing, so sloppy technique and bad intonation are laid bare -- and exactly what makes it the professional's choice. Add the spring reverb and the whole picture gains a third dimension, a sense of physical space, as if the guitar were ringing in a tiled room.

| Case Studies: The Players Who Lived Inside the Clean

Dick Dale and the Birth of Surf

In 1961 and 1962, a young Lebanese-American left-handed guitarist named Richard Monsour -- **Dick Dale**, "The King of the Surf Guitar" -- was playing to thousands of teenagers at the Rendezvous Ballroom in Balboa, California, and he kept blowing up his amplifiers. He played loud, he played

hard, and he played fast staccato runs drenched in reverb, picking with such ferocity that he melted speakers and cooked output transformers. Leo Fender, famously, used Dale as a human stress test, handing him prototype after prototype with the instruction to break them. Out of that collaboration came amplifiers built to survive Dale's assault, and the partnership cemented reverb-soaked Fender clean tone as the literal sound of surf music.

Dale's signature is the rapid alternate-picked single-note line, played on the low strings of a Strat, soaked in spring reverb until each note trails into a wet splash. He famously borrowed melodic ideas from the Middle Eastern music of his heritage -- the song "Misirlou" is built on a traditional Eastern Mediterranean melody -- and played them with machine-gun tremolo picking. The theory underneath is often a **harmonic minor** or **double harmonic** flavor: a minor scale with a raised seventh (and, in the double-harmonic case, a raised, exotic-sounding fourth or lowered second) that produces those dramatic augmented-second leaps. But you can capture the *sound* of surf with something simpler. Here is an original surf-style line in the spirit of that era, built on E minor pentatonic with a chromatic passing tone, meant to be picked fast and bathed in reverb:

Surf line in E minor pentatonic -- fast staccato, heavy alternate picking, reverb on 6, neck pickup of a Strat.

TAB

e|-----|

B|-----|

G|-----|

D|-----2-----|

A|-----0--2--3--4--2~-----0--2--3--2--0-----|

E|--0-----3--2--0-----|

Pick every note with a hard down-up motion at the bridge for bite; let the reverb on a Twin or Vibroverb smear the trailing notes into spray.

For tone, Dale and the surf players ran their blackface amps loud and clean with the reverb high and the bridge or neck single-coil engaged, picking near the bridge for maximum attack. The reverb is doing half the musical work -- it is not a subtle ambience but a featured instrument, the wet, oceanic blur that gave the genre its name.

Country: The Unspoken Default

Walk into any Nashville session or honky-tonk in the past half-century and the odds are overwhelming that a Fender amp is in the room -- very often a blackface Deluxe Reverb, Twin, or a Princeton,

prized for exactly the qualities country music demands: pristine clean tone, fast attack so that chicken-pickin' transients pop, and enough headroom that a Telecaster's bridge pickup stays clear and cutting at volume. The clean Fender platform is so ubiquitous in country that it is rarely even discussed; it is simply assumed, the way a piano player assumes a piano.

The defining country technique on this platform is the **double-stop bend** -- playing two notes at once and bending one of them, usually a third or fourth apart, to imitate the pedal steel guitar's characteristic sliding harmony. The pedal steel can bend individual strings to different pitches mechanically; the country guitarist fakes it by holding one note steady while bending the string below or above it into pitch, creating that aching, vocal, two-voice cry. Players like **James Burton** (Elvis Presley, Ricky Nelson), **Don Rich** (Buck Owens and the Buckaroos, whose bright Telecaster-into-Fender sound defined the "Bakersfield" tone), and **Roy Nichols** (Merle Haggard) built entire vocabularies out of these moves, all delivered through clean Fender amps so the two pitches stayed distinct and glassy. Here is an original country double-stop lick in A, the kind of pedal-steel bend that lives on a blackface amp's clean headroom:

Country double-stop lick in A -- moderate shuffle, Telecaster bridge pickup, amp clean, slight reverb.

TAB

```
e|-----|
B|----(7)b8----7-----5-----|
G|----7-----7-----6b7r6----4-----|
D|-----6-----|
A|-----|
E|-----|
```

The B-string note is held while the G-string (and then the upper voice) bends up a half or whole step into a major-third or sixth harmony; the clean amp keeps both pitches ringing separately so the "steel" effect reads clearly. Bend slowly and with control -- the vocal quality is in the speed of the bend, not just the destination.

Why does country *need* the clean Fender specifically? Because chicken-pickin' and hybrid picking rely on snappy, percussive attack and on the distinct articulation of fast notes and muted pops; any meaningful compression or breakup would smear those transients into mush. The blackface amp's refusal to distort is not a limitation here -- it is the feature.

Stevie Ray Vaughan: Clean Power as a Canvas

By the early 1980s, **Stevie Ray Vaughan** had revived electric blues almost single-handedly, and a crucial, often-overlooked part of his sound was that he ran enormous clean Fender amps as the foundation beneath his attack. Vaughan favored blackface-era Fenders -- including a brown **Vibroverb** and **Super Reverb** combos with their four 10-inch speakers -- frequently running several amplifiers simultaneously for sheer air-moving power. His tone is often described as "overdriven," but much of that grind came from his ferociously hard right hand, his heavy strings (he famously used very thick gauges, commonly cited as starting around .013), and the way those speakers and tubes compressed only when he absolutely buried them. The amps themselves were giving him a loud, three-dimensional, mid-scooped clean platform; *he* supplied the dirt with his fingers and, when he wanted more, with a Tube Screamer out front.

This is the deepest lesson of the clean machine. Vaughan's "Texas Flood," "Pride and Joy," and "Lenny" all live on that interplay between a player attacking a clean, high-headroom amp and the amp responding with bloom and sparkle rather than imposing a fixed sound. His vibrato -- wide, fast, vocal, learned from Hendrix and the Kings (B.B., Albert, Freddie) -- read so clearly *because* the Super Reverb's clarity let every wobble through. Harmonically, Vaughan lived in the **blues scale**: minor pentatonic (root, flat-3rd, 4th, 5th, flat-7th) with the added flat-5th "blue note" that gives the scale its tension and release. Over a dominant-chord blues he would also bend the flat-3rd up toward the major 3rd, sliding through the crack between sad and happy that defines blues phrasing. Here is an original SRV-style blues phrase in E, built on the E blues scale, the kind of thing that sings through a clean Super Reverb:

SRV-style blues phrase in E -- slow blues, hard fingers/pick, Strat bridge-neck, amp loud and clean.

TAB

```
e|-----|
B|-----|
G|--7b9r7---5~-----7b9~-----|
D|-----7--5-----5-7-----5--7-(7)~-----|
A|-----7-----|
E|-----|
```

Bend the G-string up a tone with the full weight of two or three fingers and add wide, immediate vibrato; the clean amp's headroom lets the bent note keep its full body and shimmer rather than col-

lapsing into fuzz. Settings often cited for the SRV approach: amp volume high enough to feel the speakers working, treble and presence up for cut, reverb low to moderate.

Jazz and the Pedestal

The clean Fender also found a quieter home in jazz, where players who wanted warmth and clarity rather than character gravitated to the Twin Reverb in particular. With a hollowbody or semi-hollow guitar, the neck pickup rolled back, and the treble tamed, a Twin produces a round, full, articulate clean that supports complex chord voicings -- the extended **dom7, 9, and 13** chords, the rootless voicings, the chromatic walking lines -- without coloring them. Where a tube amp's breakup would blur the inner voices of a dense chord, the blackface amp's clarity and headroom keep each tone of a four- or five-note voicing distinct. The amp becomes a transparent pedestal: it holds the guitar up to the light and otherwise gets out of the way. That neutrality, the same quality that makes it the perfect pedal platform, makes it the perfect jazz amp for the player who treats the guitar's own voice as the instrument.

| Why It Became the Pedal Platform

The pedalboard era owes the blackface Fender an enormous debt. When you place an overdrive, fuzz, delay, chorus, or modulation pedal in front of an amplifier, you are trusting the amplifier to reproduce that pedal's sound faithfully. An amp with its own strong personality -- early breakup, a midrange bark, heavy compression -- will impose itself on whatever the pedal does, fighting it. The blackface Fender does the opposite. Its huge headroom means it stays clean under the boosted output of any pedal, so a distortion box sounds like *that distortion box* rather than like the amp's own clipping. Its scooped, glassy voicing leaves room for pedals to add the midrange and compression they typically supply. And its honest, uncompressed response passes through the pedal's dynamics intact.

This is why the Tube Screamer-into-Fender combination became one of the most recorded sounds in history, why ambient and post-rock players build vast delay-and-reverb cathedrals on top of a clean Deluxe Reverb, and why countless records were cut with a pedalboard running into a blackface amp set clean. The amp is the canvas; the pedals are the paint. A simple clean arpeggio -- letting each note of a chord ring into the next -- reveals this perfectly, because the amp's clarity and the spring reverb's bloom let the notes overlap into a shimmering chord without mud. An **arpeggio** is simply the notes of a chord played one at a time rather than strummed together; "let ring" means you hold each note down so they accumulate. Here is an original sparkling clean arpeggio over a Cadd9-to-G progression, the kind of figure that defines the blackface clean:

Sparkling clean arpeggio, Cadd9 to G -- gentle, let all notes ring, neck pickup, reverb on 4, amp clean and bright.

TAB

```
e|-----3-----3-----|
B|-----3-----3-----3-----3-----|
G|-----0-----0-----0-----|
D|--2-----0-----|
A|--3-----|
E|-----3-----|
```

The "add9" in Cadd9 is the note D -- the ninth scale degree, an octave plus a major second above the root -- ringing against the C major triad to add sparkle and openness without the tension of a full ninth chord. Let every note sustain into the next so the spring reverb stacks them into a glassy wash; this is the heart of why the clean machine is a platform rather than a voice.

The blackface and brownface Fenders endure because they solved a problem permanently. They are not the most exciting amplifiers ever built -- they will never snarl or sing with their own overdrive the way a cranked Marshall or a Vox AC30 does. They are something rarer and, in their way, more useful: the truest mirror in the electric-guitar world, an amplifier that gives you back exactly what you put in, only louder, glassier, and wrapped in a wash of spring reverb. Whether you are picking surf melodies, bending pedal-steel double-stops, comping jazz chords, or building a pedalboard cathedral, you are standing on the foundation Leo Fender poured in Fullerton between 1959 and 1967 -- the clean machine that everything else gets measured against.

• LISTEN FOR

- **Dick Dale, "Misirlou" (1962)** -- the machine-gun tremolo picking and the drenching spring reverb that became the literal sound of surf; listen to how each rapid note trails into a wet splash and how the reverb itself functions as an instrument.
- **Buck Owens & the Buckaroos, "Act Naturally" (1963)** -- Don Rich's bright, snappy Telecaster-into-Fender Bakersfield tone; listen for the percussive clean attack and the absence of any breakup that lets every fast note pop.
- **Stevie Ray Vaughan, "Lenny" (Texas Flood, 1983)** -- clean blackface-era power as a canvas; listen to how the Super/Vibroverb clarity lets his wide vibrato and the bloom of each bent note ring with full body and three-dimensional space.
- **Stevie Ray Vaughan, "Pride and Joy" (Texas Flood, 1983)** -- the interplay of a ferocious right hand and a loud, headroom-rich Fender; the grind is mostly fingers and strings, not amp distortion.
- Any clean session track running a Tube Screamer or delay into a blackface Deluxe or Twin -- listen for how the pedal sounds like itself, the amp adding only sparkle, reverb, and air.

Hiwatt and the Command Sound

THE SOUND ARRIVES BEFORE THE SONG DOES. OUT OF A WALL OF BLACK-AND-WHITE boxes stacked to the rafters of a hockey arena comes a single open A chord, struck with an arm swung from the shoulder in a full clockwise circle, and the chord does not break up the way you expect a loud amplifier to break up. It does not fold into mud or fizz into a hornet's nest of fuzz. It stays a *chord* -- every string distinct, the low E ringing dark and firm beneath the bright top, the whole thing pressurized and three-dimensional, hitting the back wall of the building and coming back at you like weather. That is the sound of a Hiwatt at full song, and once you have heard it in a room you understand why people who lived near these amplifiers talk about them less like gear and more like artillery. The company itself printed the word on the panel: **Command Series**. It was not marketing hyperbole. It was an accurate description of what the amplifier did to the air.

This is the chapter of the British story where loudness stops being an accident and becomes an engineering discipline. The Marshall stack had taught England that bigger was thrilling, but Marshall's bigness came partly from a circuit that was designed to compress, to sag, to crumble into glorious distortion when you pushed it. Hiwatt went the other way. It chased loudness *without* crumbling -- headroom as a design goal, cleanliness as a virtue, the amplifier as a perfectly transparent megaphone rather than a tone-coloring effect in its own right. And in doing so it became the secret backbone of two of the most influential guitar sounds in rock: the demolition rhythm of Pete Townshend and the singing, weather-system lead tone of David Gilmour. Both men leaned on Hiwatt for the same reason, even though they sounded nothing alike. The amp gave them a canvas.

| The Watford Bench: Dave Reeves and the Birth of a Standard

The man behind the boxes was **Dave Reeves**, an Englishman whose reputation rests on a small number of amplifiers built to a standard that bordered on the obsessive. Reeves had been building and modifying amps in the early-to-mid 1960s, trading for a while under the name Sound City before the Hiwatt name took hold around 1966. The defining partnership of the operation, though, was with a wireman named **Harry Joyce**, who came to the work from a background in industrial and military-grade electronics. It is Joyce's hand, as much as Reeves's circuit, that people are praising when they hold up the inside of a vintage Hiwatt as the gold standard of amplifier construction.

Open the back of a late-1960s **Hiwatt DR103** -- the hundred-watt head that became the flagship, the model number a nod to Dave Reeves's own initials -- and you are looking at something closer to aerospace wiring than to a typical guitar amp of the era. Where a Marshall or a Fender of the period used an eyelet or turret board with components soldered in a serviceable but workmanlike way, the Hiwatt is built with **military-grade point-to-point wiring**: harnesses of color-coded wire laced together with waxed lacing cord, dressed into neat right-angle runs, every joint clean, every lead the correct length. The build was reputedly held to British military specification standards. The point of all that fastidiousness was not vanity. Tidy, consistent, mechanically stable wiring means low noise, predictable behavior unit to unit, and an amplifier that does not drift or rattle apart under the brutal vibration of a touring rig run flat-out night after night. A Hiwatt was built to survive being a working tool in the loudest band on earth.

The circuit inside is a four-input, two-channel design -- a Normal channel and a Brilliant channel, in the British idiom of the time -- using **ECC83** preamp tubes (the European designation for the **12AX7**) for gain and a quartet of **EL34** power tubes pushing the rated hundred watts. So far that is a recognizably British recipe; the EL34 is the same power tube at the heart of the big Marshalls, and on paper a DR103 and a Marshall Super Lead look like cousins. What sets them apart lives in the details: the **partridge output transformers** Hiwatt favored, generously specified and tightly wound; a preamp voiced for a flatter, more linear response with less of the upper-midrange forwardness that gives a Marshall its bark; and a tone stack and gain structure deliberately arranged so that the amp stays clean far higher up the volume dial than its rivals. Hiwatt also fitted a genuinely useful master-volume-style arrangement and a built-in tone network that let players shape the response without choking the output stage.

The result is an amplifier of enormous **clean headroom**. Headroom is the amount of signal an amp can pass before it begins to distort -- the ceiling between "clean" and "clipping." A low-headroom amp hits that ceiling early and spends most of its useful volume range in some state of breakup. A Hiwatt's ceiling is way, way up there. You can run a DR103 at a volume that would have a vintage Fender Deluxe disintegrating into fuzz, and the Hiwatt will still be handing you clean, firm, full-frequency chords. When it finally does break up -- and it does, at genuinely punishing volumes -- the distortion is not the loose, woolly sag of a tweed amp but a tight, focused, slightly aggressive grind, the high end staying detailed and the low end staying defined. Players reach for words like "muscular," "powerful," "hi-fi," and, inevitably, "clean but mean." That combination -- a vast clean plateau with a hard, controlled edge waiting at the very top -- is the Command Sound.

I Why Headroom Is a Canvas: The Physics of Staying Clean

To understand why clean power matters so much, you have to think about what distortion actually does to a signal, because the whole argument for Hiwatt is an argument about what *not* to distort.

A guitar note is not a single frequency. Pluck a string tuned to the A below middle C and it vibrates at roughly 110 cycles per second -- that is the **fundamental**, the pitch your ear names as "A." But the string also vibrates in halves, thirds, quarters, and so on, simultaneously, producing a stack of higher tones called the **harmonic** (or overtone) **series**. The first overtone is twice the fundamental's frequency -- an **octave** up, the interval of two notes that sound "the same but higher," a 2:1 frequency ratio. The next is three times the fundamental, an octave-plus-a-fifth above (a 3:1 ratio; the **fifth** is the powerful, hollow-sounding interval at the root of every power chord). Then four times for two octaves, five times for a major third on top, and onward, each overtone quieter than the last. The particular *recipe* of those overtones -- which ones are loud, which are soft, how they decay -- is what your ear hears as timbre, the reason a guitar and a trumpet playing the same note sound like different instruments.

Now stack six strings into a chord. An open E major chord is sounding three different pitch classes (E, G-sharp, B) across six strings, each with its own full harmonic series, and those series overlap and interlock in complicated ways. When the amplifier stays clean, it reproduces all of that faithfully: every fundamental, every overtone, in its correct proportion. The chord sounds *open* -- you can hear into it, pick out individual strings, sense the space between the notes.

Distortion is, mathematically, the clipping of the waveform's peaks -- the amp runs out of headroom and flattens the tops and bottoms of the wave. Clipping is a nonlinear process, and nonlinear processes *generate new frequencies that were not in the original signal*: harmonics of the harmonics, and crucially, **intermodulation** products -- sum-and-difference tones created when two frequencies beat against each other inside the clipping stage. For a single note or a simple two-note **power chord** (just root and fifth, a clean 3:2 ratio with few competing overtones), this added harmonic content is delicious. It is the entire appeal of a cranked amp: the note grows, sustains, blooms into feedback, gains a saturated thickness. Power chords distort beautifully precisely *because* there is so little harmonic conflict to begin with.

But feed a full, harmonically dense chord into a heavily clipping stage and the intermodulation products multiply into a thicket of dissonant sum-and-difference frequencies that were never part of the music. The chord turns to mush. The individual strings smear together. The clarity that let you hear into the voicing collapses into a generalized roar. This is why death-metal rhythm guitar mostly uses power chords and palm muting -- it is a style built around the reality that high-gain distortion

and complex chords do not coexist. It is also why a jazz guitarist wants a clean amp: a 13th chord run through a fuzzbox is sonic porridge.

Here is the payoff, and the whole reason Hiwatt matters to the history of effects. **An effect pedal placed in front of a clean, high-headroom amp gets to do its job in a clear acoustic space.** When David Gilmour kicks on a **Big Muff** fuzz, the fuzz circuit itself is generating the distortion -- a specific, voiced, musical distortion with a scooped midrange and an enormous sustaining bloom. If that already-distorted signal then hits an amp that is *also* clipping, the two distortions pile on top of each other, intermodulate, and turn to grit and fizz; the carefully voiced Muff tone is buried under the amp's own ugliness. But run that Muff into a Hiwatt with acres of headroom, and the amp simply makes the Muff *louder* without adding distortion of its own. The pedal's sustain comes through three-dimensional and singing; you can hear the pick attack, the bloom, the slow decay into feedback, all of it clear. Same with delay and echo: every repeat needs its own clean space to ring out and fade, and the moment the amp starts distorting, the repeats smear into the dry signal and the echo loses its depth. Headroom keeps the repeats discrete, layered, *deep*. The amplifier becomes a transparent window, and the pedals become the painting.

That is the metaphor worth holding onto for the rest of this book: **the clean amp is a canvas, and headroom is the size of the canvas.** A small canvas forces every brushstroke to overlap and muddy. A big one lets each color sit in its own space. Hiwatt built the biggest canvas in British rock, and the most sophisticated effects players in the world came to paint on it.

| The Wall: Pete Townshend's Hiwatt Era

Pete Townshend's relationship with amplifiers is, famously, the most violent in rock -- he is the man who smashed them on principle, who treated the guitar-and-amp rig as something to be attacked. But the irony is that the amplifier most associated with the mature Who was prized precisely for its *control*, its refusal to fall apart. By the end of the 1960s, having moved through earlier rigs, Townshend had settled on Hiwatt, and the walls of black cabinets behind The Who through the early-to-mid 1970s -- on the *Live at Leeds* tour, at the Isle of Wight, through the *Who's Next* and *Quadrophenia* era -- were Hiwatt DR103 heads driving 4x12 cabinets in towering stacks, his custom panels reportedly engraved with his name in the corner where the maker's badge would go.

Townshend's playing demanded headroom for a reason rooted in his technique. His signature move is the **windmill**, the full-circle strum, and his rhythm style is built on huge, ringing, open and suspended chords smashed with maximum force across all six strings. That is the single worst-case scenario for an amplifier: maximum harmonic density at maximum input level. On a low-headroom amp those windmilled chords would have collapsed into an indistinct roar. On the Hiwatt they

stayed *chords* -- enormous, clean enough to retain their voicing, with just the hard edge of the EL34 power stage starting to bite at the peaks. You can hear the entire architecture of the chord even at deafening volume. The Hiwatt let Townshend play a complex, voicing-rich rhythm guitar *at the volume of a fuzz solo*, which is a great deal of what made The Who sound enormous rather than merely loud.

Consider a rhythm figure in the windmill tradition. Townshend loved to take a basic major chord and decorate it by lifting and adding fingers -- moving between the plain chord, a **suspended fourth** (sus4, where the major third is replaced by the fourth, creating tension that "wants" to resolve), and an **added ninth** (add9, where the ninth -- the second, an octave up -- is added for shimmer without disturbing the chord's basic identity). Played hard on a clean, loud amp, those small moving voices ring out distinctly instead of vanishing into distortion.

TAB

Windmill-style rhythm -- Tempo ~132, half-time feel, big downstrokes

```
e|---3---3---3---3---|---0---0---0---0---|
B|---3---3---1---3---|---3---3---3---3---|
G|---0---0---0---0---|---0---0---0---0---|
D|---0---0---0---0---|---2---2---2---2---|
A|---2---2---2---2---|---2---2---2---2---|
E|---3---3---3---3---|---0---0---0---0---|
    G    G    Gsus Gsus    A    A    A    A
```

A windmill-style rhythm: a G chord opening to a Gsus voicing, then a big open A. Dial it in with the amp clean and loud, bridge-and-middle or full open position, no pedal gain -- let the power amp's edge do the only distorting. Strum every string; the magic is in the ringing open strings, not in palm muting.

Townshend's most quoted single guitar moment, the spiraling synthesizer-and-guitar engine of "Baba O'Riley" from *Who's Next* (1971), and the crashing power-chord cathedral of "Won't Get Fooled Again," both live on this principle: clean, gigantic, open chords that keep their definition because the Hiwatt never lets them turn to mud. The amplifier is doing something paradoxical -- being as loud as physically possible while distorting as little as possible -- and that paradox is the Who's rhythm sound. When Townshend did want dirt, he tended to get it from the front end (an overdriven signal hitting that clean power stage) rather than from cranking the amp into collapse, which kept even his dirty tones articulate.

A note on the suspended chord, because it matters for the next two examples: a "sus" chord removes the third -- the note that tells your ear whether a chord is major (happy) or minor (sad) -- and replaces it with either the second (sus2) or the fourth (sus4). With the third gone, the chord sounds *unresolved*, open, neither bright nor dark, hanging in the air waiting to land. That suspended, questioning quality is everywhere in Townshend's writing and in the wide-open arpeggios that anchored a lot of British rock, and it sounds especially huge through a clean amp because the bare intervals -- root, fourth or second, fifth -- have so few competing overtones that they ring with bell-like clarity.

| The Canvas Itself: David Gilmour and the Hiwatt Clean

If Townshend used the Hiwatt's headroom to play loud, **David Gilmour** of Pink Floyd used it to play *clean*, and in doing so he built the most influential pedal-and-amp architecture in the history of atmospheric guitar. Through the 1970s Gilmour's rig was anchored by Hiwatt DR103 heads, often paired with **WEM** (Watkins) cabinets loaded with Fane speakers, and later run alongside other amps in stereo. But the Hiwatt's role was constant: it was the clean foundation, the canvas, the transparent amplifier whose entire job was to take whatever Gilmour put in front of it and make it enormous *without changing it*.

And Gilmour put a lot in front of it. His signal chain was, for its time, a deeply considered effects laboratory: a Big Muff fuzz for the great sustaining lead tone, a clean booster (the **Colorsound Power Boost** and later others) to push level and add a touch of grit, modulation in the form of the **Electric Mistress** flanger and a **Uni-Vibe**, and -- most crucially -- delay, generated in that era by **Binson Echorec** units and tape echoes, later by digital delays. Stack all of that into a low-headroom amp and you get noise soup. Stack it into a Hiwatt and you get the solos on *The Dark Side of the Moon* (1973) and *Wish You Were Here* (1975): a lead tone with the sustain of a cello and the clarity of a struck bell, delays repeating into cavernous space, every element of the chain audible and distinct.

The most famous demonstration is the solo in "Comfortably Numb" from *The Wall* (1979). The lead tone is a Big Muff-style fuzz running into the clean Hiwatt, and what makes it sing is exactly the headroom argument from earlier: the fuzz provides a thick, sustaining, harmonically rich distortion, and the amp adds nothing but volume and air, so the note *blooms* -- attack, sustain, and a slow swell into feedback, all of it clear and three-dimensional rather than buzzy. Gilmour's phrasing leans on long, vocal **bends** (pushing a string to raise its pitch, often a whole step or more) and a slow, wide **vibrato** (the controlled wobble in pitch that keeps a sustained note alive), and that approach only

works if the amp will hold a note cleanly enough for you to hear the pitch move. The Hiwatt's headroom is what lets a single bent note last four seconds and stay musical the entire time.

Gilmour's note choice is worth understanding, because it is a clinic in what makes the **minor pentatonic** and **blues** vocabulary sound like *singing* rather than shredding. The minor pentatonic scale is five notes -- root, flat third, fourth, fifth, flat seventh -- the most fundamental lead-guitar vocabulary in rock and blues. The **blues scale** adds one more note, the flat fifth (the "blue note," a sour, leaning tone between the fourth and fifth). Gilmour rarely runs these scales as fast flurries. Instead he selects **target tones** -- chord tones, the notes actually present in the underlying harmony -- and *bends into them*, landing on a strong note and holding it. Over a B minor chord he will bend up to the root or the fifth and let it ring; over the relative major sections he leans on major-third color. The effect is melodic, vocal, almost lazy in its patience, and the clean Hiwatt is the thing that makes patience possible. A note you can't sustain is a note you have to abandon.

Here is the kind of clean arpeggio bed Gilmour and his peers built whole songs on -- the sort of figure that a Muff or a delay sits on top of. Played on a pristine Hiwatt with a touch of compression and modulation, each note rings into the next and the chord assembles itself in the air:

TAB

Clean arpeggio bed -- Tempo ~63, let every note ring, pick near the neck

```
e|-----0-----0-----0-----2--|
B|-----3-----3-----3-----0-----3-----|
G|-----0-----0-----0-----2-----|
D|--0-----|
A|-----|
E|-----|
    D(add9)          Dsus2/A      Asus      (let ring)
```

A clean arpeggio bed in the Gilmour/Floyd manner: open, ringing voicings with sustained suspensions and an added ninth for shimmer. Dial it in with the amp dead clean, a slow modulation (chorus or flanger) for movement, and a long delay set just under the tempo so repeats fall between the picked notes. This is the canvas -- a Big Muff lead would float on top of it.

The deeper lesson of Gilmour's rig is architectural, and it set the template for every ambient and post-rock guitarist who followed. The order is: **guitar, then effects, then a clean amplifier that does nothing but amplify**. The amp is deliberately the most boring link in the chain -- no character, no breakup, no coloration, just headroom and a faithful frequency response from a firm low end to a clear, un-fizzy top. All the personality lives in the pedals, and the pedals can have personality precisely *because* the amp refuses to. It is the opposite of the Marshall philosophy, where the amp is the sound. With Hiwatt, the amp is the silence that lets you hear the sound. Floyd's records are spacious

-- famously, achingly spacious -- and a good deal of that space is literally the clean headroom of a Hiwatt holding the room open so that delays and swells have somewhere to live.

I A Third Voice: The Sound City and Soundman Lineage

It is worth pausing on a quieter case, because the Hiwatt approach influenced players who never put the brand name on their amps. The same Dave Reeves lineage produced **Sound City** amplifiers, and the broader British school of high-headroom, EL34-driven, point-to-point cleanliness shaped how a generation thought about loud-but-clean tone. The principle traveled: a clean, powerful platform underneath an expressive front end. You hear the philosophy, if not always the exact brand, in players who wanted their fuzz and their octave effects and their wahs to stay articulate at stage volume rather than congealing.

The technique that the headroom unlocks for these players is the **double stop** -- two notes played together, usually a third or a fourth or a sixth apart -- which is a staple of expressive, vocal rhythm and lead playing. A double stop is harmonically richer than a single note but far less dense than a full chord, so it occupies a sweet spot: enough harmonic content to sound full and "talking," few enough notes that a moderate amount of grit doesn't turn it to mush. On a clean, loud Hiwatt-style platform, double stops bent slightly out of tune against each other produce that crying, two-voices-at-once quality that makes a guitar sound like it is speaking.

Pair that with the suspended-chord power strum -- the kind of huge, bare-interval figure that needs clean headroom to ring -- and you get the third of our examples, a power-strum built on suspensions in the territory where Townshend's smash meets Gilmour's clarity:

TAB

Suspended-chord power strum -- Tempo ~120, controlled downstrokes, NO palm mute

```
e|-----|
B|---3---3---5---5---3---3---0---0---|
G|---2---2---2---2---2---2---2---2---|
D|---0---0---0---0---0---0---2---2---|
A|---0---0---0---0---0---0---2---2---|
E|-----|
    Asus2      Asus4      Asus2      E5/sus      (let ring)
```

A suspended-chord power strum: A with the third removed, moving between the added second and the fourth, then dropping to an open-voiced E. Dial it in clean and loud so the bare fifths and suspensions ring with bell clarity -- the absence of the third is the whole point, leaving the open intervals to bloom. Add a short slapback delay for size; keep the amp's gain low and let the power stage's hard edge be the only dirt.

What ties all three of these figures together -- the windmill rhythm, the clean arpeggio bed, the suspended power strum -- is that every one of them is harmonically *open*: built on ringing strings, suspensions, and bare intervals rather than dense closed voicings. That is not a coincidence. The British high-headroom amp rewards open, ringing music. It gives you the volume to fill an arena and the clarity to keep the voicing intact while you do it, and so the players who loved these amps gravitated, consciously or not, toward writing that exploited exactly that gift. The amp shaped the music, and the music shaped the amp, in the way that the best instruments and the best players always shape each other.

| What the Command Sound Left Behind

By the time Dave Reeves died in 1981, Hiwatt had already secured a place that no marketing department could have engineered: it was the amplifier you reached for when you did not want the amplifier to be the point. That sounds like faint praise. It is in fact the highest compliment a tool can earn. In a decade when the dominant trend was *more* -- more gain, more compression, more amplifier coloration -- Hiwatt held the line for transparency, and in doing so it became the indispensable foundation for the entire art of effects-driven guitar. Every ambient guitarist running a pedalboard the size of a coffee table into a clean amp, every player who has ever marveled that their fuzz sounds "three-dimensional" through one rig and "like a wasp in a jar" through another, is living inside Dave Reeves's argument about headroom whether they know his name or not.

The lore around these amps runs hot, as it does around all grail gear, and it is worth keeping a cool head about it. You will read that the Harry Joyce-wired examples are categorically superior to everything that came after, that no modern build can touch the originals, that specific component values are "secret." Some of that is real -- the early build quality genuinely was extraordinary, and consistent, low-noise construction genuinely does affect how an amp behaves under stress. Some of it is the ordinary romance that collects around scarce vintage objects. What is *not* in dispute, because you can hear it on the records, is the core proposition: enormous clean headroom is a creative resource, the canvas on which the most sophisticated electric guitar tones of the era were painted. That idea outlived its inventor, outgrew its brand, and became one of the load-bearing principles of the whole signal chain.

- **The Who, "Won't Get Fooled Again"** (*Who's Next*, 1971): Townshend's open, crashing power chords at full Hiwatt volume -- notice how each chord stays *defined*, the individual strings audible, never collapsing into a single distorted roar. That clarity at that volume is the Command Sound.
- **The Who, *Live at Leeds* (1970), "Young Man Blues"**: the rhythm guitar enormous and clean-edged, the chords keeping their architecture even as the power stage bites. Listen to the *space* around each strum.
- **Pink Floyd, "Comfortably Numb"** (*The Wall*, 1979): the closing solo -- a Big Muff-style fuzz blooming into a clean Hiwatt. Hear how the note *sustains and swells* without turning buzzy; that bloom is the fuzz, and the clarity around it is the amp's headroom.
- **Pink Floyd, "Shine On You Crazy Diamond"** (*Wish You Were Here*, 1975): the four-note opening lead and the long sustained bends. Notice how delays repeat into deep, discrete space rather than smearing -- headroom keeping each echo in its own pocket.
- **Pink Floyd, "Time"** (*The Dark Side of the Moon*, 1973): the lead break, every bent note holding pitch cleanly for seconds at a time. The patience of the phrasing is only possible because the amp sustains the note without distorting it.

PART IV

The First Effects



Tremolo and Vibrato: The First Modulation

A TEENAGER IN A MEMPHIS BEDROOM IN 1962 FLIPS A CHROME SWITCH ON THE FACE of a small brown amplifier, and the room begins to breathe. He hasn't touched a string yet. The amp is simply idling, its tubes warm, and already the silence has a pulse to it — a faint, rhythmic swelling in the hiss, like a heartbeat heard through a wall. He strikes a single open E, lets it ring, and the note doesn't just sustain; it gulps. Loud, soft, loud, soft, a steady throb that turns one plain note into a procession of notes, each a little ghost of the last. He has done nothing clever. He has only flipped a switch. But the guitar has stopped being a guitar that makes sounds and become a guitar that makes *time*, and somewhere in that swelling and fading he hears the surf, the desert highway, the slow drip of a Louisiana swamp he has never seen. This is the first effect most players ever met — not a stompbox bought and bolted to a pedalboard, but a circuit already living inside the amplifier, waiting behind a switch labeled, with a confidence that would confuse guitarists for the next sixty years, **Vibrato**.

| The Great Naming Confusion

Let us settle the vocabulary before we go a single sentence further, because the manufacturers got it backward and never fully owned up to it. There are two distinct effects here, and they do genuinely different things to the sound.

Tremolo is a periodic change in *volume*. The pitch never moves. The amplitude — the loudness — rises and falls at a regular rate, so a held note pulses: on, off, on, off, or more gently, swell and dip. Think of rapidly turning your guitar's volume knob up and down with a metronome. That is tremolo, and it is, despite the label, what almost every vintage Fender amp actually produces.

Vibrato is a periodic change in *pitch*. The volume stays put while the note bends slightly sharp and flat around its center, the way an opera singer or a violinist makes a held tone shimmer, the way a blues player wiggles a fretted note with the fretting hand. The wobble is in the frequency, not the volume.

Here is the crime. Leo Fender, building the **Tremolux** in 1955 and the larger **Vibrolux** soon after, slapped the wrong words on the wrong things and then doubled down. Most famously, the amp Fender called the Vibrolux, and the front-panel circuit Fender labeled "Vibrato" on countless black-

face and silverface amps, is in fact *tremolo* — volume pulsing, pitch dead steady. Meanwhile the genuine pitch-shifting *vibrato* that Fender did build — into the Vibroverb and a few others, and most ambitiously into the bridge-mounted **synchronized tremolo** on the 1954 Stratocaster — got tangled up too, because the Stratocaster's pitch-bending whammy bar is, by the strict definition, a *vibrato* unit but was christened "tremolo" on the patent. So the bar that changes pitch was called tremolo, and the circuit that changes volume was called vibrato, and Leo, a radio repairman by trade and no musician, seems never to have grasped or much cared about the distinction. Gibson, to their credit, generally got it right, calling their amp circuits "Vibrato" only when there was pitch movement involved and "Tremolo" when there wasn't, though their consistency wavered too. The upshot: when a vintage Fender says "Vibrato" on the panel, your ears are almost certainly hearing tremolo. When you yank the silver bar on a Strat, you are producing vibrato that the headstock decal insists on calling tremolo. The words are a coin landed on its edge. Throughout this chapter I will use them correctly — tremolo for volume, vibrato for pitch — and trust you to translate the front panels.

I How the Throb Is Made

The earliest amplifier tremolo, appearing on Gibson and Fender amps in the late 1940s and very early 1950s, worked by the most direct method imaginable: it wiggled the tube's operating point. Inside a vacuum tube, a small negative voltage on the control grid — the **bias** — sets how much the tube amplifies. Push that bias voltage up and down with a slow oscillator and the tube's gain rises and falls in sympathy, so the whole signal passing through gets louder and softer. This is **bias tremolo**, and it has a particular character: because you are modulating a power or phase-inverter tube near the end of the chain, the effect interacts with how hard the amp is working. At the loudest part of each cycle the tube can edge toward breakup, so the pulse isn't a clean on/off — it has a slightly ragged, lurching, almost seasick swell, smooth at the top and gummy at the bottom. Brownface Fenders and many tweed-era circuits used variations of this. The low-frequency oscillator itself, the **LFO**, was typically built from a single triode wired as a phase-shift oscillator, producing a roughly sinusoidal control voltage whose speed you set with the Speed knob and whose depth you set with the Intensity knob.

The second great method is **optical**, or photocell, tremolo, and it is the one most associated with the classic blackface Fender sound of the 1960s. Here the LFO doesn't touch the tubes at all. Instead it drives a small neon lamp or incandescent bulb that brightens and dims, and that pulsing light shines on a **light-dependent resistor** (an LDR, or photocell) sitting across the signal path. As the lamp glows brighter the photocell's resistance drops and more signal bleeds to ground; as the lamp fades the resistance rises and the signal returns. The whole assembly — lamp plus photocell sealed together in a little light-tight tube — was nicknamed the "roach" or optocoupler. Because the photo-

cell responds with a slight lag and a gentle curve rather than switching instantly, optical tremolo has a famously smooth, rounded, almost vocal swell. It is the sound of a Fender Twin or Deluxe Reverb idling: a soft, even, hypnotic pulse with none of the lurch of bias tremolo. The trade-off is a tiny loss of overall volume when the circuit is engaged, since the photocell is always shunting at least a little signal away — flip the tremolo off on a blackface amp and you'll often hear the rig get a hair louder.

And then there is the strange and gorgeous third path: **harmonic tremolo**, found on a small run of Fender "brownface" amps from roughly 1959 to 1963 — certain Twin, Pro, Super, and Concert models. This is the connoisseur's tremolo, the one that sends collectors into reverie. Instead of simply raising and lowering the whole signal's volume, the harmonic circuit splits the signal into two frequency bands — a low-pass path carrying the bass and a high-pass path carrying the treble — and modulates them *out of phase* with each other. As the lows swell, the highs dip, and vice versa. The effect is that the tone color shifts back and forth as much as the volume does, the way a wah pedal parked and rocking slowly might sound, producing a watery, phasey, almost three-dimensional pulse that seems to move not just in loudness but in space. Whether the brownface circuit is a "true" frequency-splitting filter modulation or something closer to a bias tremolo with a phase-shift quirk has been argued endlessly by amp techs and clone-builders; the most rigorous teardowns describe it as a genuine two-band, out-of-phase modulation, and that is the explanation that best matches what your ears hear. Either way the sound is unmistakable, lusher and more liquid than any plain volume tremolo, and modern pedal makers have spent decades trying to bottle it.

True pitch **vibrato** in an amplifier is rarer and harder, because changing pitch electronically in 1960 meant changing the *time* it took the signal to pass through — a tiny, modulated delay. Some designs achieved a mild vibrato by frequency-modulating an oscillator stage; the effect was subtle and never became the dominant amp feature that tremolo did. The most musically important pitch vibrato of the era didn't come from the amp at all. It came from the player's hand and from that bridge-mounted bar on the Stratocaster, where pressing down slacks all six strings at once and lifting tightens them, sweeping the whole chord sharp and flat — the genuine article, mislabeled or not.

I Why It Sounds the Way It Does, and How to Make It Groove

A pulse is not yet music. A clock ticks at a steady rate and we ignore it. The reason tremolo became a beloved musical effect rather than a novelty is that guitarists learned to *lock its rate to the song* — to treat the throb not as decoration laid over the music but as a rhythmic voice inside it. To do that you need a working idea of **rhythmic subdivision**: the way a single beat divides into smaller equal parts.

Count a moderate groove: one, two, three, four. Each of those numbers is a **quarter note**. Split each beat cleanly in half and you get **eighth notes** — one-and, two-and, three-and, four-and — twice

as many pulses, twice as fast. Split each beat into three equal parts instead and you get **triplets** — one-trip-let, two-trip-let — a rolling, loping, three-against-the-beat feel that is the secret heartbeat of the blues and of a thousand slow soul ballads. Now: set your tremolo's Speed knob so that one full swell-and-dip cycle of the effect lands exactly on each of those subdivisions. If one tremolo cycle equals one quarter note, the amp pulses once per beat — a slow, looming throb. Speed it up so one cycle equals an eighth note and the pulse doubles, becoming a propulsive chop. Tune it to triplets and the guitar starts to gallop. The numbers are simple: if the song is at 120 beats per minute, a quarter-note tremolo runs at 2 cycles per second (120 divided by 60); eighth notes at that tempo want 4 cycles per second; triplets want 6. Match the LFO to one of those and the steady throb stops fighting the drummer and starts *grooving with* him. Mismatch it — let the tremolo drift at some unrelated speed — and the effect smears into seasickness, a wobble that pulls against the beat and makes the whole track feel slightly drunk. Sometimes, gloriously, that is exactly what you want; "Crimson and Clover" floats precisely because its tremolo isn't rigidly locked. But when you want power, you lock it, and a single chord held under a hard eighth-note tremolo can drive a song harder than a busy strumming hand ever could, because the listener's body feels the regularity and starts to move to it.

Let's hear the first one. A simple chord stab, held and chopped into hard eighth notes by the tremolo, the way countless 1960s records used a parked chord as a rhythm engine.

TAB

Tempo: 120 bpm. Tremolo RATE set to eighth notes (4 cycles/sec).
Hold each chord; the AMP does the rhythm. Let ring throughout.

```
e|--0-----0-----|
B|--1-----1-----|
G|--0-----0-----|
D|--2-----2-----|
A|--3-----3-----|
E|-----|
```

C C

(each dot = one tremolo pulse, two pulses per beat)

Tremolo on a held C major chord — the amp pulses the rhythm.

Strike the C major chord once and hold it; the eighth-note tremolo carves it into a pulsing pad. Dial Intensity high for a near-staccato chop, Speed to taste against a click. Optical (blackface) tremolo gives the smoothest swell; bias tremolo adds lurch.

Notice what the theory bought us. That single C chord — root C, the major third E, the perfect fifth G — never changes. The harmony is static. Yet the passage has rhythm, drive, and motion, all of it supplied by the amplifier's volume oscillation rather than by the fretting hand. This is the deepest

lesson of tremolo: it lets *time* become an instrument. You can stand on one chord for eight bars and the song still moves, because the throb is doing the work a strumming arm would otherwise do.

Now the triplet feel — the swampy, rolling pulse, three subdivisions per beat, the texture of bayou rock and slow Southern grooves.

TAB

Tempo: ~88 bpm, swampy. Tremolo RATE set to TRIPLETS (3 cycles/beat).
Low, dark chords. Neck pickup, amp just starting to break up.

```
e|-----|
B|-----|
G|-----|
D|--7-----5-----|
A|--7-----5-----|
E|--5-----3-----|
   D5             C5
   | | | | | | | | | |
   (each | = one triplet tremolo pulse)
```

Open-voiced power chords under a galloping triplet tremolo.

Two open-voiced power chords (root and fifth only — no third, so they read as neither major nor minor) ride a triplet tremolo that turns each held chord into a galloping, three-per-beat throb. Roll the amp's Intensity to about three-quarters for a deep, swallowing pulse. This is the swamp: dark, wet, hypnotic.

These are **power chords** — written D5 and C5 — built from just the root and the perfect fifth, the interval whose frequencies sit in the tidy ratio of 3 to 2 and ring with an open, hollow stability. Because there's no third (the note that would make a chord sound happy-major or sad-minor), a power chord is harmonically neutral, all muscle and no mood, which is exactly why it sits so well under heavy modulation: the ear isn't distracted by the chord's emotional color and gives itself over to the *rhythm* of the tremolo instead. Triplet tremolo over open fifths is the engine of a whole strain of swamp rock.

| Three Players, Three Pulses

Tommy James and the Shondells, "Crimson and Clover" (1968). The most famous tremolo on any pop record arrives not at the start of the song but at its hypnotic, fading end, where Tommy James's voice and guitar dissolve into a deep, slow, watery pulse on the repeated title phrase. The legend, which James has recounted in interviews over the years, is that the effect was achieved partly by running vocals and guitar through a tremolo — commonly cited as an amp's tremolo circuit — set to

a luxuriant, slowish rate, producing that famous underwater wobble on the words "crimson and clover, over and over." The pulse is deliberately *not* locked tight to the beat; it floats just loose enough to feel dreamlike rather than mechanical, which is the whole point. The tremolo here isn't driving the groove; it's dissolving the song into color, turning a simple two-word refrain into a slowly breathing wash. It is the sound of psychedelia learning that an effect could be a feeling.

Creedence Clearwater Revival, "Born on the Bayou" (1969), from *Bayou Country*. John Fogerty opens this song with one of the great tremolo statements in rock: a dark, swelling, reverb-soaked figure that conjures heat and water and dread before he sings a word. The lore, repeated across gear circles and broadly consistent with Fogerty's own descriptions of his rig, places him with a Rickenbacker through a **Kustom** amplifier whose built-in tremolo supplied that thick, throbbing pulse, drenched in spring reverb. Whatever the exact box, the *technique* is textbook swamp tremolo: a relatively slow rate, deep intensity, dark tone, low strings, the pulse swelling each held note so the riff seems to rise out of the mud and sink back into it. Fogerty's genius was to treat the tremolo as atmosphere and rhythm at once — the throb is both the humidity hanging in the air and the pulse that makes your head nod. Set a bridge-into-neck tone roll-off, a slow-to-moderate tremolo with high intensity, a good slap of reverb, and you are most of the way to the bayou.

Bo Diddley, "Bo Diddley" (1955). Before the others, before psychedelia, there was the pulse. Bo Diddley's tremolo is the foundation stone of the entire effect's place in rock and roll. Playing his rectangular Gretsch through a tremolo — the effect built into his amplifier, set fast and deep — Diddley fused the amplifier's throb with his own relentless, syncopated strumming to create the rhythm now known the world over as the **Bo Diddley beat**, that "shave-and-a-haircut" clave pattern that powered "Bo Diddley," "Who Do You Love," and an entire lineage of songs that followed. Crucially, Diddley's tremolo is *fast* — a shimmering, almost machine-gun flutter rather than a slow swell — and he plays it not as a special effect but as a permanent texture, a maraca-like shimmer riding on top of the beat. He understood before almost anyone that an effect could become an identity. The throb wasn't decorating his sound; it *was* his sound, as recognizable as a fingerprint.

And a fourth, because no chapter on this effect is complete without it: **the Smiths, "How Soon Is Now?" (1984).** Johnny Marr's intro is the most ambitious tremolo on any record, and it is a master-class in locking rate to tempo. Marr and producer John Porter, by Marr's own accounts in numerous interviews, built that shivering, jittering shimmer by running a slide-guitar figure through *multiple* amplifiers each fitted with tremolo, then painstakingly syncing the tremolo rates together — tuning each amp's Speed until the pulses lined up into one tight, hard, fast tremolo locked precisely to the track. The result trembles like nothing before it: a vast, metallic, anxious shudder that is unmistakably the sound of that song from its first second. Where Diddley's tremolo shimmers and Fogerty's

swells, Marr's *vibrates*, fast and locked and relentless, proof that the oldest amplifier effect still had radical new sounds left in it three decades after Leo mislabeled the switch.

A Single Line, Pulsing

The last example strips everything away: one note at a time, a melodic riff sent through tremolo so each pitch flickers as it sounds. This is the surf-and-spaghetti-western texture, the lonesome single-string line that flickers like heat haze.

Tempo: ~100 bpm. Tremolo RATE eighth notes, moderate intensity.
Neck pickup, lots of reverb. Let each note breathe and flicker.

A single tremolo'd melody – amp flicker plus finger vibrato (~).

A slow, vocal single-note melody drawn from the A minor pentatonic shape; the eighth-note tremolo makes each sustained note flutter and the held notes (marked ~ for finger vibrato) shimmer twice over — amp tremolo on the volume, hand vibrato on the pitch. Set Speed against the click, Intensity to roughly half so the notes flicker without fully chopping out.

That melody is built from the **minor pentatonic scale**, the five-note pattern (root, flat third, fourth, fifth, flat seventh — here A, C, D, E, G) that is the mother tongue of blues and rock lead playing. Drop in the flat fifth between the fourth and fifth and you'd have the full **blues scale**; leave it out and you have the clean, plaintive pentatonic that suits a single tremolo'd line so well, because the scale's wide, gapped intervals give each flickering note room to be heard as its own event. Note the two layers of wobble in that last example: the *amplitude* flickering from the amp's tremolo and the *pitch* shimmering from the fretting hand's true vibrato (the ~ marks). Stacking real hand vibrato on top of amp tremolo is the oldest trick for making a held note feel alive in two dimensions at once — pitch and volume both breathing — and it is precisely the distinction the front-panel labels never managed to keep straight.

There is a reason this humble effect outlasted so many flashier ones. Tremolo asks almost nothing of the player — flip a switch, set two knobs — yet it changes the most fundamental thing about a note after pitch itself: how it lives and dies in time. It taught guitarists that the air between notes could pulse, that a single chord could groove, that an amplifier was not merely a thing that got loud but a collaborator that could keep time. Every modern modulation effect — the phasers and the choruses and the auto-panners — descends from that little neon lamp glowing on a photocell, or that power tube being gently throttled twice a second, making the room breathe before a string is even struck.

♪ LISTEN FOR

- **Bo Diddley, "Bo Diddley" (1955):** a *fast*, deep tremolo flutter riding the maraca-like clave beat — hear how the amp's pulse becomes part of the rhythm itself, not an effect on top of it.
- **Creedence Clearwater Revival, "Born on the Bayou" (1969):** the dark, slow, reverb-drenched swelling figure of the intro — feel the pulse swell and sink on each held note, atmosphere and groove fused.
- **Tommy James and the Shondells, "Crimson and Clover" (1968):** the famous *loosely* synced, underwater tremolo on the fading "over and over" outro — notice it floats just off the beat, dreamlike rather than locked.
- **The Smiths, "How Soon Is Now?" (1984):** Johnny Marr's intro — multiple tremolos painstakingly synced into one fast, hard, tightly locked shudder; the gold standard for matching tremolo *rate to tempo*.
- **Any blackface Fender at idle (e.g. a Deluxe Reverb demo):** flip the "Vibrato" switch with no playing — that smooth, rounded optical pulse in the hum is the photocell breathing, and remember: the label says vibrato, but your ears are hearing tremolo.

Spring Reverb: Surf, Drip, and the Sound of Space

THE FIRST NOTE OF "MISIRLOU" DOES NOT SO MUCH BEGIN AS DETONATE. A SINGLE low string, picked so fast it blurs into a continuous shimmering tone, comes howling up the neck in a chromatic ascent that sounds less like a melody than a falling bomb played backward. And underneath every note, around every note, behind every note, there is a wet, splashing, metallic halo — a sound like coins thrown into a tiled stairwell, like the inside of a wave. That halo is spring reverb, and in the spring of 1962 it announced that the electric guitar had found a way to manufacture space itself: not the natural echo of a room, but a portable, dialable, almost violent reverberation that could be carried into any club, plugged into any wall, and cranked until the whole world sounded submerged. This is the story of how a circuit borrowed from telephone engineers and pipe-organ builders became the defining texture of an entire genre, and of how a Lebanese-American guitarist playing for dancers on the Balboa peninsula turned a box of vibrating wire into the sound of the Pacific.

| A Box Full of Wire and Time

To understand the drip you have to understand the spring, and to understand the spring you have to start before the guitar entered the picture at all. Reverberation — the dense, overlapping wash of thousands of reflections that lingers after a sound in a real space — had obsessed audio engineers since the earliest days of recording. A great concert hall produces it naturally as sound bounces off walls, floor, and ceiling, each reflection arriving a few milliseconds after the last until they smear into a continuous decaying tail. But you cannot put a concert hall inside an amplifier. The earliest artificial solutions were physical: dedicated echo chambers, which were literally tiled rooms with a speaker at one end and a microphone at the other, used by studios like Capitol and by producers chasing the slap and shimmer of a real space. They sounded magnificent and were utterly impractical for a working band.

The spring was the elegant cheat. The underlying idea came out of the **Hammond Organ Company** and the laboratories at Bell Telephone, where engineers in the 1930s and 1940s had worked out that a coiled metal spring could store and delay a mechanical vibration. Hammond need-

ed reverberation to make its electric organs sound less sterile and more like pipe instruments breathing in a church, and the spring delay line was the answer. The principle is beautifully simple. At one end of a long, loosely coiled spring sits a small electromagnetic **transducer** — essentially a tiny driver, a motor — that takes the electrical audio signal and twists the spring, launching a torsional wave down its length. That wave travels along the coil relatively slowly, far slower than electricity, bouncing back and forth between the ends. At the far end, a second transducer acts as a pickup, converting the spring's continued vibration back into an electrical signal. Because the wave reflects off each end repeatedly, and because a real spring has irregularities and multiple modes of vibration, the pickup hears not one delayed copy of the sound but a chaotic, dense, decaying cluster of them. Run that recovered signal back through an amplifier and you get something the ear readily accepts as reverberation — a tail, a wash, a sense of room.

It is, crucially, not a faithful imitation of a concert hall. A spring has its own personality, and that personality is the whole point. Springs ring with a characteristic metallic resonance, a faint pitched "boing" or "sproing" most audible when the tank is jostled. They emphasize a band of midrange frequencies, roughly the territory between 1 and 3 kilohertz where the human ear is most sensitive, which is why spring reverb cuts through a mix with a presence that plate and digital reverbs often lack. And on a sharp transient — a hard pick attack, a staccato note stabbed and immediately silenced — the spring's response produces that unmistakable splash, the surf "drip." The drip is the sound of the spring being kicked hard and suddenly: a brief, bright, watery explosion of reflections that blooms and dies in a fraction of a second. Hit a clean single note with a percussive attack into a cranked spring tank and you do not hear a smooth tail; you hear a small detonation followed by spray. That splashy transient response, which a hi-fi engineer might consider a flaw, became the signature of an entire musical movement.

| Leo's Tank, and the Box That Came Before It

By the late 1950s, **Fender** had already become the dominant force in American amplifiers, building clean, loud, beautifully engineered combos that defined the sound of the new electric music. But Fender amps of that era were dry. There was no reverb on a tweed Bassman, no reverb on the early brownface amps. Players who wanted ambience had to find it elsewhere — in tape echo units, in the natural room, or in nothing at all. Leo Fender and his engineers, attentive as always to what working musicians wanted, set out to package the spring reverb principle into a standalone unit a guitarist could buy and plug in front of any amplifier.

The result, introduced in 1961, was the **Fender 6G15 Reverb Unit** — the original outboard "tube reverb tank," and arguably the most important single effect box in the history of the instrument.

Housed in its own cabinet, covered in the same tolex as the amps, it was a complete tube circuit in miniature. Inside sat a multi-spring reverb tank (the springs themselves were typically manufactured by **Hammond** and its industrial offshoot, the company most players know through the name **Accutronics**), driven and recovered by a small all-tube signal path. The 6G15 used a **12AT7** tube to drive the springs hard, a **12AX7** in the recovery and mixing stages, and a **6K6** power tube to push the transducer — an unusually muscular arrangement that let the unit slam the springs with real energy. That is part of why the standalone unit drips so much harder than the reverb built into later Fender amps: it has a dedicated tube power stage devoted entirely to exciting the springs, where a combo amp's reverb circuit is a more modest affair sharing resources with the main signal path.

The 6G15 gave the player three controls, and their names matter because they describe exactly what the circuit does. **Dwell** sets how hard the signal is driven into the springs — crank the dwell and you push the tank into a saturated, overdriven splash where the springs are slammed so hard they distort and spray. **Mixer** blends the recovered wet signal with the dry, controlling how drowned the sound becomes. And **Tone** shapes the high-frequency content of the reverberated signal, letting the player choose between a dark, oceanic wash and a bright, glassy, cutting spray. Set the dwell high, the mix wet, and the tone bright, and you have the canonical surf sound: a guitar that sounds like it is being played at the bottom of a swimming pool, every note trailing a comet of glittering, splashing reflections.

It is worth being precise about the chronology and the lore here, because guitar history is littered with tidy myths. Spring reverb was not Fender's invention; the company licensed and refined a principle that Hammond and Bell had developed decades earlier for organs and telephony. And the famous outboard unit predated reverb-in-the-amp: Fender did not begin building spring reverb directly into its amplifiers until 1963, when the new black-panel circuits — the **Fender Vibroverb** first, then the legendary **Twin Reverb**, **Super Reverb**, and **Deluxe Reverb** — arrived with onboard reverb and the lush, watery "blackface" tremolo. So for the crucial first wave of surf, roughly 1961 into 1963, the defining sound came from a separate box sitting in front of the amp, not from the amp itself. The built-in versions that followed were tamer and smoother, voiced for the broad market; many surf purists still insist the outboard 6G15 drips harder and meaner than any reverb Fender ever baked into a chassis, and on this point the purists are largely correct, for the circuit reasons described above.

| How a Spring Makes the Ocean

Set the technical pieces side by side and the surf sound becomes almost inevitable. Start with the guitar: a **Fender Stratocaster** or **Jaguar** with bright single-coil pickups, selected in a position that

emphasizes treble, strung often with heavy flatwound strings that give a thick, fast, percussive attack. Run that into the 6G15 with the dwell pushed hard, so every pick stroke kicks the springs into a saturated splash. Take the recovered signal, bright and midrange-forward, into a loud, clean Fender amp — a Showman or a Twin — with plenty of clean headroom so the amp itself does not distort but simply amplifies the wet, glassy signal at volume. The clean amp matters as much as the reverb: surf is not a distorted genre. The drive and aggression come almost entirely from speed, attack, and reverb, not from overdriven tubes. The notes stay clear and articulate, and the splash stays distinct around each one, because nothing is being smeared by preamp distortion.

Now add the playing technique, because the spring only drips if you feed it the right transients. The foundational surf technique is **tremolo picking** — rapid, continuous alternate picking of a single note or string, down-up-down-up as fast as the wrist will go, producing a sustained shimmer from what is physically a string that would otherwise decay. (The word "tremolo" properly means a rapid repetition or pulsing of a note; it is distinct from "vibrato," the slight wavering of pitch, though the two terms have been famously confused in guitar gear nomenclature for seventy years, with Fender labeling its pitch-wavering bar a "tremolo" and its volume-pulsing circuit a "vibrato.") Each individual pick stroke in a tremolo-picked passage is a fresh transient slamming the spring, so a tremolo-picked melody played into a cranked tank becomes a continuous, churning wash of overlapping splashes — the sonic equivalent of whitewater. Against that, surf players also use sharp **staccato** attack: notes stabbed and cut short, each one detonating its own little burst of reverb spray, the silences between them as important as the notes because they let each splash bloom and decay in the open. The interplay of legato runs (notes connected smoothly, often with slides and hammer-ons) and staccato stabs is the rhythmic language of surf, and the reverb is the medium that makes both legible as gesture.

The frequency picture is specific. The single-coil pickups and bright amp put the fundamental energy of the melody up in the cutting 2-to-4-kilohertz range. The spring reverb piles its own midrange-heavy splash on top, concentrated in that same presence region, which is why surf guitar sounds so forward and aggressive despite being clean — the reverb is not a soft, distant haze but a bright, near, splashing presence sitting right alongside the dry note. Roll the 6G15 tone control down and the wash darkens toward something more oceanic and deep; push it up and the spray turns to glass and glitter. Either way the low end stays relatively dry and tight, because the springs do not transmit deep bass well, which keeps the whole sound articulate and percussive rather than muddy.

The Theory Under the Wave: Exotic Scales and the Phrygian Sea

Surf's most thrilling melodies do not come from the comfortable blues vocabulary that dominated rock and roll. They come from somewhere stranger and older, and understanding why requires a short detour into scales and modes.

A **mode** is a scale built by starting and ending on a different note of the familiar major scale, which shifts the pattern of whole and half steps — a half step being the smallest interval on the guitar, one fret, and a whole step being two frets. Start the major scale on its own first note and you get the bright, resolved major sound. But start on the third note and run the same set of pitches, and you get the **Phrygian mode**, whose defining feature is a half step right at the bottom — a flattened second degree, just one fret above the root. That low, leaning half step is the sound of flamenco, of Middle Eastern and Mediterranean music, of something exotic and faintly dangerous to ears raised on major and minor. Surf, with its fascination for the foreign and the cinematic, reached straight for it. A closely related flavor is the **Phrygian dominant** (the fifth mode of the harmonic minor scale), which adds a bright major third on top of that dark flattened second, producing the unmistakable "snake-charmer" sound — a scale that is simultaneously menacing and seductive. This is the tonal world of "Misirlou," itself adapted from an old Eastern Mediterranean folk melody, and it is why surf instrumentals so often sound like the soundtrack to a desert chase or a dive into unknown water rather than a Saturday-night dance (which, of course, is exactly what they often were).

Here is an original phrase in that vein — a fast, single-note surf melody flavored by the Phrygian-dominant sound, built to be played clean and bright through a dripping tank.

TAB

Fast, aggressive, ~180 BPM. Strict alternate picking, slight palm mute on the low runs.

```
e|-----|
B|-----|
G|-----|
D|-----5--4--2-----|
A|--2--3--5--3--2-----2--3--5-----5--3--2-----|
E|-----5-----5--3--1--0~--|
```

Tab 1 — An E Phrygian-dominant run (E F G# A B C D): notice the F at the 1st fret, a half step above the open low E — that leaning b2 is the whole flavor. Pick every note hard and even, dwell cranked, and each stroke kicks its own splash. Let the final note ring with vibrato so the spring tail blooms.

The drama lives in those intervals. The distance between the root E and the flattened second F is a **minor second**, the most dissonant and tension-laden interval in Western music, the sound of unease itself. The leap from that flattened second up to the major third G# is an unusual, almost vocal interval that gives the line its serpentine character. Where a blues player would lean on the comfortable **minor pentatonic** — a five-note scale (root, flat third, fourth, fifth, flat seventh) that is all warmth and resolution — the surf player deliberately seeks out these tense, exotic intervals and then resolves them with speed and force, the way a wave gathers and breaks.

| Dick Dale: The King of the Surf Guitar

The man who fused all of this into a genre was **Dick Dale**, born Richard Anthony Monsour to a Lebanese-American family, raised partly on the Eastern Mediterranean melodies and rhythms that would resurface in his playing. By the early 1960s he was packing the Rendezvous Ballroom in Balboa, California, with thousands of teenagers, and he was playing loud — ferociously, physically loud, in a way that constantly destroyed equipment. A left-handed player who famously played a right-handed Stratocaster restrung but with the strings still in standard right-handed order (so he played it essentially upside down), Dale attacked the instrument with a relentless, percussive, tremolo-picked ferocity learned in part from his love of drumming and the rhythmic drive of Middle Eastern music.

His sound came from a close working relationship with Leo Fender, who used Dale as a real-world stress test, repeatedly building him louder and more robust amplifiers as Dale repeatedly blew them up. That collaboration drove the development of the massive **Fender Showman** amp and, crucially for this story, fed directly into the refinement of Fender's reverb. Dale's recording of "**Misirlou**" in 1962 — the old folk melody transformed into a furious tremolo-picked instrumental — is the document that defined surf guitar. The signature sound is unmistakable: a heavy-gauge-strung Stratocaster, single coils blazing, played with continuous rapid alternate picking, run wet through Fender reverb into a loud, clean, enormous amplifier. The reverb is not a subtle ambience; it is a structural element, the spray of water that turns a fast chromatic run into the sound of a breaking wave. Dale himself spoke of trying to make the guitar reproduce the feeling of being inside a wave while surfing, and the wet, splashing, midrange-forward spring reverb is exactly how he got there.

On Dick Dale's "Misirlou" (1962), the opening solo single low-string run — listen to how every individual pick stroke of the tremolo picking throws its own bright splash, the reverb spraying around the continuous shimmer so the line sounds liquid rather than dry. Note also how clean the actual guitar tone is underneath: no distortion, just speed, attack, and that drowning wet reverb. On "Let's Go Trippin'" and "Misirlou" alike, hear the staccato stabs detonate against the open silences.

I Duane Eddy: The Twang Heard Round the World

If Dick Dale was the violent, churning surf of the spring tank, **Duane Eddy** was its slow, cinematic swell. Eddy arrived earlier — his run of hits began in the late 1950s, before the 6G15 existed — and his discovery was different but kindred: that a simple, memorable melody played on the low strings of a guitar, picked cleanly and drenched in reverberation, could sound enormous, lonesome, and unforgettable. He called it "twang," and twang became a commercial empire.

Eddy's approach was the opposite of Dale's frenzy. Where Dale picked at the speed of a hummingbird, Eddy played slow, deliberate, vocal melodies, almost always on the bass strings of his **Gretsch** hollowbody, with a generous helping of his **Bigsby** vibrato tailpiece to bend and waver the notes. The notes were spaced and deliberate, each one given room, each one wrapped in reverb. Working with producer **Lee Hazlewood** on records like "**Rebel-Rouser**" (1958) and the theme to the TV series "**Peter Gunn**" (a relentless, single-note riff built almost entirely on one repeated low note that prowls and growls), Eddy and Hazlewood reached for reverberation by any means available — famously, in the studio, by miking up an empty metal water tank to use as a giant echo chamber. The recorded sound is pure space: a low, twanging, slightly tremolo'd melody floating in a vast wet ambience, the prototype of every spaghetti-western guitar and every lonely-highway theme to follow.

Here is an original twang melody in Eddy's spirit — low, deliberate, vocal, built to be soaked in reverb and bent with a vibrato bar.

Slow and deliberate, ~96 BPM. Pick near the bridge for bite; heavy reverb, dwell high.

```

e|-----|
B|-----|
G|-----|
D|-----2--0-----|
A|--2--2--/4--2--0-----0--2--3~-----3\-----|
E|-----3--0-----3~-----|
  
```

Tab 2 — A twangy E-minor melody on the low strings. Play it staccato and let the reverb fill the gaps — the silence between notes is where the spring tail does its work. The slides (/ up, \ down) and the closing vibrato emulate a Bigsby's lazy wobble; pick hard near the bridge so each note detonates a clean splash.

Theory note: Eddy's melodies lean heavily on the **minor pentatonic** and the natural minor (**Aeolian** mode — the major scale starting on its sixth degree, with a dark flattened third, sixth, and seventh), which is why they read as lonesome and noir rather than exotic. The power comes from restraint and from register: low notes carry weight and gravity, and a slow melody down there, surrounded by reverb, sounds like distance and loneliness made audible. The deliberate spacing is essential to the reverb's effect — a fast run would smear, but a slow phrase lets each note's wet tail bloom fully into the silence before the next arrives.

I The Whole Tradition, and the Tremolo-Picked Run

Around Dale and Eddy grew an entire instrumental surf tradition — bands like **The Ventures**, whose cleaner, more melodic, reverb-laced instrumentals (their version of "Walk, Don't Run" is a touchstone) brought the sound to a mass audience, and **The Chantays**, whose "Pipeline" (1963) is a master class in wet, descending, tremolo-tinged surf menace with that famous gliding low-string melody soaked in spring spray. The genre was almost entirely instrumental, which is exactly why tone carried so much of the meaning: with no singer, the guitar's voice — its attack, its reverb, its scale choices — had to do all the storytelling. The reverb was not decoration. It was the difference between a dry exercise and a sound that evoked an ocean, a desert, a movie that did not exist.

The technical heart of so much of this music is the tremolo-picked run, so here is one final original example — a rising tremolo-picked line designed to demonstrate how continuous fast picking turns a simple melodic shape into a churning wall of reverberated motion.

TAB

Very fast, ~190 BPM. Continuous down-up alternate picking on EVERY note – no breaks.

```
e|-----|
B|-----|
G|-----5555--7777--9999-----|
D|-----5555--7777--9999-----|
A|--5555--7777--9999-----|
E|-----|
```

Tab 3 — Each note is tremolo-picked as a continuous shimmer (the repeated fret numbers indicate a sustained rapid alternate-picked burst, not four separate strokes). The line climbs an A minor pentatonic shape across the strings; with the dwell cranked, every pick stroke kicks the spring, so the rising melody becomes a single churning, splashing wall of motion — the sound of a wave building and breaking. Keep the picking hand relaxed and even; the spring does the drama.

Notice what the reverb does to this run that it cannot do to a slow melody. Because tremolo picking generates a dense, continuous stream of transients, the spring is being slammed dozens of times per second, and its splashes overlap into a thick, churning, almost vocal wash — the wet equivalent of distortion's sustain, achieved entirely through clean attack and reverberation. This is the sound that makes surf feel turbulent and oceanic even when the actual notes are simple. The melody is just an A minor pentatonic shape climbing the neck; the drama is the interaction of speed and spring.

That interaction — physical, mechanical, a real metal wire vibrating in a real metal box, kicked by a real tube power stage — is what no digital reverb has ever perfectly replaced, though many have tried and a few come close. The drip is a mechanical event. When you stomp a 6G15 and hear the springs themselves rattle and "boing" as the tank is jostled, you are hearing the genre's secret in the open: this sound came from a box full of wire and time, designed for church organs and telephone lines, and turned by a few inspired players into the sound of the sea.

LISTEN FOR

On The Chantays' "Pipeline" (1963), the descending opening melody — hear how the wet spring reverb makes the gliding low-string line sound like water pulling back before a wave.

On The Ventures' "Walk, Don't Run," listen for the clean, bright, reverb-haloed melody and the staccato attack throwing splash into the spaces. Across all of it, train your ear on the transient: the bright, sudden, watery bloom that follows every hard pick stroke. That is the spring being kicked. That is the drip.

The Fuzz Explosion

FROM CLEAN TO FUZZ




FIGURE 5 From clean to fuzz — how progressively harder clipping reshapes the waveform.

IN THE SMALL HOURS OF A MAY MORNING IN 1965, IN A MOTEL ROOM IN CLEARWATER, Florida, Keith Richards woke with a riff in his head and a guitar within reach. He had a cassette machine running and a fuzz box on loan, and what he hummed and then played into that little recorder was a three-note figure so blunt and insistent it sounded less like a guitar than a klaxon -- a warning siren bolted to a backbeat. He always said he heard it as a horn line, a placeholder, something a brass section would eventually replace. The brass never came. By August "(I Can't Get No) Satisfaction" was the number-one record in America, and the sound bleeding out of every transistor radio in the country was not a saxophone but a Gibson Maestro fuzz unit chewing a guitar signal into a fat, woolly, almost vocal snarl. A generation of teenagers heard that tone and felt something tighten in the chest. They did not know it was a circuit. They thought it was attitude itself, electrified.

That sound -- dense, saturated, buzzing at the edges like a wasp in a jar -- was **fuzz**, and its arrival marks one of the genuine hinge-points in the history of electric guitar tone. Before fuzz, distortion was something that happened to an amplifier: you pushed the tubes too hard and they complained, and if you liked how the complaint sounded you turned up louder. Fuzz was different. Fuzz was distortion as a deliberate object, a small metal box you could step on, a sound engineered on purpose to be extreme. It did not imitate a loud amp. It imitated nothing in nature. It was the first time gui-

tarists reached past the amplifier entirely and shaped the signal before it ever got there -- the opening move in the long game of the pedalboard, and the subject of this part of our story.

| The Accidental Birth of a Sound

Like most revolutions in tone, fuzz began as a malfunction nobody wanted. The widely told origin runs through Nashville, 1960, and a session for the country singer Marty Robbins. The song was "Don't Worry," and the bass part was meant to be clean. But something in the **Langevin** mixing console -- a faulty channel, a dying tube or, by most accounts, a failing transformer -- mangled the signal of the six-string bass into a ragged, sputtering buzz. Producer Don Law was reportedly ready to scrap the take. The session engineer, Glenn Snoddy, and the players heard something else: a tone with teeth, strange and arresting. They kept it. "Don't Worry" went to number three on the pop charts in 1961, and listeners flooded in asking how the record got that weird, woofing sound on the solo.

Snoddy, an engineer's engineer, did the practical thing. He set about reproducing the happy accident on purpose, building a small transistor circuit that would deliberately do what the broken console had done by mistake. He took the design to **Gibson**, and in 1962 it reached the market as the **Maestro FZ-1 Fuzz-Tone** -- a wedge of beige-and-brown plastic, powered by batteries, that promised in its advertising to make a guitar sound like a brass band or a bowed bass. Gibson did not quite know what they had. The marketing leaned on novelty, on the idea that one box could imitate other instruments, and the FZ-1 sold modestly and then sat. For three years it was a curiosity, a gimmick gathering dust on music-store shelves.

Then Keith Richards bought one, or borrowed one -- the accounts vary -- and used it as a stand-in for a horn section he never got around to hiring. "Satisfaction" detonated, and overnight every FZ-1 in America was gone. Gibson, blindsided, reportedly sold out their entire stock within months. The gimmick had become the future. It is worth pausing on the irony: the device was designed to imitate a horn, was used to imitate a horn, and became immortal precisely because it sounded nothing like a horn at all. It sounded like fuzz, and fuzz turned out to be exactly what the mid-sixties wanted.

| Across the Water: The Tone Bender

The American spark caught fastest in England, where a generation of young players steeped in Chicago blues was already pushing cheap amplifiers into glorious distress. The FZ-1 made it across the Atlantic, but it had a problem that mattered enormously to the British: it was thin, gated, and

short on sustain. It spat the note out and choked it off. For a blues-rock guitarist who wanted a note to bloom and hang and feed back, the Maestro was a tease.

In a workshop in London in 1965, a builder named **Gary Hurst** set out to fix that. Working at Macari's Musical Exchange and tinkering with the FZ-1 concept, he reworked the circuit to deliver more gain, more body, and crucially more sustain -- a note that would hold and sing rather than fizzle. The result was the **Tone Bender**, and it became the sound of British rock guitar in its loudest, most adventurous phase. The earliest version, the MkI, gave way within a year or so to the **Tone Bender MkII Professional**, a three-transistor germanium design that is, to this day, one of the most revered and copied fuzz circuits ever built.

The Tone Bender's fingerprints are all over the era. **Jeff Beck**, in his incendiary stretch with the **Yardbirds**, used a Tone Bender to carve the violent, swooping lines of "Heart Full of Soul" and "Shapes of Things" -- the latter a 1966 single whose solo, a knot of fuzz, feedback, and faintly Eastern phrasing, is one of the first genuinely psychedelic guitar breaks on record. **Jimmy Page**, who replaced Beck in the Yardbirds before founding Led Zeppelin, leaned on a Tone Bender as well, and the thick, grinding sustain of early Zeppelin owes a real debt to that little box. Page also fed his fuzz with a violin bow at times, but the bow gets the legend; the fuzz did the actual heavy lifting. The MkII's character -- aggressive, mid-forward, generous with sustain but still capable of a vicious bark -- defined a more muscular fuzz than the polite American original. If the FZ-1 was a buzzing novelty, the Tone Bender was a weapon.

| Dallas, Arbiter, and the Round Box That Changed Everything

The third pillar of the fuzz revolution arrived in London in 1966, and it looked like nothing else on the floor: a round enclosure, roughly the size and shape of a microphone stand's base, with two knobs marked Volume and Fuzz and a smiley-face arrangement of jacks and footswitch that no one planned but everyone now sees. This was the **Dallas-Arbiter Fuzz Face**, and it would become, through one player above all, the most mythologized distortion device in the history of the instrument.

The Fuzz Face was elegantly, almost crudely simple: just two transistors in a feedback pair, a handful of resistors and capacitors, and those two controls. Early units used **germanium** transistors -- often the NKT275, a type whose name is now spoken in reverent tones by collectors -- and they had a warm, slightly soft, vocal quality, rich in even-order harmonics and a little hazy at the top end. The circuit's genius was not complexity but interaction: the way it responded to what you fed it, and the way it spoke back.

Into a shop in London in late 1966 walked an unknown American guitarist recently arrived from New York, brought over by Animals bassist Chas Chandler to be made into a star. **Jimi Hendrix** plugged a Fuzz Face into a cranked **Marshall** stack, and the marriage of those two devices -- the round fuzz box and the British amp -- produced a sound that reorganized everyone's sense of what an electric guitar could do. "Purple Haze," "Foxy Lady," the studio fury of "Are You Experienced" -- the saturated, singing, almost liquid lead tone running through all of it begins at the Fuzz Face. Hendrix went through them by the dozen, reportedly finding that the germanium units were maddeningly inconsistent: brilliant one night, lifeless the next, their bias drifting with the temperature of the stage.

| Germanium, Silicon, and the Tyranny of Weather

That inconsistency was not Hendrix's bad luck; it was physics, and it sits at the heart of the difference between the two great families of fuzz. The earliest fuzz boxes used germanium transistors because that is what was cheaply available in the early sixties. Germanium is a temperamental semiconductor. Its electrical behavior shifts with temperature -- a germanium Fuzz Face that sounds glorious in a cool studio can turn muddy and gated under hot stage lights, or grow harsh as it warms. The transistors of the era also varied wildly from unit to unit even off the same production line, so one Fuzz Face might sing and the next, built the same afternoon, might bark and spit. Builders learned to hand-select transistors by measuring their gain and leakage, hunting for the rare specimens that hit the sweet spot -- a practice that survives among boutique makers today.

But germanium's instability is also its romance. The germanium fuzz tone is warm, round, and slightly compressed, soft at the transients and thick in the low mids, with a top end that rolls off gently rather than slicing. There is a vocal, throaty quality to it, a sense that the note has been sung rather than struck. It is forgiving and musical and a little unpredictable, and players who love it love it the way one loves an old car that only starts in a good mood.

By around 1968, manufacturing had moved decisively to **silicon**. Silicon transistors are cheap, consistent, and stable across temperature -- the engineer's dream and, to some ears, the romantic's disappointment. Silicon fuzz is brighter, brasher, louder, and more aggressive. It has more gain on tap, a sharper attack, and a cutting top end that slices through a loud band with ease. The silicon Fuzz Face that Hendrix used in his later period -- the BC108-equipped units of 1968 and after -- gave him the searing, glassy ferocity of the **Band of Gypsies** era and the "Star-Spangled Banner" at Woodstock, all dive-bombing feedback and napalm sustain. Neither transistor is "better." Germanium is warmth, body, and temperamental magic; silicon is brightness, consistency, and aggression. The choice is a choice of character, and serious fuzz players often keep one of each.

| The Cleanup Trick

Here is the single most important thing to understand about a Fuzz Face, the property that separates it from nearly every distortion device that came after, and the reason guitarists still chase the original circuit fifty-odd years on: **it cleans up from the guitar's volume knob.**

Roll a modern high-gain pedal's input down with your guitar volume and you mostly just get quieter dirt. Roll back the volume on a guitar feeding a good Fuzz Face -- especially a germanium one -- and the entire character of the sound transforms. The fuzz peels away. At full volume you have a thick, saturated roar; back the guitar down to six or seven and it becomes a gritty, vocal overdrive; back it to three or four and it rings out nearly clean, glassy and bell-like, with just a halo of warmth around the edges. The distortion does not simply diminish in volume -- it changes in kind.

The reason is the circuit's low and oddly interactive input impedance. A Fuzz Face's first transistor loads the guitar's pickup directly, and that interaction is exquisitely sensitive to the guitar's volume control and to the impedance of the pickup itself. When you turn the guitar down, you are not merely reducing signal -- you are altering the load the circuit sees and the way it biases, dialing the gain structure back through a continuous range from clean to filthy. This is also why a Fuzz Face is famously fussy about what sits in front of it: put a buffered pedal between guitar and fuzz and the magic interaction is broken, the cleanup vanishes, and the fuzz turns harsh and one-dimensional. Hendrix had the volume control wired into his hand the way a singer has dynamics wired into the breath. He almost never touched his amp during a song; he played the whole dynamic range of his sound from the guitar's volume knob and his right hand. To play fuzz this way is to discover that the pedal is not an on/off switch but an instrument unto itself.

| How Fuzz Actually Works -- And Why It Sounds Like That

To understand fuzz, start with the shape of a wave. A single note plucked on a guitar produces, at its simplest, something close to a smooth rolling curve -- a sine-like waveform whose roundness our ears hear as a pure, mellow tone. Real strings are richer than that, but hold the simple picture for a moment.

Distortion happens when a circuit cannot, or will not, reproduce that smooth curve faithfully, and the most dramatic form of distortion is **clipping**. Imagine the waveform rising toward its peak and the circuit running out of headroom -- it simply cannot swing any higher, so the top of the wave gets sheared flat, as if you took scissors to the crest. **Overdrive** clips gently and asymmetrically: it rounds the peaks, shaving the corners while leaving the wave's basic shape intact. This is *soft clipping*, and it sounds warm and touch-sensitive because the circuit still tracks much of your dynamics.

Fuzz does something far more violent. A fuzz circuit drives its transistors so hard that the waveform is not merely rounded at the peaks but slammed flat against the rails on both top and bottom, transforming that gentle curve into something approaching a **square wave** -- a shape with near-vertical sides and flat tops, like the silhouette of a city skyline. This is *hard clipping*, taken to an extreme. And here the physics turns into music, because of a principle from the **harmonic series** that governs all of tone.

Any periodic sound is built from a fundamental frequency plus a stack of overtones -- the harmonic series -- vibrating at whole-number multiples of the fundamental: twice the frequency (one octave up), three times (an octave plus a fifth), four times (two octaves), and on upward. The *relative loudness* of those overtones is what we hear as timbre, the difference between a flute and a trumpet playing the same pitch. A pure sine wave has essentially no overtones -- just the fundamental, which is why it sounds so plain. A square wave, by contrast, is mathematically dense with overtones, especially the odd-numbered ones -- the third harmonic, the fifth, the seventh, on and on -- each present in real strength. That overtone-rich content is why fuzz sounds so thick, so buzzing, so harmonically *loud*: you are no longer hearing a note, you are hearing a note plus a towering stack of its own overtones, all screaming at once. Pushed far enough, a fuzzed single note acquires a synthetic, almost vocal-formant quality, brushing up against the territory a synthesizer occupies -- which is precisely why fuzz can sound, as that first FZ-1 ad bizarrely promised, like a brass instrument or a bowed string. It is the overtones doing the impersonation.

This also explains the textural difference players feel between fuzz and overdrive. Overdrive, with its softer clipping, preserves more of your picking dynamics; play softer and it cleans up under your fingers, play harder and it bites -- it breathes with you. Fuzz, slamming everything into that square-wave wall, *compresses* the dynamics ferociously. Loud and soft notes arrive at nearly the same saturated intensity, which is why fuzz sustains forever -- the note decays but the circuit keeps shoving it back up against the rails -- and why it has that relentless, wall-of-sound density. Overdrive is a conversation. Fuzz is a declaration. (The great exception, again, is the Fuzz Face's volume-knob cleanup, which hands a sliver of that lost dynamic range back to the player who knows where to find it.)

| Three Players, Three Boxes, Three Sounds

Consider first **Keith Richards** and the Maestro FZ-1 on "Satisfaction" (the single, May 1965, later on *Out of Our Heads*). The tone is the foundational fuzz statement: a fat, woolly, mid-heavy buzz with a slightly gated, choked decay -- the FZ-1's signature, the note clamping off rather than sustaining. Richards plays the riff low on the neck with brutal economy, and the gating actually serves the part, giving each repetition a percussive, stabbing punctuation. He famously regarded the fuzz as a tempo-

rary horn substitute and would have preferred the song cleaner; rock and roll overruled him. The lesson in his tone is restraint: three notes, one nasty sound, and not a wasted gesture.

Consider next **Jeff Beck** with the Yardbirds and a Tone Bender, on "Shapes of Things" (1966). Here fuzz becomes a vehicle for raga-like adventure. Beck's solo erupts in a flurry of bent, fuzzed lines colored with the flattened intervals of Eastern modal music, feedback blooming between phrases as the Tone Bender's sustain holds notes long enough to swell into the amp. Where Richards used fuzz for blunt rhythmic force, Beck used it for sustain and singing line -- the British correction to the American gate. The tone is more aggressive, more mid-forward, and far more sustaining than the FZ-1's, and you can hear the Tone Bender's extra gain stages letting Beck hang a note in the air and bend it like a sitar.

Consider finally **Jimi Hendrix** and the Dallas-Arbiter Fuzz Face into a cranked Marshall, on "Foxy Lady" and across *Are You Experienced* (1967). This is fuzz as a full vocabulary. The opening of "Foxy Lady" is a single fuzzed note swelling out of silence on a wave of controlled feedback -- the germanium Fuzz Face's sustain and the Marshall's volume locked in a feedback loop that Hendrix steers with his body and his guitar's volume knob. Throughout the album you hear him work the cleanup trick: rhythm parts that ring nearly clean give way to leads that bloom into full saturation, all from the same rig, the difference living in his right hand and that volume control. His approximate recipe -- and "approximate" is the honest word, because his exact settings shifted constantly and much of what circulates is reconstruction rather than documentation -- ran a Stratocaster into a germanium Fuzz Face into a Marshall with everything turned up, the guitar volume rolled back to taste. The single-coil Strat pickups, brighter and lower-output than humbuckers, interact with the Fuzz Face differently than Beck's or Page's hotter guitars did, and that pairing -- Strat and Fuzz Face -- became its own permanent dialect of the instrument.

| Playing It: Three Fuzz Examples

The examples below are original, written in the *style* of the era rather than transcribed from any record. Each is meant to teach a technique and a way of dialing in a sound. Standard articulation marks apply; note that **b** is a bend, **r** a release, **~** vibrato, **h** hammer-on, **p** pull-off, **/** a slide up.

The first lives in the world of "Satisfaction" -- a blunt, mid-register riff built on a **dominant-seventh** flavor (a major triad with a flatted seventh on top, the bedrock chord of blues and early rock, written here as an implied A7). The motif leans on the root, the major third, and that bluesy minor-third grace note rubbing against it, the friction that makes the line sneer. Keep it low, keep it stabbing, and let the fuzz's natural gating clip the ends of the notes.

TAB

Medium, swaggering backbeat -- quarter = ~136, eighth-note feel

```
e|-----|
B|-----|
G|-----|
D|-----|
A|--7--7--7-----7--7--9~----7--7--7-----7--5--7--|
E|--5--5--5-----5--5--5-----5--5--5-----5--3--5--|
```

Maestro-style fuzz riff: bridge pickup, fuzz near max, tone backed off slightly so the buzz stays fat and not shrill; play the doubled root-and-fifth shape with a hard, clipped attack and let each note choke off for that gated FZ-1 punch.

The second example is Hendrix-flavored: **double stops** -- two notes struck together, here drawn from a chord shape -- decorated with a hammered grace note and a quick bend, the kind of warm, conversational filler Hendrix wove between vocal lines. It sits in E, the home key of so much of his rhythm playing, and uses the sweet sixth and major-third intervals against the root. The trick is to let the fuzz thicken the two-note stacks into something almost orchestral while you add the little melodic curls with hammer-ons and a half-step bend.

TAB

Relaxed, behind the beat -- quarter = ~84, let it breathe

```
e|-----|
B|--5-----5h7---5-----5b7r5-----3~----|
G|--4-----4-----4-----4-----4~----|
D|-----|
A|-----|
E|-----|
```

Hendrix-style double-stop fill: neck pickup for warmth, germanium-voiced fuzz with the guitar volume around 7 so the stacks stay thick but articulate; hammer and bend gently, and let the fuzz's sustain hold the final vibratoed note as it blooms toward feedback.

The third example is a lead phrase built from the **minor pentatonic** scale -- the five-note pattern (root, flat third, fourth, fifth, flat seventh) that is the spine of nearly all blues-rock soloing -- with the added flatted fifth that turns it into the **blues scale**, the so-called "blue note" that supplies the sour, crying tension. The point of this one is dynamic: play the opening at full guitar volume for maximum saturated roar, then -- on the held final note -- roll the guitar's volume knob back to clean the fuzz up as the note sustains, so the phrase begins as a snarl and ends as a singing, glassy bell. That move, the volume-knob cleanup, is the whole secret of Fuzz Face expression.

Slow blues, vocal phrasing -- quarter = ~72

```

e|-----|
B|--8b9r8-5-----5-----8~-----|
G|-----7-5-7-----7b9r7~-----|
D|-----|
A|-----|
E|-----|

```

Fuzz lead with volume-knob cleanup: start with guitar volume at 10 and fuzz wide open for a thick, sustaining wail; on that long final bent-and-vibratoed G-string note, smoothly roll the guitar volume down to ~4 -- the fuzz peels away and the note rings out clean and bell-like, the single most useful trick in the fuzz player's hand.

A word on the theory threaded through these: the reason fuzz and the pentatonic and blues scales are such natural partners is that fuzz's dense overtone stack thickens *every* note equally, which can make complex chords turn to mud -- those extra harmonics pile up and clash. Simple, open intervals survive the treatment best. A power chord (root and fifth, no third) stays clear and huge under fuzz precisely because the fifth is the most consonant interval in the harmonic series and adds few competing overtones. Single-note pentatonic lines stay articulate for the same reason. This is why fuzz-era rhythm playing gravitates toward power chords, sparse double stops, and single-note riffs rather than lush jazz voicings -- the distortion itself dictates the harmony. The sound shapes the notes you choose, which is the deepest truth about how a piece of gear becomes a piece of music.

I The Doors That Fuzz Opened

By 1968 the fuzz box was no longer a novelty or even a single idea but a whole expanding category. The Fuzz Face went silicon. The Tone Bender spawned variants and descendants on both sides of the Atlantic, including a circuit that would mutate into the Big Muff and define a different, creamier strain of saturation for the players who came after. Builders began adding octave-up circuitry, tone controls, and stranger features still, and the small metal box on the floor became a permanent fixture -- the first inhabitant of what would soon become the crowded, blinking ecosystem of the pedalboard.

But the deepest legacy of the fuzz explosion is conceptual. Fuzz was the moment guitarists stopped accepting the sound their equipment gave them and started building the sound they wanted, deliberately, with a circuit chosen for its character. It established that distortion was not a flaw to be tolerated but a color to be composed with, that a guitar's voice could be radically remade before it ever reached the amp, and that the difference between two transistors -- a sliver of germanium versus a sliver of silicon -- could be the difference between two entire schools of music. Every overdrive,

every distortion, every fuzz-revival boutique box with a hand-selected NKT275 inside traces back to a broken console in Nashville and a riff Keith Richards meant to give away to a horn section. The horns never came. The fuzz stayed. And the electric guitar has been buzzing, beautifully, ever since.

♪ LISTEN FOR

- **The Rolling Stones, "I Can't Get No) Satisfaction"** (1965): the founding fuzz riff -- listen to how the Maestro FZ-1 *gates*, each note choking off rather than sustaining, giving the line its stabbing, percussive punch.
- **The Yardbirds, "Shapes of Things"** (1966): Jeff Beck's Tone Bender solo -- hear the extra sustain and the feedback blooming between bent, modal phrases, the British answer to the American gate.
- **The Jimi Hendrix Experience, "Foxy Lady"** (from *Are You Experienced*, 1967): the opening note swelling out of silence on controlled feedback -- the germanium Fuzz Face into a cranked Marshall, sustain and amp locked together.
- **The Jimi Hendrix Experience, "Purple Haze"** (1967): the dense, almost synthetic thickness of the riff -- you are hearing the square-wave overtone stack at work, a single note carrying a tower of its own harmonics.
- **The Jimi Hendrix Experience, listen across any rhythm-to-lead transition** (e.g., "The Wind Cries Mary" vs. the leads on the same record): the volume-knob cleanup in action -- the same fuzz rig ringing nearly clean in one passage and roaring in the next, the difference living entirely in the guitar's volume control and the right hand.

The Wah-Wah: The Voice of the Guitar




FIGURE 6 *A wah pedal sweeps a resonant peak across the midrange — the guitar learning to say a vowel.*

LISTEN TO THE OPENING OF "VOODOO CHILD (SLIGHT RETURN)" AND YOU WILL HEAR, before a single note resolves into a chord, the sound of a guitar clearing its throat. Hendrix rocks the pedal back and forth under a fistful of scratched, muted strings, and the instrument seems to inhale and exhale, to form syllables, to lean toward speech without quite arriving. It is the most human sound a guitar has ever made through a circuit, and the strangest part is how it was discovered: not by a guitarist chasing the voice in his head, but by an amplifier engineer fiddling with a circuit meant to do something else entirely. The wah-wah pedal is one of the great accidents in the history of electric tone, and like most great accidents, it turned out to be exactly what everyone had been waiting for.

What the wah does, in the plainest terms, is take a single resonant bump in the frequency response of the guitar signal and slide it up and down the spectrum with the motion of your foot. That bump is a filter, and the sweeping of it traces a path that the human ear recognizes, instantly and without instruction, as the shape of a vowel. We will get to the physics, because the physics is the whole story, but begin with the feeling: a wah pedal makes the guitar talk, and it does so because it imitates, almost exactly, the way the human throat and mouth shape sound. The guitar does not gain new notes. It gains a mouth.

| An Accident in Sepulveda

The story begins in 1966 at the Thomas Organ Company, the American distributor for the British **Vox** amplifier brand. Thomas had taken over Vox's U.S. operations and wanted to build Vox-branded amps domestically, in California, rather than ship them across the Atlantic. A young engineer named Brad Plunkett was given a thankless cost-cutting assignment: redesign the Vox Super Beatle amplifier's mid-boost circuit to use cheaper components. The original British circuit used a rotary switch to select preset midrange voicings — a "brilliance" boost meant to help horn players cut through. Plunkett's job was to replace that expensive switch with a cheap potentiometer.

When he wired up a variable potentiometer in place of the switch and swept it by hand, the midrange peak it created did not just get louder or quieter. It moved. The resonant emphasis slid up and down the frequency band, and as it did, a guitar plugged into the bench began to make a sound that everyone in the room recognized as a voice. The commonly told version of the story has session trumpeter Del Casher (often spelled Casher or Kasher) in the building, or nearby, and it was a trumpet — with its plunger-mute "wah" so familiar from big-band and Ellington-era jazz — that gave the effect both its name and its first conceptual home. Casher, a guitarist himself, immediately argued that the thing belonged on a guitar, not buried in an organ or aimed at horn players. He was right, though it took the company a while to believe him.

Thomas Organ, hunting for a marketable identity, first attached the effect to a name with built-in nostalgia. **Clyde McCoy** was a trumpeter famous since the 1930s for his "Sugar Blues," a tune built on exactly that vocalized plunger-mute wah. The earliest production pedals, from 1967, bore his name and, on some early units, an image of him; the very first run carried a picture of McCoy himself, and slightly later versions used a facsimile of his signature. The Clyde McCoy wah was marketed, at least partly, as a way for a guitarist to mimic that muted-trumpet cry. But guitarists were already taking it somewhere the marketing department had not imagined.

The pedal was manufactured under license in Italy by the Thomas Organ partner firm, and the housing, the rocker treadle, the gear-and-rack mechanism that turned foot motion into a pot rotation — all of it was refined into the form we still use today. When Thomas Organ rebranded the consumer version, they reached for a name that captured the sound's plaintive, almost infantile cry: the **Cry Baby**. The name was never properly trademarked in the early years, which is why, to this day, "cry baby" is both a specific product line (now owned by Dunlop, who acquired the rights and the manufacturing legacy) and a generic term half the guitar world uses for any wah at all. Two names, Vox and Cry Baby, came off what was essentially the same circuit, and the small differences between them — a slightly different inductor here, a different resistor value there — launched a thousand tone debates that continue in forums to this very night.

I How the Magic Works: Filters, Resonance, and the Throat

To understand the wah you must understand the **band-pass filter**, and to understand that you need only think about what a filter is: a circuit that lets some frequencies through and holds others back. A low-pass filter passes the lows and rolls off the highs; this is, essentially, what the tone knob on your guitar does when you roll it down, smothering the treble. A high-pass filter does the reverse. A band-pass filter passes only a band of frequencies in the middle, rejecting both the lows and the highs around it. Picture the guitar's full frequency spectrum — roughly 80 Hz at the low E's fundamental up through several kilohertz of harmonic shimmer — as a long piano keyboard. A band-pass filter is like a spotlight illuminating one region of that keyboard while the rest falls into shadow.

The wah circuit creates that spotlight using an **inductor** — a coil of wire that, paired with capacitors, forms a resonant tuned circuit. Resonance is the key word. A resonant filter does not merely pass a band; it actively boosts a narrow peak at one frequency, the **resonant frequency**, ringing it up like a struck bell while frequencies to either side fall away steeply. The sharpness of that peak is called *Q* — a high-*Q* filter is narrow and pronounced and vocal; a low-*Q* filter is broad and gentle. The classic wah has a fairly high *Q*, which is why it speaks so clearly rather than just brightening and darkening the tone.

Now comes the part your foot controls. The potentiometer that Brad Plunkett discovered does one thing: it moves the resonant peak. Heel down, the peak sits low, somewhere around 400 to 500 Hz, emphasizing the lower-mid body of the note — a dark, round "ooh" or "oh." Toe down, the peak sweeps up toward 2 kHz or beyond, emphasizing the upper harmonics — a bright, nasal "eee" or "aah." Rock the pedal smoothly and you drag that peak across the spectrum, and the sequence of emphasized frequencies traces a path from one vowel to another. "Oooh-aaah-eeee." That is the wah.

Here is why it sounds like speech, and this is the genuinely beautiful part. Human vowels are themselves nothing more than resonant peaks. When you say "ee" versus "oo," your vocal cords produce the same buzzing fundamental, but you change the shape of your throat and mouth, and that changing acoustic chamber emphasizes different bands of overtones. These emphasized bands are called **formants**, and the position of the first two or three formants is exactly what your brain uses to tell one vowel from another. The wah pedal, sweeping a resonant peak from around 500 Hz up past 2 kHz, is sweeping right through the formant region of human speech. You are not imagining the resemblance. The pedal is, in a real acoustic sense, pronouncing vowels with your guitar's harmonics standing in for your vocal cords.

This connects directly to the **harmonic series**, the stack of overtones present in every plucked string. When you play a note, you hear a fundamental frequency plus a ladder of quieter harmonics at whole-number multiples above it — the octave, the octave-plus-fifth, the double octave, and on

up. A clean note has all those harmonics present in fixed proportion. The wah's moving peak changes which harmonics are loudest at any instant. Sweep the filter through the third and fourth harmonics and they leap forward; sweep past them and they recede while higher partials light up. The guitar's pitch never changes — you are not bending a string — but its timbre morphs continuously, and timbre is precisely the dimension along which vowels live.

There is one more setting hiding inside the pedal, and it requires no sweeping at all. Stop the treadle at a fixed position — typically just past halfway, toe slightly down — and leave it there. This is the **cocked wah**, and it turns the pedal into a fixed midrange filter, a permanently parked resonant peak that thickens and focuses the tone into a honking, nasal, almost talkbox-like midrange voice. Michael Schenker built a career on it. Mark Knopfler's spiky tone owes something to it. A cocked wah is how you make a guitar cut through a dense mix without raising the volume: you are not louder, you are simply concentrated into the frequency region where the human ear is most sensitive and where nothing else in the band tends to live.

| The Sound in Words

Roll a wah slowly under a sustained, distorted note and the tone breathes — a long vowel that opens from a dark, chesty "ohh" into a piercing, sinus-bright "eee" and back, the upper harmonics flaring like a struck match as the peak climbs past 2 kHz, then guttering out as it descends. Snap the pedal quickly and you get a sharp quack, a consonant rather than a vowel, the percussive "wakka" that funk rhythm is built from. Against a clean signal the effect is bright and watery and articulate; against heavy distortion it becomes a roar that tilts and sneers, because distortion has already filled the signal with dense harmonic content for the filter to grab. The more harmonics present in the input, the more dramatic the wah, which is exactly why the pedal and the fuzzbox were made for each other and why Hendrix ran them together.

Heel-down lives in the realm of warmth and rounded mud; toe-down lives in bite and air and the edge of harshness. The whole expressive game is the territory between, and the speed and rhythm with which you cross it. A wah is the rare effect where the sound is not a setting you choose once but a gesture you perform continuously, in real time, with the same intimacy as vibrato or a bend. It is less a pedal than a second hand.

I Hendrix: The Voice Found Its Player

No one needed the wah the way Jimi Hendrix needed it, and no one revealed what it could do more completely. He had it early — you can hear it across *Axis: Bold as Love* (1967) on "Up from the Skies," where he plays a whole solo as conversation, the wah turning phrases into spoken asides — but the definitive statement is "**Voodoo Child (Slight Return)**" from *Electric Ladyland* (1968). The famous intro is not a riff in the ordinary sense; it is rhythmic wah applied to muted strings and partial chord shapes, the pedal doing the talking while the left hand mostly keeps time. He used a Vox wah and, almost certainly, a Fuzz Face ahead of or behind it into a cranked Marshall stack, his Stratocaster's single-coils feeding the filter a bright, harmonically rich signal that the wah could carve into syllables.

Listen to how Hendrix phrases the lead lines with the pedal. He is not sweeping mechanically in time; he is accenting target notes — pushing the toe down to brighten the peak of a bend, pulling back to let a resolution sink into shadow. He plays largely from the **E minor pentatonic** scale (the five notes E, G, A, B, D — the minor pentatonic being the major scale with its tense fourth and seventh degrees removed, leaving an open, bluesy frame) with the flatted fifth, the B-flat, slipping in as a passing **blue note** to give the lines their crying ambiguity. The wah amplifies that vocal quality. A bent note already mimics a singer's swoop; route it through a filter that mimics a singer's vowels and the imitation becomes uncanny.

Tab 1 — Wah-inflected E minor pentatonic lead. Moderate, swung sixteenths, plenty of space. Marks above show pedal position: **(T)** toe down/bright, **(H)** heel down/dark.

TAB

Feel: slow, vocal, around 80 BPM — let each phrase breathe

	(H)	(T)	(T)	(H)	(T)
e	-----				
B	-----8b10r8-----				
G	7	7b9r7	7	7	7~~~~
D	9	9	7	9	-----
A	-----				
E	-----				

Push the toe down as you strike each bend so the peak brightens at the apex of the pitch; relax to the heel on the resolved notes so they settle dark and round. That toe-on-the-bend move is the core of vocal wah phrasing.

The crucial lesson from Hendrix is that the wah is not an ornament you switch on; it is a phrasing tool you play. He treated foot and hands as a single instrument, and the pedal became the place where the guitar's pitch information (the notes) met its vowel information (the filter), the same division of labor that exists in a human voice between the larynx and the mouth.

| Clapton and the Singing Sweep

Where Hendrix made the wah talk in quick syllables, Eric Clapton, in Cream, made it sing in long sustained vowels. "**White Room**" (1968), from *Wheels of Fire*, opens with that mournful, descending modal figure, but it is the solos and outro where the wah defines the sound — Clapton's Gibson into a cranked Marshall, the pedal swept slowly and broadly so each held, distorted note swells through a full vowel arc. He is not chopping rhythm; he is using the filter to add a vocal contour to long notes, the resonant peak rising and falling like a singer's intonation across a sustained word.

"White Room" also offers a quiet theory lesson worth pausing on. The main verse riff hangs on a D and moves through chords that give the song its grave, ancient cast — the kind of minor-leaning, modal movement that feels older than the blues. Clapton's lead playing over it draws on the **D Dorian mode** in places — Dorian being the minor scale (the Aeolian mode) with one crucial alteration: a raised sixth degree. That raised sixth lends Dorian a brightness within the minor, a hopefulness that pure Aeolian lacks, and it is the characteristic flavor of countless rock and blues solos that sound minor but not mournful. The wah, sweeping its bright peak across those sustained Dorian notes, lifts the raised sixth and the other color tones into prominence as the filter passes through them, reinforcing the melodic character of the line with the timbre of the filter. Theory and effect pulling in the same direction.

Tab 2 — Cocked-wah midrange riff. Medium rock, heavy and focused. Pedal parked toe-slightly-down and held still; do not sweep.

TAB

Feel: around 100 BPM, palm-muted and aggressive, pedal LOCKED in place

	PM	PM
e	-----	
B	-----	
G	-----	
D	--5--5--7--5-----5--5--7--8--7--5-----	
A	--5--5--7--5-----5--5--7--8--7--5-----	
E	--3--3--5--3-----3--3--5--6--5--3-----	

With the wah cocked, this power-chord riff gains a vicious nasal honk that slices through a band without extra volume. Find the parked position by ear: rock the treadle until the midrange snarls most aggressively, usually a hair past center, and freeze your ankle there.

| The Funk Machine: Shaft and the Sixteenth-Note Scratch

If Hendrix gave the wah a voice and Clapton gave it a song, the funk and soul players of the late sixties and seventies gave it a pulse. The defining recording is **Isaac Hayes's** "Theme from Shaft" (1971), where guitarist Charles "Skip" Pitts plays the immortal sixteenth-note wah figure that opens the track and rides under the whole arrangement — a tight, percussive, muted scratch that is less a melody than a rhythm instrument tuned to the body's groove. Pitts barely lets the strings ring; he chokes them with the fretting hand and rakes across them while pumping the pedal in steady sixteenth notes, so the wah's "wakka-wakka" becomes a hi-hat made of harmonics.

This is a completely different use of the same circuit. Where the lead player sweeps the filter to follow the contour of a melodic phrase, the funk player locks the pedal motion to the subdivision of the beat. The pedal becomes a metronome you play with your foot. Typically the toe goes down on the downbeat (the bright "wah") and lifts on the offbeat (the dark "uh"), or the other way around, and the percussive attack of the muted strings gives the filter a transient to chew on with every stroke. Because the strings are largely deadened, pitch recedes almost entirely and what you hear is pure timbral rhythm — the spectral spotlight strobing in time.

The theory here is rhythmic rather than harmonic. Funk lives in **sixteenth-note subdivisions**: count "one-e-and-a, two-e-and-a," four pulses per beat, and the genius of the style is in which of those sixteenths you accent and which you ghost. The wah-scratch technique maps directly onto that grid — the pedal sweep and the strumming hand together articulate the sixteenth-note feel, and the locked motion of the treadle enforces a relentless, danceable consistency that a hand alone struggles to maintain. It is no accident that the wah and funk arrived together; the pedal is practically a rhythm-section instrument.

Tab 3 — Sixteenth-note funk wah-scratch. Tight 16ths at around 100 BPM. x = muted/dead stroke; pedal pumps with the strum, toe down on the beat.

Feel: 16ths, all downstrokes choked – "wakka-wakka," lock pedal to the strum

```

1 e + a  2 e + a  3 e + a  4 e + a
e|-x-x-x-x---x-x-x-x---x-x-x-x---x-x-x-x|
B|-x-x-x-x---x-x-x-x---x-x-x-x---x-x-x-x|
G|-9-x-x-9---x-x-9-x---9-x-x-9---x-x-9-x|
D|-9-x-x-9---x-x-9-x---9-x-x-9---x-x-9-x|
A|-7-x-x-7---x-x-7-x---7-x-x-7---x-x-7-x|
E|-----|

```

Keep the fretting hand mostly relaxed so the strings stay choked, letting only a few strokes ring as a ninth-flavored chord stab. Push the toe down on each numbered beat and let it rock back on the "e-and-a" so the filter strobes in sixteenths. The groove lives in the consistency of the foot, not the notes.

I Zappa, Ronson, and the Wah as Color

Frank Zappa heard the wah as a tone-shaping device as much as an expressive one, and he often used it parked or slowly moving to sculpt the midrange of his long, through-composed solos — the kind of sustained, scalar improvisations on records like *Shut Up 'n Play Yer Guitar* (1981) where the filter adds a vocal, almost querulous edge to phrases that wander far outside the pentatonic box into the **Lydian** and **Mixolydian** modes (Mixolydian being the major scale with a flatted seventh, the bright-but-bluesy mode that underpins most dominant-chord rock). Zappa frequently set a wah in a fixed or near-fixed position to voice a particular nasal midrange, treating it less as motion and more as EQ with attitude, and his use helped establish that a "cocked" or slowly drifting wah was a legitimate tone in its own right rather than a half-finished sweep.

Mick Ronson, David Bowie's guitarist through the Ziggy Stardust era, used the wah for grandeur. On tracks across *The Rise and Fall of Ziggy Stardust and the Spiders from Mars* (1972) and on the live readings of "Width of a Circle," Ronson often kept the pedal parked toward the toe to give his Les Paul a cutting, vocal midrange that turned his melodic, almost orchestral lines into something that wailed above the band. Ronson was classically trained and arranged strings; he heard the wah-cocked guitar as another voice in an arrangement, a lead line with the presence of a horn or a soaring vocal, and that sensibility — the wah as a way to make the guitar *sing forward* out of the mix — became part of the glam vocabulary.

I Kirk Hammett and the Wah as Identity

By the eighties the wah had been so thoroughly absorbed into rock vocabulary that some players simply left it on. **Kirk Hammett** of Metallica is the great modern example, so devoted to the pedal that Dunlop produced a long-running signature Cry Baby in his name. Across Metallica's catalog — the lead breaks on *Master of Puppets* (1986), the solos throughout *...And Justice for All* (1988), and most famously the leads on the self-titled *Metallica* (1991), including "Enter Sandman" — Hammett plays huge swaths of his solos with the wah engaged and sweeping, often parked or rocking gently to give every note a bright, vocal, midrange-forward bite.

Hammett's approach married the wah to high-gain metal phrasing — fast minor-pentatonic and **natural minor (Aeolian)** runs, the occasional exotic flourish, all of it drenched in distortion so the filter has maximum harmonic content to sweep through. The result is a lead tone that is instantly recognizable as his: aggressive, singing, slightly nasal, the wah acting almost as a permanent vowel-shaping layer rather than an occasional effect. Where Hendrix used the pedal as a sentence-by-sentence expressive device, Hammett often used it as a continuous voicing, an always-on coloration that became as much a part of his sound as his distortion or his fretting-hand vibrato. It is the clearest proof of how far the accident in Sepulveda traveled: from a trumpet imitation marketed to horn players to the permanent voice of one of metal's most heard guitarists.

I Playing the Voice

The wah rewards musicality over mechanics. Beginners pump it in a steady, mindless rhythm regardless of the phrase; masters treat it the way a singer treats diction, opening a bright vowel on the notes that matter and closing to a dark one on the notes that yield. In lead playing, tie the toe-down brightness to your **target tones** — the chord tones you are resolving to, the root and third and fifth that land on the strong beats — so the filter spotlights the notes the ear most wants to hear. In rhythm playing, surrender to the grid and let the pedal become a percussion instrument, locked to the sixteenths until your ankle aches. And do not forget the simplest trick of all: stop moving. A cocked wah, parked where the midrange honks hardest, is one of the great unsung tones in the guitar arsenal, the secret behind a dozen records you assumed had no effect on them at all.

Whatever you do, remember what the pedal actually is underneath the romance: a resonant band-pass filter dragging a single emphasized frequency through the formant region of human speech. Everything expressive about it flows from that one piece of physics. The guitar cannot speak. But sweep a resonant peak across its harmonics with the motion of your foot, and it will form vowels, and the listener's brain — wired since infancy to find voices in sound — will do the rest.

- **Jimi Hendrix, "Voodoo Child (Slight Return)"** (*Electric Ladyland*, 1968): the intro — rhythmic wah on muted strings and partial chords, the pedal doing the talking before any melody arrives. Note how the toe pushes down on the peak of each bend.
- **Cream (Eric Clapton), "White Room"** (*Wheels of Fire*, 1968): slow, broad sweeps under long sustained distorted notes — the wah as a singing vocal contour rather than a rhythm. Listen to the outro solo.
- **Isaac Hayes (Charles "Skip" Pitts, guitar), "Theme from Shaft"** (1971): the textbook sixteenth-note wah-scratch — choked, percussive, locked to the groove, pure timbral rhythm.
- **Metallica (Kirk Hammett), "Enter Sandman"** (*Metallica*, 1991): high-gain lead wah, swept and parked, the filter as a permanent vocal coloration over distortion.
- **David Bowie (Mick Ronson, guitar), "Width of a Circle"** (live readings, Ziggy era, 1972–73): cocked-toward-toe wah giving the Les Paul a horn-like, singing midrange that soars over the band.

The Treble Booster and the British Lead Voice

A SMALL WEDGE OF GREY-HAMMERED METAL SAT ON TOP OF A VOX AC30 IN A Cornish bedroom, and from it came a sound that should not have been possible from a guitar built by an aircraft engineer and his teenage son. The note bloomed, held, and refused to die -- a violin-like sustain that seemed to lean forward into the room, all upper-midrange muscle and singing harmonic overtone, with none of the woolly mud that usually swallowed a Les Paul through a cranked combo. The boy was Brian May. The box was a **Dallas Rangemaster Treble Booster**, and the secret it carried out of post-war England was almost embarrassingly simple: take a single transistor, throw away the bass, ram what's left into an already-overdriven amplifier, and watch the whole guitar tone snap into focus like a lens finding its mark.

For roughly a decade -- the back half of the 1960s into the mid-1970s -- this little device, or one of its many cousins, sat on the floor or atop the amp of a startling number of the players who built the vocabulary of British hard rock, blues-rock, and the thing that would soon be called heavy metal. You almost never saw it. It had no footswitch in many cases, no flashing lights, no logo facing the audience. It lived behind the amp or got built into the chassis. And that invisibility is exactly the point of this chapter: the treble booster was the great hidden hand of the British lead voice, the unglamorous reason a generation of cranked amps suddenly learned to *sing*.

I The People, the Places, the Circuit

Dallas Musical Industries was a London firm -- a maker and distributor of instruments and accessories trading out of premises associated with Shaftesbury Avenue and later the John E. Dallas & Sons lineage -- and around 1965 they put out a desktop unit called the Rangemaster Treble Booster. The context matters. British guitar amps of the early '60s, particularly the small Vox and the early **Marshall** designs, had a tonal personality that leaned warm and, when pushed, could turn flubby and indistinct in the bass. Guitars were often hollow or semi-hollow; pickups were comparatively low-output by modern standards. Players wanting cut -- the ability to slice through a loud rhythm section and reach the back of a dance hall -- found themselves fighting the physics of their own rigs.

The Rangemaster's answer was a study in elegant subtraction. Inside was a single germanium transistor -- the type most commonly cited is the **OC44** or **OC71**, PNP germanium devices left over

from the early transistor era -- wired as a single-stage common-emitter amplifier. Germanium is the crucial word. Unlike the silicon transistors that would dominate later, germanium devices conduct messily and softly; they have a low, temperature-sensitive forward voltage and a gentle, rounded onset of clipping. That softness is sonic gold. It means the booster doesn't slam into distortion like a brick wall; it *eases* into it, adding a warm grit and a touch of even-order harmonic content that the ear hears as richness rather than fizz.

But the real trick was the input coupling capacitor. The Rangemaster used a small-value capacitor at its input -- commonly cited as around 5 nanofarads -- which forms a high-pass filter with the circuit's input impedance. In plain terms: it bled off the low frequencies before they ever reached the transistor. The unit didn't boost everything equally. It was a *treble* booster, voiced to lift the upper midrange and treble while deliberately starving the bass. (Dallas in fact offered variants -- a Range Master, a "Treble & Bass" booster, and later full-range boosters -- so not every box behaved identically, a point worth keeping honest about when people speak of "the Rangemaster sound" as if there were only one.)

Now follow the signal where it goes. The Rangemaster's output -- bright, lean, boosted by perhaps 20-some decibels at the top end -- was plugged not into a clean amp but into the front of an amplifier the player intended to crank. And here two effects stack. First, the extra level drives the amplifier's input and output tubes harder into their own overdrive, generating compression and harmonic saturation in the **EL84** power tubes of an AC30 or the **EL34s** of a Marshall. Second, and more subtly, the booster has pre-shaped the spectrum so that the amp distorts a *thinned* signal. This is the heart of the magic. When you overdrive a full-range signal, the heavy bass intermodulates with everything else and the distortion turns to mush -- a smeared, farting low end with no definition. Roll the bass off *first*, then distort, and the clipping stays tight, articulate, and singing. The midrange, where the guitar's fundamental energy and the ear's sensitivity both concentrate, gets pushed forward and saturated into that vocal, sustaining quality. You have, in effect, built a primitive but musically perfect overdrive: a tone shaper and a gain stage in one tiny grey box.

| How It Works, and Why It Sounds That Way

It helps to think about frequency the way a recording engineer does. The fundamental pitch of the open low E string sits at roughly 82 hertz; the high E at the 12th fret sings around 660 hertz. But the *character* of an electric guitar -- the bite, the snarl, the presence that lets it cut -- lives in the upper midrange, broadly 1.5 to 4 kilohertz, the same band where a human voice's consonants and a snare drum's crack also fight for space. A guitar with too much energy below 200 hertz turns to porridge in

a band mix; a guitar with a strong, controlled bump around 2 to 3 kHz reads as *clear* and *present* even at low volume in the mix.

The treble booster is, functionally, a tilt filter and a gain stage that pushes energy toward exactly that critical band. By shaving the lows before amplification, it does two jobs at once: it cleans up the distortion (because there's no bass to intermodulate), and it relocates the guitar's spectral center of mass up into the cut zone. The germanium transistor's soft clipping adds harmonic overtones -- integer multiples of the fundamental -- that thicken the sound without harshness. When you bend a note and it sustains, what you're hearing is the amp and booster feeding on the guitar's own harmonic series: the octave (2x the fundamental), the octave-plus-a-fifth (3x), the double octave (4x), and so on, the natural ladder of overtones that gives a sustained, distorted note its glowing, complex color.

This is also why these rigs sustain the way they do. Sustain in a cranked amp is partly acoustic feedback -- the speaker's energy vibrating the strings -- and partly compression. A signal pushed hard into tube overdrive compresses: loud parts get squashed toward the same level as quiet parts, so the natural decay of a plucked string is held up, flattened out, kept alive. The booster, by hitting the amp harder, deepens that compression. The note hangs. And because the bass has been trimmed, the sustaining note stays *focused* rather than blooming into a muddy roar. That combination -- focus plus sustain plus harmonic richness -- is the British lead voice in a sentence.

There's a flip side worth naming honestly. Germanium transistors drift with temperature and vary wildly unit to unit; two Rangemasters off the same bench could sound noticeably different, and a hot stage could shift a unit's bias and tone over the course of a set. The boxes also hum, hiss, and have no true bypass. Part of the mythology around specific players' tones is really the mythology of *one specific, slightly out-of-spec unit* behaving in a way nobody could perfectly reproduce. When you read that a certain artist's sound came from "a Rangemaster," remember the variation hiding inside that claim.

| The Singing Tone: A Description

Picture the sound on a continuum. Roll the booster off and a Les Paul into a cranked Marshall is all chest and growl -- thick, dark, powerful, but with its detail buried, the pick attack soft and the bass dominating. Now bring the booster up. The first thing you hear is the *attack* sharpening: the click of the pick, the initial transient, comes forward and the note speaks instantly. Then the body of the tone tilts upward, the low-mid wool burning off to reveal a hard, glassy, slightly nasal upper-midrange core -- think of the difference between a voice singing into a pillow and the same voice cupping its hands and projecting. The distortion texture goes from a loose, crumbly fuzz to a tight, compressed, saturated edge that holds together no matter how fast you play. And the sustain, the indefinite

singing tail on a held bend, arrives almost on its own, the note refusing to decay, feeding gently into controlled feedback if you let it.

Through an AC30 with its EL84s and Celestion Alnico Blue speakers, that voice is chimey, vocal, almost orchestral when stacked -- Brian May's territory. Through a cranked Marshall with EL34s and Greenback speakers, the same booster pushes the tone into a darker, more aggressive, more violent place -- the doom-laden grind of early Black Sabbath, or the howling blues-rock of a Stratocaster pushed past its polite limits. Same principle, two profoundly different colors, depending on what amplifier was being fed.

| Case Study: Brian May and the Red Special

No player is more identified with the treble booster than Brian May of **Queen**, and his case is the cleanest demonstration of what the device does because his other variables are so unusual. May plays the **Red Special**, a guitar he built as a teenager with his father, Harold, out of a hundred-year-old fireplace mantel, blockboard, and oak. It carries three Burns Tri-Sonic pickups wired with individual on/off and phase switches, giving him a palette of in-phase and out-of-phase combinations -- the out-of-phase settings producing a thin, hollow, scooped tone with a pronounced upper-midrange honk that, fed through a booster into an AC30, becomes that unmistakable searing-yet-sweet lead voice.

For years May used treble boosters in front of cranked Vox AC30s, and the booster is doing exactly the spectral work described above: lifting the Tri-Sonics' output, throwing away bass, and slamming the EL84 front end into saturation so the notes sustain and sing. Listen to the guitar orchestra on "**Bohemian Rhapsody**" (1975) or the layered solos across *A Night at the Opera* and *A Day at the Races* -- the way dozens of overdubbed lines stack into something that sounds like a brass section or a string choir. That stacking only works because each individual line is *focused*: a midrange-rich, bass-light tone leaves room in the spectrum for many guitars to coexist without turning to mud. A fat, bassy lead tone cannot be multitracked into harmony like that; the lows pile up and the arrangement collapses. The treble booster is, in a real sense, what made the Queen guitar orchestra physically possible.

May's lead lines lean hard on the **major and minor pentatonic** scales but are famous for their *vocal* phrasing and their use of close-interval harmony. A **harmonized line** means playing the same melodic shape twice, offset by a fixed interval -- most often a **third** (two scale steps apart) or a **sixth** -- and recording both, so the two guitars move in parallel like two singers in harmony. Here is an illustrative two-part harmony in the spirit of his stacked solos, the upper voice a diatonic third above the lower, both in A major:

Two guitars, panned hard L/R, each via booster into a cranked AC30. Moderate.

UPPER VOICE (a 3rd above)

```
e|-----|
B|--5---7---9---10~-----9---7---5-----|
G|-----6---4---2-4~--|
D|-----|
A|-----|
E|-----|
```

LOWER VOICE (melody)

```
e|-----|
B|-----|
G|--2---4---6---7~-----6---4---2-----|
D|-----4---2---0-2~--|
A|-----|
E|-----|
```

Caption: Parallel-thirds harmony in A major. Track the two voices separately and pan them wide; the focused, bass-shy booster tone is what lets them stack into the Queen "guitar choir." Keep the vibrato slow and wide.

Case Study: Tony Iommi and the Birth of Heavy

If May aimed the treble booster at beauty, **Tony Iommi** of **Black Sabbath** aimed it at dread. Iommi's story carries one of the most consequential accidents in guitar history: working in a Birmingham sheet-metal factory as a teenager, he lost the tips of two fingers on his fretting (right) hand in a press. Told he might never play again, he fashioned thimble-like prosthetic tips from a melted plastic bottle and, crucially, switched to extremely light strings and detuned his guitar to slacken the tension and make bending possible with his damaged fingers. That detuning -- and the down-tuned, heavy, deliberate quality of his riffs -- is partly the direct physical consequence of a factory injury.

Iommi's tone is the dark mirror of May's. He drove treble boosters -- a Rangemaster early on, and later a custom-built unit made for him by John Birch and others -- into cranked Laney and Marshall amplifiers, often with a Gibson SG and its comparatively bright, articulate humbuckers. The booster does the same job it always does: it tightens the low end and pushes the midrange forward. But fed into a darker, more aggressive amp at punishing volume, the result isn't chime -- it's a thick, focused, grinding heaviness, riffs that land like slabs because the distortion is tight enough to articulate fast palm-muted figures yet saturated enough to feel crushing. Without the booster's bass trim, those low, down-tuned riffs would have turned to indistinct sludge; *with* it, every note in a riff speaks clearly even under massive gain. The treble booster is, quietly, one of the technical preconditions of heavy metal's defining sound.

Then there is the matter of the **tritone**. The title track "**Black Sabbath**" (from *Black Sabbath*, 1970) opens with a slow, ominous figure built on a root, its octave, and the note a **flatted fifth** above the root -- an interval of three whole tones, hence *tritone*. In medieval music theory this interval was nicknamed *diabolus in musica*, "the devil in music," for its restless, unresolved dissonance; church musicians treated it as something close to forbidden. Iommi, almost certainly without consulting any treatise, reached for exactly that interval because it sounded *wrong* in the most evocative way -- queasy, suspended, dread-soaked. Played slow, loud, and saturated, the tritone became the harmonic signature of doom. Here is a Sabbath-flavored tritone riff in the spirit of that approach, in G, with the flat-5 (D-flat / C-sharp) doing the heavy lifting:

TAB

Slow and heavy, ~60 BPM, half-time feel. Let each note ring; booster into a cranked Marshall.

```
e|-----|
B|-----|
G|-----|
D|--5-----5-----5---6b~-----|
A|--5-----5-----5---6-----|
E|--3-----3---/8~---3-----|
```

*Caption: Tritone doom riff in G. The root-and-octave power chord (G5) lurches up, then the fretted note on the D string climbs from the fifth (D) to the flat-five-above-root tension and bends sickeningly. Play it slowly, with menace, and let the amp's saturation and the booster's focused midrange make each chord land like a hammer. The bend symbol **b** is a slow, deliberate semitone push -- felt, not rushed.*

A note on honesty: the "down-tuned" heaviness people associate with Sabbath was, in their earliest work, often standard or only slightly flattened tuning -- the deeper detunings came later. And while the finger-injury-to-light-strings story is well documented in Iommi's own telling, the precise gauge and tuning on any given early recording is the kind of detail that gets stated too confidently. Treat specific settings as approximate.

I Case Study: Rory Gallagher and the Blues-Rock Cut

The Irish bluesman **Rory Gallagher** gives us the treble booster in its purest blues-rock application, and his rig is the stuff of legend precisely because it was so battered and unpretentious: a 1961 **Fender Stratocaster** worn down to bare wood by sweat and playing, driven through treble boosters -- he used several over the years, including a Dallas Rangemaster and later a Hawk booster -- into Vox AC30 and Fender amplifiers. The Strat's single-coil pickups are already bright and spanky; the boost-

er lifts and saturates them into a vocal, cutting, slightly raw lead tone that sits at the front of a power trio without any keyboard or second guitar to hide behind. In a three-piece, the guitar has to fill enormous space, and the booster's midrange push is what let a single Strat sound *big* and articulate against bass and drums.

Gallagher's vocabulary is the **minor pentatonic** and the **blues scale**. The minor pentatonic is the five-note backbone of blues and rock lead playing -- in the key of A, the notes A, C, D, E, and G (the root, flat third, fourth, fifth, and flat seventh). The **blues scale** adds one more note, the flatted fifth (in A, the E-flat), the same restless tritone-against-the-root we met in Iommi's doom riff, here used as a quick *passing* tension, slid through rather than dwelt upon -- it's the "blue note" that gives a lick its crying, vocal ache. Gallagher's phrasing leaned hard on **bends** (pushing a string to raise its pitch) and **double stops** (two notes sounded together) for a raw, vocalized attack. Here is a Gallagher-style blues-rock lick in A minor pentatonic, built around the classic box at the fifth fret:

TAB

Briskly, with swagger, ~120 BPM shuffle feel. Strat (bridge or middle pickup) + booster into a pushed AC30.

e|-----|
B|-----5b~r5-----8---5-----|
G|-----5---7-----7---5-----7~--|
D|--7---7-----7-----7---7-----|
A|-----|
E|-----|

Caption: A-minor-pentatonic blues-rock lick around the fifth-fret box. The opening run climbs the box; the bend-and-release on the B string (5b~r5 = bend up a whole step, vibrato, release) is the crying vocal moment; the descending tail lands on the root with vibrato. Dig in with the pick and let the booster push the Strat's bridge pickup into a singing, cutting grind. The **r** means release the bend back to the original pitch.

| Case Study Footnote: Marc Bolan and the Glam Snarl

A quick but important fourth figure: **Marc Bolan** of **T. Rex**. Where May, Iommi, and Gallagher chased sustain and cut for virtuosic lead work, Bolan used a booster-driven tone for *texture* and *attitude* -- the strutting, fuzzy, gloriously cheap-sounding electric snarl of glam rock. Bolan often played a Gibson Les Paul and used treble boosters into Vox and other amps to get that compressed, bright, slightly nasty rhythm-and-lead tone all over "**Get It On (Bang a Gong)**" and *Electric Warrior* (1971). His genius was rhythmic and tonal rather than technical: simple boogie figures and pentatonic licks, but with a tone so forward, so present, so *attitude*-soaked that it defined an entire genre's sound. The

booster's job here wasn't to enable shredding -- it was to make a simple riff sound expensive, urgent, and irresistibly cool, the midrange push giving glam its bratty, in-your-face glint. It's a reminder that the same device served beauty, dread, blues, and pure rock-and-roll swagger depending entirely on the hands and the amp behind it.

I Theory in the Room: Why Midrange Is Clarity

The single most transferable lesson of the treble-booster era is one every guitarist should internalize: **midrange is not the enemy; midrange is intelligibility.** The instinct of the inexperienced player, dialing in a tone alone in a bedroom, is to scoop the mids -- to chase a "big," "modern," bass-heavy, treble-sparkly sound that feels enormous in isolation. Put that tone in a band and it vanishes, because the bass guitar owns the lows and the cymbals own the highs, and the scooped guitar has surrendered the one band -- the upper midrange -- where it could actually be heard. The treble booster forces the opposite discipline. By trimming bass and pushing 1.5-4 kHz, it sacrifices solitary bigness for the ability to *cut*, to be heard, to sit forward in a mix. Every player who has wondered why their tone sounds huge at home and disappears at rehearsal is relearning, the hard way, what a grey box from London taught Brian May.

The companion lesson is harmonic. The reason these tones *sing* rather than merely distort is the deliberate cultivation of the overtone series through soft clipping and tube compression. When you bend into a sustained note on a well-set-up booster rig and feel the amp grab it and hold it -- maybe tip it into a gentle, controlled feedback an octave up -- you are hearing physics and music theory shake hands: the harmonic series made audible, the natural mathematics of a vibrating string amplified into something that feels alive. The treble booster didn't invent any of that. It just aimed the guitar at it, threw away everything in the way, and let the amplifier do the rest.

- **Queen, "Bohemian Rhapsody" and the solos across *A Night at the Opera* (1975):** the multitracked "guitar orchestra." Listen to how each harmonized line stays focused and bass-light so dozens can stack without mud -- the booster-into-AC30 voice as choir.
- **Black Sabbath, "Black Sabbath" from *Black Sabbath* (1970):** the opening tritone (root-octave-flat5) figure. Hear the *diabolus in musica* played slow and saturated, and notice how tight the low end stays even at crushing gain -- that's the booster trimming bass before the amp distorts.
- **Black Sabbath, "Iron Man" and "Paranoid" (1970):** Iommi's articulate, palm-muted riffing. Every note speaks clearly under massive distortion -- the precondition of metal rhythm tone.
- **Rory Gallagher, *Live in Europe* (1972) and the studio cut "Bad Penny":** a battered Strat into a booster-pushed amp filling an entire power trio. Listen for vocalized bends, double stops, and the crying flat-5 blue note slid through, not dwelt on.
- **T. Rex, "Get It On (Bang a Gong)" from *Electric Warrior* (1971):** the glam snarl. A simple boogie riff made expensive and urgent by a forward, midrange-rich, booster-driven tone -- attitude over athletics.

PART V

The Pedal Revolution



The Uni-Vibe: Rotary Dreams

LISTEN TO THE OPENING SECONDS OF "MACHINE GUN" FROM THE *Band of Gypsies* record, taped on the first night of 1970 at the Fillmore East, and before Jimi Hendrix plays a single note in anger you can already hear the room breathing. The guitar isn't doing anything dramatic yet -- a held chord, a couple of probing notes -- but the sound itself is alive, swelling and receding, the high frequencies drifting in and out of focus like heat shimmering off summer asphalt. It is not tremolo, which would simply turn the volume up and down. It is not a wah, which sweeps a single resonant peak. It is something stranger and wetter, a seasick, throbbing motion that makes the whole tone seem to rotate in space. That motion is the sound of a small, heavy, oddly built box from Japan called the Uni-Vibe, and it was supposed to sound like something else entirely.

| A Failed Imitation

The story begins with envy. By the mid-1960s every organ player worth hearing was running a **Hammond organ** through a **Leslie rotary speaker cabinet**, a wonderful and absurd piece of furniture in which an actual horn and an actual rotating drum-baffle spun around inside the cabinet, hurling the sound physically through the air. As the speakers rotated, they threw the sound at the listener and then away again, and the laws of physics did the rest: a Doppler pitch-shift as the source moved toward and away from you, an amplitude swell as it faced you and turned aside, and a thicket of phase cancellations as the direct and reflected waves collided in the room. The result was that lush, three-dimensional, swirling shimmer you hear under every great soul ballad and psychedelic organ break. Guitarists wanted it desperately, but a Leslie was the size of a refrigerator, weighed as much as one, and was a nightmare to mic and move.

So the race was on to fake it in a box. In Japan, the **Honey** company -- soon to be reorganized into the firm best remembered as **Shin-ei** -- set an engineer named **Fumio Mieda** to the task. Mieda was the same restless designer behind a clutch of early Japanese effects, and his brief was simple in theory: build a small electronic device that reproduced the rotary swirl of a Leslie. The result, sold around 1968, was the **Uni-Vibe**, distributed in the United States under the **Univox** badge (the importer Unicord) and elsewhere variously as the Shin-ei or Jax. The earliest units came as a two-piece set: a chrome-faced main box and a separate rocker **expression pedal** that controlled the speed of the ef-

fect, so the player could ride the swirl from a slow drift to a frantic flutter with the foot, exactly as an organist could switch a Leslie between its slow "chorale" and fast "tremolo" speeds.

Here is the beautiful accident at the center of this chapter: it did not sound like a Leslie. Not really. A Leslie's defining trick is genuine Doppler pitch modulation -- the note actually goes sharp and flat as the speaker spins -- and the Uni-Vibe's circuit produced comparatively little of that. What it produced instead was a deep, watery, asymmetrical *phase* sweep with a pronounced throb, narrower and more hypnotic than a Leslie and, to many ears, far more interesting on a guitar. The imitation failed upward. It became its own thing, a sound no rotating speaker had ever quite made, and within two years it would be bolted to the front of the most famous guitar rigs on earth.

| How It Works: Photocells in the Dark

Open a vintage Uni-Vibe and the heart of it looks almost comically simple, even crude, which is part of why people fell in love with it and part of why it is so hard to copy. Inside sits a tiny incandescent **lamp**, and clustered around that lamp, staring at it, are four light-dependent resistors -- **photocells**, also called LDRs. A low-frequency oscillator, the **LFO**, makes the lamp pulse: brighter, dimmer, brighter, dimmer, at whatever rate the speed control dictates. As the lamp's glow rises and falls, the resistance of each photocell rises and falls with it, and those changing resistances are wired into four **all-pass filter** stages -- phase-shift stages -- in the audio path.

That phrase "all-pass filter" is worth unpacking, because it is the whole secret. An all-pass filter does something sneaky: it lets every frequency through at full volume -- it does not cut treble or bass -- but it *delays* each frequency by a different amount, shifting its phase. When you take that phase-shifted copy and mix it back against the original dry signal, the frequencies that come out exactly upside-down (180 degrees out of phase) cancel, carving deep notches in the spectrum. Sweep those notches up and down the frequency range and you have a **phaser**. So the Uni-Vibe is, in its bones, a four-stage phaser -- one of the very first ever built for guitar.

But two details make it sing rather than merely sweep. First, the four photocells do not respond in lockstep. Real photocells of that era were inconsistent parts with their own slightly different "lag" -- the small delay between the light changing and the resistance catching up. Mieda's circuit also fed the filter stages at deliberately staggered, unequal frequency points rather than spacing them evenly the way a textbook phaser does. The upshot is a *staggered, asymmetrical* sweep: the notches don't march in a tidy parade, they lurch and pulse, the motion lopsided and organic, leaning harder one way than the other. That asymmetry is the throb, the seasick lilt, the thing your ear reads as "alive." Second, the lamp itself smooths the motion. An incandescent filament cannot turn on and off in-

stantly; it glows and fades with a gentle, rounded curve. So the modulation is never a hard mechanical chop but a soft, tidal swell -- closer to breathing than to clockwork.

A switch on the unit selects **Chorus** or **Vibrato** mode, though neither word means quite what a modern pedal buyer expects. In **Chorus** mode the phase-shifted signal is blended with the dry signal -- that mix is where the cancellation notches form, and it is the famous swirling Uni-Vibe sound, the one on all the records. In **Vibrato** mode the dry signal is removed entirely and you hear only the wet, modulated path; with no dry reference to cancel against, the result is a genuine warbling pitch-and-phase wobble, more pronounced and disorienting, less commonly used. The Speed control (and the expression pedal that overrides it) sets the LFO rate; an Intensity or Volume control sets how deep and how loud the effect sits. There is no separate "width" or "depth" knob carving the sweep -- the depth is baked into the circuit, which is exactly why every real one sounds so consistent and so good.

I Phase Modulation Versus True Chorus

It is worth pausing on a distinction that confuses even experienced players, because the Uni-Vibe sits right on the fault line between two whole families of effect. **Phase modulation**, what the Uni-Vibe does, works by mixing a signal against a *phase-shifted copy of itself* and sweeping the cancellation notches. No time delay in the modern sense is involved; the "movement" is the notches sliding through the harmonic content of your note. The frequencies that get notched out are mathematically related to the spacing of the filter stages, so a phaser tends to interact with the **harmonic series** of whatever you play -- the natural ladder of overtones (the octave, the fifth above that, the next octave, the major third, and on up) that rings above any fundamental pitch. When a notch sweeps through your second or third harmonic, you hear that overtone duck and swell, which is why sustained, harmonically rich notes seem to come alive under a vibe in a way that staccato playing does not.

True chorus, by contrast -- the sound of an early-1980s analog chorus pedal -- uses a short **time delay** (a few milliseconds) whose length is wobbled by an LFO. Wobbling the delay time stretches and compresses the waveform, which produces real **pitch modulation** (small, continuous sharp-and-flat detuning), and mixing that detuned, delayed copy against the dry signal gives the impression of two instruments playing not quite in unison. That detuning is precisely the thing a spinning Leslie does and the thing the Uni-Vibe largely *doesn't*. So the irony compounds: the box built to imitate a Leslie achieves its magic through phase cancellation, while the effect we now call "chorus" -- which actually does reproduce the Leslie's Doppler detuning -- came along years later. The Uni-Vibe's "Chorus" switch is a historical misnomer that stuck. What your ear loves about it is not detuning at all but the staggered, throbbing sweep of those four lopsided notches.

The other expressive variable is rate, and it matters more than almost anything. A **slow LFO** -- the sweep taking several seconds to complete a full cycle -- gives that oceanic, barely-there drift, the sound of a chord very slowly turning over in the light. It rewards patience and sustain. A **fast LFO** pushes toward a nervous, propeller-like flutter, almost a tremolo at the top end, tense and agitated. Because the original came with a foot pedal for speed, the instrument is really a *performance* of motion: you can sit on a held chord and slowly open the speed up, letting the swirl accelerate as the emotion rises, then pull it back. Hendrix understood this immediately. The pedal was not a set-and-forget effect; it was a third hand.

| The Tone, Described

Plug a **Stratocaster** into a vintage Uni-Vibe in Chorus mode, set the speed slow, and the first thing you notice is that nothing is harsh. The notches live mostly in the midrange and lower treble -- call it the region from roughly 800 Hz up past 2 kHz -- so as they sweep they take the bite off the upper mids and then give it back, over and over, a soft hand passing across the face of the tone. On a clean single-coil neck pickup the effect is liquid and underwater, glassy highs pooling and draining. Push the same signal through an overdriven amp and the character transforms: distortion adds a dense forest of harmonics for the notches to chew on, so the swirl becomes thicker, more turbulent, almost vocal, with a hollow "wow" in the middle of every sustained note as a notch passes through. There is a faint, grainy texture to a real vibe, too, a slightly lo-fi, compressed quality from those simple photo-cells and the modest circuit around them, and that grain is part of the charm -- it sounds like an old film looks, warm and slightly worn.

What the vibe loves above all is held information. A single bent note, allowed to ring, becomes a small drama as the sweep crawls across its overtones. A fat barre chord turns into a slowly rotating cathedral window of sound. Staccato funk chops, by contrast, give the effect almost nothing to work with -- the notes are gone before a notch can travel anywhere -- which is why the vibe is the patron saint of the slow blues, the spacey ballad, and the long psychedelic plateau, and why it rarely shows up on a fast, percussive part. To dial it in, you start slow and shallow, find the speed where the throb matches the breath of the song, and then you stop touching the knobs and start playing long.

| Case Study: Hendrix and the Star-Spangled Sky

Jimi Hendrix is the reason the Uni-Vibe is a legend rather than a footnote. By 1969 he was running one in front of his **Marshall** stacks alongside his **Fuzz Face** and **wah**, and the combination defined

the back end of his short career. The most quoted example is "Machine Gun," whether the *Band of Gypsies* version or the Woodstock readings: the Uni-Vibe in Chorus mode at a slow-to-medium speed, smearing his sustained, feeding-back lines into something that genuinely evokes the disorientation and dread the song is about, the swirl turning every held note into a wail that will not sit still. Hendrix worked the speed pedal as a dynamic device, letting the rate breathe with the intensity of his improvisation.

Listen, too, underneath the famous Woodstock "Star-Spangled Banner." Amid the dive-bombs and the napalm shrieks of feedback there is a watery, rotating quality to many of the held tones that is pure vibe, the effect lending an eerie, heat-haze instability to a melody everyone in America could hum. The lore around Hendrix's exact settings is thick and largely unverifiable -- he was famously indifferent to documenting knob positions, and his rigs changed constantly -- so treat any precise "Jimi used X" claim with healthy skepticism. What is not in doubt is the role: the Uni-Vibe was his color for hugeness and unease, the sound he reached for when a note needed to feel like it was happening to you rather than merely at you.

Here is an original phrase in the spirit of that approach -- a slow, sustained bend that gives the sweep room to move. Set the vibe to Chorus, speed slow, into a thick, sustaining overdrive.

TAB

```
Slow blues feel, roughly 60 BPM -- let everything ring
e|-----|
B|------(8)~~~~~|
G|--7b9-----7b9r7-----5-----7~~~~~|
D|-----|
A|-----|
E|-----|
```

Example 19.1 -- a sustained G-string bend held under a slow Chorus-mode vibe.

Bend the G string up a whole step (7 to the pitch of 9) and just hold it; the Uni-Vibe's notches crawl across the bent note's overtones so the pitch seems to shimmer and rotate even while your finger is still. The slower you take it, the more the swirl tells the story.

| Case Study: Robin Trower and the Bridge of Sighs

If Hendrix made the Uni-Vibe famous, **Robin Trower** made it architectural. On his 1974 album *Bridge of Sighs*, and above all the title track, the vibe is not an ornament but the foundation of the entire sound. Trower, a Stratocaster player steeped in Hendrix's vocabulary, built "Bridge of Sighs" on a slow, doom-laden riff drenched in a Uni-Vibe set to a luxuriantly slow speed, so the whole track

seems suspended underwater, every chord and bend rotating with glacial, hypnotic patience. Pair that with a thick, fuzzy overdrive and a cavernous reverb and you get one of the most atmospheric guitar tones ever committed to tape -- heavy and weightless at once.

What Trower understood, and what the recording teaches, is that the vibe rewards *space*. He plays slowly. He lets notes hang. He leaves gaps so the swirl has room to do its work, and he keeps the speed slow enough that you feel the throb as a pulse rather than a flutter. His exact rig has been discussed for decades and the broad strokes are well established -- Strat, vintage Uni-Vibe, Marshall amplification, fuzz -- while the precise settings, as ever, are best described as commonly cited rather than documented.

This second example is a chordal bed in that vein: simple triads and a sustained voicing, left to ring so the sweep can rotate the whole harmony at once. Note the **add9** chord, a major chord with the ninth (the second scale degree, an octave up) added on top, which adds a glassy, unresolved shimmer that the vibe loves because it gives the notches an extra overtone to play with.

TAB

Very slow, roughly 56 BPM -- let chords ring full

e		--0-----0-----0-----	
B		--3-----1-----0-----	
G		--0-----0-----4-----	
D		--2-----2-----2-----	
A		--3-----0-----2-----	
E		-----0-----	

Example 19.2 -- *Cadd9 / Am(add9) / E-ish color, each shape struck once and left to bloom.*

Strike each shape once and let it bloom; with the Uni-Vibe in Chorus at a slow speed, the held chord slowly turns in the light, the added ninth shimmering as a notch sweeps across it. Keep your pick hand still and let the box move the sound.

| Case Study: Gilmour and the Breathing Floyd

David Gilmour carried the Uni-Vibe into a third aesthetic entirely: not the blues-rock fury of Hendrix or the doom of Trower, but the wide, clean, spacious ache of **Pink Floyd**. On *The Dark Side of the Moon*, the gently rocking guitar figure of "Breathe (In the Air)" floats on a slow modulation widely associated with a Uni-Vibe-type effect, the clean, lap-steel-inflected tone swelling and receding with a slowness that perfectly matches the song's title and its meditation on the passing of a life. (Gilmour's modulation choices across his career are debated by gearheads -- he has used various rotary, vibe, and chorus units, and which specific box appears on which track is not always settled, so the honest

statement is that "Breathe" lives in unmistakably Uni-Vibe territory even where the exact unit is contested.)

The lesson of Gilmour's use is that the vibe is not only a dirty effect. On a clean, compressed signal with plenty of reverb, a slow vibe becomes a kind of weather -- atmosphere rather than incident. It widens a simple part and makes stillness feel like motion. Where Trower used it to make heaviness hover, Gilmour used it to make calm shimmer.

Floyd's harmony here leans on **modal** color. "Breathe" rocks gently between an E minor and an A major sonority, and that pairing -- a minor i chord moving to a *major* IV -- is the signature of the **Dorian mode**, the minor scale with a raised sixth degree. (A mode is simply a scale built by starting on a different note of a parent scale; Dorian is the second mode, brighter than the natural minor because of that raised sixth, which is exactly the note that turns the IV chord major.) That raised sixth gives the song its bittersweet, hovering quality, neither fully dark nor fully resolved -- a perfect harmonic match for the suspended, rotating motion of the vibe.

Here is a Hendrix-style rhythm figure to close the examples -- the kind of soulful chordal comping where the vibe sweeps through ringing extensions. It uses the famous **7#9** voicing, the "Hendrix chord," a dominant seventh with a sharpened ninth on top; the clash between its major third and that raised-ninth (which sounds like a minor third an octave up) is the gritty, bluesy crunch under so much of Jimi's rhythm work.

TAB

Slow funk-soul feel, roughly 72 BPM -- lay back behind the beat

```
e|-----|
B|--6--6-----8--8-----|
G|--7--7-----9--9-----|
D|--6--6-----7--7-----|
A|--7--7-----x--x-----|
E|--0--0-----|
```

Example 19.3 -- the E7#9 "Hendrix chord," then the upper grip sliding up two frets for color.

Catch the E7#9 with a light, percussive stroke, let it ring just long enough for the Uni-Vibe to begin its sweep, then move the upper grip up two frets and back; the slow swirl turns a stock rhythm figure into something that breathes. Dig in lightly -- the vibe and the amp's natural compression do the rest.

| What Endured

The original Uni-Vibe was discontinued in the early 1970s, and for years it was the stuff of dusty rumor, hoarded by collectors who knew that nothing else sounded quite like it. The reasons were exactly the things that made it special and the things that made it hard to reproduce: those inconsistent photocells, the staggered filter stages, the gentle lag of an incandescent bulb glowing in the dark. Cheaper imitations used simpler LFO chips and even, symmetrical phasing, and they always sounded too tidy -- a phaser pretending to be a vibe. The good modern recreations are the ones that went back and honored the lopsided original: a real lamp, real photocells, staggered stages, the asymmetry preserved.

What the Uni-Vibe proved, and what makes it belong at the heart of any history of effects, is that the most beloved sounds are often beautiful failures. Mieda set out to bottle a refrigerator-sized spinning speaker and instead built something the spinning speaker could never do -- a throbbing, watery, four-cornered swirl that turned held notes into living things. It failed to be a Leslie and succeeded at being itself, and three of the greatest guitarists of the era heard that immediately and built whole songs on top of it. Rotary dreams, dreamed wrong, and all the better for it.

♪ LISTEN FOR

- **Jimi Hendrix, "Machine Gun"** (*Band of Gypsys*, 1970): the Uni-Vibe in Chorus mode swelling under every sustained, feeding-back line -- listen to how the held notes refuse to sit still, the swirl turning them into wails. Compare the Woodstock "Star-Spangled Banner" (*Woodstock* recordings) for the same watery instability under the melody.
- **Robin Trower, "Bridge of Sighs"** (*Bridge of Sighs*, 1974): the deepest, slowest vibe on record -- focus on how the spaces between the notes let the swirl rotate the whole tone, and how slowly the throb pulses.
- **Pink Floyd, "Breathe (In the Air)"** (*The Dark Side of the Moon*, 1973): clean, spacious, slow modulation in unmistakable Uni-Vibe territory -- hear how the gentle sweep makes a calm, near-static part feel like it is breathing, and notice the minor-to-major-IV Dorian color underneath.
- **A/B test for your ear:** put on any of these, then a true analog *chorus* track from the early 1980s. The chorus detunes (you hear two slightly out-of-tune guitars); the vibe sweeps notches (you hear one guitar rotating in space). Once you can tell them apart, you understand the whole chapter.

The Big Muff and the Wall of Sustain

A SINGLE NOTE HANGS IN THE AIR OVER A DARKENED ARENA. IT DOES NOT DECAY the way a guitar note is supposed to decay -- it does not bloom and fade in a second or two like a string left to its own devices. Instead it swells, thickens, takes on the throat-tone of a cello bowed by a giant, and simply refuses to die. It sings for four seconds, five, six, longer than any human breath, and somewhere in the third second a guitarist leans into the neck and shakes it, and the note shivers like a held vibrato on a violin. That sound -- liquid, vocal, enormous, sustaining past all reason -- is the sound of a small green or black box with a knob marked SUSTAIN turned most of the way up. It is the sound of the **Big Muff Pi**, and once you have heard it you hear it everywhere: in the soaring leads that float over Pink Floyd's slow blues, in the avalanching guitars of early-nineties alternative rock, in the gnarled garage stomp of the 2000s. It is one of the most recorded distortion sounds in the history of the electric guitar, and it came out of a loft in New York City.

| The Loft on 23rd Street

In the late 1960s, **Mike Matthews** was a young engineer and musician moonlighting at IBM who had already produced one small hit pedal -- a clean boost called the **LPB-1** (Linear Power Booster) that slammed the front end of an amp harder to wring out more natural overdrive. Matthews had a knack for the cheap and the clever, for taking a few transistors and resistors and turning them into something a guitarist would lust after. In 1969 he founded **Electro-Harmonix** in Manhattan, and the company's defining product arrived almost immediately. Working with the engineer Bob Myer, Matthews designed a fuzz that did not sound like the spitty, gated, dying-battery fuzz of the early sixties. He wanted thickness. He wanted a tone that did not buzz off into nothing the instant you stopped picking but instead held on and sang.

The result, released around 1969, was the Big Muff Pi -- "Pi" for the mathematical symbol Matthews liked the look of, and "Muff" a bit of bawdy late-sixties humor that the company never bothered to disown. (Whether it referred to the soft, muffled smoothness of the distortion or something more juvenile is, like much of the era, left to the imagination.) It cost a fraction of a Marshall stack and gave a player something a Marshall could not: violin-like sustain at any volume, from a bedroom to the Fillmore East, which sat just a few blocks from Matthews' operation. The legend --

repeated often, hard to fully verify -- holds that Jimi Hendrix bought early Electro-Harmonix units and that Matthews briefly had Hendrix's ear. Hendrix died in 1970, so any Big Muff in his rig would have been among the very first made; treat the connection as plausible lore rather than documented fact. What is certain is that the pedal landed in the right city at the right moment, as the electric guitar was learning to roar.

| How the Muff Makes Its Wall

To understand why a Big Muff sounds so unlike a **Fuzz Face** or a **Tube Screamer**, you have to look at its architecture, because the circuit topology is the tone. Most fuzz boxes of the sixties used one or two transistor gain stages and clipped the signal once. The Big Muff is greedier. At its heart sits a cascade of **four transistor gain stages**: an input buffer, two back-to-back **clipping stages**, and an output recovery stage. The two middle stages each have a pair of diodes wired across them in opposition, and those diodes are the executioners. When the guitar signal swings past the small forward voltage of the diodes (a few tenths of a volt), the diodes conduct and shunt the peaks to ground, slicing the top and bottom off the waveform. Do that once and you get fuzz. Do it twice, in series, with gentle filtering in between, and you get something far smoother and denser -- a waveform hammered so close to a square wave that it is saturated with harmonics yet rounded at the shoulders, so the result reads to the ear as *thick* rather than *raspy*.

This cascaded, symmetrical **diode clipping** is the source of the Muff's defining trait: nearly infinite sustain. Because the signal is amplified so hard and then clipped so aggressively, even the faint, dying tail of a plucked string gets boosted back up above the clipping threshold and squared off again. A note that would normally fade in two seconds keeps feeding the clippers with enough level to stay distorted, so it holds its character far longer than physics would otherwise allow. The decay curve is flattened; the note becomes a sustained tone with a defined pitch rather than a quick transient that rots into noise. This is why it is so often compared to a bowed string or a singing voice. The pick attack is softened -- the Muff is not a percussive, spiky distortion -- and what remains is body and tail.

The second defining trait is what happens in the **tone control**, and here the Muff commits its famous, glorious crime. Between the clipping section and the output stage sits a passive tone network built around a single knob, and that network is a **midrange scoop**. Rather than a simple treble cut like most pedals, the Big Muff's tone stack blends a low-pass filtered signal (bass) against a high-pass filtered signal (treble) and, crucially, sucks out the band in the middle -- roughly the **500 Hz to 1 kHz** region where the human ear is most sensitive and where a guitar normally lives in a band mix. Turn the tone knob fully one way and you favor the dark, woofy lows; turn it the other and you get

glassy, fizzy highs; leave it in the middle and you get the deepest scoop of all, a tone shaped like a smile on a graphic EQ, fat on the bottom, bright on top, hollow in the heart.

That scoop is why a Big Muff sounds so colossal soloed up in your bedroom -- all that bass and sparkle, no honky midrange poking you in the ear. It is also, as we will see, the source of the pedal's one great practical problem, and the reason players have spent fifty years learning to tame it.

I A Lineage Written in Circuit Boards

Because Electro-Harmonix was a scrappy operation buying whatever transistors were cheap and available, the Big Muff was never one fixed circuit. It mutated constantly, and collectors have spent decades cataloguing the variants by the layout of their knobs and the silkscreen on their boards. The differences are real, audible, and the stuff of holy war.

The earliest production units, from around 1969 to 1970, are the **Triangle** Muffs, named for the triangular arrangement of their three knobs (Volume, Tone, Sustain). They tend to be the cleanest and most open-sounding of the family, with a relatively scooped but articulate voice and slightly less compression than what came later. Around 1973 came the **Ram's Head** -- named for a tiny ram's-head graphic on the board -- with the knobs in a row. Ram's Heads are the versions most associated with the smooth, vocal, mid-2000s reissue ideal of "the" classic Muff tone; many players consider the Ram's Head the holy grail for liquid lead work, darker and more compressed than the Triangle. Through the mid and late 1970s the circuit kept drifting through countless small component changes -- no two batches quite alike.

Then, around 1978, Electro-Harmonix did something genuinely different. To cut cost and noise they released a version built around an **op-amp** (integrated-circuit) gain stage instead of the all-transistor cascade -- the so-called "**V4**" or **op-amp Big Muff**, sometimes housed in a box that also offered a tone-bypass switch. It sounds noticeably different from the transistor units: harder, brighter, more aggressive, with a more pronounced scoop and a slightly synthetic edge. For years it was the unloved stepchild of the lineage -- until a certain Seattle band made it one of the most famous distortion sounds of the 1990s, at which point its reputation reversed entirely.

Electro-Harmonix went bankrupt around 1981 amid business and labor troubles, and the Big Muff briefly went dark. But Matthews, ever resourceful, reestablished manufacturing through the 1980s and into the 1990s in the most unlikely place imaginable: the Soviet Union, and then post-Soviet Russia, where he had connections to a factory making vacuum tubes. Out of that arrangement came the **Sovtek** Big Muffs, ruggedly built in plain enameled boxes, and two in particular became legends. The earliest Russian units of the early 1990s, often in a black-and-red enclosure, are nicknamed the "**Civil War**" Muff (for their grey-and-blue or military coloring, depending on who is telling it). They

are prized as some of the smoothest, most singing Muffs ever made, slightly less scooped and more midrange-present than the American versions, which made them sit better in a band. A bit later came the famously chunky "**Green Russian**" -- a dark olive-green tank of a pedal -- thicker and bassier still, beloved by doom and stoner-rock players for its enormous low end and slightly furry texture. The Civil War and Green Russian have become so coveted that Electro-Harmonix and countless boutique builders now reissue them by name.

The thread through all of this: there is no single Big Muff tone. There is a *family resemblance* -- the cascaded clipping, the sustain, the scoop -- expressed through a dozen dialects, from the open Triangle to the brutal op-amp to the velvety Civil War to the subterranean Green Russian.

| The Sound in Words

Dial a Big Muff to noon on all three knobs and play a single note high on the neck, and the first thing you notice is how the pick attack vanishes into the tone. There is no click, no snap -- the note simply *arrives*, fully formed and round, like a word sung rather than spat. Underneath it sits a thick column of low-mid and bass, a furred warmth around 100 to 250 Hz that gives single notes the body of a chord. Up top there is a fine, fizzing halo of high harmonics, the saturated overtones of all that clipping, sizzling somewhere above 3 kHz like the hiss of a struck match held near the note. And in between, where a clean guitar would have its woody, nasal honk, there is a hollow -- the scoop -- so the tone feels carved out in the center, wide and cinematic.

Sustain a note and it *blooms*: the level holds, the harmonics shift and shimmer, and if you are loud enough the note begins to interact with the room and the amp and tips over into feedback, a higher harmonic swelling up to replace the fundamental. Hit a power chord and the wall goes up -- a slab of saturated sound so dense it stops sounding like distinct strings and starts sounding like a single massive event, all low-end thunder and top-end spray. The Muff does not do polite. It does not do subtle dynamic touch the way a cranked tube amp does; roll your guitar volume down and a Muff tends to get quieter and a little thinner rather than cleaning up gracefully, because the clipping is happening at fixed diode thresholds inside the box, not in soft tubes responding to your hands. What it does, peerlessly, is *enormity* and *endurance*.

| David Gilmour and the Singing Lead

If the Big Muff has a patron saint of the lead line, it is **David Gilmour** of Pink Floyd. Gilmour's solos are some of the most singable in rock precisely because the notes last long enough to be sung -- and

the Muff is what made them last. Through the 1970s Gilmour used Big Muffs (a Ram's Head among them, by most accounts) often stacked into a clean, loud amp and sweetened with delay and a touch of the **Electro-Harmonix Electric Mistress** flanger. The result is the creamy, weeping lead tone that defines the back half of "Dogs," the slow climbs of "Time," and the desolate solos of *The Wall* (1979).

Listen to the closing solo of "**Comfortably Numb**" from *The Wall*. The notes do not flicker and die; they swell up out of the mix and hang, each one given room to be bent into place and then vibrated. That is the Muff's flattened decay at work, giving Gilmour the canvas to phrase like a vocalist -- to land on a note, hold it, and shake it with a slow, wide vibrato that no short-sustaining tone could support. Gilmour famously plays *behind* the beat and leaves silence between phrases, and the long sustain lets a single held note fill that silence so the guitar seems to be answering itself.

A key bit of theory lives in those solos. Gilmour leans heavily on the **minor pentatonic scale** -- the five-note scale (root, flat-3rd, 4th, 5th, flat-7th) that is the backbone of blues and rock lead playing -- but he targets **chord tones**, the specific notes (root, 3rd, 5th) of whatever chord is sounding underneath, and lets the sustain hold them so the harmony rings clear. Sustaining the **3rd of the chord**, in particular, is what makes a held note sound sweet and resolved rather than merely loud. Here is an illustrative phrase in that spirit.

Slow, ~63 BPM, rubato; let each note ring its full value, with wide vibrato on the held notes.

TAB

```
e|-----|
B|-----15b17~~~~~15--13-----|
G|--14b16-----14-----14~~~~~|
D|-----|
A|-----|
E|-----|
```

Figure 20.1 -- A soaring sustained lead in the Gilmour mold. Sustain near max, Tone just past noon, into a clean loud amp with a quarter-note delay. The **b** is a full-step bend; hold the bent note dead still for a beat before adding slow, wide vibrato (~~~) so it "sings."

| Smashing Pumpkins and the Stacked Wall

If Gilmour found the Muff's voice, **Billy Corgan** of the **Smashing Pumpkins** found its mass. The 1993 album *Siamese Dream*, produced by Butch Vig, is one of the most extreme exercises in guitar

overdubbing ever committed to tape -- songs like "Cherub Rock," "Quiet," and "Hummer" feature dozens of layered guitar tracks built into a single monolithic wall of fuzz. The engine of that wall was the op-amp Big Muff (the once-unloved V4-era circuit), often run into a clean, powerful amp and multiplied through endless overdubs, sometimes with the pedal stacked with other dirt.

What makes the *Siamese Dream* wall work is partly the scoop and partly its opposite. A single scooped Muff is wide but vague; stack many of them, slightly detuned and panned hard left and right, and the scoops fill each other in, the way many slightly different voices form a choir thicker than any single shout. Corgan also famously micromanaged the layering so that the wall had both crushing lows and biting highs -- the smile curve of the Muff multiplied into something seismic. The riffs themselves often lean on **power chords** (the bare root-and-5th two- or three-note "chord," neither major nor minor, that is the structural unit of hard rock), which is exactly the right material for the Muff: power chords have no 3rd to get muddled by all that distortion, so they stay clear and punishing even under a hurricane of fuzz.

Medium-heavy, ~100 BPM, palm-muted chugs opening into ringing chords; feel the lows.




Figure 20.2 -- A scooped wall-of-power-chords figure. Tone at noon for maximum scoop, Sustain high. Palm-mute (PM) the repeated chugs so the bass tightens, then let the open and barred chords ring full and let the scoop make them sound three feet wide. Track it twice, panned hard left and right, for the *Siamese Dream* effect.

J Mascis, Jack White, and the Scoop-vs-Cut Problem

J Mascis of *Dinosaur Jr.* took the Muff in the opposite direction from Corgan's studied layering: live and raw, through a wall of Marshall stacks at punishing volume, with multiple Big Muffs on his board chained together. On records like *Bug* (1988) and *Where You Been* (1993), and in his blistering

live solos, Mascis uses the Muff for both grinding rhythm and long, melodic, country-tinged leads that ride on top of the noise. He is a useful illustration of stacking: Mascis often runs more than one fuzz, kicking in a second to push the first into even more saturation and sustain for solos, so the lead lifts above the rhythm wall not by getting louder alone but by getting *denser and longer-sustaining*.

Jack White -- of the **White Stripes**, and later the Raconteurs and his solo work -- built much of his signature snarl on a Big Muff, most famously a Russian-era unit. The riff to "**Seven Nation Army**" (from 2003's *Elephant*) is the obvious case: that octave-doubled, descending figure played through a Big Muff (with the help of a **DigiTech Whammy** set an octave down to fake a bass) is one of the most recognizable guitar sounds of the century, a chant heard in stadiums worldwide. White exploits the Muff's *thickness* to make a duo sound like a much bigger band -- one guitar carrying both the low-end weight and the cutting fuzz at once.

White's use points straight at the Muff's central practical dilemma: **the scoop-vs-cut tradeoff**. The very midrange the Big Muff scoops out -- that 500 Hz-to-1 kHz band -- is precisely the frequency range where the guitar competes with the human voice, the snare, and the bass for space in a band mix. A scooped Muff that sounds gigantic alone can vanish completely the instant a drummer and bassist start up, swallowed by the very hole in its own response. This is why so many Muff players, when they need to be heard, either run the tone knob brighter (sacrificing some warmth to claw back presence) or, more cleverly, **stack the Muff with a mid-rich pedal** -- typically a Tube Screamer-style overdrive, which has a pronounced *midrange hump* exactly where the Muff has a hole. Placed before the Muff, such a pedal pushes a mid-forward signal into the fuzz and partially fills the scoop, so the wall keeps its size but regains the midrange poke that lets it cut through. The combination -- a mid-bump overdrive into a scooped fuzz -- is one of the foundational tricks of modern rig-building, and it exists because of exactly the problem the Big Muff created.

There is real theory in why the sustain matters so much for these players. A long-sustaining note lets a guitarist phrase like a singer -- in long, breathing **vocal phrases** rather than busy strings of notes -- and it makes **wide vibrato** possible, because you cannot apply a slow, deep vibrato to a note that has already died. Vibrato is a controlled, repeated bending of the pitch, and its expressive width and speed are part of a player's signature; Gilmour's is slow and operatic, B.B. King's is fast and fluttering. The Muff hands you a note that lasts long enough to shape. It also enables **controlled feedback**, the holy grail of expressive electric playing: hold a sustained note loud enough near the amp and the speaker's energy feeds back into the strings, the fundamental gives way to a higher harmonic (often the octave or twelfth above), and the note seems to climb on its own. Here is a phrase built to do exactly that.

Free time, loud; let the note find the room and lift into feedback.

TAB

```
e|-----|
B|-----|
G|--12b14~~~~~(16)-----|
D|-----|
A|-----|
E|-----|
```

Figure 20.3 -- *A sustained note blooming into controlled feedback.* Sustain maxed, facing the amp. Bend up a full step, hold with vibrato, and let the fundamental give way -- the (16) in parentheses is not picked; it is the higher harmonic the note climbs to as feedback takes over. Move closer to or farther from the speaker to coax which harmonic blooms.

| The Wall and the Knife

The Big Muff endures because it offers two opposite gifts from the same three knobs. Turn it up and play one note, and it gives you the singing knife -- a vocal, sustaining, infinitely expressive lead voice that floats above everything and bends to your vibrato like a held breath. Turn it up and play chords, and it gives you the wall -- a scooped, cinematic slab of sound that can make one guitar feel like an orchestra of distortion. Learning the pedal is largely learning to navigate between those two identities and, when the band kicks in, learning to put back the midrange the Muff so gleefully tears out. Fifty years and a hundred circuit variations later, that little box -- triangle or ram's head, op-amp or Civil War or olive-green Russian tank -- is still doing what Mike Matthews built it to do in a Manhattan loft: making a guitar note refuse to die.

LISTEN FOR

• LISTEN FOR

- **Pink Floyd, "Comfortably Numb"** (*The Wall*, 1979): the closing solo -- hear how each note swells and *holds* before Gilmour adds his slow, wide vibrato. That endless decay is the Muff's flattened sustain; the creamy, mid-scooped voice is a Ram's Head into a clean, loud amp with delay.
- **The Smashing Pumpkins, "Cherub Rock"** (*Siamese Dream*, 1993): listen for the sheer *width* and density of the rhythm guitars -- dozens of stacked op-amp Big Muff tracks panned hard L/R, the scoops filling each other into a single seismic wall under the power chords.
- **The White Stripes, "Seven Nation Army"** (*Elephant*, 2003): the main riff -- a Big Muff doing the work of an entire band, thick and snarling, using the pedal's mass to make a two-piece sound enormous.
- **Dinosaur Jr., "Feel the Pain"** (*Without a Sound*, 1994) and the leads on *Where You Been*: hear J Mascis stack fuzz for soaring, country-inflected solos that ride *on top of* a roaring Marshall wall -- the sound of one Muff pushed by another.
- **Bonus listening across the lineage:** compare any Green Russian-style doom riff (subterranean, furry low end) against an early Triangle-style lead (open, articulate) to hear how far one circuit family can travel.

MXR, the Phase 90, and the Pedal Goes Mainstream

THE OPENING SECONDS OF "ERUPTION" ARE NOT THE TAPPING. BEFORE EDDIE VAN Halen's right hand ever touches the neck, before the dive-bombs and the cascading sextuplets, there is a sound that hangs in the air like heat shimmer off a Pasadena driveway — a thick, sweeping, vaguely seasick wobble that makes the whole guitar feel like it is breathing. That motion, that liquid swirl riding underneath the gain, came out of a small orange box roughly the size of a bar of soap, with exactly one knob on its face and a single word silk-screened across the top in a flowing cursive script: *Phase 90*. It cost a working musician about sixty dollars in 1975. It had no battery door you had to fight, no fragile chrome, no fiddly array of controls to get wrong under stage lights. You stepped on it and your tone came alive. That box, and the little Rochester company that built it, did as much as any single product to drag the effects pedal out of the experimental fringe and into the hands of every guitarist in America.

| From the Basement Bench to the Music Store Wall

For most of the 1960s, an "effect" was a luxury, a curiosity, or a studio trick. The fuzz boxes and treble boosters that had electrified British blues were often hand-wired in small batches, temperamental, and inconsistent from unit to unit — two examples of the same model could sound noticeably different depending on the particular transistors that happened to fall out of the parts bin that week. Modulation effects, the swirling and shimmering sounds, were even more exotic. The vibrato and tremolo built into amplifiers were one thing, but the genuinely psychedelic textures of late-sixties records — the underwater *whoosh* on the Small Faces' "Itchycoo Park," the rotary churn that the Beatles chased — typically came from expensive rack units, from running a tape machine in unusual ways, or from a spinning Leslie speaker cabinet the size of a refrigerator. None of that fit in a gig bag. None of it was something a teenager could buy with a summer's lawn-mowing money.

MXR Innovations changed the arithmetic. The company was founded in Rochester, New York, in 1972 by Keith Barr and Terry Sherwood, two young electronics enthusiasts who had been repairing and modifying gear and who understood something that the boutique builders of the era had not fully internalized: that the future of effects lay in standardization, ruggedness, and simplicity. The story

commonly told is that the pair started out of a storefront repair operation and that the name "MXR" was essentially a graphic flourish, a set of letters chosen because they looked good stamped on a faceplate rather than standing for anything in particular. Whether or not every detail of the origin lore is precise — and like most gear history, some of it has been smoothed and burnished in the retelling — the product philosophy that emerged is beyond dispute and visible in every unit they made.

The MXR template was a small, die-cast aluminum box with a heavy, satisfying enclosure that could survive being kicked across a stage and stuffed into a truck. The graphics were bold and legible: a solid field of color, a script logo, and as few controls as the circuit could possibly justify. The Phase 90 had one knob. The **Dyna Comp** compressor had two. The **Distortion+** had two. This was a radical act of editing. Where a lesser designer might have festooned a phaser with depth, rate, resonance, and waveform controls, MXR asked what a working player actually needed to *do* with the thing on a dark stage between songs, and the answer was: turn it on, and maybe make it go faster or slower. Everything else was decided for you, and decided well. The factory voicing was the product.

Color-coding the line was a small stroke of marketing genius that doubled as ergonomics. The Phase 90 was orange. The **Phase 45** was a smaller, gentler two-stage phaser in a sandy tan. The Dyna Comp was a deep red, the Distortion+ a bright golden yellow, the **Blue Box** a blue, the **Flanger** a battleship gray. Hung on the pegboard wall of a music store, the MXR display looked less like a row of mysterious gadgets and more like a set of crayons — approachable, collectible, and clearly part of a family. A kid who saved up for the orange one knew there was a red one and a yellow one waiting. The pedalboard as a personal, expandable collection of single-purpose tools — the entire conceptual architecture that the effects industry still runs on half a century later — crystallized here.

| The Phase 90 and the Physics of the Swirl

To understand why the Phase 90 sounds the way it does, you have to set aside the word "phase" as it is loosely used in conversation and look at what the circuit is actually doing to the signal. A phaser is, at heart, a **swept notch filter**. The pedal splits your guitar signal into two paths. One path stays untouched — the "dry" signal. The other path is sent through a chain of circuit stages called **all-pass filters**. An all-pass filter has a peculiar and counterintuitive property: it does not change the *volume* of any frequency, so on its own it sounds like nothing at all. What it changes is the *timing* — the phase — of different frequencies by different amounts, delaying the highs and lows by different fractions of a cycle.

By itself, a shifted signal you cannot hear is useless. The magic happens when you recombine that phase-shifted path with the original dry signal. At certain frequencies, the two copies will be exactly

out of step — one wave pushing up while its twin pushes down — and at those frequencies they cancel, carving a deep **notch** of silence out of the spectrum. At other frequencies they reinforce each other and get louder. The result is a series of peaks and notches across the frequency range, a pattern engineers call a **comb filter** because, graphed out, it looks like the teeth of a comb. The Phase 90 uses four all-pass stages, which produces two of those notches. The Phase 45, with two stages, produces one, which is why it sounds milder and more transparent.

Here is the part that makes it musical rather than merely tonal: a low-frequency oscillator, an **LFO**, slowly sweeps the all-pass stages back and forth, dragging those notches up and down through the frequency spectrum in a smooth, continuous cycle. That single knob on the Phase 90 sets the speed of that sweep. As the notches glide upward past the harmonics in your signal and then slide back down, different overtones get scooped out and restored in turn, and your ear perceives this as motion — a swelling, rolling, three-dimensional animation of a sound that would otherwise sit flat. Crank the knob and the swirl becomes a frantic, propeller-blade wobble; back it off and you get a slow, oceanic rise and fall that you feel more than you notice.

It is worth drawing a hard line here between phasing and **chorus**, because players constantly confuse them and they are mechanically different animals. A phaser does *not* change the pitch of your signal. It filters it — it adds and subtracts frequencies that are already present. A chorus, by contrast, takes a copy of your signal, delays it by a few milliseconds, and then continuously varies that delay time, which by the physics of a stretching and compressing waveform produces a slight, wavering *pitch* shift — the Doppler-style detuning of a second voice drifting in and out of tune with the first. Chorus says "two guitars." Phaser says "one guitar, but the room around it is moving." That distinction is everything when you are choosing which one a part wants. A phaser thickens and energizes a single line without smearing its tuning; that is precisely why it married so well to high-gain rock, where pitch-shimmer would have muddled the attack.

The deepest piece of Phase 90 lore — and it is genuine lore, debated to this day in forums and among boutique builders — concerns the difference between the early "**script logo**" units of the mid-1970s, with that flowing cursive nameplate, and the later "**block logo**" versions with squared-off capital lettering. Players widely insist the script version sounds subtly different: a touch warmer, a little less aggressive, with a less pronounced volume bump as the sweep passes through. There is a plausible technical basis for the claim. The earliest circuits are commonly described as lacking a feedback (resonance) path and using particular matched components, and small revisions to the resistor network and to whether a portion of the output is fed back into the filter chain will measurably change the depth of the notches and the perceived volume swell. So the difference is not pure mythology. But how *audible* it is in a band mix, through a cranked amp, under a layer of gain, is exactly the kind of thing that gets wildly overstated by the collector market, where the rare early units fetch a premi-

um and there is money and ego invested in hearing a difference. Reissues have been offered in both flavors precisely because the debate never died. The honest position is this: the variation is real on a test bench and at the margins; whether you or your audience could reliably pick it out in a blind listening is far less certain, and anyone who tells you the script version is categorically, obviously better is selling something.

| What It Does to a Riff

Plug a clean Stratocaster into a Phase 90, set the rate slow, and play nothing but a held open chord, and you will hear the effect's signature immediately: the chord seems to inhale and exhale, the high overtones rising up out of the body of the sound and then sinking back, a gentle rotary motion with none of the chop of a tremolo and none of the detuned blur of a chorus. It is a *clean* effect in the sense that it does not dirty or compress the tone; it simply sets it in motion. Now feed it a distorted signal, and the character changes entirely. Against gain, those moving notches interact with the dense thicket of harmonics that distortion generates, and the swirl becomes muscular and vocal — the "jet engine taxiing" quality, a sense of mass and rotation that gives a power chord weight and a single-note line a throaty, talking presence.

The first illustrative example is an open-string rock riff in the style that the Phase 90 was practically built to animate — the kind of low, chugging, open-A-anchored figure where the pedal turns a static pattern into something that churns and rotates.

TAB

Moderate hard-rock feel, ~132 bpm. Phase 90 rate slow-to-medium, into a cranked amp.

e|-----|-----|

B|-----|-----|

G|-----2-----2-----|

D|-----2-----2-----2-----2-----2-----2-----2-----|

A|--0-0--0-0-0--0--0--0--0--0--0--0--0--0--0--0--0--0--0--0--|

E|-----|-----|

P.M.-----|P.M.-----|

An open-A pedal rock riff. The open A pedal keeps the harmonic content dense and constant, so the slow notch sweep glides over those steady overtones and the riff seems to rotate even though the notes repeat. Dial the rate just fast enough that one full sweep spans about two bars — you should feel the swirl crest, not hear it flutter.

The second example moves to clean territory, where phasing reveals its other personality. This is a fingerpicked arpeggio built on an **add9** voicing — a major chord with the ninth (the second scale de-

gree, raised an octave) added in, which gives a shimmering, suspended, open-air quality because the ninth sits a step above the root and gently rubs against it without resolving. Add9 chords are catnip for phasers: the extra high voice gives the sweep more overtone material to play with, and the result glistens.

TAB

Slow, spacious, ~76 bpm. Bridge-position single coil, amp clean, Phase 90 rate very slow.

```
e|---0-----0-----0-----0---|---0-----0-----0-----0---|
B|---3-----3-----3-----3---|---0-----0-----0-----0---|
G|---2-----2-----2-----2---|---2-----2-----2-----2---|
D|-----|-----|-----|-----|
A|--0-----0-----|---3-----3-----|
E|-----|-----|-----|-----|
```

A fingerpicked add9 arpeggio: an Aadd9 moving to a Cadd9-style shape. Let every note ring into the next so the chords overlap. With the rate this slow, a single notch sweep takes several seconds to climb — the arpeggio appears to drift through the room rather than sit in front of you. This is the "underwater clean" that defined so many late-70s ballad intros.

| Eddie Van Halen and the Orange Box

When *Van Halen* arrived in 1978, it did not so much introduce a new guitar sound as detonate one. Eddie Van Halen had reverse-engineered the entire vocabulary of electric guitar in his parents' house, and a great deal of what made his tone feel three-dimensional and *alive* on that debut record traces directly to MXR boxes sitting in the signal chain. The **Phase 90** is the most famous. On "Eruption," that unaccompanied guitar showpiece, the swirl is woven through the legato runs and the tapping section, fattening the single-note lines and adding the rotary motion that keeps the piece from ever sounding static or thin. On "Atomic Punk," the phaser is even more overt — the song opens with a scraping, swirling texture built from palm-muted, heavily phased picking that has a percussive, almost mechanical churn to it, the notches sweeping fast against tightly controlled gain.

Eddie's chain in this era is the subject of endless fascination, and the broad strokes are reasonably well documented even where the fine details remain contested. He played his homemade "Frankenstein" guitar — a single humbucker wired straight to a single volume knob — into a Marshall Super Lead, with the MXR Phase 90 and an **MXR Flanger** providing the modulation. The flanger, MXR's gray box, is a close cousin of the phaser but built on actual short delay rather than all-pass filtering, which gives it a more dramatic, metallic, jet-whoosh sweep with a hollow ringing resonance the

phaser lacks. You can hear the flanger's more extreme, hollow sweep on tracks like "And the Cradle Will Rock..." and across the early catalog where the modulation feels deeper and more pronounced than the Phase 90's subtler roll. Players spend lifetimes chasing the rest of the rig — the so-called "brown sound" — and that pursuit has generated as much myth as the Phase 90 logos. The persistent claim that Eddie ran his Marshall off a **Variac**, a variable transformer, to dial the wall voltage down and tease a particular saturated warmth out of the tubes is widely repeated, sometimes by Eddie himself in interviews, and just as widely disputed as to what it actually accomplished and how central it really was. Treat it as colorful, partially corroborated lore rather than a settled recipe; the larger truth is that no single box or trick made that sound, and the Phase 90 was one essential color on a very deliberate palette.

The musical lesson in Eddie's phaser use is restraint disguised as flash. He did not leave it on constantly, and when it was on, the rate was usually set to a musical, breathing speed rather than a sea-sick wobble. The phaser served the *line* — it gave his pentatonic flurries a vocal, animated quality so that even a rapid descending **A minor pentatonic** run (the five-note scale of A-C-D-E-G that is the bedrock of rock lead playing) felt like it was being *sung* through a moving filter rather than merely picked. The third example is an EVH-flavored legato lick that depends on that interaction: hammer-ons and pull-offs keep the notes connected and sustaining, giving the slow phaser sweep a continuous body of sound to wash over.

TAB

Brisk, fluid, ~144 bpm. High gain, neck-ish humbucker, Phase 90 rate medium.

```
e|-----|
B|-----|
G|--7h9p7-----7h9p7-----7h9p7-----7h9p7-----|
D|-----9-7-----9-7-----9-7-----9-7~-----|
A|-----|
E|-----|
h = hammer-on    p = pull-off    ~ = vibrato
```

An A-minor-pentatonic legato figure: pick only the first note of each group and let the hammer-ons and pull-offs carry the rest, so the line stays seamless. The unbroken sustain is what lets the phaser's notch sweep "breathe" across the phrase — end on the vibrato and you'll feel the swirl crest right as the note blooms.

| The Dyna Comp: The Squeeze Heard on a Thousand Records

If the Phase 90 was MXR's most glamorous box, the Dyna Comp may have been its most quietly influential. A **compressor** does something far less obvious than a phaser, and that subtlety is exactly the point. It is an automatic volume control: it listens to your signal, turns down the loud parts, and lets the quiet parts come up, squeezing the dynamic range into a narrower, more even band. The two-knob Dyna Comp — output level and sensitivity — did this with a particular character that became a sound unto itself. It fattened the attack of a note, sustained the decay so single notes hung longer, evened out the picking-hand inconsistencies that plague every player, and added a faint, signature *breathing* as the circuit recovered between notes.

That voicing made it a foundational tool in two genres that prize clean, articulate, percussive playing. In **country and chicken-pickin'** styles, the Dyna Comp's squeeze gives every popped and snapped note a uniform pop and a glassy sustain — it is a huge part of why Telecaster country leads have that springy, rubber-band snap where each note seems to leap out at exactly the same volume. In **funk**, it tightens a clean rhythm part into a percussive, even chank, taming the dynamic spikes of aggressive sixteenth-note strumming so the groove sits like a drum part. The compression sacrifices some natural dynamic expression — that is the trade — but in exchange it delivers consistency, sustain, and that addictive squeezed *pop*.

The fourth example is a Dyna-Comp-squashed double-stop lick in a country-funk vein. A **double stop** is simply two notes played at once — here, pairs of notes a sixth and a third apart that slide and snap against the beat. Compression is what welds these into a single percussive event.

TAB

Snappy, in the pocket, ~104 bpm with a 16th-note feel. Bridge single coil, Dyna Comp on hard, slight bend on the slide

```
e|-----|
B|--8b9r8--5-----5h6----3-----|
G|--7-----5-----5---5-----4--|
D|-----|
A|-----|
E|-----|
b = bend   r = release   h = hammer-on
```

Treble-string double stops with a quick bend-and-release, a hammered sixth, and a snapped single note. Pick hard with the fingers and let the Dyna Comp do the leveling — it pops every note to the same height and adds the glassy sustain that makes a Telecaster sound like it's grinning. Set sensitivity high enough to hear the gentle "breathe" as it recovers between phrases.

| The Distortion+ and the Democratization of Dirt

The third pillar of the early MXR line, the yellow **Distortion+**, deserves its place in this story because it solved a different problem with the same philosophy. By the mid-seventies, plenty of players wanted overdrive and distortion but could not, for reasons of volume ordinance, neighbors, or venue size, crank a tube amp to the threshold where it produced gain naturally. The Distortion+ used a hard-clipping circuit built around an op-amp and a pair of germanium diodes to generate a soft, slightly compressed, midrange-forward dirt at any volume. It was not a high-gain monster by modern standards — it was warm, slightly fuzzy, and a little soft around the edges — but it was reliable, affordable, and consistent, and it put usable distortion on a pedalboard for the price of a few albums. Crucially, it became a building block: players learned to stack it into an already-driven amp to push the front end harder, an approach that would define rock and metal rhythm tone for decades. The Distortion+ proved that the MXR formula — rugged box, minimal controls, a single strong factory voicing — worked for dirt as well as it worked for modulation.

| Jimmy Page, the Studio, and the Phaser as Texture

Where Eddie Van Halen used MXR boxes as live, hands-on performance tools, **Jimmy Page** exemplified the other great use of phasing: as a studio textural device, a way of distinguishing one guitar layer from another in a dense arrangement. Page was, above all, an arranger of guitars — a producer who thought in terms of stacking and contrasting tones — and phasing gave him a way to make a part *swim* in a mix without changing what was being played. The swirling, otherworldly guitar textures across the later Led Zeppelin catalog frequently lean on phase and flange effects to set a particular layer apart, to give a clean part an unsettled, moving quality, or to add a sense of width and motion to an overdub buried under other tracks. The technique is the studio analog of what Eddie did on stage: take a static recorded part and animate it, so that even a sustained chord or a simple figure has internal life and refuses to sit flat against the other instruments. It is a reminder that the value of a phaser is not always the dramatic *whoosh*; often it is the barely-perceptible motion that keeps a track from sounding dead — the difference between a photograph and a slow pan across a landscape.

That principle scales down to your own playing in a way worth internalizing. A phaser does not have to announce itself. Set very subtly, with a slow rate and the effect almost more felt than heard, it can rescue a part that sounds lifeless — a clean strummed verse, a held drone, a repeated arpeggio — by introducing the faint, organic movement that the ear reads as *aliveness*. The same circuit that produces a flagrant psychedelic swirl, backed off and tucked under, becomes invisible glue.

Understanding both extremes — the obvious and the subliminal — is the difference between owning a phaser and actually using one.

| What MXR Left Behind

By the late 1970s the MXR formula had been so thoroughly validated by the market that it became the default. The compact, color-coded, minimal-control stompbox was no longer one approach among many; it was simply what a pedal *was*. The companies that followed and the ones that compete today all build on assumptions MXR helped establish: that an effect should survive abuse, that it should be cheap enough for a student, that a strong factory voicing beats a thicket of half-useful controls, and that pedals come in families you assemble into a personal board. The orange box on the floor in front of a teenager learning "Eruption" in 1979 was not just an effect. It was the moment the effects pedal stopped being an exotic studio instrument and became a guitarist's birthright.

♪ LISTEN FOR

- **Van Halen, "Eruption"** (*Van Halen*, 1978): the Phase 90 swirling under the legato runs and tapping — listen to how the single-note lines seem to rotate and breathe rather than sit still. The phaser is fattening every note.
- **Van Halen, "Atomic Punk"** (*Van Halen*, 1978): overt, fast phaser on the scraping, palm-muted intro texture — a percussive, almost mechanical churn from the swept notches against tight gain.
- **Van Halen, "And the Cradle Will Rock..."** (*Women and Children First*, 1980): the deeper, more hollow, metallic sweep of the MXR Flanger as distinct from the subtler Phase 90 roll — hear the difference between delay-based flanging and all-pass phasing.
- Any **chicken-pickin' country Telecaster** lead: the Dyna Comp's signature — every popped note leaping out at identical volume with a glassy, extended sustain and a faint breathing recovery between phrases.
- A **slow clean phaser on a sustained chord**: the inhale-and-exhale motion, high overtones rising and sinking, with no pitch wavering — the tell that separates a phaser from a chorus.

The Tube Screamer and the Art of Overdrive




FIGURE 7 *The anatomy of an overdrive stompbox.*

THE ANTONE'S STAGE IN AUSTIN SMELLS LIKE SPILLED LONE STAR AND OLD CIGARETTES, and a man in a flat-brimmed hat is about to teach a green Fender Vibroverb to scream. He stomps on a battered green box the size of a deck of cards, and something happens that nobody can quite see: the amp, already pushed hard, does not get appreciably louder, but it gets *meaner*. The note he bends up — a held, quivering minor third worried into a major third — thickens at the front edge, sustains a half-second longer than it has any right to, and develops a vocal, throaty grain that wraps around the room. He has not added distortion so much as he has *focused* it. The little green box is a 1980s Ibanez stompbox built for a few dozen dollars, and in the hands of Stevie Ray Vaughan it has become the most studied piece of dirt in the history of the electric guitar.

That box is the **Ibanez Tube Screamer**, and the trick it performs — the trick at the heart of this chapter — is one of the most misunderstood and most important ideas in all of electric tone. It is

not, in the way most players first assume, a distortion box. It is a sculptor. To understand why it works, and why it has outlived a thousand flashier pedals, we have to understand what it actually does to a signal, and, just as crucially, what it does *to an amplifier that is already working*.

| A Small Green Box From Japan

The story begins not with Ibanez but with **Maxon**, the Japanese electronics firm (a brand of the Nisshin Onpa company) that actually designed and manufactured the circuit. In the late 1970s the overdrive pedal was a young idea. The first commercially important one was the **Boss OD-1** of 1977, which introduced a clever notion: instead of clipping the signal with diodes placed directly to ground — the brutal, full-throated approach of a fuzz or a distortion box — you could place the clipping diodes *inside the feedback loop* of an op-amp gain stage. This produced a softer, rounder, more amp-like breakup. Maxon took that architecture, refined it, and in 1979 it appeared under the Ibanez name as the **TS808 Tube Screamer**, housed in that now-iconic dull-green enclosure with three knobs: Drive, Tone, and Level.

The heart of the TS808 was a particular op-amp, the **JRC4558D**, a humble dual operational amplifier that cost pennies and was never intended for anything glamorous. Around it sat a pair of silicon diodes in the feedback path and a carefully chosen network of resistors and capacitors that did two quiet, decisive things: they rolled off a good deal of the low end *before* clipping, and they shaped a gentle boost in the midrange. Those two design choices — easy to overlook on a schematic — are the entire personality of the pedal.

In 1982 Ibanez revised the cosmetics and some component values and released the **TS9**. The circuit was nearly identical to the TS808 in the parts that make sound, but the output section used slightly different resistor values that made the TS9 a touch brighter and more aggressive on the top end, with a marginally faster, harder edge to its response. Purists argued for years about which was "better." The honest answer is that they are siblings, not strangers; the TS808 is often described as rounder and warmer, the TS9 as more present and cutting, and both descriptions are defensible. Over the decades the specific op-amp chip became an object of near-religious obsession — the "magic" JRC4558D — and while the chip does have a mild sonic signature, blind-testing and circuit analysis both suggest its contribution is far smaller than the legend insists. The diode clipping and the tone-shaping network do the heavy lifting. This is worth saying plainly, because the Tube Screamer is surrounded by more folklore per square inch than almost any pedal ever made, and a good player learns to separate what the circuit *does* from what the marketing and the message boards *claim*.

| Soft Clipping, and Why It Sounds Like an Amplifier

To hear what the Tube Screamer is doing, we have to talk about clipping — the act of distortion itself — and the difference between doing it *softly* and doing it *hard*.

A clean guitar signal is, more or less, a smooth wave that swings up and down. Distortion happens when you flatten the peaks of that wave — when the signal tries to swing higher than the circuit will allow, and the tops get lopped off. The *shape* of that lopping is everything. **Hard clipping** chops the peaks off abruptly, leaving a nearly square-topped wave with sharp corners. Those sharp corners are mathematically rich in *odd-order harmonics* — overtones at three times, five times, seven times the fundamental frequency — and they sound buzzy, aggressive, and electric. That is the sound of a classic distortion pedal, and of a fuzz pushed to its limit.

Soft clipping rounds the peaks instead of squaring them. The transition from "clean" to "clipped" is gradual, so the wave keeps gentle, curved shoulders. This produces a gentler harmonic spectrum — more low-order content, including more *even-order harmonics* (the octave, the octave-plus-a-fifth), which the ear hears as warm, vocal, and consonant rather than harsh. And here is the crucial connection: a vacuum tube, driven past its clean limit, also clips softly. A cranked tube amplifier does not slam into a wall; it *eases* into compression and distortion, rounding its peaks much as the Tube Screamer's feedback diodes round theirs. That is why this little solid-state box sounds "tube-like" even though it contains no tubes. Its name is, in a sense, a promise about its *behavior*: it makes a signal break up the way a tube does.

A quick word on the **harmonic series**, since it underlies all of this. Pluck a low E string and you do not hear one frequency — you hear a fundamental plus a stack of overtones at whole-number multiples of it: the octave ($2\times$), the octave-plus-fifth ($3\times$), the double octave ($4\times$), and on up. Those overtones, in their particular proportions, are what make a guitar sound like a guitar and not a sine-wave test tone. Distortion is, fundamentally, a machine for *generating new overtones* — for adding harmonics that were not in the original signal. Soft clipping adds them gently and favors the consonant ones; hard clipping adds them aggressively and favors the spiky ones. Everything else is a matter of degree and voicing.

| The Mid-Hump, and the Art of Cutting Through

Now to the second design decision, the one that makes the Tube Screamer not merely a soft-clipper but *the* Tube Screamer. Before the signal hits the clipping stage, the circuit rolls off the low frequencies — bass content below roughly 720 Hz is progressively reduced. After clipping and tone shaping, the response shows a broad emphasis, a gentle hill, centered in the upper midrange, commonly cited

as sitting somewhere around **700 to 800 Hz**. The exact peak shifts with the Tone control and with the rest of your rig, but the character is consistent: thin lows, pushed mids, controlled highs.

Why would anyone *want* less bass and more midrange? Because of where the guitar lives in a band. A mix is a crowded apartment building, and every instrument needs its own floor. The kick drum and bass guitar own the basement — everything below about 200 Hz. Cymbals and air own the penthouse. The electric guitar's home, the place where it speaks with the most authority and the least competition, is precisely that upper-midrange band where the human ear is most sensitive and where few other instruments are shouting. By rolling off lows the guitar might otherwise waste fighting the bass player, and by pushing the mids the guitar most needs to be heard, the Tube Screamer does something almost magical in a live or studio context: it makes the guitar *cut through* without making it louder. The note finds a clear lane and drives straight down it.

This is also why the Tube Screamer can sound disappointing, even nasal, played alone in a bedroom. Solo, that midrange hump is exposed and the missing lows feel like a deficiency. In a band, those same traits become virtues. The pedal was voiced for the battlefield, not the practice room — a lesson that has confused first-time buyers for forty years.

The phrase "**transparent overdrive**" gets attached to the Tube Screamer constantly, and it deserves scrutiny. Transparent is supposed to mean that a pedal adds gain and grit without changing your fundamental tone. By that strict definition the Tube Screamer is *not* transparent at all — it audibly rolls off lows and bumps mids; it has a strong, recognizable fingerprint. (Genuinely transparent designs, like the later Klon-style and "flat-response" overdrives, were in part a *reaction* to exactly this coloration.) What the Tube Screamer *is*, is low-gain and amp-like, so it tends to enhance rather than mask the character of a good tube amp behind it. The transparency, such as it is, comes not from neutrality but from restraint. Call it flattering rather than transparent, and you will be closer to the truth.

| Gain Staging: The Real Secret

Here is the single most important idea in this chapter, the thing that separates players who "get" the Tube Screamer from players who are perpetually disappointed by it. **The Tube Screamer is at its best not as a source of distortion, but as a boost that pushes an amplifier already on the edge of breakup.**

This is the principle of **gain staging** — the recognition that a guitar rig is a *chain* of amplifying stages, each feeding the next, and that distortion is created cumulatively across the whole chain rather than at a single point. Your pickups feed the pedal; the pedal feeds the amp's preamp; the preamp feeds the power amp; the power amp feeds the speaker. Distortion can be introduced, deliber-

ately or accidentally, at any of those stages, and the *order* and *amount* at each stage define your tone far more than any single box.

The classic, canonical Tube Screamer move works like this. Set a tube amp loud enough that it is *just* beginning to break up on its own — the power tubes starting to compress, the preamp starting to grain over, the sweet spot every tube amp has where clean tips into dirty. Now set the Tube Screamer with the Drive low (often quite low, sometimes near zero), the Level high, and the Tone to taste. When you engage the pedal, it sends a hotter, midrange-focused signal into the front of the amp. The amp, already at its threshold, responds by distorting *more* and *harder* — but it is the *amp's* distortion you are hearing, its own tubes and transformer and speaker, simply driven further past the line. The pedal is the gas pedal; the amp is the engine. The grit is the engine's, not the pedal's.

This is why a Tube Screamer in front of a cranked blackface or tweed Fender sounds so glorious and so *organic*: you are not bypassing the amp's voice, you are amplifying it. The mid-hump tightens the focus, the rolled-off lows keep the low strings from getting flubby as the amp compresses, and the modest added gain takes the amp from "edge of breakup" to "singing." Turn the pedal's Drive up high and you can certainly get distortion from the pedal alone — but most of the players who made this box legendary kept the Drive low and let the amp do the talking.

| Texas Flood: Stevie Ray Vaughan

No player is more fused to this pedal in the public imagination than **Stevie Ray Vaughan**. His rig was, by modern standards, almost comically simple in concept and brutally demanding in execution: a Fender Stratocaster strung with famously heavy strings (commonly cited around .013 gauge at the top, sometimes heavier) and tuned down a half step, into a Tube Screamer (he used various versions over the years, including the TS808 and the later TS10), into a wall of cranked Fender amplifiers — Vibroverbs, Super Reverbs, and others, run loud and clean-ish so that the pedal and his ferocious right hand did the pushing.

What you hear on a track like "Pride and Joy" from *Texas Flood* (1983), or the slow-burning "Texas Flood" itself, is the gain-staging principle in its purest form. The amps are loud and largely clean; the Tube Screamer adds just enough grit and midrange focus that every aggressive bend and raked double-stop arrives with vocal sustain and bite. Vaughan was not hiding behind gain. The heavy strings and down-tuning gave him enormous tone and required enormous physical strength, and the pedal's compression and mid-push turned that physical effort into a sound that was simultaneously raw and singing.

Here is an SRV-flavored idea — not a transcription, but a lick built from his vocabulary — over a shuffle in E. The scale at work is the **E minor pentatonic** (E–G–A–B–D) with the flatted fifth (Bb)

borrowed to make the **blues scale**, and a crucial bluesy move: bending the minor third (G) up toward the major third (G#) to sit in the fertile, ambiguous zone between sad and triumphant that defines the blues.

TAB

Medium shuffle, ~110 BPM, swung eighths, dig in hard with the pick

```
e|-----|
B|-----8b(9)r8-----8-----|
G|-----7b(9)~-----9--7--7b(9)~-----7-----|
D|--9-----9b-----9--|
A|-----|
E|-----|
```

SRV-style lead over an E shuffle: bend the G-string minor third (fret 7) up a whole step into the major third and let it quiver with wide vibrato; the Tube Screamer thickens the bend's front edge and adds the vocal sustain. Dial Drive low, Level high, into an amp already breaking up.

The technique to internalize is the **vibrato** — that ~ is not decoration, it is the voice. Vaughan's vibrato was wide, fast, and from the wrist and forearm, shaking the bent note like a blues singer's held vowel. The Tube Screamer's compression makes this far easier to control, because it evens out the volume of the sustained note so the vibrato sings instead of dying.

| The Singing Sustain: Gary Moore

If Vaughan showed what the Tube Screamer could do at the edge of clean, the Irish guitarist **Gary Moore** showed what it could do when you let the amp run hotter and chased pure, vocal sustain. On his landmark blues album *Still Got the Blues* (1990), and especially the aching title track, Moore's lead tone is a master class in violin-like sustain — notes that bloom, hang, and seem to refuse to decay. Moore was associated over his career with overdrive pedals in front of cranked amps (he was a long-time user of Marshall and Soldano amplification, among others, and overdrive boxes including Tube Screamer-type circuits), and the recipe is the familiar one taken further up the gain ladder: a hot amp, a low-gain boost in front to push it harder and tighten the lows, and a player with the touch to ride the feedback and sustain.

The musical lesson here is **target-tone phrasing** — landing your bends and held notes on *chord tones*, the notes that belong to the chord sounding underneath you, so the melody feels resolved and vocal rather than random. Moore would bend up to the root or the fifth of the underlying chord and *hold* it, letting the amp's sustain and the pedal's compression carry the note while he applied that slow, weeping vibrato.

TAB

Slow blues, ~60 BPM, let every note bloom and sustain

```
e|-----|
B|-----15b(17)~~~~~|
G|-----14b(16)~~~~~|
D|--12-----|
A|-----|
E|-----|
```

Gary Moore-style sustained bend in A minor: bend up to the target tone and hold it with slow, wide vibrato while the amp sings. A low-gain overdrive into a cranked amp gives the compression and harmonic feedback that keeps the note alive — the pedal isn't the distortion, it's the push.

Notice how few notes there are. The art of this style is *restraint*: choose the right note, bend it into place, and let the rig sustain it. None of that sustain is possible from a clean amp at bedroom volume. It requires the amp to be working hard, the pedal pushing it harder, and the volume high enough that the string and the speaker begin to feed one another. The pedal is the enabler, not the source.

| The Modern Voice: John Mayer

A generation later, **John Mayer** carried the Stratocaster-into-overdrive tradition into the new century, and his rig has at various points leaned heavily on Tube Screamer-type pedals (alongside boutique variants and his own signature designs) in front of vintage-style amps. On the *Continuum* album (2006), the slow blues "Gravity" is the textbook example — a controlled, midrange-rich lead tone that stays clean enough to articulate every nuance of his touch but breaks up beautifully when he digs in.

Mayer's playing also showcases something the Texas-blues examples don't: the way an overdrive interacts with *sophisticated harmony and dynamics*. He plays with the volume knob constantly, rolling it back to clean up the breakup and pushing in for grit, exploiting the fact that a low-gain pedal-and-amp combination is exquisitely *touch-sensitive* — it responds to how hard you pick and how high your guitar's volume is set. This is gain staging made interactive, controlled by the right hand and the pinky on the volume knob in real time.

Harmonically, Mayer leans on the **Dorian mode** — a minor scale (think A Dorian: A–B–C–D–E–F#–G) distinguished by its raised sixth, which gives minor-key playing a brighter, more hopeful, jazzier color than the darker natural minor (Aeolian). That raised sixth is the secret sauce of countless soulful minor grooves.

Slow funky blues feel, ~75 BPM, roll guitar volume back slightly for cleaner breakup

```

e|-----|
B|-----|
G|-----9-----7-----7~-----|
D|----7--9/10--10-----10----9h10----10--9-----|
A|--7-----|
E|-----|

```

Mayer-style A Dorian phrase emphasizing the raised sixth (F#, the 9th-fret note on the G string) for that bright, soulful minor color. Set a low-gain overdrive just past clean and control the grit with your picking attack and volume knob — the pedal rewards a light, dynamic touch.

| Tightening the Beast: The Metal Standard

And now the great twist in the Tube Screamer's story — the chapter nobody in 1979 could have predicted. The same green box beloved by blues players became, by the 1990s and 2000s, an absolutely standard fixture in front of high-gain metal amplifiers, used for a purpose almost opposite to its blues role. In metal, the Tube Screamer is rarely there to *add* distortion. The amp already has more gain than anyone needs. The Tube Screamer is there to *tighten*.

Recall those two design choices: the low-frequency rolloff and the midrange push. In front of a high-gain amp, the bass rolloff is the killer feature. When you feed a massively distorting preamp a signal full of low-end energy — especially from low, palm-muted power chords — those lows get distorted too, and distorted bass turns to mud: a flubby, undefined, woolly low end where the pick attack disappears. By rolling off the lows *before* they hit the amp's gain stages, the Tube Screamer ensures the amp distorts a tighter, more focused signal. The result is a chug with a hard, percussive front edge — every palm-muted note articulate, the low end controlled and aggressive instead of loose and boomy. The midrange bump, meanwhile, helps the rhythm guitars cut through the dense wall of a metal mix, fighting the same battle for the upper-mid lane that the blues players were fighting, just at higher gain.

This is why a Tube Screamer (or one of its countless clones and metal-voiced descendants) sits on a staggering number of metal pedalboards, very often with the **Drive set near zero and the Level near maximum** — using almost none of the pedal's own clipping and all of its tone-shaping and signal-pushing. **Metallica's** rhythm tones across their catalog have been widely associated with this approach — a Tube Screamer-type boost tightening the front end of high-gain Mesa/Boogie and Marshall amplification — and it has become so common that "put a Tube Screamer in front of it" is simply received wisdom for tightening any high-gain rig. (As always with gear lore, exact rigs vary by

era, engineer, and recording, and the specifics are often more complicated than the legend; what is *not* in doubt is the technique itself and how thoroughly it has been adopted.)

Here is the move in tablature — a tight, palm-muted chug in drop D (low string tuned down to D), the metal rhythm player's home turf.

TAB

Drop D tuning (6th string = D). Aggressive, ~150 BPM, heavy palm mute, all downstrokes

PM-----PM-----

e|-----|

B|-----|

G|-----|

D|--0--0--0--0--0--0--3--0--0--0--0--0--0--0--5--0--|

A|--0--0--0--0--0--0--3--0--0--0--0--0--0--0--5--0--|

E|--0--0--0--0--0--0--3--0--0--0--0--0--0--0--5--0--|

Drop-D palm-muted chug (the retuned 6th string is shown on the bottom E line): a Tube Screamer with Drive near zero and Level high feeds the high-gain amp a tightened, low-rolled-off signal, so each muted note has a hard percussive attack instead of woolly mud. The pedal adds almost no gain — it shapes and pushes.

The all-downstroke picking and relentless palm mute (**PM**) are non-negotiable for this sound; they are what create the machine-gun consistency that defines tight metal rhythm. But without the Tube Screamer scrubbing the lows before the amp, that same riff through a high-gain amp tends to congeal into a low-frequency roar. The pedal is the difference between a riff you can feel in your chest and a riff you can actually hear the *notes* of.

| One Circuit, Two Worlds

Step back and the unity becomes clear. Whether it is Stevie Ray Vaughan pushing a clean Vibroverb into singing grit, Gary Moore chasing violin sustain from a hot amp, John Mayer cleaning up with his volume knob, or a metal player scrubbing the mud out of a drop-D chug, the underlying principle is identical: *the Tube Screamer is a tone-shaping booster that does its best work in service of an amplifier, not in place of one.* Its rolled-off lows, its midrange hump near 700–800 Hz, and its gentle soft-clipping diodes are not flaws to be tolerated but tools to be aimed. Forty-odd years on, a circuit Maxon designed around a penny op-amp remains on more pedalboards than almost any other, not because of the folklore that surrounds it, but because the physics underneath the folklore is sound. It taught a generation of players the deepest lesson in the craft of dirt: that great overdrive is not a thing you add, but a relationship you create between your hands, a pedal, and an amplifier that is already, just barely, beginning to sing.

▶ LISTEN FOR

• LISTEN FOR

- **Stevie Ray Vaughan, "Pride and Joy" and "Texas Flood"** (*Texas Flood*, 1983): the Tube Screamer pushing loud, clean-ish Fenders. Listen for the vocal grain on the bends and the way the low strings stay tight even when he digs in hard — that is the bass rolloff at work.
- **Gary Moore, "Still Got the Blues"** (*Still Got the Blues*, 1990): pure singing sustain. Notice how long the bent notes bloom and hang, and how few notes he plays — the rig sustains so well he doesn't need many.
- **John Mayer, "Gravity"** (*Continuum*, 2006): touch-sensitive, midrange-rich blues. Listen for him cleaning up the breakup by rolling back the guitar's volume, then digging in for grit — gain staging controlled by the right hand.
- **Metallica rhythm tones across the catalog**: the high-gain side of the story. Focus on the percussive front edge of the palm-muted chugs and how *articulate* the low end stays at speed — the sound of a boost tightening a high-gain amp's front end.

Echo and Delay: Tape, Analog, and Digital

DELAY AS RHYTHM (dotted-eighth + quarter)



FIGURE 8 Delay as rhythm: one pick stroke and its dotted-eighth and quarter-note repeats.

THE FIRST THING YOU HEAR ON SO MANY GREAT RECORDS IS NOT A NOTE. IT IS THE ghost of one. A guitar strikes a single chord and a fraction of a heartbeat later the sound comes back, slightly darker, slightly softer, a phantom standing just behind the player's shoulder. In a Memphis storefront studio in the summer of 1954, that ghost arrived by way of two tape machines wired together, and it turned an ordinary acoustic strum into something that seemed to bounce off the walls of a much larger, more dangerous room. The room did not exist. The echo invented it. That trick — capturing a sound, holding it for a measured instant, and handing it back — is the oldest piece of true signal processing in the electric guitarist's arsenal, older than fuzz, older than the wah, nearly as old as the electric guitar itself. And of all the things we do to a guitar signal, delay may be the one that most directly conjures *space*: the suggestion that the music is happening somewhere with size, depth, and air.

This chapter follows the repeat from the spinning reels of tape echo through the warm dark fade of bucket-brigade analog and into the glassy precision of the first digital units. Along the way it is worth holding one idea in your head, because it unlocks everything else: a delay is not a sound so much as a *rhythm*. The instant you choose how long to wait before the echo returns, you have made a musical decision — about feel, about groove, about whether the guitar slaps you in the chest or floats off into the rafters.

I The Spinning Reel: Tape Echo and Its Mojo

Before there were pedals there were tape machines, and the principle could not be simpler. Record a signal onto a moving loop of magnetic tape with one head, then read it back a moment later with a second head positioned a little farther along the tape's path. The gap between writing and reading — the physical distance between the record head and the playback head, divided by the speed the tape is travelling — is the delay time. Speed the tape up and the heads sit closer in time, so the echo tightens. Slow it down and the repeat stretches lazily behind the note. Feed some of that played-back signal back into the record head and it re-records, repeats again, and again, each pass a little quieter and a little duller until it dissolves. That feedback loop is the heart of every echo box ever built.

The machine that defined the sound for guitarists was the **Echoplex**, introduced by Market Electronics and sold under the Maestro name beginning in the early 1960s. Its genius was a moving record head on a sliding carriage: drag a lever and you physically changed the head spacing, sweeping the delay time from a tight slap to a long trailing wash without stopping the tape. By the time the solid-state **Echoplex EP-3** arrived around 1970, the unit had become a fixture on professional stages and in countless studios. And here the story takes on a wrinkle of genuine gear lore that happens, this time, to be true. The EP-3's input ran through a simple solid-state preamp stage, and that stage had a sound — a subtle treble lift and a thickening of the midrange that players noticed even with the echo switched off entirely. Guitarists from Eddie Van Halen to Jimmy Page are commonly cited as running an EP-3 in the chain partly as an always-on preamp, a tone-sweetener masquerading as an echo unit. That "EP-3 preamp mojo" is real enough that boutique builders now sell standalone pedals that clone just the preamp stage, no echo attached. It is one of the few pieces of tone mythology that survives contact with an oscilloscope.

Tape echo's character comes from its imperfections. Tape cannot store every frequency equally; the highs roll off a little more with each repeat, so the echoes grow progressively darker, a quality engineers call the *high-frequency loss* of successive generations. The tape itself never moves at a perfectly constant speed — tiny variations in the motor and the mechanical drag produce **wow and flutter**, a gentle wavering of pitch that smears each repeat just slightly out of tune with the original. Far from a flaw, this is the warmth people chase. The repeats sound *alive*, breathing, never quite mechanical.

The other monument of tape echo is the **Roland RE-201 Space Echo**, launched in 1974. Rather than a single sliding head, the RE-201 used a loop of tape running past three fixed playback heads, selectable in combination by a rotary knob, plus a built-in spring reverb. Choosing different head combinations gave you not just longer or shorter echoes but *patterns* of echoes — multiple rhythmic taps layered together. Crank its "Intensity" control (Roland's word for feedback) past a certain point and the repeats stop decaying and start *building*, each one louder than the last until the whole ma-

chine erupts into runaway howling oscillation. That **self-oscillation** — a delay feeding itself until it screams — became an instrument in its own right, a sound you can ride like a theremin by nudging the rate knob while it wails.

Earlier and stranger than either was the Italian-made **Binson Echorec**, which stored its signal not on tape but on a rotating *magnetic drum* or disc — essentially a steel platter the recording was written onto, read by a small array of playback heads spaced around its circumference. The drum was mechanically robust where tape was fragile, and the multiple heads let you tap out complex multi-repeat rhythms with a clarity tape struggled to match. Pink Floyd's **David Gilmour** built some of the most cavernous guitar landscapes ever recorded around the Echorec, using its drum-driven repeats to turn single notes into slow, pulsing architecture. We will come back to him.

I How a Delay Actually Works

Strip away the technology and every delay does three jobs. It captures the signal. It holds that copy for a chosen length of time — the **delay time**, measured in milliseconds. And it plays the copy back, usually mixed underneath the dry original, while optionally feeding a portion of the output back into the input to create additional, decaying repeats. Three controls govern the result, and they appear in some form on nearly every delay ever made.

Delay time sets how long you wait. *Feedback* (sometimes labeled repeats, regeneration, or intensity) sets how many echoes you get: at zero you hear a single repeat, and as you turn it up the repeats multiply, each quieter than the last, until at the extreme the loop sustains itself indefinitely and oscillates. *Mix* (or level, or blend) sets how loud the echoes sit relative to your dry signal — a whisper behind the note, an equal partner, or a wash that swallows the original whole.

What separates the technologies is *how* they hold that copy and what they do to it while they hold it. Tape, as we saw, stores it physically on magnetic medium and darkens it with each pass. The next great idea stored it electronically. The **bucket-brigade device**, or BBD, is a chip containing a long chain of tiny capacitors. The audio signal is passed from one capacitor to the next, step by step, in time with a clock — like a fire brigade passing buckets of water hand to hand down a line. The more buckets in the chain and the slower the clock ticks, the longer it takes a sample to reach the end, and that travel time is your delay. Crucially, the signal stays *analog* the whole way; it is never converted into numbers. Each hand-off loses a little fidelity, so analog delays sound warm and dark, the repeats softening into a pillowy blur. And because BBD chips held a limited number of buckets, analog delays were typically short — a few hundred milliseconds at most before the sound degraded into murk.

The classic analog pedals are beloved precisely for that murk. The **Boss DM-2**, released in 1981, delivers up to roughly 300 milliseconds of delay with repeats that decay into a soft, rounded dark-

ness, sitting politely behind the dry note rather than competing with it. The **Electro-Harmonix Deluxe Memory Man**, with its longer delay range and built-in modulation that adds a seasick chorus-like waver to the repeats, became the secret weapon behind some of the most famous guitar textures of the late 1970s and beyond. Analog repeats *recede*. They get out of the way. That dark decay is forgiving in a way the next technology, at first, was not.

Digital delay arrived in earnest in the early 1980s and worked on an entirely different principle. The incoming analog signal is sampled — measured thousands of times a second and converted into a stream of binary numbers — stored in memory chips, then converted back to analog on the way out. Because numbers do not degrade, the repeats came back *crisp*, bright, and near-identical to the original, with delay times stretching to seconds rather than milliseconds. Units like the Boss DD-2 (1983) and rack processors from companies like Lexicon and TC Electronic offered clean, long, pristine echoes that tape and BBD simply could not. To some ears the early digital repeats were *too* clean — clinical, even cold, missing the breathing imperfection that made tape feel human. To others, that pristine clarity was the whole point: a repeat that sat in perfect rhythmic lockstep, bright enough to ring out distinctly through a dense mix. Modern digital units now happily *emulate* tape's wow and flutter and BBD's dark decay, so a player today can have any of these flavors in one box. But the underlying lesson holds: tape darkens and wavers, analog darkens and softens, early digital clarifies and extends.

I Delay Time as Rhythm: The Math That Makes It Musical

Here is the idea that turns a delay from a special effect into a compositional tool. Because the echo returns after a fixed number of milliseconds, and because music moves in beats, the relationship between your delay time and the song's tempo determines whether the echo *grooves* or *fight*s. Get the math right and the repeats lock into the pulse like a second guitarist. Get it wrong and they wash into a muddy blur that drags against the band.

Start with the single most useful number in all of delay. To find the length of one quarter note in milliseconds, divide 60,000 by the tempo in beats per minute:

$$60000 / \text{BPM} = \text{milliseconds per quarter note}$$

The logic is plain once you see it. There are 60,000 milliseconds in a minute, and at, say, 120 BPM there are 120 beats in that minute, so each beat — each quarter note — lasts $60000 / 120 = 500$ milliseconds. Set your delay to 500 ms at 120 BPM and every echo lands squarely on the next beat. Halve it to 250 ms and the repeats fall on the eighth notes. This is *quarter-note* and *eighth-note* delay, the rhythmic backbone of countless arrangements.

But the most addictive rhythmic delay setting of all is the **dotted eighth**. In music notation a dot after a note adds half its value again, so a dotted eighth note equals an eighth plus a sixteenth — three sixteenths in total, or three-quarters the length of a quarter note. The formula follows directly:

$$\text{dotted-eighth delay} = (60000 / \text{BPM}) \times 0.75$$

At 120 BPM that is $500 \times 0.75 = 375$ milliseconds. The magic of the dotted eighth is what happens when you play steady eighth notes against a dotted-eighth echo: the repeats fall *between* your picked notes, in the gaps, weaving a galloping sixteenth-note tapestry out of a part you are playing far more slowly. The guitar and its own shadow interlock into a pattern neither could produce alone. This is the engine behind the chiming, cascading arpeggios that define a whole school of atmospheric rock guitar, and we will hear it shortly. For *slapback* — the short, percussive single echo of rockabilly — you ignore the tempo math entirely and work by feel, setting the delay short, roughly 80 to 150 milliseconds, with the feedback turned all the way down so you get exactly one tight repeat snapping right behind the note.

| The Tone of a Repeat

Listen closely to a great tape slapback and what you hear is a doubling that thickens without smearing. At around 100 milliseconds the repeat is too fast to register as a separate event yet too slow to phase against the original — it sits in that perceptual seam where the ear reads it as one fatter, more urgent note with a hard percussive edge on its tail. The slight high-frequency rolloff of the tape keeps that edge from getting brittle; the repeat is duller than the dry note, so it reinforces the attack without adding harshness. Roll the delay shorter still and you approach the territory where the copy starts to comb-filter against the original, hollowing out frequencies and producing a metallic, flange-like coloration. Slapback lives just on the safe side of that line.

A long, multi-repeat tape or drum echo paints an entirely different picture. Here the repeats are slow enough to be heard as distinct events, and as each one darkens and detunes a fraction from the wow and flutter, they pile into a soft cumulative haze — a low-midrange cloud that hangs in the 200 to 800 Hz region, behind and beneath the dry signal, suggesting a great stone room without the boxy honk of an actual reverb. Push the feedback toward self-oscillation and that haze blooms into a sustained drone you can pitch-bend by riding the delay-time control, the repeats smearing into one continuous tone. Analog BBD delay sits between these worlds: darker and rounder than tape, with repeats that fall away quickly into a warm pillow, never bright enough to clutter the top end, ideal for thickening a rhythm part or adding depth to a lead without anyone in the audience consciously hearing "an echo." Crisp digital, by contrast, returns every repeat with its treble intact, each echo a bright,

distinct ring — glorious for rhythmic dotted-eighth work where you *want* to hear every tap articulate cleanly, less forgiving when you simply want atmosphere, because nothing gets out of the way.

| Case Studies in the Craft of the Echo

Scotty Moore, Elvis Presley, and the Birth of Slapback

The sound that launched rock and roll guitar was, in large part, the sound of tape echo. At Sun Studio in Memphis, producer Sam Phillips ran his recordings through a tape delay setup — two Ampex machines feeding one into the other — to produce a tight, exciting slapback he splashed across vocals and guitars alike. On the 1954 sides that introduced Elvis Presley to the world, **Scotty Moore's** guitar work on tracks like "That's All Right" and "Mystery Train" rides that slap: a hollowbody guitar, clean and bright, every note shadowed by a single percussive repeat a fraction behind it, giving the part a nervous forward momentum that no dry signal could match. Moore later made the Echoplex part of his own rig, but the foundational sound was Phillips's studio slap. The delay is short — in the slapback range, a single repeat with no feedback tail — and its effect is rhythmic and propulsive rather than spacious. It does not create a room; it creates *urgency*. That tight doubling became the defining guitar texture of rockabilly and a permanent fixture in the country and roots-rock vocabulary.

Brian Setzer and the Slapback Revival

Three decades later, **Brian Setzer** of the Stray Cats picked up the same torch and made slapback his signature, swinging it into the 1980s and beyond with ferocious energy. Setzer's rig centered on a **Gretsch** hollowbody — famously a 1959 6120 — typically into a Fender Bassman-style amp, with tape echo (and later faithful digital emulations of it) supplying the slap. On the 1981 Stray Cats material and across his big-band records of the 1990s, the delay sits in the classic rockabilly window, short enough to read as a single thickening repeat, fast enough to drive the rhythm. What Setzer adds to Moore's template is aggression and precision: hard hybrid picking, snapping the strings against the frets, every staccato note kicking out a crisp shadow. Below is an original slapback figure in his idiom — a bright, swung shuffle over an open-position chord shape, the kind of thing that wants a hollowbody, clean amp headroom, and a short single repeat.

Feel: swung sixteenths, brisk shuffle, ~150 BPM. Delay ~120 ms, feedback at zero (one repeat), mix moderate.

```

e|-----|
B|-----|
G|-----0-----0-----0h2p0-----0--0-----|
D|-----2-----2-----2-----2-----2-----|
A|-----3-----3-----3-----3-----|
E|-----|

```

Slapback in action: keep it clean and bright, pick close to the bridge, and let the single short repeat double each note into a percussive snap — the echo should sound like a tight handclap a hair behind the string.

David Gilmour and the Architecture of Long Delay

If Scotty Moore used echo to push, **David Gilmour** used it to *expand*. Across Pink Floyd's catalog — and nowhere more famously than the solos on tracks like "Time," "Dogs," and the live "Comfortably Numb" — Gilmour deployed long, rhythmically tuned delays to make a single guitar fill a vast acoustic space. In the early years he leaned heavily on the **Binson Echorec**, whose drum-and-multiple-head design let him stack repeats into pulsing patterns, the foundation of the hypnotic intro textures on pieces like "One of These Days," where a single bass-and-guitar figure is multiplied by the Echorec into a churning, mechanical groove. As his rig grew, Gilmour layered multiple delay units at once and was an early adopter of tempo-locked rhythmic delay — famously using a repeat tuned to the dotted eighth so that his held, vocal-like bends would echo back in the gaps and reinforce the song's pulse. His feedback settings are typically moderate, several audible repeats rather than a runaway oscillation, the echoes darkening as they fade so the original note always sings out clearly on top.

There is real music theory underneath Gilmour's spaciousness. His lead vocabulary leans on the **minor pentatonic** scale — the five-note pattern (root, flat third, fourth, fifth, flat seventh) that is the bedrock of blues and rock soloing — but he constantly resolves his long, bending phrases onto **chord tones**, the specific notes (root, third, fifth) of whatever chord the band is sitting on underneath him. That is why his slow, echoing bends sound so *settled* and inevitable rather than merely bluesy: he bends up to a target note that is consonant with the harmony and lets the delay carry it, so the repeat sustains a note that already belongs. The echo does not just add space; it *holds the resolution* in the air. The following original phrase shows the idea — a slow bend up to a chord tone, allowed to ring, with a long delay multiplying it into a fading column of sound.

Feel: slow, spacious, ~63 BPM (think a stately rock ballad). Delay ~475 ms (quarter note at this tempo), feedback for 3–4 repeats, mix high.

TAB

```

e|-----|
B|--15b17~~~~~15-----13-----|
G|-----14b16-----16b14-----14~~~~~|
D|-----|
A|-----|
E|-----|

```

Long delay as architecture: play sparsely and let silence do the work — each bent target note (here landing on chord tones) blooms, repeats, and decays into the next phrase, so one guitar implies a cathedral. A touch of modulation on the repeats deepens the sense of space.

The Edge and the Dotted-Eighth Cascade

No discussion of rhythmic delay can omit **The Edge** of U2, who built an entire guitar identity on the dotted-eighth repeat and whom a later chapter explores in full detail. The essential principle is the one we worked out above: by playing a sparse pattern of clean, chiming notes and setting a delay to three-quarters of a quarter note, locked to the song's tempo, the echoes fall precisely into the spaces between the played notes. On the 1984 track "Pride (In the Name of Love)" and across the *War* and *The Unforgettable Fire* era, this produces the illusion of a guitarist playing a rapid, intricate sixteenth-note part while in fact striking far fewer notes — the machine fills in the rest, and the player's right hand stays relaxed and rhythmic. It is the cleanest demonstration in all of rock that delay is rhythm. The Edge typically favored bright, articulate repeats so each tap rings distinctly, often two delays at once for additional rhythmic complexity, with the dry guitar kept clean and compressed so every note has a uniform, bell-like attack for the echo to copy.

The trick only works if the played notes and the echoes interlock cleanly, which means understanding exactly where the repeats land. Picture a single bar of four beats divided into sixteen sixteenth-note slots. You pluck a note on slot 1. A dotted-eighth delay (three sixteenths long) returns it on slot 4. If you pluck again on slot 7, its echo lands on slot 10, and so on. The played notes (P) and their echoes (e) tile the bar like this:

TAB

```

slot:   1  2  3  4  5  6  7  8  9 10 11 12 13 14 15 16
play:   P  .  .  e  .  .  P  .  .  e  .  .  P  .  .  e

```

Here is an original pattern built on that grid — a clean arpeggiated figure where what you *play* is simple but what you *hear* is a dense, rolling cascade.

Feel: bright and driving, ~120 BPM. Dotted-eighth delay = 375 ms; feedback moderate (the repeats should be clearly audible but fading); mix near equal with the dry signal.

TAB

```
e|--0-----0-----0-----|
B|-----0-----0-----0-----|
G|-----1-----1-----1-----|
D|-----|
A|-----|
E|-----|
```

The dotted-eighth cascade: play these three notes cleanly and evenly, let them ring (do not mute), and the delay drops a repeat into every gap, so a slow arpeggio blossoms into a fast, shimmering wash. Dial the delay time to exactly three-quarters of one beat at your tempo, or the echoes will smear instead of interlocking. Keep the amp clean and add a little compression so every note feeds the delay at the same level.

| A Closing Word on Space

What unites the spinning tape, the rotating drum, the brigade of buckets, and the stream of digital samples is that each one lets a guitarist play *with the past* — to set a note loose and have it answer itself, to converse with a sound that is already gone. Used short and dry, it is rhythm and muscle, the slap that drives a rockabilly shuffle. Used long and lush, it is architecture, the air that turns a single sustained bend into a room you could walk through. The technology shapes the color — darker and wavering from tape, rounder and softer from analog, brighter and cleaner from digital — but the musical decision is always the same one, the one you make the instant you choose how long to wait: how far behind you do you want your own shadow to stand?

LISTEN FOR

- **Elvis Presley / Scotty Moore, "Mystery Train" and "That's All Right" (1954-55):** the tight, single-repeat tape slapback off Sam Phillips's machines — hear how the short echo doubles each guitar note into a percussive snap and drives the rhythm forward without ever sounding spacious.
- **Stray Cats, "Stray Cat Strut" and "Rock This Town" (1981):** Brian Setzer's hollowbody slapback — focus on the snap a hair behind each staccato note and how the clean, bright tone keeps the repeat crisp rather than muddy.
- **Pink Floyd, "One of These Days" (1971):** the Binson Echorec turning a single repeated figure into a churning, multi-tap mechanical groove — listen to the rhythmic pattern the multiple heads stack up.
- **Pink Floyd, "Time" solo, *The Dark Side of the Moon* (1973):** David Gilmour's long, rhythmically tuned delay — notice how each bent note lands on a chord tone and the echoes hold that resolution in the air as the phrase fades.
- **U2, "Pride (In the Name of Love)" (1984):** the dotted-eighth cascade — try to separate the notes The Edge actually picks from the echoes the delay fills in between them; the dense sixteenth-note shimmer is mostly the machine.

Chorus, Flange, and the Modulation Boom

THE OPENING SECONDS OF "WALKING ON THE MOON" ARE ALMOST NOTHING AT ALL. A bass note walks up, the hi-hat ticks, and then Andy Summers plays a single chord and lets it hang in the air like vapor rising off wet pavement. It is not a power chord. It is not a barre chord you would recognize from a beginner's book. It is a strange, suspended, bell-like thing -- a chord with a major second ringing inside it where you expect a third -- and it has been smeared with something that makes it sound as if two guitars are playing slightly out of tune with each other, drifting in and out of phase, never quite settling. That shimmer is chorus. That hanging dissonance is an add9. Together they define a sound so specific to a moment in time that you can practically smell the early-1980s reverb in it. This chapter is about that shimmer, and about its rowdier cousin, the flanger -- the two effects that turned the dry electric guitar into a wide, three-dimensional, watery instrument, and that ruled roughly a decade of records from new wave to arena rock to the first tremors of grunge.

| The Physics of Doubling a Sound

Both chorus and flange are built on the same humble trick: take the guitar signal, delay a copy of it by a tiny amount, and mix that delayed copy back with the original. Everything interesting flows from how short the delay is and whether it moves.

To understand why a delayed copy changes the tone rather than simply doubling the volume, you have to think about what happens when two identical waves arrive slightly out of step. Sound is a wave -- a pattern of pressure peaks and troughs marching past your ear. If you add a wave to a delayed copy of itself, some frequencies will line up peak-to-peak and reinforce (they get louder), while others will line up peak-to-trough and cancel (they vanish). Which frequencies do which depends entirely on the delay time relative to each frequency's period. The mathematical result is a series of evenly spaced notches carved out of the frequency spectrum, with peaks in between -- a shape that, if you drew it, looks exactly like the teeth of a comb. Engineers call this **comb filtering**, and it is the beating heart of every modulation effect in this chapter.

Now make that delay time change continuously. If you slowly sweep the delay from very short to slightly longer and back, the comb's teeth slide up and down the spectrum -- notches rising, peaks

falling, a moving pattern of reinforcement and cancellation. The thing doing the sweeping is a **Low Frequency Oscillator**, or LFO: a circuit that generates a slow, smooth cycling voltage, usually well below the range of hearing, somewhere between a fraction of a hertz and a few hertz. The LFO does not make sound itself. It is a hand on a dial, gently and rhythmically turning the delay time up and down. The shape of its motion (a smooth triangle or sine wave, typically) and its speed (Rate) and how far it pushes the delay (Depth) are the parameters that separate a seasick wobble from a tasteful glimmer.

So what divides chorus from flange? Two things: the length of the delay and what you do with the comb.

A **flanger** uses a very short delay -- roughly 1 to 10 milliseconds -- and sweeps it. At those delay times the comb's notches are spaced far apart and sit high in the spectrum, and as the LFO sweeps them they swoop dramatically across the audible range. That swooping, hollow, whooshing rush is the famous "jet plane" sound. The effect's name comes from the studio technique that birthed it: engineers in the 1960s would run two identical tape machines playing the same recording, then drag a finger on the flange (the rim) of one tape reel to slow it a hair, sliding it out of sync with the other. The shifting cancellation between the two reels produced that sweeping whoosh. Les Paul had toyed with the idea years earlier, and the technique flowered on records like the Small Faces' "Itchycoo Park" in 1967. Critically, most flangers add **feedback** (sometimes labeled Regeneration or Resonance): a portion of the output is fed back into the delay input, which sharpens and intensifies the notches until they ring and whistle, turning a gentle sweep into a dramatic, metallic, vocal swoosh.

A **chorus** uses a longer delay -- roughly 15 to 35 milliseconds -- and rather than relying on the comb's notches for its character, it modulates the delay time to continuously vary the pitch of the delayed copy. Here a second piece of physics enters: the Doppler effect. When you change the length of a delay line in real time, you are effectively stretching and compressing the delayed signal, which raises and lowers its pitch -- the same reason a passing siren drops in pitch as it recedes. So a chorus produces a delayed copy that is constantly, microscopically sharp and then flat relative to the dry note, by a few cents at most. Layer that gently detuned, slightly-late copy under the original and you get exactly what you hear when two players play the same part: not robotic unison but a living, breathing thickness, a shimmer of two slightly different pitches beating against each other. That is why the effect is named for a choir. A choir is never perfectly in tune with itself, and that imperfection is its richness. Chorus does not usually use feedback, and its delay is long enough that the comb-filter notches sit low and dense and matter less than the audible detuning. The boundary is genuinely fuzzy -- a chorus is, in a real sense, just a flanger with a longer delay and no feedback -- but in practice the two sound nothing alike, and players reach for them for opposite reasons.

The technology that made these effects affordable and put them on the floor in front of every guitarist was the **bucket-brigade device**, or BBD: an analog integrated circuit, commercialized at scale in the 1970s, that passes an audio signal down a long chain of tiny capacitors like a fire brigade passing buckets of water hand to hand. Clock the chain fast and the signal comes out quickly (short delay); clock it slower and it takes longer (longer delay). Wire the LFO to the clock and you can sweep the delay smoothly. BBDs were never perfectly clean -- they added a soft, slightly dark, slightly grainy character as the signal degraded down the line -- and that warmth became part of the sound. When players say a vintage analog chorus sounds "warmer" than a digital one, they are largely hearing the gentle high-frequency loss and subtle noise of the bucket brigade.

| The Boxes That Defined the Sound

The modulation boom had a clear ground zero in Hamamatsu, Japan, at Roland and its pedal division, Boss. In 1975 Roland released the **Roland JC-120 Jazz Chorus**, a solid-state amplifier with two 12-inch speakers and a built-in stereo chorus that became, against the grain of an era that worshipped tube warmth, one of the most influential amps ever built. The JC-120's trick was to split the signal in stereo: the dry guitar went to one speaker while a chorused, pitch-wobbled version went to the other, and the LFO pushed the two in opposite directions. The result was enormous width -- a clean tone that seemed to wrap around the room. Its glassy, almost stainless-steel cleanliness made it a favorite of players who wanted clarity rather than grit, and you can hear its distinctive chorused chime across countless new wave and post-punk records.

Boss extracted that circuit into a stompbox. The **Boss CE-1 Chorus Ensemble** of 1976 was the first dedicated chorus pedal -- a big, heavy box that contained essentially the JC-120's chorus plus a vibrato mode, running on the same Doppler-style pitch modulation. It was glorious and unwieldy. Three years later Boss shrank the concept into the compact, sea-foam-green **Boss CE-2** (1979), a single-output chorus with just two knobs, Rate and Depth, that became the template for the modern chorus pedal and one of the most-used effects of the 1980s. Its sound is the quintessential chorus: liquid, glassy, a touch dark from its bucket-brigade heart, never harsh.

Across the Atlantic, in New York, Mike Matthews's Electro-Harmonix built the wilder end of the spectrum. The **Electro-Harmonix Electric Mistress**, introduced in the mid-1970s, was a flanger that could also hold a fixed "filter matrix" position, freezing the comb in place for a hollow, vocal, stationary tone. It is a lush, slightly noisy, gloriously seasick flanger, and it sits at the center of one of the most famous clean-guitar sounds ever recorded. Meanwhile the California company **MXR** built the flanger as a piece of pro audio: the orange **MXR Flanger**, with its sliders for Manual, Width, Speed, and Regeneration, delivered a deep, hi-fi, dramatically swept flange that, pushed to extremes,

produced the metallic jet-engine roar that hard rock fell in love with. The **A/DA Flanger** of 1977 took the resonance even further, capable of an almost ring-modulated, otherworldly sweep.

| **Andy Summers and the Architecture of Space**

No player understood the new modulation more completely than Andy Summers of The Police. While punk demanded loud, fast, distorted barre chords, Summers did almost the opposite. He played clean, he played wide, and he played chords that left holes in the middle. His central discovery was that the **add9** chord -- a major triad with the ninth (the second scale degree, an octave up) stacked on top, but crucially without removing the third -- is the perfect food for chorus.

Here is the theory. A plain major chord is the 1st, 3rd, and 5th notes of the major scale: in A major, the notes A, C#, and E. The "9th" is the same note as the 2nd degree (B), just voiced an octave higher. Add it without removing anything and you get A--C#--E--B, a chord that contains both the bright major third and the ringing, unresolved major second between the B and the C# sitting near each other. That close interval -- a major second, two adjacent white keys, the most gently dissonant interval in tonal music -- creates a soft internal beating, a tension that never quite resolves. Now run that through a chorus, which detunes a copy of the whole chord by a few cents: the already-beating ninth starts beating against its own slightly-flat twin, and the chord blooms into a wide, glassy, suspended cloud. The chorus does not just thicken the add9; it amplifies the very quality -- gentle, unresolved shimmer -- that makes the add9 beautiful.

Summers favored a **Fender Telecaster** (famously a heavily modified 1963 model) into the chorus and a clean amp, and he voiced these chords high on the neck so the close intervals rang out clearly rather than muddying in the bass. "Message in a Bottle" rides a relentless arpeggiated sequence of these tall, suspended shapes; "Every Breath You Take," from 1983's *Synchronicity*, is built almost entirely on an add9 figure picked across the strings with a clean, lightly modulated tone that has launched a thousand wedding bands. The effect on the records was usually a chorus in the family of the Boss CE-1, often into a clean amp, with the LFO set slow and the depth modest -- enough to widen and gild the sound without seasickness.

Here is a Police-style figure in the spirit of those records. The point is the voicing, not speed: let every note ring into the next.

Aadd9

Esus4

F#m11

Dadd9

Slow, ~120 BPM, clean tone with a slow, shallow chorus. Let all notes ring.

```

e|--0-----0-----|--0-----0-----|--0-----0-----|--0-----0-----|
B|--2-----2-----|--0-----0-----|--0-----0-----|--3-----3-----|
G|--2-----2-----|--2-----2-----|--2-----2-----|--2-----2-----|
D|--2-----2-----|--2-----2-----|--2-----2-----|--0-----0-----|
A|--0-----0-----|--2-----2-----|--4-----4-----|--0-----0-----|
E|--0-----0-----|--0-----0-----|--2-----2-----|--0-----0-----|

```

Police-style add9 / suspended figure -- open high strings drone while the bass moves.

Each shape keeps the open high E and B ringing as a drone while the bass moves underneath -- the close intervals (the 9ths and suspended 4ths) are what the chorus blooms into width.

I Flange in the Hands of the Heavy and the Spacious

If Summers used chorus to build cathedrals of air, two other players showed what a flanger could do at opposite emotional poles. **David Gilmour** of Pink Floyd reached for flange to make the guitar sound like weather. On the long, mournful solos and arpeggios of records around *Animals* and *The Wall*, Gilmour ran an Electric Mistress in the chain, and you can hear its slow, hollow, vocal sweep widening his clean and lightly overdriven tones into something oceanic. The flanger's stationary "filter matrix" voicing in particular gave certain passages a fixed, hollow, almost underwater coloration -- a comb frozen mid-spectrum, scooping out the middle so the notes sound like they are reaching you through deep water. Gilmour's flange is patient. It breathes on the scale of a held bend, not a fast riff, and it pairs beautifully with his preference for vocal, blues-derived phrasing built on the **minor pentatonic** scale (the five notes 1--b3--4--5--b7) bent and sustained until each note becomes its own event.

Then there is **Eddie Van Halen**, who used a flanger as a weapon. By 1978 Eddie had an **MXR Flanger** in his rig, and he deployed it not for ambient wash but for impact -- to make a heavy riff lift off. The intro to "Unchained," from 1981's *Fair Warning*, is the textbook case: a thick, palm-muted, drop-tuned power-chord riff (Eddie tuned down roughly a half to full step on much of that record) suddenly drenched in the slow, deep sweep of the flanger, so the chords seem to inflate and breathe as they ring. On "Ain't Talkin' 'Bout Love," from the 1978 debut, a flanger colors the now-iconic clean-ish minor riff, adding a swirling motion that keeps a very simple two-finger chord pattern hypnotically alive. Eddie's flange settings are debated -- the famous "brown sound" mythology surrounds his whole rig, and exact pedal positions are commonly cited but rarely confirmed -- but the principle

is plain: set the LFO slow, the depth deep, and a healthy dose of regeneration, and a static power chord acquires a sense of enormous, swelling movement.

The theory worth knowing here concerns the power chord itself. A **power chord** (notated "5," as in A5) is not really a chord in the harmonic sense at all: it is just the root and the fifth, with no third. The interval of a perfect fifth (the 5th degree above the root, the most consonant interval after the octave) is so stable and so free of the third's major/minor coloring that it stays clean and huge even under heavy distortion, where a full triad would turn to mud as the distortion generates intermodulation between the closely spaced overtones. Strip a chord to root and fifth and you can pile on gain, volume, and a flanger's sweep without the harmony collapsing. That austerity is exactly why the power chord and the flanger are such natural partners: the flanger supplies all the motion and complexity the bare interval lacks.

Here is a flanged power-chord riff in that arena-rock spirit. Palm-mute the chugs tightly and let the ringing chords open up so the sweep can bloom.

TAB

Heavy, ~132 BPM. Flanger: slow rate, deep, with strong regeneration. PM = palm mute.

e	----- ----- ----- -----
B	----- ----- ----- -----
G	----- ----- -----7~ -----
D	--5-5-5-7----- --5-5-5-7----- --5-5-5-7-5~--7~ -----5-7~-----
A	--5-5-5-7-----5-7 --5-5-5-7-----5-7 --5-5-5-7-5~--7~ --5-7-5-7~-----
E	--3-3-3-5-----3-5 --3-3-3-5-----3-5 --3-3-3-5-3~--5~ --3-5-----5~-----
	PM PM PM

Flanged power-chord riff -- tight palm-muted chugs, then held chords for the sweep to bloom.

The fast palm-muted G5 chugs stay tight and dry-sounding because the flanger's sweep is too slow to color short notes much; the held, vibratoed chords at the end of the phrase are where the jet-plane swoosh swells up and inflates the sound.

| "Come as You Are" and the Watery Return of Chorus

By the late 1980s, chorus had become so ubiquitous -- on guitars, on basses, on synth pads, on snare drums -- that it began to read as a cliché of expensive, glossy studio production. It took a band that despised expensive gloss to make it sound dangerous again. Kurt Cobain of **Nirvana** owned an **Electro-Harmonix Small Clone**, a simple two-knob chorus with a single Rate knob and a Depth

toggle, and on "Come as You Are," from 1991's *Nevermind*, he used it to drown the song's main riff in a thick, watery, deliberately murky wobble.

The Small Clone's chorus is wetter and more obvious than the polite Boss CE-2 -- its depth runs deeper, so the pitch wobble is more pronounced, and the effect sits forward in the mix rather than discreetly widening it. Cobain played the riff low, down on the bottom strings, on a guitar tuned down a whole step (so the notes sound a step lower than written), and the combination of the low register, the down-tuning, and the heavy chorus produces that famous submerged, queasy, underwater quality -- as if the riff is being played in a flooded basement. It was a brilliant subversion: he took the prettiest, most overused effect of the previous decade and made it sound cold, narcotic, and unsettling. The same Small Clone shows up elsewhere in Nirvana's catalog, lending the clean verse arpeggios of other songs a similar watery shimmer that throws the explosive distorted choruses into sharp relief.

The musical lesson is one of register and contrast. Chorus on high, open, jangly add9 chords (Summers) sounds bright and celestial; the very same effect on low, single-note riffs played on the wound strings sounds thick, dark, and seasick, because those low fundamentals beat more slowly and audibly against their detuned copies. Same circuit, opposite emotional worlds, governed entirely by where on the neck you put your hands.

Here is an original watery clean line in that spirit -- low, simple, hypnotic, built to be soaked in chorus.

TAB

Mid-tempo, ~120 BPM. Heavy chorus: moderate rate, deep depth. Bridge pickup, clean, slightly compressed.

```
e|-----|
B|-----|
G|-----|
D|-----4-2-----4-2-----2-----|
A|--2--2-2-4-2-0-----2--2-2-4-2-0-----0h2--0---|
E|-----3-----|
```

Watery clean line on the wound strings -- the chorus, not your hand, supplies the movement.

Played on the wound strings with a deep chorus, the slow pitch wobble makes each low note shimmer and curdle; keep the picking even and let the effect, not your hand, supply the movement.

A Decade of Motion

The modulation boom did not invent these effects -- the tape-flange whoosh and the doubled-track shimmer predate the stompbox by years -- but the bucket-brigade chip democratized them, and a generation of players discovered that the dry electric guitar could be opened up into something wide, liquid, and dimensional without ever touching the distortion knob. Chorus gave the clean guitar a choir's living imperfection; flange gave it the rush of moving air and, with enough regeneration, the scream of a jet. Between them they colored the sound of an entire era, and they remain on pedalboards today for the simplest of reasons: a single guitar, alone, can sound like a crowd, a tide, or a passing storm, all from the same modest trick of delaying a sound and mixing it with itself.

♪ LISTEN FOR

- **The Police, "Walking on the Moon"** (*Reggatta de Blanc*, 1979) -- Andy Summers's hanging add9 chord at the top: hear the close major-second beating *inside* the chord, then the slow chorus widening it into vapor. The space around the chord is as important as the chord.
- **The Police, "Message in a Bottle"** (*Reggatta de Blanc*, 1979) -- the arpeggiated tower of suspended/add9 shapes; listen to how the high open strings ring on as drones while the chorus gilds the whole figure.
- **Pink Floyd, "Dogs"** (*Animals*, 1977) -- David Gilmour's clean and overdriven passages through the Electric Mistress; hear the slow, hollow, vocal sweep and the scooped, underwater coloration of the flanger's filter-matrix voicing.
- **Van Halen, "Unchained"** (*Fair Warning*, 1981) -- the opening riff: a thick, down-tuned power-chord figure suddenly swept by the MXR Flanger. Notice how the held chords seem to inflate and breathe while the tight palm-mutes stay dry.
- **Van Halen, "Ain't Talkin' 'Bout Love"** (*Van Halen*, 1978) -- the flanged minor riff; a simple two-finger pattern kept hypnotic by slow swirling motion.
- **Nirvana, "Come as You Are"** (*Nevermind*, 1991) -- Kurt Cobain's Small Clone chorus on the main riff: low, down-tuned, and deliberately murky. Hear how the deep pitch wobble turns a simple line submerged and queasy -- the same effect Summers used for brightness, here used for unease.

The Compressor and the Secret of Clean Funk and Country

LISTEN TO THE INTRO OF A GREAT NASHVILLE RECORD AND TRY TO FIND THE TRICK. There isn't a wah doing anything obvious, no swirling chorus, no fuzz spitting at the edges -- just a clean Telecaster, bright and glassy, picking out a line that somehow sounds bigger than it has any right to. Every note lands with the same confident weight. The quiet ones are right there with the loud ones. The tails of the notes hang in the air a beat longer than physics seems to allow, and the attack of each pluck has a little percussive *spit* on the front, a snap like a snare rimshot stapled to the string. You can play that exact lick on the exact same guitar through the exact same amp and it will sound smaller, thinner, more uneven -- because the thing doing the work is a small metal box that, to the untrained ear, appears to do nothing at all. That box is a **compressor**, and it is the most invisible, most misunderstood, and arguably most essential effect ever bolted to a pedalboard.

The compressor is the effect you hear by its absence. Distortion announces itself. Delay repeats back at you. But compression works in the gaps between what you played and what you meant, quietly negotiating with the dynamics of your playing until the guitar sits exactly where it needs to sit. Nashville session players figured this out decades ago and never said much about it, because it was a competitive advantage and because explaining it ruins the magic. This chapter is about pulling the cover off the box.

| A Studio Trick Escapes Into a Stompbox

Compression did not begin as a guitar effect. It began in broadcast and recording studios in the 1930s and '40s, where engineers faced a brutally practical problem: the dynamic range of real sound -- the distance between the softest whisper and the loudest shout -- was far wider than a radio transmitter, a phonograph groove, or a strip of magnetic tape could physically handle. Push too loud and the medium distorted or the transmitter overmodulated; play too soft and the signal vanished into hiss and surface noise. The solution was a circuit that automatically rode the volume fader for you: when the signal got loud, the circuit turned it down; when it got soft, the circuit let it through. The studio compressor was born as a janitor, cleaning up dynamics so the fragile medium could cope.

The classic studio boxes that defined the sound -- the **Teletronix LA-2A** with its glowing optical cell, the **Universal Audio 1176** with its lightning-fast field-effect-transistor attack, the **Fairchild 670** with its bank of tubes -- did more than tame peaks. Engineers discovered that the way a compressor grabbed and released a signal had a sound, a feel, a character. A compressor could make a vocal breathe, make a snare crack, make a bass guitar glue itself to the kick drum. Compression stopped being mere damage control and became a creative tool, a way of sculpting the envelope of a sound -- the shape of its rise and fall in time.

It took until the early 1970s for that studio magic to get shrunk down, ruggedized, and dropped on the floor in front of a guitar amp. The breakthrough box, the one that taught a generation of players what "squish" felt like underfoot, was the **MXR Dyna Comp**, introduced around 1972 by the small Rochester, New York company MXR Innovations. The Dyna Comp was almost insultingly simple: two knobs, **Output** (overall volume) and **Sensitivity** (how hard the compression clamps down), and that was the entire interface. No attack control, no release control, no ratio, no threshold -- just two knobs and a footswitch. Inside, at the heart of it, sat a now-legendary integrated circuit, the **Ross/CA3080-style "OTA"** in early units and, most famously, the **CA3080E operational transconductance amplifier**, with a particular chip variant -- the so-called "script logo" Dyna Comps using a specific op-amp -- becoming objects of vintage worship. The genius of the Dyna Comp was that it hid every parameter except the two that a guitarist standing on a dark stage could actually use, and it pre-baked an attack and release time that flattered the guitar.

Close on its heels came the **Ross Compressor**, built by the Ross company (a Kansas-based outfit) in the mid-to-late 1970s, housed in a distinctive grey box. The Ross used a circuit topology closely related to the Dyna Comp -- both leaned on that transconductance-amplifier approach -- but voiced it with a slightly darker, smoother, more "three-dimensional" character that a long roster of players came to prefer. The grey Ross became one of the most cloned pedals in history; whole boutique companies have built reputations essentially by reissuing the Ross circuit with better components and a relic'd enclosure. Between the Dyna Comp and the Ross, the compact guitar compressor had its two foundational voices, and nearly everything since is a refinement, a variation, or a reaction.

I How a Compressor Actually Works

To understand why a compressor does what it does, you have to start with the **transient** -- the very first instant of a note. When you pluck a string, the sound does not arrive at a steady volume. It begins with a sharp, brief spike of energy as the pick releases the string, and then that energy decays over time as the string's vibration loses steam. Picture the volume of a single plucked note plotted against time: it leaps up almost instantly to a peak, then sags down a long, gradual slope into silence.

That initial spike is the transient, the attack; the long slope is the sustain and decay. The whole shape -- attack, decay, sustain, release -- is the note's **envelope**, and a compressor is fundamentally an envelope-shaping machine.

Here is the mechanism. A compressor watches the level of the incoming signal. When that level rises above a certain point -- the **threshold** -- the compressor reduces the gain, turning the signal down. The amount it turns down is governed by the **ratio**: a 4:1 ratio means that for every 4 dB the input goes above threshold, the output only rises 1 dB. Crank the ratio toward infinity and you have a *limiter*, a wall the signal cannot climb past. So far this only makes loud things quieter. The magic comes from two things working together. First, after squashing the loud transient, the compressor typically applies **makeup gain** -- it boosts the whole now-flattened signal back up to a useful volume. Second, and crucially, the speed at which it clamps down and the speed at which it lets go are set by the **attack** and **release** controls.

The attack control sets how fast the compressor reacts once the signal crosses the threshold. A *fast* attack catches the very front of the transient and squashes it instantly, taming that initial pick spike and producing the smooth, even, slightly polite sound that many associate with "over-compression." A *slow* attack lets the transient through unmolested for a few milliseconds before the gain reduction kicks in -- which means the percussive snap of the pick survives at full strength while the body of the note behind it gets compressed. That surviving transient is the *snap*, the *pop*, the *spit* on the front of a chicken-pickin' note. The release control sets how fast the compressor returns to full gain after the signal falls back below threshold. A fast release brings the gain back up quickly, which lifts the decaying tail of the note back into audibility -- that is your *sustain*, the way a compressed note seems to hang and bloom rather than dying naturally. Set the release too fast and you hear the noise floor "breathing" up and down between notes, a pumping artifact; set it musically and the note simply sings longer than it should.

Now the Dyna Comp's two-knob simplicity makes sense. Its attack and release are fixed -- voiced by the designers for guitar -- so the player only adjusts how hard it clamps (Sensitivity) and how loud it comes out (Output). The Ross works the same way. You are not micromanaging the envelope; you are choosing how aggressively a pre-tuned envelope-shaper grabs your signal. The flattening of dynamics has a side effect that is central to clean playing: because the compressor pulls the loudest peaks down and the makeup gain pushes everything back up, *the quiet notes get relatively louder*. Your weak fretting-hand notes, your ghosted strums, the trailing string in a double stop -- all of it gets pulled up toward the level of your strongest attack. The result is uncanny evenness. A compressed clean guitar has no weak spots. Every note is present, confident, and roughly the same size, which is exactly what you want when a single-coil Telecaster is exposed and naked in a sparse arrangement.

There is a cost, and honest tone talk requires naming it. Compression reduces dynamic range *by definition*, which means it reduces your ability to play loud and soft as an expressive device -- the compressor is doing some of that volume-riding for you, whether you want it to or not. Heavy compression flattens pick dynamics into uniformity, which is wonderful for funk and country and ruinous for, say, expressive blues phrasing where the difference between a whisper and a scream is the whole point. Compression also raises the noise floor: when the makeup gain lifts your quiet decay back up, it lifts the hum and hiss with it, which is why a single-coil guitar into a cranked compressor can get noticeably noisier. And the always-on transparent compression beloved in Nashville is a balancing act -- enough to even things out and add sustain, not so much that the guitar turns to lifeless mush.

| The Sound of Squish

So what does it actually sound like? Roll the Sensitivity up on a Dyna Comp and play a single note, clean, and the first thing you notice is the *front*: a tight, almost ceramic *tick* or *pop* right as the pick hits, brighter and snappier than the uncompressed note. That is the upper-midrange and treble content of the transient briefly poking through before the gain reduction settles in. Behind that snap the note blooms -- it swells and sustains with a glassy, slightly hi-fi sheen, the decay artificially propped up so the note rings on a long, even plateau instead of falling away. Strum a chord and the squish reveals itself as a gentle *pumping*: the whole chord ducks down for an instant on the attack and then surges back up as the release recovers, a breathing motion that, at moderate settings, reads as "lively" and "three-dimensional" and at extreme settings reads as "seasick."

In frequency terms, most classic guitar compressors are not perfectly transparent -- they add a subtle voicing. The Dyna Comp is famously a little bit dark and a little bit "thick," with a midrange focus that fattens single-coil thinness; some players complain it dulls the very top end, which is why many pair it with a bright amp or a Telecaster's spanky bridge pickup. The Ross is often described as more open and dimensional, with a smoother top. Either way, the percussive snap lives up in the 2--5 kHz "presence and attack" region, the body and warmth live in the low mids around 250--500 Hz, and the sustain is really just the compressor refusing to let the fundamental and lower harmonics decay at their natural rate. Tone-wise, you are trading the natural exponential decay of a plucked string for a flatter, longer, more electric-piano-like envelope -- which is precisely the sound of a thousand clean records.

Case Study One: Nashville Chicken Pickin' and the Always-On Secret

In the studios of Nashville, the compressor is not an effect you switch on for a part. It is part of the instrument. The session players who built the modern country sound -- the cats who could read a chart, nail a take, and make a Telecaster talk -- treated a Dyna Comp or a Ross as an always-on layer between guitar and amp, set transparently enough that nobody listening would say "ah, compression," but present enough that the guitar acquired that signature even, snappy, sustaining quality. The compressor is the secret ingredient that makes the genre's clean Telecaster sound *sound like Nashville*.

Brent Mason, the most-recorded guitarist in Nashville for a long stretch and the architect of the modern chicken-pickin' lexicon, runs compression as a foundational part of his clean chain, typically a Telecaster into compression into a clean amp, the compressor evening out his hybrid-picked lines so the wide intervallic leaps and the snapped notes all land with equal authority. **Albert Lee**, the British-born picker whose blinding hybrid technique made him a hero to country and rock players alike, built his sound on a clean, compressed, treble-rich tone (often a Music Man or Telecaster-style guitar) where every one of his impossibly fast notes reads clearly because compression keeps them uniform. And **James Burton** -- the man whose Telecaster defined the sound of Ricky Nelson's hits, who played behind Elvis Presley, and who pioneered the use of banjo-style steel strings and chicken-pickin' attack -- is the historical headwater of all of it, the player who showed that a Telecaster's bridge pickup, plucked hard and bright, could *cluck*.

"Chicken pickin'" is a technique and a sound. The sound is that clucking, percussive, banjo-like snap; the technique that produces it is **hybrid picking** -- holding a flatpick between thumb and index finger while plucking other strings with the bare middle and ring fingers. The fingers can snap a string up and let it slap back against the frets for a sharp, percussive *pop*, and they can grab two non-adjacent strings at once for the wide, twangy **double stops** that define the style. A double stop is simply two notes played together; in country it's usually a pair built on intervals that imply the chord -- a major third or a sixth that outlines the harmony where a single melody note couldn't. The compressor is what makes this technique sing on a record: it tames the violent dynamic difference between a hard flatpick downstroke and a softly plucked finger note, so the line sounds even and intentional rather than lurching. And it survives the snap -- a Dyna Comp's fixed attack is set to let just enough transient through that the cluck stays clucky.

Here is an illustrative country double-stop lick in the chicken-pickin' tradition, built over an A chord, the kind of phrase that lives in this idiom. The "pop" notes are plucked with the bare finger and snapped against the fretboard.

TAB

Moderate country shuffle, ~120 BPM. Hybrid picking: pick the low notes, snap the high double stops with middle + ring fingers.

```
e|-----5--5-----|
B|---5b6r5-----5h6-----5-----|
G|--6h7-----7--6--x--x--6-----6-----6--x--6\----|
D|-----7-----|
A|--0-----0-----0--|
E|-----|
```

The bend on the B string fakes a pedal-steel "cry"; the x's are dead, clucked notes. Set a Dyna Comp Sensitivity around 1--2 o'clock so the snapped double stops pop without the line turning to mush, and keep the amp clean and bright.

Musically, notice what is happening over that A: the phrase leans on the major third (C#, the note you reach bending up on the B string) and the sixth (F#), the two intervals that give country its sweet, resolved, major-key sweetness. The **major pentatonic scale** -- the five-note scale (root, 2nd, 3rd, 5th, 6th; in A that's A, B, C#, E, F#) that omits the "darker" 4th and 7th -- is the bedrock of country lead playing precisely because it's all bright, consonant, resolved tones. Where a blues player reaches for the minor pentatonic and bends *into* tension, a country player reaches for the major pentatonic and resolves *into* sweetness, the double stops outlining the chord while the compressor makes every note ring with equal, glassy confidence.

Case Study Two: Funk Rhythm and the Sixteenth-Note Machine

Travel a long way from Nashville, into the deep pocket of funk, and the compressor is doing something related but aimed at a different target. Funk rhythm guitar lives and dies by the *sixteenth-note* -- a relentless, metronomic right hand strumming across muted and fretted strings, the guitar functioning less as a melodic instrument than as a second snare drum, a percussion engine locked to the groove. The technique is built on the **muted strum** (sometimes called a "scratch" or "chuck"): the fretting hand rests lightly across the strings without pressing them to the frets, so a strum produces not a chord but a percussive, pitchless *chick*. Interspersed between those scratches are brief, stabbed chords -- often spare two- or three-note voicings, ninth chords and sus chords -- that flash by and vanish.

Compression is the funk rhythm player's best friend because it equalizes the attack across all those strums. When your right hand is throwing sixteenth-notes, some strokes land harder than oth-

ers; the downbeats naturally hit harder than the upbeats. A compressor flattens that, pulling the soft strokes up and the hard strokes down, so the *chicka-chicka* machine becomes hypnotically even, every scratch the same crisp size, the whole pattern sitting in the groove like a drum loop. The fast transient of each muted strum gets that percussive snap, and the compressor's evening-out turns sixteen separate hand motions into one continuous, gleaming texture. The clean, bright, heavily syncopated funk rhythm sound -- think of the tight, treble-forward "scratch" guitar threaded through so much classic R&B and disco -- relies on compression to deliver that uniform percussive sparkle.

Here is an illustrative one-bar funk pattern over an E9 chord, the kind of relentless sixteenth-note scratch that drives a groove.

TAB

Funky sixteenths, ~108 BPM. Right hand never stops moving (down-up-down-up);
x = muted scratch, let the fretting hand mute between the stabbed chords.

```
e|--7--x--x--7--x--x--x--7--x--x--7--x--x--x--7--x--|
B|--7--x--x--7--x--x--x--7--x--x--7--x--x--x--7--x--|
G|--7--x--x--7--x--x--x--7--x--x--7--x--x--x--7--x--|
D|--6--x--x--6--x--x--x--6--x--x--6--x--x--x--6--x--|
A|--7--x--x--7--x--x--x--7--x--x--7--x--x--x--7--x--|
E|--x--x--x--x--x--x--x--x--x--x--x--x--x--x--x--x--|
```

The fretted shape is an E9 voicing; keep the right hand strumming continuously so the muted x's fill the space between chord stabs. Compression with a moderate-to-fast feel evens out every stroke -- dial Sensitivity to taste so the scratches "pop" uniformly and the clean tone stays bright and percussive.

The chord under all that scratching is worth a moment. An **E9** is a dominant ninth -- a dominant seventh chord (root, major 3rd, 5th, flat 7th) with the ninth (the 2nd, an octave up) stacked on top. Spelled out from E, that's E, G#, B, D, F#. Funk leans on dominant ninths and thirteenths because they are gloriously tense and unresolved -- they refuse to settle, which keeps the groove churning forward rather than coming to rest. This is the harmonic engine of funk: a single dominant-flavored chord, often held for bars at a time, voiced high and tight and stabbed in syncopated bursts. The compressor doesn't change the harmony, but it changes the *feel* -- it tightens the rhythmic grid, and in funk, the feel is the music. A compressor here is a groove-tightening device disguised as a tone effect.

Case Study Three: Gilmour's Clean Bloom and Knopfler's Fingertip Snap

Compression's reach extends far past twang and funk into the most expressive clean playing in rock, where it serves sustain and touch rather than percussion. **David Gilmour** of Pink Floyd built much of his clean and edge-of-breakup tone around compression, frequently a Dyna Comp or similar at the front of a long and storied chain. On the spacious, patient clean passages -- the kind of long, vocal, bending lines that open up over a slow chord progression -- compression is what lets a single bent note hang and *bloom*, the sustain propped up so the note swells and sings with an almost synthetic sustain rather than decaying. Gilmour's clean tone is unhurried; the notes have room to breathe and time to develop, and the compressor ensures that even the quietest part of a long sustained bend stays present, feeding into the delay and reverb that make his sound so cavernous. The compressor is the foundation that the spaciousness is built on -- without the evened-out, sustained note, the echoes have nothing worth repeating.

Then there is **Mark Knopfler**, whose tone on Dire Straits' "Sultans of Swing" (from their 1978 self-titled debut) is one of the most identifiable clean guitar sounds ever recorded, and a textbook demonstration of compression interacting with technique. Knopfler famously plays *fingerstyle* -- no pick at all, plucking with thumb and fingers -- on a Stratocaster, and the combination of bare-finger attack and compression produces that distinctive *snap and cluck*, a percussive, vocal, almost-clucking articulation on every note. The fingers naturally pull the strings slightly outward and let them snap back, and compression seizes that transient and the long ringing tail behind it, so each note has both a sharp percussive front and a sustaining body. The famous fills on "Sultans" -- those liquid, rolling pull-off runs that answer each vocal phrase -- get their evenness and their singing sustain from compression smoothing the wide dynamic range of fingerstyle picking. (Knopfler's exact rig is debated by gearheads; the studio sound is variously attributed to amp choices and possibly studio compression as much as a pedal, so treat any "he used pedal X" claim as contested. What is *not* contested is that the sound is the sound of compressed, fingerstyle, single-coil clean tone.)

Here is an illustrative compressed clean fingerstyle arpeggio in that rolling, melodic vein -- not a transcription of any specific song, but a phrase built to demonstrate the technique and tone. Play it with bare fingers, letting the notes ring into one another.

TAB

Flowing, ~140 BPM. Fingerstyle: thumb on the low notes, fingers rolling across the top. Let everything ring (let notes sustain into each other).

```
e|-----5-----5-----3---|
B|-----6-----6-----5-----3---3---|
G|-----7-----5-----4-----|
D|-----7-----7-----5-----|
A|-----5-----|
E|--5-----3-----|
```

An Am9-to-F-flavored rolling arpeggio; pick with bare fingers and snap them slightly for the percussive front, then let every note sustain. A compressor with a touch of slow attack keeps the snap while propping up the sustain so the notes bloom and overlap.

The technique here weaves directly into theory. Letting the notes ring into one another turns a single-note arpeggio into an evolving stack of harmony -- you are spelling out the chord one note at a time but hearing them all at once, which is why fingerstyle arpeggios sound so rich. The phrase leans on an **add9** color (the 9th -- the 2nd up an octave -- added to a triad without the 7th), the interval that gives so much clean rock its open, suspended, slightly wistful quality. The 9th sits a whole step above the octave root, close enough to create a gentle shimmer of tension against it without the bite of a true dissonance, and a compressor's even sustain lets that shimmer hang in the air. This is the heart of why compression matters for expressive clean playing: it doesn't just make notes louder or longer, it makes the *relationships between notes* -- the ringing overlaps, the slow blooms, the sustained tension -- audible and stable. The natural decay of a plucked string would let those relationships collapse; the compressor holds them up so you can hear the music in them.

| What the Box Really Does

Strip away the Nashville secrecy and the boutique mystique, and the compressor's job is humble and profound at once: it manages the envelope of every note so the guitar sits exactly where the music needs it. It trades dynamic range for evenness, snap, and sustain. It makes the Telecaster cluck, the funk guitar tighten, the clean note bloom. It is the effect you reach for not to change your tone but to change how your *playing* lands -- to tame your loudest peaks, lift your quietest notes, and add a percussive front and a singing tail to everything in between. The fact that it does this almost invisibly is exactly why the best players never turn it off, and exactly why, for decades, they were happy to let you assume there was no pedal there at all.

▶ LISTEN FOR

- **Dire Straits, "Sultans of Swing" (1978):** Mark Knopfler's bare-fingered Stratocaster. Listen to the *snap* on the front of each note in the answering fills and the way the long notes sustain and sing -- that percussive cluck plus singing tail is compression meeting fingerstyle attack.
- **Anything featuring Brent Mason or Albert Lee's clean Telecaster work:** Focus on the chicken-pickin' double stops and how *even* the fast lines sound -- the snapped notes and softly picked notes land at the same size. That uniformity is an always-on compressor.
- **Pink Floyd, slow clean Gilmour passages (e.g., the spacious intros and clean verses):** Listen to a single bent note and how long it *blooms* and hangs before the delay takes over. The propped-up, synthetic-feeling sustain is compression feeding the echo.
- **Classic clean funk/R&B "scratch" rhythm guitar:** Close your eyes on a sixteenth-note rhythm part and hear how every muted *chick* is the same crisp size, locked to the groove like a hi-hat. That metronomic evenness is a compressor turning a hand into a machine.

PART VI

High Gain & the Modern Era



Mesa/Boogie and the Birth of High Gain

THE AMP WAS A JOKE, TECHNICALLY. A LITTLE FENDER **PRINCETON**, THE KIND OF student practice combo you'd find gathering dust in the back of a music store, rolled into a San Francisco repair shop sometime around 1969 as the setup for a prank. The plan, by Randall Smith's own retelling over the years, was to drop a brutally loud, oversized speaker and a hot-rodded circuit into the smallest, most unassuming chassis they could find, then hand it to a friend and watch his face when this toy practice amp roared like a stack. Smith was a motorcycle mechanic and a tinkerer with a deep feel for how machines could be made to do more than their makers intended, and he treated the Princeton the way a hot-rodder treats a stock engine block: as raw material. He stuffed in a bigger output transformer, a 12-inch speaker where a 10 had been, and he started piling up gain. The first time someone plugged a Les Paul into the thing and dug in, the story goes, a bystander said the little amp could really *boogie*. The name stuck. So did the idea, and the idea would reorganize the next forty years of loud guitar.

What Smith had stumbled into, and would soon refine into a deliberate art, was a way to make a guitar amplifier produce thick, singing, sustaining distortion *without* having to run it at the bowel-loosening volume that earlier players needed to push a Marshall or a tweed Fender into breakup. Up to this point the rule had been simple and cruel: distortion was a function of volume. You got the glorious saturated roar by cranking the amp until the power tubes and the output transformer were screaming, which meant deafening stage levels and a sound engineer in tears. Smith's hot-rodded Princeton hinted at a different physics entirely, one where the dirt was generated early in the signal path, at low power, and the master volume merely decided how loud to make it. That single shift, from volume-dependent distortion to gain-dependent distortion, is the seed of everything we now call high gain.

| The Mechanic and the Mark Series

Randall Smith founded what became **Mesa/Boogie** out of that Bay Area repair work, and by the early 1970s he was building amplifiers in earnest in Lagunitas, California, north of San Francisco. The first production design, retroactively known as the **Mark I**, took the lesson of the hot-rodded Princeton and made it a circuit philosophy. These amps were small, gorgeously made, often dressed in hard-

wood cabinets with wicker grilles, and they punched absurdly above their size. They were also expensive and built one at a time, which gave them an air of the bespoke, the hand-tuned, the insider's secret. Word spread through working guitarists before it ever reached the general public.

The technical breakthrough at the heart of the Mark I was **cascading gain stages**. To understand why that mattered, you have to understand how a conventional amp preamp worked. A vintage Fender or Marshall preamp typically ran the guitar signal through a single triode gain stage, a section of a 12AX7 tube, and then sent it onward toward the tone controls and the power section. One stage of amplification. It was clean until you hit it hard, and even then the bulk of the grit came later, downstream, in the power tubes. Smith's insight was to take the output of one preamp gain stage and feed it directly into the input of a *second* preamp gain stage, stacking them like a relay team. The first stage amplifies the guitar; the second stage amplifies the already-amplified, already-slightly-clipped output of the first. Cascade enough of these and you generate enormous quantities of harmonic distortion in the preamp alone, long before the signal ever reaches the power tubes.

The **12AX7** (known in Europe as the **ECC83**) is the workhorse here, a dual-triode tube with high gain that makes it ideal for stacking. A single 12AX7 contains two independent triodes in one glass envelope, so a single tube can supply two cascaded stages. This is the architecture that defines the modern high-gain amp, and Mesa got there first as a production reality. Stack the stages, put a volume control between them so you can set how hard the first stage drives the second, and put a master volume at the end so the whole saturated mess can be played at a whisper or a roar. Smith reportedly developed early versions of this cascading-plus-master-volume arrangement in the very late 1960s and refined it through the Mark I, and it is no exaggeration to say it is one of the foundational circuit ideas in electric guitar history.

The Mark series evolved with a watchmaker's obsession. The **Mark IIA** introduced a genuinely footswitchable second channel, so a player could leap from a clean or rhythm voice to a saturated lead voice with a stomp rather than a frantic knob-twist. This footswitchable-channel concept, which we now take utterly for granted, was revolutionary on a working stage: one amp, two completely different sounds, switched in a heartbeat. The **Mark IIB** and then the legendary **Mark IIC** and **Mark IIC+** sharpened the lead channel into something ferocious and precise. Later the **Mark III**, **Mark IV**, and on through the modern **Mark V** added channels, modes, and refinements, but the DNA never changed: cascading preamp gain, a master volume, footswitchable voices, and a tone-shaping section unlike anything else on the market.

| The Graphic EQ and the Geometry of a Scoop

That tone-shaping section deserves its own discussion, because it is the other half of the Mesa signature. Most Mark-series Boogies included a five-band **graphic equalizer** built into the amp, with sliders at roughly 80 Hz, 240 Hz, 750 Hz, 2200 Hz, and 6600 Hz. A graphic EQ is simply a bank of filters, each boosting or cutting a fixed frequency band, and when you line the sliders up you can literally see the shape of your tone curve drawn across the faceplate.

Mesa players quickly discovered a particular slider arrangement that became iconic: push the bass and treble sliders up, pull the midrange sliders down, and the row of controls forms a visual "**V**" dipping in the center. This is the famous **mid scoop**. To grasp why it transforms the sound, you need a little theory about where the guitar lives in the frequency spectrum and how our ears read it. The midrange, very roughly the 400 Hz to 2 kHz region, is where the human ear is most sensitive and where a guitar's fundamental note-defining energy and its "honk" or "bark" reside. Scoop those mids out and the sound loses its nasal, boxy, in-your-face quality and gains a glassy, scooped, almost hi-fi aggression: deep chest-thumping lows, sizzling crystalline highs, and a hollowed-out middle. Palm-muted power chords through a mid-scooped Boogie sound enormous and brutal, like a chainsaw wrapped in velvet.

But the scoop hides a trap, and understanding the trap is the key to using a Boogie well. Those scooped mids are exactly the frequencies that let a guitar *cut through* a band. In a full mix with bass, drums, vocals, and a second guitar, the mid-scooped tone that sounded colossal alone in your bedroom can vanish entirely, swallowed because it surrendered the very frequencies that fight for space against the cymbals and the snare. This is why experienced Boogie players treat the EQ as a context-dependent tool rather than a one-size shape. For a crushing, recorded rhythm tone where another guitar or a doubled track fills the spectrum, the scoop is glorious. For a cutting lead that must sing over the whole band, you do the opposite: you *boost* the mids, often pushing that 750 Hz slider and its neighbors upward to create a focused, vocal, forward midrange that slices through everything. Mid-scoop to crush, mid-boost to cut. That single trade-off, drawn right there in the geometry of the sliders, is one of the most useful tone lessons a rock or metal guitarist can internalize.

| Why It Sustains: The Physics of the Singing Lead

The other thing a cascaded-gain Boogie does, and the reason Carlos Santana fell in love with one, is sustain. When you stack gain stages and saturate the signal heavily, you are doing something specific to the waveform. A clean guitar note is a complex but relatively peaky waveform that decays fairly quickly as the string's energy dies. Heavy distortion is, in essence, aggressive **compression** plus har-

monic generation: as the signal clips against the ceiling of each gain stage, the tall transient peaks get flattened and the quiet tail of the note gets pulled up toward the same level. The practical result is that a note's volume stays high far longer than it naturally would. The string is still decaying, but the amp keeps shoving the dwindling signal back up to maximum, so to the ear the note simply hangs in the air, blooming and sustaining like a bowed string.

This is where the word "violin" enters the vocabulary, and it is the perfect description. A great Boogie lead tone has the smooth, sustained, vocal quality of a bowed instrument: pick a note, and instead of the percussive *plink-and-fade* of a clean guitar, you get a swelling, singing tone that you can shape with vibrato and bends as if it were a human voice. Add to this the rich overtone content the cascading stages generate, and the note develops a complex, vowel-like character. The **harmonic series** is doing the heavy lifting here. Any vibrating string produces not just its fundamental pitch but a whole ladder of overtones above it, at integer multiples of the fundamental frequency, and these overtones are what define an instrument's timbre. A heavily overdriven amp doesn't just amplify those natural overtones; it generates *new* ones through nonlinear distortion, especially even-order harmonics, the octave and the octave-plus-fifth, that the ear hears as musical and sweet rather than harsh. Pile up enough of that harmonic richness on top of a sustaining, compressed note and you have a lead tone that feels alive, that wants to feed back gently, that you can lean on and ride for measures at a time.

| Santana: The Singing Tone

The player who showed the world what a Boogie could do was **Carlos Santana**, and the marriage was perfect. Santana wanted a guitar voice that could sing like a saxophone or a human voice, long sustained notes with deep vibrato that floated over the polyrhythmic churn of his Afro-Cuban-tinged rock band. A cranked-and-screaming Marshall could get him there volume-wise but cost him control; the Boogie gave him that singing sustain at a volume where he could still phrase delicately. Through the early and mid 1970s Santana became the most famous Mesa/Boogie evangelist alive, and the lyrical, vocal sustain of tracks in the spirit of "Europa (Earth's Cry Heaven's Smile)" and "Samba Pa Ti" became the public's first real taste of what cascading gain made possible. The tone is unmistakable: smooth, round, sustaining, with a creamy top end and that endless bloom on long notes.

Crucial to Santana's sound is *how* he played over those grooves, and here the theory is essential. Santana lives, more than almost any rock guitarist, in the **Dorian mode**. A mode is a scale built by starting on a different degree of the major scale; Dorian is the mode you get starting on the second degree, and the easiest way to feel it is this: it is a minor scale (it has the minor third that gives it its melancholy) but with a *raised sixth* compared to the natural minor. That raised sixth is the secret in-

gredient. It lends Dorian a bittersweet, hopeful, slightly Latin or jazzy quality, minor but not mournful, and it is everywhere in Santana's long modal vamps, which often sit on a single minor chord or a two-chord oscillation for minutes at a time, giving the soloist room to breathe.

Here is an original phrase in that spirit, an A Dorian line meant to be played on a sustaining, mid-boosted Boogie lead voice with plenty of neck-pickup warmth.

TAB

Slow, ~76 BPM, rubato and vocal — let every note bloom

```
e|-----|
B|-----5b7r5-----5~-----|
G|-----5--7~-----7-----7--5--7~-----|
D|-7-----7-----|
A|-----|
E|-----|
```

A Dorian (A B C D E F# G). Lean on the F# and the singing high notes; heavy finger vibrato is the whole point. Neck pickup, gain high but not buried, mids pushed up so the tone sings over a band. Let the amp's compression hold each note's sustain.

The bend up to the seventh and the slow release, the wide vibrato on the held notes, the way the line targets chord tones and lingers, all of it depends on the amp sustaining long enough for the phrasing to register. On a clean amp these notes would die before the vibrato could speak. On a Boogie they hang and glow.

| **Metallica: The Mark IIC+ and the Sound of Modern Metal**

If Santana revealed the Boogie's singing soul, **Metallica** revealed its teeth, and in doing so they may have made the single most influential recorded high-gain guitar sound of the 1980s. **James Hetfield** and **Kirk Hammett** built the towering rhythm tone of *Master of Puppets* (1986), and the surrounding records, around the **Mesa/Boogie Mark IIC+**. The IIC+ is the stuff of legend among metal players, an amp so prized that original units trade for sums that would buy a used car, precisely because of what it does to a downpicked, palm-muted riff.

The Metallica rhythm sound is a masterclass in how cascading gain plus careful EQ produces controlled aggression rather than mush. The tone is tight, percussive, and articulate even at murderous gain levels, because the preamp saturation is voiced to preserve pick attack. The low strings have a dry, crushing thud; the chords are clear enough that you can hear every note in a fast tremolo-picked passage. It is often, though contested in the fine details by the people who actually dialed it in, described as using a degree of mid-scoop combined with very tight low end, frequently captured with

studio compression and multiple layered tracks panned hard left and right to create that wall-of-guitars width. The exact settings and the precise role of mid-scoop versus mid-boost on those records are debated lore among engineers and obsessives, so treat any "secret Hetfield EQ" you read online with healthy skepticism; what is not debated is that the amp was a Mark IIC+ and that the tightness of the sound owes everything to preamp-generated, low-volume-capable saturation.

The technique married to that tone is **palm muting**, where the picking-hand palm rests lightly on the strings near the bridge to choke the sustain into a tight, percussive *chug*. Combined with relentless **downpicking**, where every note is struck with a downstroke for maximum consistency and attack, it produces the machine-gun precision that defines thrash. Here is an original thrash-style riff in that idiom, built on the open low E and moving through a flattened-second-flavored, menacing tonality.

Fast, ~200 BPM, all downstrokes, palm muted (PM) tight at the bridge

PM..... PM.. PM..

E Phrygian flavor (the b2, the F natural at fret 1, gives the evil sound). Mark IIC+-style tone: high gain, tight low end, scooped or near-scooped mids for the recorded crush. The palm mute must be tight enough to choke sustain into a percussive chug. Downpick everything for thrash consistency; let the open-E chugs breathe between the power-chord stabs.

Note the **power chords** here, the two-note root-and-fifth shapes (the notes on the A and D strings) that have no third and therefore no major or minor quality. Their neutrality is exactly why they suit high gain: a full major or minor chord, with its third, generates clashing intermodulation distortion when slammed through a saturated amp, a muddy dissonance, whereas the bare root-and-fifth interval, a **perfect fifth**, stays clean and powerful no matter how much gain you pile on. The whole architecture of metal rhythm guitar, the power chord plus the high-gain amp, is a single co-evolved system, and the Boogie was one of its parents.

I Petrucci, Lukather, and the Lead Machine

As the Mark series matured into the III and IV, it became the lead-tone weapon of choice for a generation of technically formidable players, and two names stand out. **John Petrucci** of **Dream Theater** built much of his early sound, across records like *Images and Words* (1992) and *Awake* (1994), on Mark-series Boogies, prizing the way the amp could deliver a smooth, sustaining, liquid lead tone that held together through his blindingly fast legato runs while still articulating individual notes when he wanted attack. Petrucci's tone is the modern progressive-metal ideal: enough gain to sustain forever, enough clarity to play sixteen notes a beat cleanly, enough midrange focus to sing over a dense band. He would later develop his own signature amplifiers with Mesa, but the foundation was the Mark voicing.

Steve Lukather, the Los Angeles session titan and the guitarist in **Toto**, was another devoted Boogie player through the late 1970s and 1980s, and his use of the amp points to its versatility beyond metal. Lukather's lead tone, all over Toto records and on an almost uncountable number of sessions for other artists, is fat, smooth, vocal, and singing in a way that descends directly from the Santana lineage but pushed toward a slicker, more polished studio aesthetic. The same cascading gain that crushed for Hetfield sang for Lukather; the difference was in the EQ, the playing, and the context.

The lead technique these players share is **legato**, the smooth connecting of notes via hammer-ons (sounding a note by hammering a fretting finger down rather than picking) and pull-offs (sounding a lower note by plucking the string with the fretting finger as it lifts), so that a long run flows like a single breath rather than a series of separate attacks. Legato depends utterly on a sustaining amp. Each hammered or pulled note has far less attack energy than a picked one, so without an amp that compresses and sustains, the notes simply die. A cascaded-gain Boogie keeps every note in the run blooming at full voice. Here is an original legato run in A natural minor (the **Aeolian mode**), the kind of fluid line that lives on a high-gain lead channel.

TAB

Fast, ~132 BPM, legato -- pick only the first note of each group

```
e|-----5-8-5-----|
B|-----5h8p5-8-----8p5-----|
G|-----5h7p5-7-----7~~~~|
D|-----5h7p5-7-----|
A|-----5h7p5-7-----|
E|-5h8-----|
```


A Aeolian / natural minor (A B C D E F G). Pick only the first note of each six-note cluster; hammer-ons (h) and pull-offs (p) carry the rest. High gain plus a touch of mid-boost so the run cuts; the amp's sustain is what lets the unpicked notes ring at full volume. Keep the fretting fingers firm and the picking hand muting stray strings. End on the high A with wide vibrato.

Notice that the **Aeolian mode**, the natural minor scale, differs from Santana's Dorian by exactly one note: the sixth is flatted (F natural here rather than F#). That single semitone is the difference between Dorian's bittersweet hopefulness and Aeolian's darker, sadder gravity, and it is a perfect illustration of how much modal color rides on one interval. The same amp, the same hands, a one-fret difference in the scale, and the emotional weather changes completely.

| The Inheritance

What Randall Smith began with a prankish hot-rodded Princeton turned out to be the template for nearly every high-gain amplifier that followed. The cascading-preamp-gain architecture, the master volume that divorces distortion from stage volume, the footswitchable channels, the built-in EQ for sculpting a scoop or a boost, all of it became the standard vocabulary. When other builders later created their own legendary high-gain machines, they were, knowingly or not, building on Mesa's foundational grammar. The little wooden amp that could "really boogie" had rewritten the rules: dirt was no longer a prisoner of volume, and the singing, sustaining, crushing voice of modern electric guitar had been set free to play at any level a guitarist chose.

- **Santana, "Europa (Earth's Cry Heaven's Smile)" and "Samba Pa Ti"** — the singing, violin-like sustain of an early Mark-series Boogie. Listen to how long the notes hang and bloom, the deep vibrato, and the bittersweet raised-sixth color of the Dorian phrasing over the vamps.
- **Metallica, *Master of Puppets* (1986)**, especially the title track and "Battery" — the Mark IIC+ rhythm wall. Hear the tight, percussive, articulate palm-muted chug, the clarity of fast downpicked passages, and the scooped, layered width of the doubled rhythm tracks.
- **Dream Theater, *Images and Words* (1992)**, "Pull Me Under" and "Under a Glass Moon" — John Petrucci's liquid Mark-series lead tone holding together through fast legato runs while staying articulate.
- **Toto, *Toto IV* (1982)** — Steve Lukather's fat, vocal, singing lead tone, the Santana sustain lineage refined for the studio. Notice the smooth bloom on sustained notes and the mid-forward focus that lets the leads cut through a dense pop-rock mix.

The Hot-Rodded Marshall and the Hunt for the Brown Sound

DROP THE NEEDLE ON THE OPENING SECONDS OF *Van Halen* AND YOU HEAR SOMETHING that should not have been possible in 1978. The riff that announces "Runnin' with the Devil" is preceded by a slow, swelling chord of car horns — a literal joke, Eddie and his brother Alex having wired up a board of automobile horns from a junkyard — but the moment the guitar enters on "Eruption" and "Atomic Punk," the joke is over. The tone is thick, brown, saturated to the point of liquefaction, and yet every note speaks with a percussive crack at the front and a singing tail at the back. It is loud the way a furnace is loud, a continuous roar with weight behind it, and it sustains as if the string had been set in motion and then simply refused to stop. Players who had spent the decade chasing the controlled scream of a cranked Marshall heard that record and understood, in the space of a few bars, that the rules had quietly changed. The question that consumed the next thirty years of amplifier design, magazine letters columns, and garage experimentation was deceptively simple, and almost nobody got it right: *how did he do that?*

I The Problem the Plexi Couldn't Quite Solve

To understand the hunt for the brown sound, you have to understand what guitarists were already working with, and where it fell short. By the late 1960s the **Marshall "Plexi"** — the 50- and 100-watt heads named for their Plexiglas front panels, built around four ECC83/12AX7 preamp tubes feeding a quartet of **EL34** power tubes — had become the loudest, most authoritative clean-into-dirty voice in rock. Hendrix, Clapton in his Cream period, Townshend, the early Zeppelin records: that crunch and that controlled feedback came from these amps run with the volume controls pushed well past noon. The Plexi did not have a lot of gain by modern standards. It had a single channel, two inputs, and a fairly polite preamp. What it had instead was *headroom* and a glorious way of falling apart. When you drove the front end hard and let the EL34s clip, the distortion came mostly from the power section and the output transformer working at the edge of saturation, and that is a particular kind of grind — open, dynamic, touch-sensitive, full of upper harmonics that bloom as you dig in.

The catch was volume. To get a non-master-volume Plexi into full saturation, you had to turn it up to a level that was genuinely dangerous in a club and impossible in a studio control room with the

talkback open. Worse, it still was not really a *high-gain* sound. It was a loud, slightly hairy clean sound that broke up beautifully on transients, but for sustained, compressed, sing-forever lead tones you wanted more distortion than the front end could supply on its own. Two solutions emerged, and they ran on parallel tracks through the 1970s. The first was the boost: shove a hotter signal into the front of the amp with a treble booster or an overdrive pedal so the preamp clipped earlier and harder. The second was to physically rewire the amplifier — to **cascade** the gain stages.

Cascading is the conceptual heart of every high-gain amp that followed, so it is worth defining plainly. In a normal Plexi, the two channels (the bright "high treble" channel and the darker "normal" channel) sit side by side; players famously "jumpered" them together with a short patch cable to blend their voicings, a trick Hendrix and countless others used. A cascading mod takes the output of one gain stage and feeds it into the input of the next *in series*, so the signal is amplified, clipped, amplified again, and clipped again before it ever reaches the tone controls. Each additional stage multiplies the available distortion and compresses the dynamics further. The famous early experiments belong to the Californian amp techs and small builders who would soon define the "hot-rodded Marshall" as a category unto itself.

The Modders: Soldano, the Two-Stage Plexi, and Jose Arredondo

By the mid-to-late 1970s, Los Angeles had a thriving underground of amp technicians who would take a player's Marshall and "hot-rod" it — add a cascaded gain stage, install a master volume, change coupling capacitor values to tighten the low end and shift the midrange, sometimes add a diode clipping stage for extra sustain. The point was always the same: to get more saturation at a usable volume, and to make that saturation thicker and more even than a stock Plexi could manage.

The name most tightly bound to Van Halen's tone is **Jose Arredondo**, an Ecuadorian-born tech working out of a shop in the San Fernando Valley. Arredondo modified amplifiers for a long list of L.A. players, and Eddie Van Halen was among his most famous clients; "Jose-modded" Marshalls became near-mythical objects, spoken of in hushed tones in the back pages of guitar magazines. What Arredondo actually did inside those chassis has been pieced together by techs over the years and generally involved an added preamp gain stage, a master-volume circuit, and revised filtering — the standard hot-rod toolkit, executed with a good ear. It is important to be honest here: the precise component values and the exact chronology of which Van Halen recordings used a stock amp versus a Jose-modded one are genuinely contested, and Eddie himself gave conflicting and sometimes deliberately misleading accounts over the decades. The earliest records — *Van Halen* (1978) and *Van Halen II*

(1979) — are the ones most central to the brown-sound legend, and as we'll see, the evidence about *those* specific tones points somewhere a little different from the heavily modded heads that came later.

The hot-rod movement did not stop at private mods. **Mike Soldano** turned the cascaded-Marshall idea into a production amplifier with the Super Lead Overdrive (the SLO-100) in the late 1980s, and his approach — multiple cascaded 12AX7 stages, a tight and singing high-gain channel, a clean channel that stayed clean — became a template the entire boutique industry copied. The lineage runs straight from a guy with a soldering iron rewiring a Plexi in a Valley garage to the modern "modded Marshall" voicing that lives in every digital amp modeler's preset list.

I Marshall Answers Back: The Master Volume and the JCM800

Marshall was not deaf to all this. The first official answer arrived in 1975–76 with the master-volume models — the 2203 (100-watt) and 2204 (50-watt). A **master volume** is a second volume control placed *after* the preamp but *before* the power tubes. The idea is elegant: crank the preamp gain control to clip the front end hard, then use the master to set how much of that already-distorted signal hits the power section and the speakers. For the first time you could get a saturated lead tone at something approaching a civilized volume, because the distortion was now coming substantially from the preamp rather than requiring the EL34s to be flat-out.

In 1981 those circuits were rehoused and rebranded as the **JCM800** series — named, charmingly, for Jim Marshall's car license plate, JCM 800. The 2203 and 2204 JCM800s, with their single channel, master volume, and that bright, aggressive, midrange-forward EL34 voice, became *the* sound of 1980s hard rock and the gateway drug into thrash metal. Set the preamp around seven or eight, the master wherever the room allowed, presence up, and you had the cutting, articulate roar behind a thousand records. There is a tradeoff baked into this design, and it shaped a decade of tone: preamp distortion at low power-tube levels does not have quite the three-dimensional bloom and sag of a power section being driven into clipping. The JCM800 is tighter, more immediate, a little more "solid-state-adjacent" in its clipping character than a cranked Plexi — which is exactly why metal loved it and why blues purists often didn't. Many players got the best of both worlds by doing what their L.A. forebears did: putting a clean boost or an overdrive in front to slam the input even harder.

I How It Works, and Why It Sings

Now to the physics, because the brown sound is, underneath all the lore, an explainable phenomenon. Three things are happening at once, and the magic is in their combination.

First, *power-tube saturation*. When you drive EL34s (or 6L6s, or any output tubes) past their linear range, they clip the signal, and tube clipping is relatively soft and asymmetric. Soft clipping rounds the peaks of the waveform rather than slicing them flat, which generates a spectrum rich in *harmonics* — frequencies that are whole-number multiples of the note you're playing. Pluck a low E at roughly 82 Hz and you also get energy at 164 Hz (the octave, the second harmonic), 246 Hz (an octave and a fifth, the third harmonic), 328 Hz (two octaves, the fourth), and on up the **harmonic series**, the natural ladder of overtones present in any vibrating string. Distortion exaggerates these overtones and, crucially, adds new ones the clean note never had. Even-order harmonics (octaves, the second and fourth) sound musical and fat to the ear because they reinforce the fundamental's own octave; odd-order harmonics (the third, fifth) add bite and edge. Tube circuits tend to favor a flattering blend of both. This is why an overdriven note sounds *bigger* than its clean self: you are hearing the fundamental thickened by a whole architecture of reinforcing overtones.

Second, *compression and sag*. As power tubes work hard and the power supply struggles to keep up with the current demand, the supply voltage briefly droops — what players call "sag." The note's attack gets gently squashed and its sustain is held up artificially, because the amp is essentially leveling the dynamics. The result is that singing, compressed sustain where a held note seems to *bloom* — get louder and more harmonically complex — a fraction of a second after you strike it, rather than simply decaying. This is the "feel" guitarists describe in cranked tube amps and the quality that early modelers struggled to capture.

Third, *front-end boost*. Put a little extra signal into the preamp — from a treble booster, an overdrive, or, in Eddie's case, an **Echoplex** tape-delay unit whose preamp stage was reportedly left switched on at all times even when no echo was audible — and you push the first gain stage into clipping sooner and harder, and you can shape the midrange on the way in. A boost in front of an already-cranked amp doesn't just add volume; it tightens the attack, fattens the mids, and pours more harmonic content into the saturation downstream. The combination — front-end boost into a hard-driven power section — is precisely the recipe for "singing sustain with a percussive front edge."

That percussive edge has a name when a player coaxes it deliberately: the **pinch harmonic**, sometimes called the squeal or artificial harmonic. Here is the technique. When you pick a note normally, the string vibrates along its full length and you hear the fundamental plus its natural overtones. But if, at the instant of picking, you let the side of your thumb (just behind the pick) lightly graze the string, you damp out the fundamental and isolate one of the upper harmonics — exactly which one

depends on *where over the pickups and frets* you pick. Through a clean amp this is a thin, quiet chirp. Through a saturated, compressed high-gain rig it becomes a screaming, sustaining overtone, because all that distortion and sag seize the faint harmonic and amplify it into something vocal. Pinch harmonics are essentially impossible to make sing without high gain; they are a *product* of the tone, which is why they exploded in popularity exactly when hot-rodded Marshalls did.

| The Tones, Described

Listen closely to a great brown-sound rhythm tone and you can map it across the frequency spectrum. Down low, below about 120 Hz, it is firm but not flabby — the low E has body and thump without the woofy boom that would turn fast riffing to mud; the tight coupling caps in a well-modded amp live exactly here. The lower midrange, 200 to 500 Hz, is where the "brown" lives: a woody, chesty warmth, the sound of a big cabinet moving air, neither scooped-out nor honky. The upper mids around 1 to 3 kHz carry the cut and the growl, the part that lets the guitar slice through a band; push it too far and you get the nasal, "cocked-wah" quality of a hot-rodded amp with the midrange wide open, which some players love and others chase away. Up top, past 4 or 5 kHz, the **Celestion** speakers — Greenbacks in the early Van Halen cabs, by most accounts, with their early breakup and rolled-off top — soften the fizz and keep the distortion's high-frequency hash from turning brittle. The overall impression is *thickness with articulation*: a wall of harmonically dense sound that nevertheless lets you hear the pick attack on every note.

| Case Study: Edward Van Halen and the Brown Sound Itself

The most important thing to say about Eddie Van Halen's recorded tone on the first two albums is that it is *less* exotic than the legend insists, and that Eddie spent decades happily encouraging the confusion. The core of it, by the most credible accounts, was a 100-watt Marshall Super Lead — a fairly ordinary late-'60s Plexi-era head — run absolutely flat out, into Celestion-loaded 4x12 cabinets, with a few well-chosen tricks around it. His main guitar was the "Frankenstrat," a homemade single-humbucker Strat-style body he built and famously painted with stripes, fitted with a Gibson PAF-style pickup wired straight to a single volume knob, and later a Floyd Rose locking tremolo.

Then come the contested claims, and we should hold each of them up to the light. The most famous is the **Variac**. Eddie said for years that he ran his Marshall's wall voltage *down* with a Variac (a variable autotransformer that adjusts incoming AC) to around 90 volts or so, the theory being that lower plate voltage made the tubes saturate and sag earlier and gave that browner, looser feel.

Engineers have argued about this endlessly. Lowering the line voltage *does* change how an amp behaves — it reduces headroom, increases sag, browns the tone, and runs the tubes cooler in some respects — so the claim is not physically absurd. But many who were in the room have suggested the Variac story is at least exaggerated, possibly a misdirection, and that the lethal-sounding "I ran it at 90 volts" detail may have been part of Eddie's well-documented habit of hiding his methods from copycats. Treat it as plausible-but-unverified lore, not gospel. The second claim, the **Echoplex pre-amp always-on**, is better supported and widely repeated by people who worked with him: the tube preamp inside an EP-3 Echoplex was reportedly left in the chain permanently as a subtle clean boost and tone-shaper, even when the tape echo itself was off. That alone accounts for a meaningful chunk of the "thickness." The third, and this is crucial for understanding the *recorded* tone specifically, is the **dummy load**. To capture that flat-out 100-watt roar at a level a microphone and a mixing console could survive, producer Ted Templeman and engineer Donn Landee reportedly ran the amp into a power-absorbing dummy load (a resistive load box; the **Palmer** speaker simulator became the famous later version of this idea) so the power tubes could be cranked into full saturation while the actual speaker volume stayed manageable. The genius of the first record's sound is not one secret but a *stack* of sensible decisions: cranked Plexi, Greenback cabs, an always-on tube preamp boost, possibly a Variac, and a load box for the studio.

Hear it across the catalog. On *Van Halen* (1978), "Eruption" is the manifesto — the tapping, the dive bombs, and a lead tone that is pure compressed sustain. "Ain't Talkin' 'bout Love" rides a dark, churning Aeolian riff (we'll get to the theory in a moment), and "I'm the One" shows the brown rhythm tone at full chug. On *Van Halen II* (1979), "Spanish Fly" moves the tapping idea to nylon-string acoustic, while the electric tones on "Dance the Night Away" and "Light Up the Sky" are slightly more refined, a touch tighter, the sound of a band that now had a budget and a method. What unifies all of it is *touch*: Eddie could go from a whisper to a scream with his pick attack and volume knob alone, because the rig was poised right at the edge of saturation where dynamics still mattered.

The theory underneath those riffs is worth naming. So much of early Van Halen sits in the **Aeolian mode** — the natural minor scale, the mode you get by playing A to A on the white keys, with its characteristic flat third, flat sixth, and flat seventh giving that dark, driving rock-minor color. The riff feel of "Ain't Talkin' 'bout Love" lives squarely in that world. Over it and through the leads, Eddie leaned hard on the **minor pentatonic** (the five-note scale 1–♭3–4–5–♭7, the bedrock of rock lead playing) and the **blues scale** (minor pentatonic with an added ♭5, the "blue note" that gives the line its tension and grit), but he sprayed them with chromatic passing tones, fast legato runs, and tapped arpeggios that pushed those familiar boxes somewhere new.

Here is a brown-sound rhythm idea in that idiom — a low, open-string churn punctuated by pinch harmonics, the kind of figure that *requires* the saturated, compressed tone to come alive.

TAB

Brown-sound rhythm figure – heavy, mid-tempo shuffle feel, ~120 BPM.
Palm-muted chug with a screaming pinch-harmonic accent.

```

e|-----|
B|-----|
G|-----|
D|-----2-----2-----|
A|--2--2--2--2--2--2--2--2--2--2--2--PH-----2-----|
E|--0--0--0--0--0--0--0--0--0--0--0--0-----0-----|
    PM PM PM PM PM          PM PM PM PM PM

```

Pick the open low E and the A-string root with the side of the thumb grazing the string on the PH accent to squeal an upper harmonic; keep the heel of the picking hand on the bridge for the palm mutes (PM). The pinch only screams if the amp is saturated and compressed — that's the whole point. Dial it in: cranked **EL34** amp or a JCM800 with the gain around 8, a clean boost in front to fatten the mids, presence up, bass moderate so the chug stays tight.

The other half of the Van Halen signature was the whammy bar — not the gentle shimmer of a '60s Strat vibrato but a violent, expressive dive that swooped a note or a harmonic down into a growl and (with the Floyd Rose) snapped it back perfectly in tune. The dive bomb works because a *natural harmonic* — touch the string lightly over the 5th, 7th, or 12th fret and pick to ring out a pure overtone — can be set screaming and then bent down a fifth, an octave, or all the way to slack by pushing the bar.

TAB

Dive bomb – free time. Ring the harmonic, let it sing, then dive to slack.

```

e|-----|
B|-----|
G|--<NH7>-----\-----|
D|------( dive to slack )-----|
A|-----|
E|-----|

```

NH7 = natural harmonic at the 7th fret (a B); let it bloom in the compressed gain, then push the whammy bar down and let the pitch collapse into a roar before releasing back. With a non-locking trem you'll drift sharp on the return; the **Floyd Rose** is what made this repeatable. Tone-wise this lives or dies on sustain — you need the amp's sag and saturation holding the harmonic up, or there's nothing to dive with.

And then there is tapping, the technique most associated with Eddie even though he neither invented it nor claimed to have. **Two-handed tapping** uses a finger of the picking hand to hammer onto and pull off from the fretboard, so both hands are fretting; this lets you play arpeggios that span intervals far wider than four fingers can stretch, with a fast, even, legato flow. The reason it matters in *this* chapter is that tapping, like the pinch harmonic, depends on the tone: every tapped note is a hammer-on or pull-off, with no pick attack, so it lives entirely on the amp's sustain and compression. On a clean amp, fast tapping dies on the vine; on a saturated brown-sound rig, each note rings out full and even. Here is a short, idiomatic fragment — a tapped minor arpeggio shape of the kind that flows out of "Eruption."

TAB

Tapped A-minor arpeggio — fast and even, legato.
't' = tap with the picking-hand finger.

```
e|--12t-8-5----12t-8-5----12t-8-5-----|
B|-----|
G|-----|
D|-----|
A|-----|
E|-----|
```

All on the high E: tap the 12th fret with a picking-hand finger, pull off to the fretted 8th, then to the fretted 5th — an A-minor triad shape (A–E–C reading down). Let it cycle in a rolling triplet feel. The whole figure depends on the amp doing the work: high gain, plenty of sustain, the **Echoplex**-style boost fattening each legato note so it sings instead of fizzles.

| Case Study: George Lynch and the Modded-Marshall Voice

If Eddie defined the target, **George Lynch** of Dokken was among the players who chased it furthest and arrived somewhere distinct and personal. Lynch was, in fact, another Jose Arredondo client, and his late-'80s tone on records like Dokken's *Tooth and Nail* (1984) and *Back for the Attack* (1987) is a textbook hot-rodded-Marshall sound: thick, vocal, ferociously sustaining, full of pinch harmonics and aggressive vibrato. Where Eddie was loose and bluesy, Lynch was more precise and more *melodic-minor* in flavor, leaning on the **harmonic minor** scale (natural minor with a raised seventh, which creates an exotic augmented-second leap between the flat sixth and the natural seventh) for the slightly neoclassical, sinister edge that defined a strand of '80s lead playing. The solo in "Mr. Scary" is the showcase. The lesson of Lynch's tone is that the hot-rodded Marshall was not one sound but a *platform*: hand the same modded chassis to a different player with different hands and a different scale vocabulary, and you got a different voice out the other end.

| Case Study: The Chase Industry Itself

The third case study is not a player but a phenomenon. Once that first Van Halen record landed, an entire economy assembled around reverse-engineering the brown sound. Boutique amp builders sold "plexi-spec" and "Jose-mod" heads. Pedal companies built overdrives explicitly voiced to be the "boost in front of a cranked Marshall" — the **Ibanez Tube Screamer**, with its midrange-humped, gain-clipping circuit, became the near-universal front-end for exactly this purpose, slamming a hard-driven amp into tighter, fatter saturation. Load boxes and speaker simulators, the descendants of that *Van Halen* dummy-load trick, turned into a product category of their own; the **Palmer** speaker simulator became studio-standard so engineers could crank a power amp into a resistive load and take a usable line signal. And every digital modeler shipped with a "brown" preset. The irony, which the honest historian must underline, is that the thing being chased was never fully knowable: it was a moment in a particular room, with a particular cranked amp, a particular pile of Greenbacks, a tape-echo pre-amp, maybe a Variac, a load box, and above all a particular pair of hands. You can buy every component. The hands are not for sale.

That is the deepest truth the hunt for the brown sound teaches. Gear gets you to the doorway — the cascaded gain, the master volume, the power-tube saturation, the front-end boost that turns a faint harmonic into a scream. But the singing sustain that made a generation of guitarists rewind that record was the sound of an instrument poised at the exact edge of chaos and a player who knew precisely how hard to lean on it.

- **Van Halen, "Eruption"** (*Van Halen*, 1978): the entire vocabulary in 102 seconds — compressed singing sustain, the tapped A-minor cascade, and the closing dive bomb. Note how every tapped note rings *full*; that's the amp's sag and saturation doing the work, not the pick.
- **Van Halen, "Ain't Talkin' 'bout Love"** (*Van Halen*, 1978): the dark Aeolian (natural minor) churn and the thick, brown rhythm tone with its firm-but-not-flabby low end. Listen to how dynamic the chug is — touch and volume-knob control, not a gate.
- **Van Halen, "Dance the Night Away"** (*Van Halen II*, 1979): a slightly tighter, more refined version of the same rig; hear the upper-midrange cut against the band.
- **Dokken, "Mr. Scary"** (*Back for the Attack*, 1987): George Lynch's modded-Marshall lead tone — pinch harmonics that scream and sustain, with harmonic-minor lines for that sinister, neoclassical edge.
- **A/B test for your own ears:** play a pinch harmonic through a clean amp, then through a high-gain channel. The note is the same; only the tone makes it sing. That is the brown sound's entire thesis in one experiment.

Rack Systems and the Big 80s Studio Rig

IT IS TWO IN THE MORNING AT A STUDIO OFF CAHUENGA BOULEVARD, AND THE PRODUCER wants the solo bigger. Not louder -- bigger. The guitarist on the other side of the glass does not reach for a different amp. He turns to a black steel cabinet on casters, taller than he is, packed with anodized faceplates and blinking green LEDs, and he steps on a single button on a small footboard at his feet. A relay clicks somewhere in the rack like the tumbler of a safe. The next pass blooms out of the monitors in three dimensions: a hard, focused grind dead-center, and around it, washing outward to the far walls, a halo of chorus and slap delay that seems to breathe. The dry sound bites. The wet sound floats. Together they fill the entire stereo field, edge to edge, and the producer nods without looking up. That sound -- enormous, glassy, pristine, surrounding -- is the sound of an era, and it lived inside a refrigerator-sized box of carefully ganged electronics that most listeners never knew existed.

The 1980s did something peculiar to electric guitar tone. It took the gloriously messy, one-knob-and-a-prayer immediacy of the combo amp and the stompbox and reorganized it into a system -- modular, programmable, and, above all, controllable. The aesthetic of the decade demanded studio recordings of almost surgical cleanliness and concert sound of almost cinematic scale, and the rack rig was the engineering answer to both. To understand the records that defined Los Angeles session work, the arena anthems of the day, and the violin-smooth lead tones that still make players' jaws drop, you have to understand how guitarists stopped thinking about a single amplifier and started thinking about a signal chain as a designed object.

| From the Amp to the System

The conceptual leap was simple to state and fiendish to execute: separate the part of the amplifier that makes the distortion from the part that makes the volume. A traditional guitar amp marries pre-amp and power section in one chassis, and they color each other in ways players love. But that marriage is also a constraint. If you want the saturated tone of a cranked amp at a manageable level, or if you want to send that tone into rack-mount effects designed to receive a clean line-level signal and return it in stereo, you need to pull the two halves apart.

The device that put this idea on a desktop for the working guitarist was the **ADA MP-1**, introduced by California's Analog/Digital Associates in 1985. It was a single rack-space (1U) box, all pre-amp, with a hybrid design: a real 12AX7 tube in the gain stage feeding solid-state circuitry, MIDI-programmable so you could store presets and recall them with a footswitch, and -- crucially -- voiced for the high-gain sounds the decade wanted. For a few hundred dollars a player could get cascading gain, a usable clean channel, and patch-changing without bending over to tap-dance on pedals. The MP-1 was not the most refined-sounding preamp ever made, but it was wildly influential precisely because it was affordable and programmable, and it taught a generation of guitarists to think in patches rather than knob positions.

At the high end, the preamp-and-power-amp concept reached its apotheosis in dedicated rack pre-amps and stereo power amplifiers. A typical serious rig of the period might run a tube preamp into a stereo solid-state or tube power amp -- a **Mesa/Boogie** or a **VHT/Fryette** in the higher tier -- feeding two or four speakers. The power amp's only job was to be loud and, ideally, transparent, faithfully reproducing whatever the preamp and the effects had already decided the tone should be. The point of the architecture was that the *order* and *routing* of the signal could now be engineered with intention rather than inherited from whatever combo happened to be in the room.

I Bradshaw, Cornish, and the Art of Switching

A rack full of separate boxes is useless without a way to combine them sanely, in silence, and without the tonal damage that comes from running a guitar signal through a dozen sets of input and output jacks wired in a long daisy chain. Long cable runs and many series connections sap high end and add noise; the more devices you string together, the duller and hissier the result. Two men, working on opposite coasts and opposite sides of the Atlantic, turned signal routing into a craft and, arguably, an art form.

In Los Angeles, **Bob Bradshaw** built **Custom Audio Electronics** into the name on the door of nearly every major studio and touring rig of the era. Bradshaw's insight was the audio switching matrix: a programmable router, controlled by MIDI, that could place any effect in or out of the signal path, in any combination, while keeping unused devices fully bypassed so they could not color or degrade the tone. He paired this with careful buffering -- active circuitry that drives the signal cleanly through long cable runs and many devices without the high-frequency loss a passive chain suffers -- and with thoughtful use of effects loops, so that distortion happened early in the chain and time-based effects like delay and reverb happened after, where they belong. A Bradshaw rig let a player audition combinations that would have been physically impossible on a pedalboard and recall them instantly with a footswitch. He became, in effect, the architect of the LA sound's plumbing.

In England, **Pete Cornish** approached the same problem with the temperament of an aerospace engineer, which in a sense he was. Cornish's systems, built for clients of the very highest rank, were obsessive about noise, hum, and signal integrity. He favored hardwired, true-bypass-style switching and his own buffer designs, and he laid out his boards so that the guitar saw the shortest, cleanest path possible to the things that mattered. Where Bradshaw's matrix offered programmable flexibility, Cornish offered bombproof, transparent reliability -- a system that sounded identical on night four hundred of a tour as on night one. Between them, these two builders established the template: buffer the signal, switch it cleanly, route distortion before ambience, and never let the engineering get in the way of the music.

| The Rack Effects That Defined the Decade

If the preamp and switcher were the skeleton, the rack-mount effects were the voice. Three devices in particular shaped the sonic fingerprint of the era.

The **TC Electronic 2290** Dynamic Digital Delay, from the Danish company TC Electronic, arrived in 1985 and became the gold standard for clean digital delay. It offered long delay times, pristine repeats with no audible degradation, and a feature called dynamic delay that could duck the repeats out of the way while you played and let them bloom when you stopped. Its sound was glassy and uncolored, and it could be run in stereo, which made it the engine of countless wide, rhythmic delay textures. The 2290 did not warm or dirty the signal the way an old analog or tape echo would; it gave you the note back, exact and shimmering, and that clarity was exactly the point in a decade that prized hi-fi.

The **Eventide Harmonizer** -- the H910 of the late 1970s and the more powerful H3000 that landed in 1987 -- was the era's pitch-and-modulation wizard. A Harmonizer can shift pitch in real time, and when you detune a copy of the signal by a few cents and pan it opposite the dry, you get a thick, three-dimensional shimmer that no single oscillator chorus can match. The H3000 in particular bristled with presets that became signatures: dual detuned voices, micro-pitch-shifted stereo spreads, crystalline reverse and feedback effects. Set to a subtle micro-shift, it made a single guitar sound like two players doubling each other a hair out of tune -- the aural equivalent of a slightly out-of-register photographic print, where the tiny offset reads as depth and richness.

For ambience, the **Lexicon** digital reverbs -- the 224 and later the 480L -- were the sound of the high-end studio. Lexicon reverb is lush, dense, and smooth, with a decay that surrounds rather than slaps. A guitar bathed in a Lexicon hall or plate seems to exist in a real, enormous space; the tail blooms and decays with a richness that cheap reverbs turn into metallic clatter. Together, the 2290's

rhythmic clarity, the Harmonizer's detuned width, and the Lexicon's spatial bloom gave the decade its instantly recognizable polish.

I How the Wet/Dry/Wet Rig Works -- and Why It Sounds So Big

The architectural masterstroke of the era was the **wet/dry/wet** rig, and understanding it is the key to understanding the whole sound. Picture three amplifiers, or three speaker positions, across the stage or the studio. The center cabinet carries the *dry* signal: just the guitar and its distortion, no time effects at all. The left and right cabinets carry the *wet* signal: the output of the stereo delay, chorus, Harmonizer, and reverb, with the dry component removed or minimized so that only the ambience reaches those speakers.

Why split it this way? Because distortion and ambience want opposite things. Distortion is an *attack* phenomenon -- it lives in the pick transient, the bite, the grind, the immediate sense of a string being driven hard. It needs to be focused, present, and centered to read as power and articulation. Ambience -- delay, chorus, reverb -- is a *sustain and decay* phenomenon. It lives in the space around and after the note. If you distort the wet signal, the repeats and the reverb tail turn to mush, because you are saturating not the note but the smeared echoes of the note. By keeping the dry grind hard-panned to center and the wet wash spread to the sides, you let each do its job. The pick attack stays crisp and dimensional; the tail unfolds into a wide stereo halo that never muddies the front of the sound.

This is fundamentally a lesson in **stereo imaging**: the ear localizes a sound by comparing what arrives at the left and right ears in time and intensity. A signal panned dead-center and identical in both channels reads as a single point source -- focused, solid, locatable. A signal that differs between left and right -- a delay a few milliseconds later on one side, a chorus voice detuned up on one side and down on the other, a reverb with different early reflections in each channel -- refuses to localize to a single point and instead seems to come from *everywhere*, spread across the whole width between the speakers. The wet/dry/wet rig exploits this ruthlessly. The dry center is the anchor your ear locks onto; the decorrelated wet sides are the enormous space it floats in. The result is a tone that is simultaneously punchy and gigantic, which is exactly the paradox the decade was chasing.

Layered into this is the concept of the **layered solo tone**: rather than one sound, the lead voice is a composite of several time-shifted, pitch-shifted, and spatially distributed copies. The brain fuses them into a single, impossibly rich instrument, the way a string section reads as one lush sound rather than sixteen individual violins. This is why these solos feel orchestral even when only one person is playing.

Here is an idea in the style of the wide, stereo-delayed clean textures that filled the era. The trick is a delay set to a dotted-eighth (a delay time equal to three sixteenth notes), panned opposite the dry, so the repeats interlock with what you play and the arpeggio rings out across the stereo field.

TAB

Clean, bright neck pickup; dotted-eighth stereo delay, one repeat at moderate level; let all ring

```
e|-----0-----0-----2-----2-----|
B|-----3-----3-----3-----3-----|
G|-----0-----0-----1-----1-----|
D|-2-----2-----2-----0-----|
A|-----|
E|-----|
```

Let every note sustain into the next; the dotted-eighth delay panned across stereo fills the gaps and makes a simple Dsus2-to-Cadd9 motion shimmer like a much busier part.

| Steve Lukather, Michael Landau, and the LA Session Sound

No one embodied the studio rig more completely than the first-call session guitarists of Los Angeles, and at the top of that pyramid stood **Steve Lukather**. As the guitarist in Toto and the most-recorded session player of his generation -- his work threads through hundreds of records of the period -- Lukather needed a tone that was instantly huge, would sit perfectly in a dense pop-rock mix, and could be dialed up in seconds because studio time is money. His rigs were elaborate rack systems, built and refined with Bob Bradshaw, running a tube preamp and power amp into a wet/dry/wet configuration, with the 2290 and Harmonizer and Lexicon doing the spatial work. Listen to the lead and the melodic fills on Toto's records of the early-to-mid eighties: the rhythm tone is tight and aggressive, the lead tone is creamy and singing with a halo of stereo ambience, and the cleans are glassy and three-dimensional. That combination -- hard center, wide wet sides -- is the wet/dry/wet rig made audible.

Lukather's phrasing leaned on the **minor pentatonic** scale (the five-note scale built from the root, flatted third, fourth, fifth, and flatted seventh -- the bedrock of blues and rock lead playing) inflected with **major-third** and **ninth** color tones that gave his lines their sophisticated, almost vocal lift. A *ninth* is the note a whole step above the octave -- the same pitch class as the second degree of the scale -- and leaning on it over a chord adds sweetness and tension without resolving. He bent into target notes with a controlled, wide vibrato, and the rack's ambience made every sustained note bloom.

His friend and frequent stylistic running-mate **Michael Landau** worked the same world from a bluesier, more vocal angle. Landau, another ubiquitous session presence, also ran Bradshaw-built rigs and chased a similar pristine-but-grinding lead voice, though his phrasing carried more of a raw, behind-the-beat blues feel. Where Lukather could sound architecturally precise, Landau often sounded like he was *speaking* through the guitar, all bent thirds and crying releases. Both men proved the same thesis: the rack rig was not a crutch for players who could not get a tone the old way -- it was a tool that let world-class players deliver a fully formed, mix-ready, enormous sound on the first take, every take.

Here is a smooth, singing legato lead idea in that polished LA-session spirit. Legato means connecting notes with hammer-ons and pull-offs rather than picking each one, which -- combined with a saturated lead tone and stereo ambience -- yields the liquid, vocal quality those players prized.

TAB

Moderate rock ballad feel; saturated lead tone, neck pickup, generous stereo delay and reverb

```
e|-----|
B|-----8h10p8-----10b(12)r10--8-----|
G|-7h9-----9p7-----9-----9--7h9--7--7~~~~|
D|-----9-----9-----9-----|
A|-----|
E|-----|
```

Pick only the first note of each slur and let the hammer-ons and pull-offs carry the rest; the wide vibrato on the final G-string note (the b3 over an E-minor tonality, the soul of the minor pentatonic) should bloom into the reverb tail.

I The Edge: The Rack as Compositional Instrument

Across the Atlantic, **The Edge** of U2 took the rack rig somewhere entirely different. For most players, delay was an effect added to a part. For The Edge, the delay *was* the part. Working from a rack anchored by precise digital and analog delays, he built a style in which a sparse, often single-note figure played against a rhythmically locked delay produces a cascade of notes far denser than the hand actually plays. Set a delay to a dotted-eighth at the song's tempo and play steady eighth notes, and the repeats fall exactly into the spaces between your notes, weaving a galloping, interlocking pattern out of a simple line. The guitar part you hear on the records is a duet between The Edge and his rack.

This is, at root, a rhythmic and arithmetic trick rooted in subdivision. If the delay time is set so that one repeat lands three sixteenth-notes after the original (the dotted-eighth), then your played notes and their echoes together spell out a continuous sixteenth-note pulse, but with a syncopated, rolling accent pattern the hands could never sustain unaided. The Edge's genius was to *compose for the*

system -- to write parts that only exist as the sum of the guitar plus its programmed ambience, with shimmering modulation and reverb widening the whole thing into the cathedral-sized soundscapes that became U2's signature. His tone is typically bright, chiming, and clean or only lightly driven, because, as with the wet/dry/wet logic, the delays must stay articulate to do their rhythmic work.

Here is a dotted-eighth delay figure in that style. Played alone it is a plain set of eighth notes; with the delay timed correctly, the echoes fill in and the part gallops.

TAB

Bright clean tone, bridge or middle pickup; delay set to dotted-eighth at tempo, ~85 percent repeats, one strong ech

e|-12----12----12----12----14----14----12----12----|

B|-----|

G|-----|

D|-----|

A|-----|

E|-----|

Play the eight notes evenly and let the dotted-eighth repeats interleave; the held high notes outline an A-major pentatonic shimmer, and the delay turns eight picked notes into a rolling sixteenth-note wash.

| Eric Johnson and the Violin-Voiced Lead

If the LA session players used the rack for polish and The Edge used it for rhythm, **Eric Johnson** of Austin, Texas used it in pursuit of pure tone -- a search so exacting it became legendary, and occasionally the stuff of myth. Johnson's rig is famously elaborate: separate amplifiers and signal paths dedicated to distinct sounds, with rack effects including the 2290 delay woven through. He is known for maintaining different amps and chains for his clean, rhythm-crunch, and violin-like lead voices, switched cleanly so each song calls up exactly the right composite. Some of the lore around his setup -- claims about hearing the difference between battery brands or the direction of the AC plug -- is exactly that, lore, debated endlessly and impossible to verify; what is not in dispute is that his ears and his standards reshaped what guitarists believed tone could be.

His signature lead sound, heard at full flight on the instrumental "Cliffs of Dover" from the 1990 album *Ah Via Musicom*, is the holy grail of the smooth lead voice: a violin-like, vocal, almost horn-like sustain with no harsh pick attack, singing for days into a halo of stereo delay. He achieves it through a combination of a saturated amp running near the edge of feedback, a soft pick attack and fingers, careful tone shaping that rolls off the harsh upper-mids, and the rack's stereo ambience smoothing and widening the tail. The note seems to have no beginning -- it swells out of nowhere -- and no end. That seamlessness is the layered solo tone taken to its logical extreme.

Johnson's musical vocabulary deserves its own study. He thinks in cascading **pentatonic** patterns played in groups of five notes -- "fives" -- that tumble down the neck in a way that sounds like a waterfall. He also leans heavily on the **Dorian mode** (a minor scale with a raised sixth: root, 2, b3, 4, 5, **natural 6**, b7) for a brighter, jazzier minor color, and he peppers his lines with wide string-skipping leaps and open-string cascades that ring against fretted notes for a harp-like effect. Where a blues player might work one box of the pentatonic, Johnson treats the entire fingerboard as one connected field and pours scalar runs across it with liquid evenness.

Here is a descending "fives" run in the Eric Johnson spirit, in the key of A minor pentatonic. Each group of five notes cascades down through the scale; the goal is glassy, even articulation where every note has the same weight, ringing into stereo delay.

TAB

Bright but smooth lead tone, neck pickup; fast and even, ~groups of five; stereo delay on the tail

```
e|-8--5-----|
B|-----8--5-----|
G|-7-----7--5-----7--5-----|
D|-----7-----7--5-----7--5-----|
A|-----7--7-----7--5--5--7--8-----|
E|-----8--5--|
```

Pick the first note of each five-note group and pull off or alternate-pick the rest, aiming for perfectly even sixteenth-note triplet phrasing; the run targets the A root on the way down, and a touch of stereo delay smears the cascade into the violin-like wash Johnson is known for.

I The Theory of the Big Sound

Step back and the unifying principle of the entire era comes into focus. Every one of these rigs is built on a single architectural decision: *separate the grind from the ambience, and treat space as an instrument*. The dry, distorted signal carries the music's articulation, its rhythm and its bite; it stays focused and present. The wet signal -- delay, chorus, detune, reverb -- carries the music's *size*, and it is deliberately decorrelated between left and right so the ear cannot pin it down and instead perceives vastness.

Musically, this freed players to use harmonic color the older, mono, midrange-heavy amp tones could not support cleanly. A lush, wide rig flatters extended chords -- the **add9** (a major triad with the ninth added, the note a whole step above the octave, for a bright open ring), the **sus2** and **sus4** (chords that replace the third with the second or fourth, removing the major/minor flavor and leaving a suspended, unresolved shimmer), and stacked arpeggios that sparkle when delay and chorus

spread them across the field. Single-note lines bloom into something orchestral. The clarity of the rack delays let players write rhythmically interlocking parts that would have collapsed into mud through a single cranked combo.

There is, of course, an honest counter-argument, and it became the very next chapter of the story. By the end of the decade, many players felt the pristine rack sound had grown sterile -- too clean, too perfect, too removed from the sweaty immediacy of a single amp shoved against a wall. The pendulum would swing hard back toward simplicity. But that reaction does not diminish what the rack era achieved. For records that needed to sound enormous, polished, and dimensional -- and for players who needed to summon ten different fully-formed tones in a three-hour session -- the programmable, wet/dry/wet rack rig was, and in skilled hands still is, an instrument of extraordinary power. It was the moment guitarists stopped accepting their tone and started *designing* it.

♪ LISTEN FOR

- **Toto, "Rosanna"** and the lead work across *Toto IV* (1982) -- Steve Lukather's hard-centered rhythm grind against a wide, blooming stereo lead halo; listen for how the solo sits punchy in the middle while ambience spreads to the edges of the mix.
- **Eric Johnson, "Cliffs of Dover"** from *Ah Via Musicom* (1990) -- the violin-like lead with no audible pick attack; listen for the cascading pentatonic "fives" runs and the way each sustained note swells and floats into stereo delay with no clear beginning or end.
- **U2, "Where the Streets Have No Name"** from *The Joshua Tree* (1987) -- The Edge's dotted-eighth delay turning a sparse figure into a galloping, interlocking cascade; try to separate what the hand actually plays from what the rack plays back.
- **Eric Johnson, "Trademark"** and **"Righteous"** from *Ah Via Musicom* -- the distinct, cleanly switched clean / crunch / lead voices, each a separate composite tone, demonstrating the multi-amp rack philosophy in action.
- Any well-recorded **Michael Landau** session lead of the period -- the bluesier, more vocal cousin of the LA session sound: bent thirds, crying releases, and a singing tone wrapped in pristine stereo ambience.

Soldano, Bogner, and Boutique High Gain

IN A NORTH HOLLYWOOD REHEARSAL ROOM SOMETIME IN 1988, A GUITARIST PLUGS into a small white-faced head he has never heard of, sets the lead channel gain past noon, and hits a single bent note on the high E string. The note blooms. It does not spit or fizz or collapse into the woolly mud that high-gain amps of the era so often produced -- it simply *sustains*, round and vocal, hanging in the air like a struck bell, the upper harmonics climbing into a controlled feedback that the player can ride or kill with the side of his palm. He bends it a whole step, lets it sing, adds a slow finger vibrato, and the note refuses to die. That sound -- liquid, focused, endlessly sustaining, with a low end that stayed tight even as the gain climbed into the stratosphere -- was the sound of a new idea about what a loud amplifier could be. The head was a **Soldano SLO-100**, and it changed the rules.

| The Watchmaker of Seattle

Mike Soldano was, by temperament, a craftsman before he was a businessman. Born in the Pacific Northwest, he came up modifying amps in the early 1980s, the era when nearly every rock guitarist chasing a singing lead tone was hot-rodding a Marshall -- cascading an extra gain stage into the pre-amp, swapping tubes, fiddling with the negative-feedback loop -- in pursuit of more sustain without losing definition. The amp builders of Los Angeles were already deep in this game. But Soldano's instinct was different: rather than bolting more gain onto an old circuit and accepting the noise, instability, and tonal chaos that came with it, he wanted to *engineer* high gain properly, from the metal up, with point-to-point wiring, military-grade components, gold-plated tube sockets, and a layout obsessive enough that the inside of the chassis looked like a piece of laboratory equipment.

The result, introduced in 1987, was the **Super Lead Overdrive 100** -- the SLO-100. It was a 100-watt head running a quartet of **5881/6L6** power tubes (the American-flavored bottle, firmer and tighter in the low end than the British EL34) into a tube-driven effects loop and a beautifully voiced two-channel preamp. The Normal channel did clean and crunch; the Overdrive channel did the thing nobody else had quite nailed. Five **12AX7** preamp tubes fed a cascading gain structure that piled stage upon stage of saturation, yet the whole circuit was voiced so that the distortion stayed *smooth* -- compressed, harmonically dense, but never granular or harsh. Soldano's quiet masterstroke was the

way he handled the low frequencies: he tucked a high-pass filter into the gain stages so that the muddy, flubby bass content was thinned *before* it hit the heavy clipping, then let the cabinet and power section put weight back underneath. The ear hears a huge, authoritative low end; the clipping stages, meanwhile, only ever saw a tight, controlled signal that never turned to oatmeal. That single design philosophy -- clip a focused midrange-forward signal, then add girth around it -- is arguably the foundational principle of modern high-gain amp design, and you can trace its DNA through an enormous number of the amps that followed.

What sealed the SLO's reputation was that it was beautiful, reliable, and visibly *serious*. In a cottage industry full of garage operations, Soldano's build quality read as luxury. Word moved fast among the studio elite. The amp was expensive and largely hand-built, which only deepened the mystique.

I Clapton, Lukather, and the Studio Verdict

The endorsement that mattered most arrived from an unexpected quarter. **Eric Clapton** -- not a player anyone associated with high gain -- adopted Soldano amplification for his live rig in the early 1990s, most visibly during the run of shows around the *24 Nights* period (1990-91) at the Royal Albert Hall. Clapton was not chasing metal saturation; he wanted the SLO's other gift, the sweet, vocal, sustaining mid-gain lead voice that let a single note on the neck pickup of a Stratocaster ring with that "woman tone" roundness he had been pursuing since the Cream years. That a blues-rooted purist of Clapton's stature put his trust in the amp told the wider world everything it needed to know: this was not a noise box for teenagers. It was a serious instrument.

Then there was **Steve Lukather**, the Los Angeles session titan and the guitar voice of Toto, whose fingerprints are on a staggering number of records. Lukather embraced Soldano for exactly the quality the design was built around -- a lead tone that was enormous and saturated yet articulate enough to survive a dense pop mix, where every frequency is contested real estate. His tone on the kind of soaring melodic solos he built his reputation on shows the SLO's character plainly: the notes are fat and singing, the sustain seems to last as long as he wants it to, and yet you can hear every nuance of his pick attack and his fast, even finger vibrato. That combination -- saturation plus articulation -- is the holy grail of modern lead playing, and the SLO delivered it without the player having to fight the amp.

Warren DeMartini of Ratt brought the SLO into the harder-edged Sunset Strip world, where its tightness and clarity cut through the era's wall of cranked half-stacks. And in one of the most telling endorsements of all, **Mark Knopfler** -- a player famous for a fingerpicked, glassy, almost vintage-clean Stratocaster sound -- valued the SLO for its *clean* channel, proof that Soldano had voiced the

whole amp with care rather than treating the clean tone as an afterthought bolted onto a distortion machine. The Soldano clean has a particular bell-like chime and a three-dimensional bloom that flattered Knopfler's touch-sensitive right hand.

| Reinhold Bogner and the German Precision Engine

If Soldano set the template, **Reinhold Bogner** refined the vocabulary. A German-born builder who, like so many in this story, found his way to Los Angeles, Bogner brought a European voicing sensibility and an engineer's fastidiousness to the boutique scene of the late 1980s and 1990s. He had built and modified amps for a who's-who of players before his own brand crystallized, and when it did, two designs came to define it.

The **Bogner Ecstasy**, introduced in the early 1990s, was a three-channel tour de force -- arguably the most flexible high-gain amp of its generation. Where the Soldano had a singular, immediately recognizable voice, the Ecstasy was a chameleon, loaded with structure and voicing switches (the "plexi," "B," and other mode toggles; variable presence and a tunable resonance control for the low end) that let a player dial in everything from a chimey clean, through a brown-flavored vintage Marshall crunch, into a thoroughly modern saturated lead. Bogner typically built it around **EL34** power tubes for a more British, midrange-singing character, though the platform's flexibility let it wear many hats. The Ecstasy became a quiet workhorse on countless rock and pop records precisely because one amp could cover so much ground while keeping that boutique refinement -- the low-noise floor, the tactile responsiveness, the sense that the amp was working *with* the guitarist's hands.

The **Bogner Shiva**, by contrast, was the more focused, more affordable sibling -- a two-channel amp, available in **EL34** or **6L6** flavors, with the famous Bogner reverb and a voice that nailed classic-to-modern rock without the dizzying menu of the Ecstasy. The Shiva became beloved among players who wanted boutique-grade tone and reliability without needing the Ecstasy's full Swiss-Army flexibility.

Bogner's deepest influence, though, may be invisible to the casual listener, because it lives inside other companies' products. Reinhold Bogner co-developed, with the engineers at Line 6 and a famously named designer, the circuitry behind a hugely popular series of compact high-gain amps in the early 2000s -- bringing genuine boutique voicing to a mass-market price point. And the broader Bogner aesthetic -- tight, refined, harmonically rich high gain with a controllable low end -- became foundational to enormous swaths of modern rock and metal, where his amps and his thinking underpin a great deal of what we now simply call "the modern high-gain sound."

How It Works: Tight Lows, Singing Mids, and the Physics of Sustain

To understand why these amps feel and sound the way they do, you have to understand the two problems every high-gain designer is fighting at once: *mud* and *fizz*. Both come from the same place -- the violent nonlinearity of cascaded clipping stages -- but they live at opposite ends of the spectrum.

Mud is a low-frequency problem. When you slam a lot of bass energy into a clipping stage, the distortion process generates intermodulation: the low frequencies mix and beat against everything above them, smearing the midrange into an indistinct roar. A power chord turns to porridge; you can no longer hear the individual notes within it. The Soldano/Bogner solution, as noted, is to filter the lows *before* the clipping, so the stages that do the heavy distortion only ever see a tight, focused signal -- then restore the perceived weight afterward through the power amp, the output transformer's behavior, and especially the speaker cabinet. This is why a well-designed boutique high-gain amp can play a low palm-muted chug that is simultaneously crushingly heavy and surgically defined.

Fizz is the high-frequency problem -- the harsh, sandpapery rasp of uncontrolled upper harmonics and clipping artifacts in the 3-6 kHz region. The boutique answer is careful inter-stage filtering and a thoughtfully voiced negative-feedback loop in the power section, which tames the top end and smooths the distortion into something the ear reads as "warm" and "creamy" rather than "buzzy."

Now, sustain and feedback. A vibrating string loses energy and decays; that is simple physics. High gain fights this in two ways. First, **compression**: the cascaded gain stages clip the signal so hard that the difference between the string's loud initial attack and its quiet decaying tail is flattened. The amp keeps amplifying the dying tail at nearly full output, so the note's apparent volume holds steady long after an unamplified string would have faded -- that is the "endless sustain" you hear.

Second, **acoustic feedback**. When you stand in front of a loud cabinet, the sound pressure physically re-excites the strings. If the energy the speaker pumps back into the string equals or exceeds what the string is losing to friction, the note becomes self-sustaining -- it can ring forever, and if the loop favors a harmonic of the fundamental, the note will gently climb to that overtone. This is the controlled, musical feedback that singing-lead amps are prized for. The boutique designs make it *controllable* rather than chaotic: tight enough that the feedback locks onto a musical harmonic instead of a random howl, and responsive enough that the player can summon or suppress it with body position and right-hand muting.

There is a music-theory dimension worth naming here, because it explains *which* harmonics bloom. A vibrating string sounds not just its fundamental but a whole **harmonic series** stacked above it -- the octave (the 2nd harmonic, twice the frequency), the octave-plus-fifth (3rd harmonic), the double octave (4th), and so on, getting closer together as they climb. **Intervals** are just frequency

ratios: an octave is 2:1, a perfect fifth is 3:2, a perfect fourth is 4:3, a major third roughly 5:4. When a sustained note feeds back and jumps up, it almost always jumps to one of these low harmonics -- usually the octave or the octave-plus-a-fifth -- because those are the strongest overtones already present in the string's vibration. Understanding this lets a player *aim* feedback: where you stand relative to the cabinet, and which string you choose, biases which harmonic takes over.

| The Sound in the Room


Set a Soldano SLO-100 to its lead channel and the first thing you notice is the *core* of the sound -- a dense, saturated midrange centered roughly in the 600 Hz to 1.5 kHz region that gives every note body and presence, the frequency band where the human ear is most sensitive and where a guitar most easily cuts through a band. Around that core, the lows are firm and fast rather than woolly: a low E chugs with a percussive *thump* on the attack and then gets out of the way, leaving the mids to sing. The highs are present and detailed but rolled off just before they turn brittle, so picked notes have a glassy *ping* of attack without any rasp. Roll back the guitar's volume knob and the whole thing cleans up gracefully into a thick crunch -- the amp tracks your right hand with an almost vocal responsiveness.

The Bogner Ecstasy in its modern mode is cut from related cloth but reads as slightly more British in the midrange -- a touch more of that EL34 "honk" and growl, a more aggressive upper-mid bite, and (with the resonance control dialed up) a thunderous, controllable low end that you feel in your sternum. It is a more *muscular* sound than the Soldano's liquid singing voice; where the SLO is a tenor, the Ecstasy can be a baritone.

| Three Examples

The first example is the kind of smooth legato lead phrase these amps were built to serve -- the saturation does the work of connecting the notes, so hammer-ons and pull-offs ring out with almost no pick attack at all. We are in A natural minor, the **Aeolian mode** (the natural minor scale: the relative minor of C major, with a flat 3rd, flat 6th, and flat 7th relative to A major). The phrase leans on the minor pentatonic but adds the 9th (B) and the natural 6th flavor to give it that vocal, modern-lead sweetness.

Slow, vocal, loud, ~70 BPM (lead channel, gain high, standing close to the cab)



Caption: The feedback-sustain bend -- the bell-like singing note from the opening of this chapter. Bend the G string up a whole step (fret 9 to the pitch of fret 11), add wide finger vibrato, and hold. Stand close enough to the cabinet that the speaker re-excites the string; the sustain will not decay, and the note will gently bloom to the octave harmonic above (marked AH). Pull back from the cab or mute lightly to control where it sits.

I The Boutique Idea

What Soldano, Bogner, and the builders who followed them really delivered was not merely more gain -- the world already had plenty of gain -- but *class and reliability* applied to channel-switching high gain. Before them, a player who wanted a singing lead and a clean rhythm and a crunch in between typically juggled multiple amps, a wall of pedals, or a single hot-rodded head that did one thing brilliantly and everything else poorly. The boutique movement said: you can have all of it, in one beautifully built box that won't fail on you at the gig, with footswitchable channels that all sound *intentional*. The price was steep and the waiting lists were long, but the proposition was irresistible to working professionals. These amps made high gain respectable -- furniture-grade, studio-grade, career-grade -- and in doing so they wrote the template that the entire modern amplifier industry, from other boutique houses to the digital modelers that painstakingly recreate these very circuits, has been building on ever since.

• LISTEN FOR

- **Eric Clapton, *24 Nights* (1991):** the vocal, sustaining mid-gain lead tone on the Stratocaster -- round single notes that bloom and hold, the Soldano's singing core rather than any metallic edge.
- **Toto / Steve Lukather solos:** listen for the combination of heavy saturation *and* total articulation -- fat, endlessly sustaining lead notes where you can still hear every pick attack and the fast, even finger vibrato cutting through a dense pop mix.
- **Mark Knopfler's clean Stratocaster tones:** the bell-like chime and three-dimensional bloom of the Soldano clean channel under a fingerpicked right hand -- proof the clean was no afterthought.
- **Modern rock and metal rhythm tracks built on Bogner-style voicing:** focus on the low palm-muted chugs and notice how each note stays defined and tight even under crushing gain -- the sound of the filtered low end and the smooth, fizz-free saturated mids working together.

Grunge and the Return of the Fuzz

THERE IS A SOUND ON THE RADIO IN THE AUTUMN OF 1991 THAT DOES NOT BELONG there. It opens with four clean, almost timid chords — a guitar so undistorted it sounds borrowed from a different decade, a little reverb, a little chorus shimmer, the strings rung out and left to decay in the open air. For four bars nothing happens. And then the floor drops out. A wash of saturated fuzz the size of a building crashes in on the downbeat, the same four chords now detonated rather than strummed, and a kid from Aberdeen, Washington starts screaming a melody that is, against all sense, catchy. Within months "Smells Like Teen Spirit" is everywhere, and the carefully manicured world of late-eighties rock guitar — the rack systems, the wireless units, the seven-string sweep-picked perfection — is suddenly, embarrassingly, over.

What replaced it was not new. That was the joke of it. The grunge guitarists who knocked the hairspray bands off MTV were not reaching for anything futuristic. They were reaching backward, into the parts bins and pawn-shop windows that the previous generation had stepped over: into seventies fuzz boxes, into cheap solid-state combos, into the broken-toy textures that "good taste" had spent a decade trying to clean up. The story of grunge tone is, more than anything, the story of fuzz coming home — the return of a circuit that had been left for dead, picked up by players who valued ugliness, honesty, and volume over polish, and who turned a small handful of inexpensive stompboxes into the defining voice of a generation.

I Out of the Pawn Shops: A Sound Built From Cheap Parts

The geography matters. The Pacific Northwest of the mid-1980s was wet, gray, isolated, and far from the music-industry gravity wells of Los Angeles and New York. There was no scene to impress, no A&R men in the clubs, and — crucially — not much money. The bands forming around Seattle, Olympia, and Aberdeen bought what they could afford, and what they could afford was old. This was not a pose at first; it was a budget. But the budget became an aesthetic, and the aesthetic became a movement.

At the center of it sat **Sub Pop**, the Seattle label that gave the sound its first packaging, and at the center of Sub Pop's roster sat producer **Jack Endino**, whose work at Reciprocal Recording defined the early template: drums recorded big and dry, guitars recorded loud and saturated, vocals shoved into

the mix rather than floated on top of it. Endino tracked the first records by Nirvana, Soundgarden, Mudhoney, and others, and his philosophy — capture the band loud and let the distortion be part of the instrument rather than something added later — is audible across the whole catalog.

The fuzz at the heart of it had a specific lineage. The **Electro-Harmonix Big Muff Pi**, designed in New York and first sold around 1969, was a four-transistor stack of clipping stages that produced not the spitting, gated buzz of a sixties fuzz but a thick, sustaining, almost cello-like wall of distortion with a scooped midrange and enormous sustain. It had been a tool of Gilmour and others in the seventies, fallen out of fashion, and was sitting cheap. Alongside it ran the **Univox Super-Fuzz**, a late-sixties octave-tinged fuzz with a savage, ragged voice and a characteristic upper-octave snarl produced by its full-wave rectifier circuit. The two pedals were so central to the emerging Seattle sound that one band simply named itself after running them together: **Mudhoney**, whose 1988 single "Touch Me I'm Sick" is one of the foundation stones of grunge, and whose name is a portmanteau gesture at exactly that fuzz-on-fuzz murk. (The band's actual rigs were more varied than the legend, but the symbolism stuck: the genre named a flagship act after a fuzz texture.)

If the Big Muff supplied the wall, two newer and cheaper boxes supplied the bite. The **Boss DS-1 Distortion**, in production since 1978 in its orange enclosure, and its meaner sibling the **Boss DS-2 Turbo Distortion** from 1987, were hard-clipping op-amp distortions — brighter, tighter, and more aggressive than the Muff, with a pronounced upper-midrange honk that cut through a mix on a cheap amp. They cost a fraction of a boutique anything, they were indestructible, and they would become permanently associated with one player in particular.

| The Players and Their Boxes

Kurt Cobain and the Beauty of the Wrong Gear

Nirvana's Kurt Cobain was, by his own cheerful admission, not a gear obsessive. He played left-handed, which meant he was forever scrounging whatever cheap left-handed or reversible guitars he could find, and he developed a real affection for the unloved corners of the Fender catalog — the **Fender Mustang**, a short-scale student guitar with a quirky bridge and a slightly loose, rubbery feel, and the **Fender Jaguar**, an offset oddball that the serious players of the eighties had abandoned. He famously described the Mustang as cheap, hard to keep in tune, and exactly what he wanted; the Jaguar he bought used through a classified ad. These were not trophy instruments. They were tools chosen partly because they were the opposite of trophies.

His signal chain was just as plainspoken. For dirt he leaned on the Boss distortions — the DS-1, and later the DS-2 Turbo Distortion, run hard — and for the underwater shimmer of the clean pas-

sages he used the **Electro-Harmonix Small Clone**, a simple analog chorus whose slightly seasick warble is one of the most recognizable textures in the entire genre. That chorus is the sound of the clean verse arpeggios on "Come As You Are" (from 1991's *Nevermind*), where a watery, detuned-sounding figure circles underneath the vocal; the wobble is the Small Clone's low-rate modulation smearing the pitch just enough to feel uneasy. For amplification Cobain used a rotating cast of **Mesa/Boogie** and **Fender** amps — a Mesa/Boogie Studio .22 and various Fenders are commonly cited from the *Nevermind* sessions — pushed loud and supplemented by the pedal gain rather than relying purely on cranked tubes.

The genius was never in the rig. It was in the architecture of the songs. Cobain had internalized a structural idea — quiet, restrained verse exploding into a saturated chorus — that he openly credited to the band Pixies, and he turned it into a near-mechanical compositional engine. Flip the distortion off for the verse; flip it on for the chorus; let the sheer contrast in volume and density do the emotional work. We will look at the mechanics of that move in the tablature below, because it is the single most important compositional gesture in this chapter.

Kim Thayil, Soundgarden, and the Tuned-Down Riff

If Nirvana brought the pop instincts, **Soundgarden** brought the weight. Guitarist **Kim Thayil** built a darker, heavier, more harmonically adventurous version of the Seattle sound, leaning on detuned riffs, odd time signatures, and a fondness for dissonant intervals that owed as much to Black Sabbath as to punk. Thayil played Guild S-100s and other humbucker-loaded solidbodies through cranked amps, and — like the others — kept a Big Muff in the chain for sustain and thickness.

His signature move was tuning down. Soundgarden made heavy use of drop and alternate tunings: dropped-D, and more extreme drops still, plus genuinely unusual tunings on songs like the slithering, hypnotic "My Wave" and the lurching "The Day I Tried to Live" (both from 1994's *Superunknown*). The album's lead single "Black Hole Sun" pairs a dreamy, chorus-washed verse with a fuzz-saturated chorus — a loud-quiet contrast in the family of everything else in this chapter, but draped over Thayil's strange, slightly queasy harmony. Tuning down does two things at once. Mechanically, it slackens the strings, so they flop and rattle and produce a looser, more menacing low end that hits a distortion circuit harder. Harmonically, it lowers the fundamental, dragging the whole guitar into a register where the overtones smear together into something thick and ominous. Thayil used both effects deliberately.

J Mascis and the Wall of Volume

A little to the east, in Amherst, Massachusetts, **Dinosaur Jr's J Mascis** had been building his own version of the loud-quiet idea since the mid-eighties, and he pushed the "loud" side further than almost anyone. Mascis is a Big Muff devotee of near-religious intensity — his live rig has long been a wall of Marshall stacks fed by a small army of fuzz pedals, and his tone is a roaring, fuzzed, feedback-laced flood out of which long, melodic, almost classic-rock lead lines emerge. Records like 1987's *You're Living All Over Me* fused punk velocity, fuzz saturation, and unabashed guitar-hero soloing in a way that directly prefigured grunge and earned Mascis a permanent place in the lineage. Where Cobain hid his musicianship behind noise, Mascis flaunted his — the noise and the virtuosity coexisting at deafening volume.

Billy Corgan and the Maximalist Fuzz

And then there was the maximalist. **The Smashing Pumpkins' Billy Corgan** took the grunge palette in the opposite direction from Cobain's deliberate crudeness: toward density, layering, and obsessive studio craft. On 1993's *Siamese Dream*, recorded with producer Butch Vig (who had also produced *Nevermind*), Corgan reportedly layered guitar upon guitar — dozens of tracks on some songs — to build a fuzz tone so thick and saturated it sounds almost orchestral. The pedal at the center of that sound is widely cited as the Big Muff, often combined with other fuzzes and overdrives, and the result on tracks like "Cherub Rock" and "Today" is a fuzz wall that is simultaneously enormous and weirdly sweet, melodic, even pretty. Corgan proved that the return of the fuzz did not have to mean the rejection of beauty. It could mean a new kind of beauty: the gorgeous, saturated, many-layered cathedral of distortion.

I How It Works: Why Fuzz, Why Cheap Amps, Why Loud-Quiet

To understand why this gear produced this sound, you have to understand what these circuits actually do to a signal. All distortion is, at bottom, **clipping** — the squaring-off of a waveform's peaks when a stage runs out of headroom. A clean guitar signal looks like a smooth, rounded wave; push it past what a circuit can pass cleanly and the tops and bottoms get flattened, and that flattening adds new frequencies — harmonics — that were not in the original note.

But not all clipping is equal, and the differences are exactly what separate these pedals. **Overdrive** circuits tend toward *soft clipping*, where the wave's peaks are rounded off gently, producing mostly lower-order harmonics (the octave, the fifth above it) that the ear hears as warm and musical. **Fuzz** and **distortion** circuits use *hard clipping*, slamming the wave into something close to a square wave. A

square wave is rich in odd-order harmonics — the third, the fifth, the seventh above the fundamental — and those upper odd harmonics are what give fuzz its buzzing, ragged, aggressive character. The Big Muff stacks multiple clipping stages, so the signal is squared, filtered, and squared again, building enormous sustain (because the circuit keeps the output near full level even as the string's actual vibration decays) while a tone-control network scoops out the midrange. That midrange scoop is the Muff's signature: a smiley-face EQ curve with boosted lows and highs and a deep notch in the middle, which is why a Muff chord sounds vast and hollow rather than barky.

The Boss DS-1 and DS-2 do something different. They are op-amp distortions with diode hard-clipping, voiced with a *pronounced* upper midrange rather than a scoop. That is why they cut. In a dense band mix, the scooped Muff can disappear — there is no midrange information to compete with the bass and cymbals — while the honking DS-1 punches a hole right through. Many grunge players intuited this and used the two types for different jobs: the Muff for the huge solo-or-chorus wall, the DS-series for rhythm parts that needed to stay legible.

The Univox Super-Fuzz adds one more trick: a full-wave rectifier in the signal path that effectively doubles the waveform, producing a fuzzy *upper octave* riding on top of the note. That octave is unstable and tracks poorly on chords, which is exactly the point — it produces the seasick, ring-modulated snarl that made the Super-Fuzz beloved by players who wanted something genuinely wrong-sounding.

Then there is the matter of the amplifier. Conventional wisdom in the metal world said you needed an expensive, high-gain tube amp with cascading preamp stages — the kind of thing covered elsewhere in this book. Grunge largely ignored that. The point of running a cheap combo, or a solid-state amp, or a tube amp pushed past its comfort zone, was that the *amp* was not the source of the gain — the pedal was. The amp just had to be loud and a little broken. This inverts the usual hierarchy: instead of a pristine signal feeding a precision distortion machine, you have a crude distortion box feeding a crude amplifier, and the crudeness compounds. The result is a tone with a particular grainy, slightly fizzy, slightly collapsing quality — the sound of every stage in the chain working a little too hard — that is impossible to get from a polished high-gain rig and that no amount of expensive gear can fake.

Finally, the loud-quiet-loud dynamic is itself a piece of audio engineering as much as composition. When a saturated guitar is already near the top of its dynamic range — which fuzz, with its sustain and compression, always is — you cannot get *louder* by playing harder. The note is already maxed out. So the only way to create the sensation of an explosion is to first create quiet: pull the gain off, drop to clean single notes or open chords, let the mix breathe and the dynamic range open up. Then, when the fuzz slams back in, the *contrast* reads as overwhelming force even though the peak volume has barely changed. The quiet is what makes the loud loud. This is why a Pixies-derived, Nirvana-perfect-

ed verse/chorus is so physically effective: it is engineering the listener's perception of dynamics, using restraint as a weapon.

| The Theory Hiding Inside the Simplicity

It is fashionable to call grunge musically simple, and on the surface it is — but the simplicity is a deliberate and sophisticated choice, and there is real theory at work underneath it.

Start with the **power chord**, the genre's basic building block. A power chord is not really a "chord" in the full sense: it contains only the root and the fifth (and usually the octave on top), with no third. The interval of a perfect fifth — the distance from, say, C up to G, a frequency ratio of 3:2 and the first new pitch the overtone series gives you above the octave — is the most consonant interval in music after the octave itself. Crucially, because a power chord omits the third, it is neither major nor minor; it is harmonically neutral. This is a gift to a distorted guitar. When you slam a full major or minor chord through heavy clipping, all those extra notes and their overtones beat against one another and produce a muddy, dissonant smear — the distortion generates *intermodulation distortion*, sum-and-difference frequencies between every pair of notes. Strip the chord down to root-and-fifth and the overtones line up neatly (the fifth's harmonics reinforce the root's), so a power chord stays clean and powerful even through a wall of fuzz. The simplicity is acoustically necessary.

Onto that foundation grunge added two harmonic flavors worth naming. The first is the **flatted fifth**, the interval the medieval church reportedly called *diabolus in musica* — "the devil in music" — a tritone that splits the octave exactly in half and refuses to resolve, generating maximum tension. (The "the church banned it" story is more legend than documented fact, and you will hear it told as gospel; treat it as colorful lore rather than settled history.) Black Sabbath built a career on the tritone, and grunge's heavier wing inherited it directly: that unsettled, hovering dissonance is the harmonic engine of countless dread-soaked grunge riffs.

The second is modal color. Much grunge melody and riffing lives not in straight major or minor but in the **Aeolian mode** (the natural minor scale — minor with a flat sixth and flat seventh, dark and resigned) or the **Dorian mode** (minor with a *raised* sixth, which sounds minor but a touch hopeful, less bleak than Aeolian), or occasionally the genuinely menacing **Phrygian mode** (minor with a flatted *second*, that ominous half-step right above the root that sounds vaguely Spanish or vaguely evil depending on context). Soundgarden in particular drifted into these darker modal waters, which is part of why their riffs feel heavier and stranger than a straight pentatonic would.

And the **minor pentatonic** and **blues scale** remain the bedrock of the lead vocabulary — the five-note minor pentatonic (root, flat third, fourth, fifth, flat seventh) with the added flatted fifth that turns it into the six-note blues scale. J Mascis's solos in particular are drenched in blues-scale phras-

ing, classic-rock licks delivered through punk fuzz. The point is that grunge did not abandon theory; it selected from it ruthlessly, keeping the intervals that survive heavy distortion and discarding the ones that turn to mud.

Three Examples: Building the Sound With Your Hands

The following examples are original, illustrative figures written in the *style* of the era — characteristic gestures rather than transcriptions of specific copyrighted songs. Set the symbols as usual: **h** hammer-on, **p** pull-off, **~** vibrato, **PM** palm mute, **x** dead/muted note, **/** slide up.

The first and most important is the loud-quiet-loud move itself. The verse is clean — guitar volume rolled back or the distortion bypassed, a little chorus on for shimmer, single notes and partial chords ringing out. The chorus is the *same harmonic idea* detonated with the fuzz engaged and full strums. Notice that the chords barely change. The transformation is entirely in the gain and the attack.

Moderate, brooding; clean tone with chorus (think EHX Small Clone), let everything ring:

TAB

e|-----|-----|

B|-----|-----|

G|-----2-----|-----4-----|

D|--2-----2-----|--4-----4-----|

A|--2-----0-----|--4-----2-----|

E|--0-----|-----2-----|

let ring..... let ring.....

Caption: The clean verse — low picking-hand pressure, neck pickup, chorus engaged so the held notes wobble and smear; play it soft and let the reverb tail breathe.

Now the same two roots, an E and a G area, slammed as full power chords with the fuzz kicked on. Stomp the distortion, dig in hard, and let the contrast do the work:

TAB

Loud, full strums; fuzz/distortion ON, attack the strings hard

e|-----|-----|

B|-----|-----|

G|--9-9-9-9-----|--9-9-9-9-----|

D|--9-9-9-9-----|--9-9-9-9-----|

A|--7-7-7-7-----|--9-9-9-9-----|

E|-----|-----|

E5 (driving) G5 (driving)

Caption: The chorus payoff — the identical harmonic motion as the verse, now a Big Muff wall; the explosion is the gain change and the harder pick attack, not new notes. Roll the guitar volume to 10 and hit it like you mean it.

The second example is the drop-D riff, the genre's other essential gesture. Drop-D tuning lowers the low E string a whole step down to D, which does two things: it puts a thunderous low D under everything, and it lets you fret a complete power chord with a single finger barred across the bottom three strings. That one-finger power chord is what makes drop-D riffs so physical — you can stab out chunky, palm-muted root-fifth-octave shapes at speed without contorting your hand.

Tune to Drop D (low string E down to D). Heavy, mid-tempo, palm-muted chug:

TAB

e|-----|

B|-----|

G|-----|

D|--0--0--0--0--0--5--5-----|

A|--0--0--0--0--0--5--5-----|

D|--0--0--0--0--0--5--5-----|

PM PM PM PM PM let ring

D5 chug..... G5 stab

Caption: A drop-D grunge riff — the bottom three strings barred at one fret form an instant power chord; palm-mute the low D chugs tight against the bridge, then release the muting and let the G5 ring open and dirty.

The third example is the pure Muff-wall chorus — big open-position and movable power chords ringing into one another, exploiting the harmonic neutrality of root-fifth shapes so the fuzz stays huge and clear rather than muddy. This is the maximalist Corgan/Mascis end of things: do not palm-mute, do not be tasteful, let every chord bloom into the next on a tide of sustaining fuzz.

Big and open; heavy fuzz, no palm muting, let chords ring and overlap:

TAB

e|-----|

B|-----|

G|-----|

D|--7-----5-----2-----4-----|

A|--7-----5-----2-----4-----|

E|--5-----3-----0-----2-----|

A5 G5 E5 F#5

ring.....ring....ring....ring.....

Caption: A Big Muff power-chord chorus — all root-fifth shapes, so even under a scooped fuzz wall the overtones reinforce rather than fight; keep the guitar volume maxed, let each chord sustain into the next, and let the amp's natural feedback start to bloom on the held F#5.

| What It All Left Behind

The cultural moment burned fast. Cobain was gone by April 1994, and the word "grunge" curdled almost instantly into a marketing category, complete with department-store flannel. But the *tonal* revolution it carried out proved durable in a way the flannel did not. Grunge permanently rehabilitated the fuzz pedal, dragging the Big Muff and its cousins back from obsolescence and making them staples again; an entire later economy of boutique Muff clones and "civil war" reissue worship traces directly to this moment. It legitimized cheap and broken gear as a deliberate artistic choice rather than a compromise, an idea that would echo through indie rock, lo-fi, and noise rock for decades. And it re-established dynamic contrast — the deliberate, structural use of quiet to make loud devastating — as a central tool of rock composition, after a decade in which "loud all the time" had been the only available setting.

Most of all it proved a thing that gets forgotten in a hobby obsessed with gear: that the most important component in the signal chain is the decision about what to play and how hard to hit it. A kid with a left-handed pawn-shop Mustang, a sixty-dollar orange distortion box, and a chorus pedal made a record that ended an era. The fuzz had come home, and it turned out home was never about the price of the box. It was about the nerve to flip it on.

- **Nirvana, "Smells Like Teen Spirit"** (*Nevermind*, 1991): the textbook loud-quiet-loud. Hear the clean, chorus-tinged four-chord intro figure, then the full fuzz slam on the same chords. The verses thin out to bass and a ticking clean guitar; the choruses are a Boss-distortion wall. The architecture is the song.
- **Nirvana, "Come As You Are"** (*Nevermind*, 1991): the watery, pitch-smeared clean riff is the EHX Small Clone chorus doing its seasick wobble. Listen to how unstable and underwater the held notes feel.
- **Mudhoney, "Touch Me I'm Sick"** (single, 1988): the raw, ragged fuzz-on-fuzz murk that named the band and the genre's first template — Super-Fuzz snarl and Big Muff thickness running hot and dirty.
- **Soundgarden, "Black Hole Sun" and "My Wave"** (*Superunknown*, 1994): Kim Thayil's darker, detuned, modally strange take. Hear the dreamy chorus-washed verses give way to fuzz, and notice the queasy, slightly-off harmony that straight pentatonic riffing never produces.
- **The Smashing Pumpkins, "Cherub Rock" and "Today"** (*Siamese Dream*, 1993): the maximalist opposite of Cobain's crudeness — Big Muff fuzz layered into an enormous, weirdly sweet orchestral wall. Listen for how *pretty* something this saturated can be.
- **Dinosaur Jr, "Freak Scene"** (*Bug*, 1988): J Mascis's roaring Marshall-and-Muff flood, with melodic blues-scale lead lines emerging out of the noise. The bridge between hardcore punk and the grunge wall, and proof that fuzz and virtuosity can share a stage at deafening volume.

Digital Modeling and the Future of Tone

THE CLEANING CREW AT A NASHVILLE MEGACHURCH NEVER HEARS A GUITAR AMPLIFIER. They hear vacuum cleaners and the hum of the HVAC, and on the platform where four thousand people sat the night before there is a guitar rig that made enormous sound and never moved a molecule of air on its own. A guitarist plugged a Stratocaster into a black box the size of a hymnal, and the box did everything: it became a blackface Fender on the verse, a cranked Vox chime on the pre-chorus, an oceanic wall of delay and reverb on the bridge, and it sent all of that not to a speaker but down a cable, into the digital console, out to the in-ear monitors of every musician and into the mains. There was no roar onstage. There was no microphone in front of a cabinet. There was, in the old sense, no amp at all -- and yet the congregation would have sworn they heard one breathing.

That silent stage is one of the most consequential changes in the history of electric guitar tone, and it happened fast. For seventy years the signal chain ended the same way: a tube glowing, a transformer humming, a paper cone shoving air, a microphone catching it. The amplifier was a physical event in a physical room. Then, over roughly two decades, engineers learned to capture that entire event -- the clipping, the compression, the frequency curves, the speaker's stubborn voice -- as math, and put it in a box you could carry in one hand. To understand how tone arrived at the present, you have to understand how the amp learned to leave the room.

| From Rack Sims to a Kidney Bean

The story usually starts in a garage in California in the mid-1990s, where a small company called **Line 6** was trying to do something the conventional wisdom said was foolish. Digital signal processing had been creeping into guitar gear for years -- rack reverbs, the chorus-and-delay multi-effects boxes that defined a certain glassy 1980s sound -- but the amplifier itself, the gnarled, nonlinear heart of distorted tone, had resisted. Early attempts to digitize an overdriven amp sounded like a kazoo in a tin can: brittle, fizzy, lifeless. The distortion of a real tube amp is not a single effect but a stack of interacting behaviors, and the cheap converters and slow processors of the era simply could not keep up.

Line 6's founders, Marcus Ryle and Michel Doidic, came out of the synthesizer world, where modeling a complex analog circuit in software was already a respectable craft. They reasoned that an amplifier was just another analog system to be characterized and reproduced. Their first product, the **AxSys 212** combo of 1996, was clever but awkward. The breakthrough was the **POD**, released in 1998 -- a red, kidney-bean-shaped lump of plastic that sat on a desk and held models of thirty-two classic amps. You turned a chicken-head knob from "Tweed Blues" to "Brit Classic" to "Modern Hi Gain," plugged headphones straight in, and recorded a usable distorted guitar tone at three in the morning without waking anyone. For a generation of bedroom musicians and home-studio owners, the POD was a small miracle. It was not the sound of the amp it imitated, exactly, but it was close enough, and it was always there, always quiet, always repeatable.

The POD and its bigger sibling, the **Flexitone** combo, democratized something that had always been gated behind money and noise. A teenager who could never afford a vintage Marshall, and could never crank one anyway without eviction, now had thirty amps in a box. The cost was a certain sameness -- a recognizable "POD sound," slightly compressed and synthetic in the high end, that turned up on a thousand records and that purists learned to sneer at. But the door was open. The question stopped being whether an amp could be digitized and became how well.

I Profiling: Capturing a Specific Amp, Not a Category

The next leap reframed the problem. Line 6 had built models of amp *types* -- a generic "British" or "American" voice engineered by ear and measurement. Two companies, working in parallel, asked a sharper question: could you capture *one specific amplifier*, the actual head in the actual room with its actual aged tubes, rather than a category?

The first was **Fractal Audio Systems**, founded by Cliff Chase, whose **Axe-Fx** debuted in 2006 and quickly became the secret weapon of the high-end touring world. The Axe-Fx was not a profiler in the strict sense; it was a ferociously detailed *modeler*, built on Chase's painstaking analysis of how each amp circuit behaved, stage by stage, including the way the power supply sags under load and the way the output transformer colors the sound. It was a rackmount unit aimed at professionals, expensive and deep, and it sounded astonishing. By the early 2010s, Axe-Fx units were hidden in the racks of arena acts whose audiences assumed they were hearing walls of tube amps.

The second company changed the vocabulary. In 2011 a German recording engineer and amp obsessive named Christoph Kemper released the **Kemper Profiler**, and with it the idea that gave the era its name. *Profiling* works like sonic photography. You connect the Profiler to a real, mic'd-up amplifier -- your friend's prized 1959 Marshall plexi, a boutique Dumble, whatever you can get your hands on -- and the Kemper sends a series of test tones and noise bursts through it. By comparing

what it sent in against what came out of the microphone, the unit builds a mathematical portrait of that exact rig at that exact setting: the EQ curve, the way the distortion blooms as you push it, the speaker and microphone's combined voice. Save the profile, and you can carry that specific plexi, captured on that specific day, in a box forever. Players began trading profiles like baseball cards.

The most recent chapter belongs to **Neural DSP** and its **Quad Cortex**, released in 2021 -- a sleek, touchscreen floor unit with enormous processing power, marketed on its "Neural Capture" feature, which uses machine-learning techniques to profile an amp with uncanny fidelity. Neural DSP had already won over the modern metal world with meticulously crafted plugins built in collaboration with specific artists. The Quad Cortex folded all of it into one stomp-on-able slab and, fairly or not, became the status object of the modeling age.

I What the Box Actually Captures

To argue honestly about whether these machines "sound like the real thing," you have to know what they are reproducing. An amplifier's tone is not one quality but a stack of them, and modeling captures some far more easily than others.

The easiest to capture is the **frequency response** -- the EQ curve. Every amp has a fingerprint of which frequencies it boosts and which it cuts. A Vox AC30 has a famous upper-midrange chime, a presence in roughly the 2 to 4 kilohertz range that makes it cut and jangle. A Fender blackface scoops the mids and pushes a glassy top and a tight low end. Measuring and reproducing a static frequency curve is, by modern standards, trivial; this is why even the cheapest modeler can get the *basic color* of an amp roughly right.

Harder, and more important, is the **clipping behavior** -- how the amp distorts when you push it. Distortion is the deliberate, musical destruction of a waveform. When a clean signal grows too large for a tube stage to pass intact, the peaks get flattened, or "clipped," and that flattening generates *harmonics* -- new frequencies mathematically related to the note you played. Here a foundational piece of theory does the heavy lifting. Any musical note is not a single frequency but a **fundamental** plus a series of **overtones**, the harmonic series, stacked above it at whole-number multiples: play a low E at about 82 Hz and you also get energy at 164 Hz (the octave), 246 Hz (an octave plus a fifth), 328 Hz (two octaves), and on up. An *interval* is just the distance between two pitches, and the harmonic series spells out the most consonant ones -- the octave, the fifth, the major third -- in ascending order. Tube distortion tends to emphasize *even-order* harmonics, the octaves and the gentle, sweet intervals, which is why a slightly overdriven tube amp sounds warm and "musical" rather than harsh. Solid-state and cheap digital clipping historically emphasized *odd-order* harmonics, producing that brittle, buzzy quality. Capturing the precise recipe of harmonics an amp generates, and how that recipe

changes as you play harder, is the real art of modeling, and it is where the modern units have made their largest gains.

Subtlest of all is **dynamic response** -- the way the amp reacts to your hands moment to moment. A real tube amp pushed near its limit does several things at once: the power supply sags, momentarily compressing the attack of a hard-picked note; the gain feels touch-sensitive, cleaning up when you ease off your pick or roll back the guitar's volume knob and snarling when you dig in. This interaction between player and circuit is what guitarists mean by *feel*, and it is genuinely hard to model because it is not a fixed curve but a living, time-varying behavior. The best modern modelers and profilers reproduce it well enough that experienced players are fooled in blind tests; skeptics insist a subtle latency and an over-consistency remain, that the digital amp never quite has a bad night or a magic one. Both camps are partly right, and that tension is the honest center of the authenticity debate.

I The Impulse Response: The Speaker Was Always the Point

There is a piece of this puzzle that predates digital modeling conceptually and turns out to matter as much as the amp itself: the speaker cabinet and the microphone in front of it. For all the mythology around tubes, a huge fraction of an amp's recorded character comes from the last link in the chain -- the speaker's voice and the microphone's placement -- and modeling captures that link with a tool called the **impulse response**, or **IR**.

An impulse response is, in plain terms, a recording of how a system reacts to a single, instantaneous click -- an idealized "impulse" containing all frequencies at once. Fire that click through a guitar speaker in a cabinet, capture the result with a microphone, and what you record is the complete acoustic fingerprint of that speaker-cabinet-mic-room combination: every resonance, every high-frequency rolloff, every comb-filtering quirk of where the mic sat. Mathematically, you can then *convolve* any guitar signal with that fingerprint and get exactly the sound that signal would have made coming out of that cab into that mic. The result is not an approximation. A speaker is a (mostly) *linear* system, meaning it does not generate new harmonics the way a distorting tube does -- it only shapes and filters what passes through -- and linear systems are perfectly described by their impulse response. This is why even die-hard skeptics of amp modeling will concede that IRs are essentially indistinguishable from a real mic'd cabinet. The cabinet was always doing exactly what an IR does; we simply learned to bottle it.

This matters enormously in practice. A modeled amp by itself often sounds harsh and buzzy precisely because it lacks the speaker's gentle high-frequency rolloff -- a real guitar speaker, a **Celestion** Greenback or Vintage 30, sharply attenuates everything above roughly 5 kHz, taming the fizz that distortion produces up there. Swapping IRs changes a tone more dramatically than swapping amp

models. A bright, glassy clean and a dark, woolly crunch can be the same amp model feeding two different cabinet captures. When a worship guitarist or a metal producer dials in a sound, the choice of IR -- which speaker, which mic, how far off-axis -- is doing the same decisive work that mic placement always did in a great recording studio, only now it is recallable at the tap of a screen.

I Three Players, Three Eras of the Direct Sound

Misha Mansoor and the djent direct tone. No music is more native to the modeling era than djent, the rhythmically intricate, low-tuned metal subgenre whose onomatopoeic name imitates the sound of its signature riff: a tight, palm-muted, heavily gated chug. Misha Mansoor, founder of Periphery and a co-architect of the Neural DSP plugin line, built his sound almost entirely "direct" -- guitar into modeler into console, no air involved. The djent tone demands things that favor digital capture: a high-gain amp model (often a modded Marshall or a Peavey 5150 voice) tuned for a tight, fast low end, a precise IR that controls the high-frequency fizz, and ruthless consistency from one section to the next. On Periphery's self-titled 2010 debut and the records that followed, the rhythm guitars are often recorded direct precisely because the sound is so controlled that a real cab and room would only add unwanted variables. The riff below is illustrative of the idiom -- low, syncopated, written in the spaces between the kick drum.

TAB

Tempo ~140 BPM, swing-free 16ths, drop-A tuning (low string = A)

```
e|-----|
B|-----|
G|-----|
D|-----|
A|-----|
E|--0--0--0--0--0--0--0--0--0--3--3--0-----|
    PM      PM      PM      PM      PM      PM
                    (let the 3 ring, then choke)
```

Caption: A drop-tuned djent chug. Every note is palm-muted (PM) and tightly gated, picked hard so the modeled amp's clipping stays defined; the rests are as musical as the notes, so silence the strings cleanly between hits.

Lincoln Brewster and the modern worship clean. On the opposite end of the gain spectrum lives the contemporary worship and pop guitarist, for whom the silent stage is a practical revolution. Lincoln Brewster, a Stratocaster-wielding fixture of modern worship music, is a virtuoso whose live sound has migrated toward modeling and profiling units for the obvious reasons: a church platform demands low stage volume, in-ear monitors, and a sound the front-of-house engineer can recall iden-

tically across services. The worship clean is typically a blackface-Fender or Vox-style model -- glassy, mid-scooped, generous on top -- with a compressor smoothing the dynamics and a touch of delay widening the picture. The musical signature is the *arpeggio*, a chord played one note at a time rather than strummed, often built on *add9* and *sus2* voicings that leave the sound open and unresolved. An **add9** chord adds the ninth (the second scale degree, an octave up) to a plain major triad without the seventh; a **sus2** replaces the major third with that second, removing the chord's "happy or sad" certainty and leaving it suspended and airy. Those voicings ring beautifully through a clean modeled amp because the spread, clear high end lets every string speak.

TAB

Tempo ~75 BPM, let every note ring into the next, bright compressed clean

```

e|-----0-----0-----0-----0-----|
B|---3---3---3---3---3---3---3---3---|
G|---0-----0-----0-----0-----|
D|0-----2-----|
A|-----3-----|
E|-----3-----|
  Dadd9      /G      /C(add9)  Dsus2

```

Caption: A modern-worship arpeggio. Pick gently and evenly so the modeled compressor keeps every note level, add a quarter-note delay (one repeat at the tempo) and a hair of plate reverb to widen it; the ringing open high E and the add9 color give it that weightless, hopeful lift.

Ambient washes and the post-rock pad. The third great use of the modeling rig is texture -- the guitar as atmosphere rather than riff. Players in the post-rock and ambient lineage descending from bands like Explosions in the Sky, and worship guitarists building "swells" under a quiet moment, lean on the effects-processing depth that lives inside every modern unit. Here the modeler's value is not the amp at all but its near-infinite, perfectly recallable reverbs and delays, and its ability to run several at once -- a long modulated delay into a cavernous reverb into a shimmer effect that adds an octave above. The technique is to remove the pick attack entirely, often by rolling up the volume knob *after* the string is struck (a volume swell) so the note fades in like a bowed instrument, and to lean on suspended and open voicings that smear into one another. Theory-wise, ambient players exploit the way *sus4* chords -- a triad with the fourth replacing the third -- refuse to resolve, hanging the ear in midair.

Tempo ~60 BPM, volume-swell each note in (no pick attack), huge wash

```

e|-----0~|
B|-----3~|
G|-----0~|
D|-----0~|
A|--3~|
E|-----|

```

Asus4 swelling note-by-note into a single shimmering chord

Caption: An ambient pad figure. Strike each string and immediately swell its volume up so the attack vanishes, stacking the Asus4 voicing into a slow bloom; feed it a long dotted-eighth delay and an oversized reverb with shimmer, and let the unresolved fourth hang. The vibrato (~) is light finger movement to keep the sustained chord alive.

| The Honest Argument

It would be dishonest to pretend the modeling era settled the question of tone. It reopened it. The case *for* is overwhelming on its own terms: convenience, consistency, repeatability, the ability to record an album's worth of perfectly matched rhythm tracks at midnight, the silent stage that saves a touring player's hearing and a sound engineer's sanity. A profile or a great IR-equipped model is recallable to the decimal, immune to the way a real tube amp drifts as it warms up, as its tubes age, as the room's temperature shifts. For most working musicians in most rooms, the modern units are not a compromise; they are simply better tools.

The case *against* is quieter and harder to measure, and it lives in two words: feel and air. Feel is the moment-to-moment dynamic conversation between the player's hands and a circuit that sags and blooms unpredictably -- the sense that a cranked amp is a slightly wild animal you are riding rather than a setting you recalled. The best modelers have closed most of this gap, and double-blind listening tests routinely fool experts, which suggests much of the remaining difference is psychological. But psychology is part of how musicians play; a guitarist who *believes* the amp is alive often plays more bravely. Air is the other ghost -- the physical sensation of a 4x12 cabinet moving real air against your body and the room's walls, a low-frequency, full-body experience that headphones and in-ears cannot fully reproduce and that a direct signal, by definition, never creates. You can model the sound of the room. You cannot yet model standing inside it.

Where tone goes from here is genuinely open. On-device neural networks now capture an amplifier in minutes with a fidelity that would have seemed like fantasy when the kidney-bean POD shipped. The trajectory points toward capture that is not just accurate but *adaptive* -- rigs that re-

spond to the player as fluidly as tubes do, that model the room as well as the amp, that erase the last audible seam. And yet the old roar has not died. Plenty of players still crank a real amp because the animal in the box is part of the music. The future of tone is not the replacement of one by the other. It is the strange, rich present we already live in -- where a guitarist can summon a 1959 plexi from a touchscreen on a silent stage, and where, two hundred miles away, someone else plugs into the genuine article and pushes a real cone until the room shakes, and both of them are telling the truth.

♪ LISTEN FOR

- **Periphery, "Icarus Lives!" (Periphery, 2010):** the archetypal direct djent rhythm tone -- listen to how tight, gated, and consistent the palm-muted low chugs are, with the speaker fizz tamed flat by the cab IR and zero room ambience around the guitars.
- **Lincoln Brewster, "Today Is the Day" (Today Is the Day, 2008):** glassy, compressed Strat-style cleans and ringing add9/sus2 arpeggios; hear the delay widening the picture and the even, swell-smooth picking dynamics that suit a modeled clean.
- **Explosions in the Sky, "Your Hand in Mine" (The Earth Is Not a Cold Dead Place, 2003):** layered ambient swells and oceanic delay-into-reverb textures -- the post-rock vocabulary that modern modeling rigs reproduce and extend, with pick attack dissolved into pure wash.
- **Any A/B demo of a Kemper or Quad Cortex profile against its source amp:** listen specifically to the *attack* of a hard-picked note and the way the tone cleans up as the player rolls back the guitar's volume knob -- that dynamic response is where the real and the captured come closest, and where any remaining seam still hides.

PART VII

Tone in Practice — The Players



Jimi Hendrix: Fuzz, Wah, and the Reinvention of the Guitar

THE CROWD AT MONTEREY HAD COME TO SEE THE WHO SMASH THEIR INSTRUMENTS, and they had. Now, in the wet June dusk of 1967, a left-handed man from Seattle knelt over a right-handed Fender, played upside-down and restrung, and coaxed from it a sound nobody in that field had heard before: a great roaring sustain that bloomed rather than decayed, that grew louder as he held it, that seemed to breathe. He had already played "Wild Thing" with a violence that was almost tender. Then he laid the guitar down, sprayed it with lighter fluid, and knelt before it like a man at an altar, beckoning the flames upward with his hands. The instrument burned. But the thing everyone remembers is not the fire. It is the sound that came before the fire — the way the **Stratocaster**, pushed through a wall of cranked **Marshall** amplifiers, had stopped behaving like a guitar and started behaving like a force of nature. In roughly four years of recording, Jimi Hendrix would do this again and again: take the electric guitar, an instrument barely two decades into its commercial life, and reveal capacities inside it that its inventors had never imagined and that no one has fully exhausted since.

What makes Hendrix the hinge of this entire book is that he was not primarily a gear collector or a tone theorist. He was a rhythm-and-blues sideman who had logged thousands of hours behind the Isley Brothers, Little Richard, and the chitlin'-circuit package tours, learning to play tight, supportive, funky guitar in the shadow of louder personalities. When he finally stepped to the front, he brought that R&B fluency — the comping, the curls, the call-and-response — and married it to a new vocabulary of electronic sound that the era's effects pedals and overdriven amplifiers had only just made possible. He did not invent the Fuzz Face, the wah-wah, the Marshall stack, or feedback. He synthesized them into a single expressive instrument and then played that instrument like nobody before or since. This chapter is about how that synthesis worked, electrically and musically, and about why the records still sound like the future.

| The Rig and the Revolution

Start with the guitar itself, because the choice was contrarian. In the mid-1960s the Fender Stratocaster was considered slightly passé, a surf-and-twang relic eclipsed by the fatter humbucking

Gibsons that blues-rock players favored. Hendrix preferred it, and the preference was as practical as it was sonic. Being left-handed, he took a standard right-handed Strat, flipped it over, and restrung it so the low strings sat on top. This single act reshaped the instrument's tone in ways that matter. The Stratocaster's bridge pickup on a right-handed guitar is mounted at a slant, the treble side closer to the bridge for brightness, the bass side angled back for warmth. Flip the guitar and that slant reverses: now the bass strings sit nearest the bridge and the treble strings angle away, subtly softening the high end and thickening the low — part of why Hendrix's single-coil tone never sounded as glassy or brittle as the surf records that came before. The controls and the vibrato bar (Fender's "synchronized tremolo," a misnomer since it changes pitch, not volume) ended up above the strings rather than below, which encouraged the constant, conversational pitch-bending that became a signature.

Behind the guitar sat the amplifiers, and here Hendrix arrived at a fortunate moment. The **Marshall** stack — typically a 100-watt Super Lead head atop two 4x12 cabinets loaded with **Celestion** speakers — had been developed in London precisely to be loud, and loudness was the point. A small amp distorts when you turn it up because its power section runs out of clean headroom; a 100-watt Marshall pushed to the edge produces enormous volume and a particular kind of saturated, harmonically rich breakup driven by its **EL34** power tubes. Hendrix ran several of these, often in multiples, at volumes that would be physically dangerous in any normal room. The wall of cabinets was not stage dressing. The sheer acoustic energy coming off those speakers, returning to the guitar's strings and pickups, was the engine of his sustain and his controlled feedback. Without that volume the records simply do not happen.

Between the guitar and the wall sat a small, evolving collection of effects, and three of them define the sound. The first was the **Fuzz Face**, a round, two-knob box that produced fuzz by overdriving a pair of transistors into hard clipping — squaring off the smooth sine-like shape of the guitar's signal into something buzzing and rich in harmonics. The earliest units used **germanium** transistors, which clip softly and warmly but drift with temperature and behave unpredictably; later units switched to **silicon** transistors, which are brighter, more aggressive, more consistent, and a touch harsher. Hendrix used both across his career, and the difference is audible: the warm, almost vocal fuzz of the first album versus the more cutting, splintered tones of *Band of Gypsys*. Crucially, the Fuzz Face is exquisitely sensitive to guitar volume. Roll the guitar's volume knob back and it cleans up dramatically, from full fuzz to a sweet edge-of-breakup shimmer, all without touching the amp. Hendrix used this constantly. His volume knob was a second pedal operated by his pinky.

The second pedal was the wah-wah — first a **Vox** unit, later the **Cry Baby**, essentially a foot-rockable bandpass filter that sweeps a resonant peak up and down through the midrange as you rock the treadle. Toe down emphasizes the highs; heel down emphasizes the lows; the sweep in between mimics the human vowel sounds "wah" and "yah." The third was the **Octavia**, built for Hendrix by

engineer Roger Mayer, which generated a note one octave above what you played and ring-modulated it into a glassy, otherworldly upper voice that gets weirder and more vocal the higher you go on the neck. Later he added the **Uni-Vibe**, a four-stage phase-shifting device originally intended to imitate a rotating Leslie speaker but which, in his hands, became a watery, seasick, oceanic swirl all its own. Four boxes, one volume knob, a flipped Strat, and more amplifier than any sane person would use. That was the revolution's hardware.

I How It Works, and Why It Sounds That Way

The technical heart of Hendrix's sound is the interaction between distortion and the harmonic series — the stack of overtones that every vibrating string produces above its fundamental pitch. Pluck a low E and you hear not just that E but, faintly, the octave above it, then the fifth above that, then the next octave, then a major third, and so on up an infinite ladder of progressively quieter partials. These overtones are what give a note its timbre. A clean guitar reproduces them more or less faithfully. But when you push a signal into distortion — whether the soft clipping of a cranked tube amp or the hard clipping of a fuzz box — the circuit generates *new* harmonics that weren't in the original signal, and it compresses the dynamic range so that quiet partials get lifted toward the level of the loud fundamental. The result is a thicker, more sustaining, more complex tone, dense with harmonic information. This is why a distorted note sustains longer than a clean one: the energy that would have decayed is constantly being regenerated as harmonic content, and at Hendrix's volumes, fed back into the strings acoustically, it barely decays at all.

Feedback itself is simply this loop closing. A loud speaker vibrates the air; that air vibrates the guitar string at a frequency the string wants to resonate at — usually a harmonic of the note being held — and the string drives the pickup, which drives the amp, which drives the speaker louder, and the note swells instead of dying. Hendrix learned to control which harmonic took over by where he stood relative to the cabinets and how he angled the guitar, turning an accident into an instrument. The rising, screaming swells on his records are him steering this feedback loop in real time, choosing octaves and fifths and the odd dissonant partial by the geometry of his body in the room.

The wah and the Octavia work on the same raw material from different angles. The wah's moving bandpass filter scans across the harmonic series, spotlighting a narrow band of frequencies and making them speak, so that as you rock the treadle you are essentially conducting which overtones the listener hears most — a vowel-shaping of the guitar's voice. The Octavia, by full-wave rectifying the signal, doubles its frequency to create that octave-up ghost, but because rectification is a nonlinear, slightly dirty process, it also throws off the inharmonic ring-modulated artifacts that make the effect sound alien rather than merely higher. The Uni-Vibe, finally, splits the signal and shifts the phase of

one copy, then sweeps that shift with a low-frequency oscillator, so that certain frequencies periodically cancel and reinforce — a moving comb-filter notch that reads to the ear as motion, as water, as something breathing inside the tone.

| The Sound in the Room

Put it all together and Hendrix's clean tone is warm and round, the flipped Strat's softened treble keeping the single coils from ever turning icy, with a hollow woody knock in the midrange when he digs in near the bridge. Bring up the fuzz and the tone fattens into a saturated, slightly compressed roar — full in the low mids around 250 to 500 Hz, with a gritty presence ridge up around 2 to 4 kHz that lets it cut through the band, and a fizzing halo of high harmonics above that. Roll the guitar volume back and the whole thing deflates gracefully into a glassy, bell-like clean with just a furred edge. The wah adds a vocal sweep, a vowel pulled across the spectrum; in the "cocked" position, parked partway down without rocking, it becomes a fixed midrange honk that makes a riff nasal and insistent. The Uni-Vibe drapes the entire signal in slow, underwater motion. And over all of it floats the possibility of feedback, the note that refuses to end.

It is worth saying plainly that some of the lore around this sound is contested. The exact circuits in Hendrix's specific pedals, the precise amp settings, even which Fuzz Face was germanium and which silicon on a given session — much of this is reconstructed after the fact, sometimes from memory, sometimes from marketing. What is not in dispute is the musical result on the records, and that is what we can analyze with confidence.

| Case Study: "Voodoo Child (Slight Return)"

Recorded in May 1968 for *Electric Ladyland*, this is the clearest demonstration of how Hendrix made the wah-wah a structural instrument rather than a soloing gimmick. The track opens with the wah used purely rhythmically — quick chordal stabs and scratchy muted strums where the treadle motion is the groove, the filter sweep providing the percussive vowel that a clean strum would lack. He is comping like the R&B sideman he had been, but the wah turns the comp into a rhythmic and tonal event. When the song opens up, the same pedal becomes a lead voice, and the genius is that he never fully separates the two roles: rhythm bleeds into lead and back, the wah pulsing under single-note runs that he peppers with chord fragments. The underlying harmony sits in E, and Hendrix works the **minor pentatonic scale** (the five-note scale built from the root, flat third, fourth, fifth, and flat seventh — here E, G, A, B, D) while constantly leaning on the **blues scale**, which adds the flat fifth

(B flat) as a passing tone for that bent, anguished sound. But he also reaches up to grab the major third (G sharp) against the dominant chords, blending major and minor in a way we will return to. The wah, rocked roughly in time with his picking, makes every one of those notes speak with a vocal inflection.

Here is an original figure in that spirit — a wah-rhythm stab opening out into a pentatonic lick. The wah is rocked toe-down on the accented strums and swept across the single notes; with a silicon Fuzz Face and the guitar volume near full, it should sound percussive going into vocal.

TAB

Funky, behind the beat, q = 70 – rock the wah with each pick stroke

e	-----
B	-----
G	--7~--5--7b9r7--5-----5--7-----
D	--7-----7--5h7--5-----5--7-----
A	--5-----7-----7--5-----
E	-----

stab

lead phrase ----->

back to riff

Wah-driven rhythm-into-lead in E minor pentatonic: rock the treadle toe-down on the double-stop stab, then keep it moving through the single-note run so each note gets a vowel; the bend on the high G string should be a full step, pushed slow and held with vibrato.

| Case Study: "Little Wing"

If "Voodoo Child" shows Hendrix at his most electric, "Little Wing" — also from *Electric Ladyland*, recorded in 1967 — shows the R&B craftsman, and it is the single most influential thing he ever played for working guitarists. The technique is chord embellishment, and it depends on a piece of left-hand mechanics that horrified classical teachers: the thumb wrapped over the top of the neck to fret the low strings. Hendrix had large hands and long fingers, and he used the thumb to hold a bass note — often the root, sometimes the fifth — which freed his remaining four fingers to dance around the chord shape above it, adding and releasing notes from the upper voices. Instead of strumming a static chord, he turns each chord into a little melodic event, hammering on the suspended fourth and pulling back to the third, brushing in an added second, sliding a double-stop into place. These are the R&B "curls" — quick decorative slides and hammers that ornament a chord the way a singer ornaments a held note. The effect is that the rhythm part *sings*; there is no clear line between accompaniment and melody.

A little theory makes the magic legible. When Hendrix is on, say, an E minor chord, he is not playing the bare triad (E, G, B). He hammers the fourth (A) onto the third (G) — a **sus4-to-major** type motion, except in a minor context — and adds the ninth (F sharp) for color, so the chord shimmers between several voicings within a single beat. These added tones — the second/ninth, the fourth, the sixth — are **chord extensions**, notes stacked above the basic triad that thicken the harmony without changing its fundamental identity. An **add9** chord, for instance, is just a triad with the ninth (the second, an octave up) dropped in for sparkle. Hendrix rarely held any of these as static chords; he treated them as moving targets, ornaments to be touched and released.

Here is an original embellished figure in the "Little Wing" manner, over an E minor to G major move, using a thumb-fretted bass note. The "T" marks a note fretted with the thumb over the top of the neck. Tone is clean to slightly broken up — guitar volume rolled back into a cranked amp, with the neck pickup for warmth.

TAB

Slow, rubato, q = 65 — let the bass note ring under the embellishments

```

e|-----0-----3-----|
B|----0--0h1p0-----0h1-----3-----|
G|----0-----0-----0-----0-----|
D|----2-----0-----|
A|-----2-----|
E|--0(T)-----3(T)-----|
    Em   curls ->          G   embellish ->

```

Thumb-over-the-neck chord embellishment in the R&B tradition: hold the low root with the thumb so all four fingers are free, then hammer the B string from the open into the first fret (the flat seventh resolving toward the root color) and let the inner voices ring — the chord should sound like it is melodically alive rather than strummed once and left.

| Case Study: "Purple Haze"

The opening of "Purple Haze," recorded in early 1967 for the debut single and album, is two pieces of theory made physical. First, the tritone — that famously unstable interval of three whole steps, the "devil's interval," here voiced low between the guitar and bass as an E and a B flat grinding against each other through the fuzz, an instability that the song never fully resolves and that gives the intro its menace. Then, once the verse riff kicks in, comes the chord that bears his name. The **7#9 chord** — the dominant seventh with a sharpened ninth, universally nicknamed the "Hendrix chord" — is the harmonic signature of the whole era. On an E root it is spelled E, G sharp, D, G: the root, the

major third (G sharp), the flat seventh (D), and the sharp ninth (G natural). Look at the top two notes and the trick reveals itself: G sharp is the major third, G natural is the sharp ninth, which is enharmonically the *minor* third. The chord stacks the major third and the minor third in the same voicing. That is precisely the major-minor ambiguity at the heart of the blues — the tension between the "happy" major third the dominant chord wants and the "sad" flatted third the blues singer bends toward — frozen into a single sustained sonority. Through a fuzz box, which generates extra harmonics and intermodulation between those clashing tones, the 7#9 acquires a snarling, electric bite that no clean keyboard voicing of the same notes can match. Hendrix did not invent the chord — it appears in jazz and in earlier R&B — but he welded it to fuzz and volume and made it the sound of psychedelic rock.

The solo section of "Purple Haze" then brings in the **Octavia**, and here the octave-up effect transforms a fairly conventional blues-scale solo into something genuinely strange. As Hendrix climbs the neck, the Octavia's ghost note climbs with him an octave up, and the ring-modulation artifacts smear the upper register into a liquid, vocal, almost flute-like cry that seems to come from inside the note rather than above it.

Here is an original example: first the 7#9 voicing, then a "Purple Haze"-flavored riff built from the E blues scale, the kind of figure that comes alive with fuzz and the Octavia kicked in for the higher notes.

TAB

Driving, heavy, q = 108 – full fuzz, dig in; kick in the Octavia at the high notes

E7#9 voicing blues-scale riff ----->

e|-----|

B|---8-----|

G|---7-----7b9~-----|

D|---6-----5--7--5-----5--7--8p7-----|

A|---7-----PM-----7-----7-----|

E|---0-----0--0--0--0-----|

strum palm-muted riff octave-up lead burst

The "Hendrix chord" and a fuzz riff: finger the E7#9 with the root on the low E and the clustered third-against-sharp-ninth up top — through fuzz those two notes will beat and snarl against each other. Then palm-mute the low chugging figure for menace, and let the closing bend ring with the Octavia engaged so the high note sprouts its glassy upper octave.

| Case Study: "Machine Gun"

Recorded live at the Fillmore East on New Year's Eve into January 1, 1970, with the Band of Gypsies, "Machine Gun" is Hendrix's masterpiece of texture and his most harrowing performance. Here the **Uni-Vibe** does its defining work, draping the whole guitar in that slow, watery, phase-shifted swirl while Buddy Miles holds a martial snare pattern beneath. The song is built on a stark minor vamp, and over it Hendrix paints with feedback and controlled noise: he literally renders the sounds of warfare — the rattle of the gun, the whine of incoming rounds, the screams — through the guitar, using feedback swells, rapid-fire muted picking, and dive-bombs of the vibrato bar. This is the controlled-feedback technique at its most expressive. Each sustained note is steered toward a chosen harmonic and held until it screams, the Uni-Vibe modulating it into something queasy and alive. The improvisation draws on the minor pentatonic and the **Dorian mode** — a minor scale with a raised sixth (in the key of A minor, that natural F sharp), which gives a slightly brighter, less mournful color than the fully natural-minor **Aeolian** — and Hendrix slides between these flavors with the kind of vocal phrasing, leaving great expressive spaces, that owes everything to the blues and to the gospel-soul singers he grew up admiring. There are no fast runs for their own sake. Every phrase is a sentence, with breath and weight.

| What He Did to Phrasing

Threaded through all four of these performances is a phrasing vocabulary that is as important as any pedal. Hendrix's vibrato is wide and slow, a singer's vibrato rather than a fiddle player's nervous shimmer — he bends a note slightly sharp and lets it fall, again and again, so the pitch undulates audibly. His **double-stops** (two notes played at once, usually a third or a fourth apart) come straight from the R&B and gospel keyboard tradition, sliding into place to harmonize a melodic line the way a horn section would. He uses **call-and-response** constantly, both with himself — a phrase up high answered by a phrase down low — and with the implied "congregation" of the band. And he is forever blending the major and minor pentatonic over a dominant chord, sliding the flat third up to the major third (the classic blues curl from G to G sharp over an E chord) so that the harmony flickers between sweet and sour. He thinks in **target tones** and **chord tones**: a fast run is not random scale motion but an arc aimed at a specific note — the root, the third, the fifth of the chord underneath — landed on the strong beat so the ear hears resolution. This is why his soloing sounds melodic rather than merely fast. He was always playing toward something.

Here, finally, is an original phrase that ties the threads together: a major-against-minor pentatonic blend over an A dominant chord, with the bluesy curl, double-stops, and wide vibrato that mark his

lead playing. It works clean or with a touch of fuzz, neck or middle pickup, the wah parked in a cocked midrange position for vowel.

TAB

Slow blues feel, q = 76 – let bends bloom, vibrato wide and vocal

e|-----5-----|

B|-----5--5/7--7b9r7-----8b9~~~|

G|--4h5~~~-----4-----4~|

D|-----|

A|-----|

E|-----|

curl: bIII->III double-stop slide target root, vibrato

Blending major and minor pentatonic over A7: open with the curl, hammering the flat third (C) up to the major third (C sharp) for that flickering blues color; slide the double-stops to harmonize the line; then bend up to the high target and hold it with a wide, slow, vocal vibrato — that vibrato is the whole signature, so make the pitch undulate audibly rather than freezing it.

Why It Still Matters

Hendrix recorded for roughly four years and died at twenty-seven, in September 1970, with only three studio albums released in his lifetime. Yet he reset the ceiling for what the electric guitar could be. Before him, effects were novelties and distortion was an accident; after him, they were a language, a palette as legitimate as any orchestral color. He proved that the signal chain — guitar into fuzz into wah into a cranked stack with feedback steered by the body in the room — was itself an instrument to be composed for, and that the noise at the edge of that chain was not a flaw to be suppressed but the most expressive material available. Every guitarist who has bent a note into feedback, rocked a wah under a riff, or fingered a 7#9 and let it snarl is speaking a dialect he wrote. The fire at Monterey was theater. The sound was the revolution, and it has not stopped.

LISTEN FOR

• LISTEN FOR

- **"Voodoo Child (Slight Return)"** (*Electric Ladyland*, 1968): The opening forty seconds — hear the wah used purely as rhythm, the filter sweep providing the groove, before it ever becomes a lead voice. Notice how rhythm and lead never fully separate.
- **"Little Wing"** (*Electric Ladyland*, 1968): The intro and verses — listen for the thumb-fretted bass notes anchoring chords while the upper voices hammer, pull, and curl. The rhythm part is the melody.
- **"Purple Haze"** (*Are You Experienced*, 1967): The grinding tritone of the intro, the snarling 7#9 chord under the verse, and the liquid octave-up Octavia screaming through the solo.
- **"Machine Gun"** (*Band of Gypsys*, 1970): The Uni-Vibe's watery swirl over the whole guitar, and the controlled feedback rendering the literal sounds of war. Listen to the spaces between phrases as much as the notes.
- **"Bold as Love"** (*Axis: Bold as Love*, 1967): For the chord-embellishment style in full flower, and one of the most gorgeous feedback-laced outros he ever recorded.

Eric Clapton: Woman Tone and the Beano Burst

IN THE SPRING OF 1966, IN A CRAMPED ROOM AT DECCA STUDIOS IN WEST HAMPSTEAD, a twenty-one-year-old guitarist set up his amplifier, turned every knob he could find toward maximum, and refused to turn it down. The engineer, Gus Dudgeon, and the producer, Mike Vernon, were aghast. Nobody recorded like this. The volume bled into every microphone in the building; the needles on the console pinned themselves to the right and stayed there. But Eric Clapton had heard something on Freddie King and B.B. King records that he could not get any other way, and he had finally found the machine that would give it to him. When the tape rolled on the John Mayall record that became known forever as the **Beano** album, the guitar that came howling out of those speakers did not sound like a guitar plugged into an amplifier. It sounded like a human voice that had been set on fire — thick, vocal, sustaining, singing past the point where a note should have died. A generation of players heard it and spent the rest of their lives chasing it. Some of them are still chasing it now.

That sound, and the two or three sounds Clapton conjured in the years immediately after it, did more to define what an electric guitar could be than almost any other body of work in the instrument's history. He did not invent overdrive — the Chicago bluesmen and the rockabilly cats had been pushing tubes into distortion for a decade. What Clapton did was make distortion *beautiful*, sustained, and architecturally central to the music, and then, restless as ever, he kept moving: from the Beano roar to the dark, rounded "woman tone" of Cream, to the crying voice of the wah-wah, and eventually to the glassy, restrained cleanliness of a Stratocaster on a quiet ballad. To follow Clapton's signal chain across these years is to watch a player discover, one decision at a time, that *tone is phrasing* — that what you leave out, how you bend, and where you place a note matters as much as the gear that amplifies it.

| The Beano Burst: A Les Paul Meets a Marshall

The instrument at the center of the Beano sound was a **1960 Gibson Les Paul Standard**, a sunburst solidbody with two PAF humbucking pickups — the "Patent Applied For" units Seth Lover had designed at Gibson in the mid-1950s to cancel the hum that plagued single-coil pickups. By 1966 these guitars were already discontinued and unfashionable; Gibson had dropped the single-cutaway Standard in 1960 because it wasn't selling, replacing it with the lighter, sharper-horned SG. The

"bursts," as collectors now call them, were just used guitars sitting in shop windows. Clapton bought one, reportedly after seeing Freddie King holding a goldtop on a record sleeve, and that humble secondhand purchase helped turn the 1958–1960 Standard into the single most coveted electric guitar on earth.

Into that guitar's signal went a **Marshall JTM45**, specifically the 2x12 combo that Jim Marshall's company built in small numbers — the model that, *because of this record*, the world came to call the **Bluesbreaker** combo (model 1962). Jim Marshall had started by cloning the Fender Bassman 5F6-A circuit in his West London drum shop, but the British builders used different transformers, different speakers, and — crucially — **KT66** power tubes in the early models rather than the American 6L6, plus Celestion speakers instead of Jensens. The KT66 is a fat, slightly softer-knee'd beam tetrode; pushed hard, it compresses and blooms in a way that gives the JTM45 its creamy, vocal midrange. Marshall combos of this era typically ran a pair of those tubes for roughly thirty-odd watts, with **ECC83** (the European designation for the 12AX7) preamp tubes providing the gain stages.

The technique that made it sing was brutally simple and, at the time, almost transgressive: Clapton turned the amp all the way up. A thirty-watt combo run flat-out in a small studio room produces a wall of sound, and at that level the entire amplifier — preamp, phase inverter, power tubes, output transformer, and speaker — is being driven into saturation simultaneously. This is the key technical point about the Beano tone, and it is why it has been so maddeningly hard to copy. The distortion is not coming from one stage; it is *distributed* across the whole circuit. The power tubes clip and compress, the output transformer saturates, and the Celestion speakers — likely the alnico-magnet **Celestion Alnico Blue** or the early ceramic Greenback-family drivers depending on the exact cabinet — break up and add their own ragged, midrange-forward voice, cone-cry and all. The result is enormous sustain and a harmonic richness that a modern high-gain preamp, which generates most of its dirt in the first few tubes and keeps the power section clean, simply cannot reproduce. Run a clean power amp and the note dies politely; saturate the whole chain and the note *blooms* — it can actually grow louder a half-second after you pick it, as the amp's compression catches up.

There is a persistent piece of lore that Clapton "used a Dallas Rangemaster treble booster" in front of the amp on Beano, and it is plausible — the **Dallas Rangemaster** was a common British pedal that pushed a germanium-transistor gain stage and a treble-forward EQ into the front end, and several of Clapton's contemporaries used one. But the documentary evidence for that specific recording is thin, and it is honest to call it likely-but-unconfirmed rather than fact. What is *not* in doubt is the foundational recipe: humbuckers, a cranked British EL-class amp (KT66 here, EL34 in the slightly later Marshalls), and a player with the nerve to let it all distort.

A characteristic Beano-style phrase lives in the upper reaches of the A minor pentatonic scale, all bent thirds and singing sustain:

Slow blues feel, ~76 BPM, neck pickup Les Paul into a cranked amp

```
e|-----8b(10)r8--5-----|
B|--8b(10)~~~~~|
G|--7-----7---|
D|-----|
A|-----|
E|-----|
```

Bend the G-string 7th fret up a whole step to the root, let it sing with wide vibrato, then answer up top — the cranked amp's sustain does the heavy lifting; you barely re-pick.

| The Woman Tone: Cream and the Art of Rolling It Back

When Clapton left the Bluesbreakers in 1966 to form **Cream** with bassist Jack Bruce and drummer Ginger Baker, he had a power trio's worth of sonic space to fill and a new tonal idea to fill it with. He called it the "**woman tone**." The recipe, as Clapton himself described it over the years, was deceptively simple: select the *neck* pickup, then roll the guitar's **tone control** down — well down, sometimes nearly all the way off — and play into a cranked amp.

Here is the physics of why that works, and it is worth understanding because the woman tone is one of the most misunderstood sounds in rock guitar. A guitar's tone control is a passive low-pass filter: a capacitor that, as you turn the knob down, progressively shunts the high frequencies of the pickup's signal to ground before they ever leave the guitar. Roll it fully down and you are dumping everything above roughly 1–2 kHz, leaving a signal that is almost all fundamental and low-order harmonics — fat, round, and dark, with the pick attack and the string's brittle top end filtered away. The neck pickup, sitting under the fattest part of the vibrating string, already emphasizes those low harmonics. Combine the two and you get a sound with no "edge" at all — and *then* you slam it into a saturated amplifier.

That last step is the secret. A dark signal hitting a clean amp just sounds muffled, like a blanket over the speaker. But a dark signal hitting an *overdriven* amp is transformed: the amplifier's distortion regenerates a whole new set of upper harmonics that the tone control had stripped away, but these are warm, even-order, amp-generated overtones rather than the cold string-and-pick transients. The result is a tone that is simultaneously dark and singing, round and sustaining — vocal in a way that gives it its name. It is woody and almost cello-like, with the attack softened so that notes seem to *emerge* rather than to be struck. Clapton played this through a Gibson — sometimes the famous psychedelically painted **1964 SG Standard** nicknamed "The Fool," sometimes a Les Paul or ES-335 —

into Marshall stacks now running **EL34** power tubes, the tube that would become the definitive Marshall sound, brighter and more aggressive in the upper midrange than the KT66.

You can hear the woman tone in its full glory across *Disraeli Gears* (1967), most famously on the lead lines of "Sunshine of Your Love." A woman-tone phrase is built to exploit sustain and the absence of attack — long, vocal bends that lean into chord tones:

TAB

Moderate, ~116 BPM, neck pickup, tone knob rolled down to ~2, amp cranked

```
e|-----|
B|-----10b(12)~~~~~r10-----|
G|--9b(11)~~~~~9-----|
D|-----|
A|-----|
E|-----|
```

With the highs filtered off, vibrato becomes everything — keep it wide and slow so the rounded note glows. Re-pick as little as possible; let the amp's sustain carry between the bends.

I "Crossroads," Speed, and the Live Cream Voice

If the studio sides showed Clapton's tonal imagination, the live recordings showed his hands. The defining document is the version of Robert Johnson's "Cross Road Blues" — retitled "**Crossroads**" — captured at the Fillmore/Winterland in San Francisco in March 1968 and released on *Wheels of Fire*. It is one of the most celebrated blues-rock solos ever recorded, and what makes it astonishing is not raw speed but *clarity at speed*: every note is articulated, the phrasing breathes, and the whole thing rides an up-tempo shuffle without ever losing its blues syntax.

The harmonic ground here is the **twelve-bar blues** — the I–IV–V form that is the bedrock of nearly everything Clapton played. In the key of A, that means the I chord is A7, the IV is D7, and the V is E7, all **dominant seventh chords** (a major triad with a flatted, or "minor," seventh on top — in A7 the notes are A, C#, E, G). The dominant seventh is the engine of the blues precisely because it is unstable: that flat-seventh interval wants to resolve, and the blues keeps it unresolved for twelve bars at a time, generating perpetual forward tension. "Crossroads" uses the **quick-change** variant, where the band moves to the IV chord briefly in the second bar before returning to the I — a small move that adds harmonic motion right at the top of each chorus and that every blues player must have in muscle memory.

Over this, Clapton mostly plays the **A minor pentatonic scale** (A, C, D, E, G — five notes, no half-steps) and the **blues scale**, which is the minor pentatonic with one chromatic passing tone

added: the flat-fifth, or "blue note" (in A, that's the E-flat between D and E). This single added note is responsible for an enormous share of the blues' emotional weight; it is dissonant, it is fleeting, and sliding through it on the way to the fifth produces the characteristic "crying" sound. The deep magic of the blues — and the thing that separates a player who *knows* the scale from one who can *speak* it — is the tension between the minor-pentatonic vocabulary in the lead hand and the dominant (major-third) chords underneath. Bending the minor third (C) up toward the major third (C#) over an A7 chord, and hanging in the "crack" between them, is the single most expressive move in the idiom, and Clapton is its supreme master.

Tonally, the live Cream sound was a Gibson into cranked Marshalls at stage-filling volume, with the bridge or both pickups engaged and the tone controls open for articulation and bite — the opposite of the woman tone's rolled-off darkness. A "Crossroads"-style up-tempo lick lives in the first-position A blues box and rewards a confident pick attack:

TAB

Up-tempo shuffle, ~half-note = 88 (fast), bridge pickup, amp on the edge of breakup

```
e|-----5--8--|
B|-----5--8b(9)r5--8p5-----|
G|-----5--7b(9)r5--7p5-----7--5-----|
D|--5--7-----7-----|
A|--7-----|
E|-----|
```

Drive it from the wrist with even alternate picking; the bent 7th-fret G string (the minor third up to the major third) is the money note. Keep the amp just shy of full saturation so fast runs stay defined rather than turning to mush.

| The Wah Years and the Strat Turn

Two of Cream's most enduring tracks put a third sound in front of the amp: the **wah-wah pedal**. On "Tales of Brave Ulysses" (1967) and especially "White Room" (1968), Clapton used the wah not as a rhythmic funk effect — the way Hendrix and later the funk players would — but as a slow, vocal, almost mournful filter sweep. A wah pedal is a sweepable resonant bandpass filter: rocking the treadle moves a peak in the frequency response up and down the spectrum, and when you move it slowly under a sustained, distorted note, you are essentially shaping the formants of the sound the way a human throat shapes a vowel. On "White Room" the wah is parked and rocked in long arcs that make the guitar moan and wail; combined with the woman-tone-adjacent darkness and Marshall sustain, it

produced a sound of genuine pathos. (The specific pedal is usually cited as a **Vox** or early **Crybaby** wah; the two share a common circuit lineage.)

Then Clapton did the thing nobody expected: he put the humbuckers away. By the early 1970s, influenced by the sound of bands like The Band and a turn toward roots music and song-craft over guitar pyrotechnics, he switched to the **Fender Stratocaster** — most famously "Brownie," the early-'50s-spec Strat heard on *Layla*, and later "Blackie," a hybrid he assembled from parts of several 1950s Strats and played for most of the late 1970s and 1980s. The Stratocaster is a fundamentally different instrument: three single-coil pickups, a longer 25.5-inch scale (versus the Gibson's 24.75), and a brighter, glassier, more transparent voice with a percussive attack and a scooped, bell-like quality, especially in the in-between "notch" positions where two pickups combine and partially phase-cancel.

This was the sound of Clapton's mature, clean style. On "Wonderful Tonight" (1977) the guitar is a Stratocaster played clean or nearly so, neck pickup, with a soft pick attack and gentle vibrato — every note placed for the song, with vast amounts of space between phrases. On the studio "Cocaine" (1977) the riff is a Strat with just a touch of grit, tight and rhythmic, the single-coils giving it a snap and clarity that a humbucker would smother. The lesson of late Clapton is the same lesson as early Clapton, only inverted: where the Beano sound proved that maximal distortion could be musical, the Strat years proved that restraint and a clean, articulate tone could be just as expressive — that the *phrasing* was the constant and the gear was the variable.

| The Hands: Vibrato, Space, and Call-and-Response

It would be a mistake to leave the impression that Clapton's genius lived in his amplifiers. The through-line across every era — Beano burst, woman tone, fast Cream blues, clean Strat — is a vocabulary of touch that is unmistakably his. His **vibrato** is the signature: a wide, slow, deliberate finger-shake, usually pitched from the wrist rather than the fingertip, that he applies as a destination rather than an ornament. He bends to a target note and *then* shakes it, letting it bloom — and on a sustaining, distorted Gibson, that vibrato is what convinces the ear it is hearing a voice. A note without vibrato is a guitar; the same note with Clapton's vibrato is a singer holding a phrase.

Equally important is his use of **space**. Where lesser players fill every bar, Clapton phrases like a horn player or a vocalist: he states an idea, then *stops*, leaving a measure of silence for the rhythm section to answer. This is **call-and-response**, the architecture of the blues inherited directly from the gospel field-holler tradition — the lead voice "calls," and the band, or a second phrase, "responds." Clapton structures whole solos this way, so that a "Crossroads" chorus reads as a conversation rather than a monologue. He also leans hard on **target tones** (also called chord tones): on a fast run he will land — on the strong beat, where the ear is listening hardest — on a note that belongs to the chord

underneath (a root, third, or fifth), so that even a flurry of pentatonic notes resolves to something consonant and grounded. The scale provides the raw material; the target tones provide the grammar.

♪ LISTEN FOR

- **John Mayall & The Bluesbreakers** — "Hideaway" and "All Your Love" (*Blues Breakers with Eric Clapton*, 1966): the Beano sound in its purest form. Listen for the *bloom* — notes that sustain and seem to grow louder after the attack — and the thick, vocal midrange of the cranked KT66-powered combo. This is distributed distortion, the whole amp saturating at once.
- **Cream** — "Sunshine of Your Love" (*Disraeli Gears*, 1967): the woman tone. Note how the lead lines have almost no pick attack — the notes *emerge*, round and dark and singing, while the amp's overdrive paints warm harmonics back onto the filtered signal. Listen for the wide, slow vibrato as the defining gesture.
- **Cream** — "Crossroads" (*Wheels of Fire*, 1968): clarity at speed. Follow the call-and-response phrasing and hear how Clapton lands fast pentatonic runs on chord tones over the quick-change twelve-bar in A. Listen specifically for the bent minor-third-to-major-third "crying" notes against the dominant-seventh chords.
- **Cream** — "White Room" (*Wheels of Fire*, 1968): the wah as a vocal filter. Hear the slow treadle sweeps shaping the distorted note like vowels — moaning, not funky.
- **Eric Clapton** — "Wonderful Tonight" and "Cocaine" (*Slowhand*, 1977): the Stratocaster turn. Glassy, articulate single-coil clean tone, enormous space between phrases, and the same unmistakable vibrato — proof that the hands, not the humbuckers, were always the source.

Jimmy Page: The Studio as Instrument

HEADLEY GRANGE WAS A DAMP, CRUMBLING FORMER POORHOUSE IN HAMPSHIRE, and in the winter of 1970 it had no real heat, dubious plumbing, and a stairwell three stories high that funneled sound like the bell of a horn. Most producers would have seen a liability. Jimmy Page saw a reverb chamber. He had engineer Andy Johns drag a drum kit into that stone hallway, hang a pair of microphones high up the stairwell, and let John Bonham play. The result — the colossal, room-soaked thunder that opens "When the Levee Breaks" — was not an effect bolted on afterward. It was the building, recorded. That instinct, that a space is part of the signal chain and a microphone twenty feet back tells a truer story than one jammed against the grille, is the key to everything Page did. He was a guitarist of the first rank, but his real instrument, the one nobody else played quite the way he did, was the recording studio itself.

Page came up inside that studio long before Led Zeppelin existed. Through the mid-1960s he was one of London's busiest session men, a hired gun who would walk into a date not knowing whether he was cutting a pop single, a film cue, or a jingle, and would have to read it, feel it, and nail it in two takes. Estimates of his session count run into the hundreds; he himself has said he eventually quit because the work was deadening his love of the instrument. But the discipline was the making of him. He learned how records are actually built — how a part sits in a mix, how compression flatters a guitar, how the right amount of the wrong thing is what makes a sound memorable. By the time he joined the Yardbirds and then assembled his own band, he wasn't just a player with ideas. He was a producer with a guitar, and he understood that the gap between a great performance and a great *record* is where the craft lives.

| The Telecaster, the Supro, and the Birth of the Roar

The guitar on most of *Led Zeppelin I* (1969) was a 1959 Fender **Telecaster**, a gift from his Yardbirds bandmate Jeff Beck, which Page had stripped and hand-painted with a psychedelic dragon. A Telecaster is a single-cutaway slab of ash or alder with two single-coil pickups, and its bridge pickup in particular has a bright, wiry, slightly nasal bite — lots of upper-midrange attack, a fast transient, not much low-end bloom. It is not the obvious tool for heaviness. Yet that razor edge, pushed into the front of an overdriven amp, gave the first album its peculiar character: the riffs cut and snarl

rather than blanket. Listen to the spitting lead lines on "Communication Breakdown" or the slashing rhythm of "Good Times Bad Times" and you hear that Tele clarity, every note distinct even as the amp is breaking up around it.

What it was breaking up *into* is where the lore thickens. Page has said for decades that much of the first album's guitar was cut through a small **Supro** amplifier — a little American combo, likely a 1x12 or 1x15 in the Supro/Valco family, running a pair of low-wattage power tubes. The story has hardened into legend: tiny amp, cranked to the edge of collapse, miked close, producing a sound far bigger than its physical size. It is a wonderful idea and it is probably true in spirit. But the specifics are genuinely murky. Page's own accounts of *which* Supro have shifted over the years; the amp was reportedly later damaged, modified, or lost; and no perfectly documented serial-numbered survivor settles the matter. So treat the Supro as Page's stated recollection and a beautiful piece of tone history — not as a forensically pinned fact. The deeper lesson survives regardless of the model number: a small amp driven hard, captured well, can sound enormous, because it is the *quality* of the distortion and the way the room is recorded that read as size, not the wattage on the chassis.

Then came the change that defined the band's mature voice. Around the era of the second album Page acquired a **Gibson Les Paul** — most famously a late-1950s sunburst he bought from Joe Walsh in 1969 — and plugged it into **Marshall** stacks. The combination is one of the foundational sounds of hard rock. A Les Paul is a heavy mahogany-bodied guitar with a maple cap and two humbucking pickups; a humbucker is two coils wired together to cancel hum, and the byproduct is a thicker, louder, midrange-forward output with the high frequencies gently rolled off compared to a single-coil. Run that into a Marshall built around **EL34** power tubes — the British power pentode that gives that bright, aggressive, midrange-snarling top end as it saturates — and you get sustain, weight, and a vocal singing quality on lead notes. The Tele could slash. The Les Paul could *roar*, and it could hold a note until it bloomed into feedback. Page kept both colors in his palette his whole career, and knowing when to reach for the scalpel and when to reach for the hammer is a quiet part of his genius.

| How the Page Sound Was Built: Distance, Layers, and Tape

Page's most quoted principle of recording is deceptively simple: *distance makes depth*. Most engineers in the late 1960s miked a guitar amp the way they miked everything — one microphone, close to the speaker cone, to maximize level and minimize spill. Page understood that this captures the cone but not the *sound in the air*. A guitar amplifier in a room produces a wavefront that develops as it travels — early reflections, the bloom of the cabinet resonating, the natural reverberation of the space. By placing a second microphone several feet back, and sometimes a third farther still, and then balancing the close mic against the distant ones, he captured both the immediacy of the attack and the

three-dimensional life of the sound in the room. The close mic gives you the pick and the grind; the ambient mic gives you the size and the air. Blend them and the guitar acquires depth — it sits in a real space rather than pasted flat against the speaker grille. He applied the same philosophy to Bonham's drums, which is why those drums sound like weather rather than furniture.

The second pillar was *layering*. Page built guitar parts the way an orchestrator builds a string section: not one guitar playing louder, but many guitars playing the same or harmonized lines, panned across the stereo field, each with a slightly different tone, so the sum becomes a wall with internal architecture. He spoke of creating a guitar "army" or "orchestra," and the metaphor is exact. Double-tracking — recording the same part twice and panning the takes hard left and right — thickens a line because the tiny human differences in timing and pitch between the two passes create a shimmering width no single track can have. Harmonized overdubs, where a second guitar plays the line a third or a fifth above, add actual chord information. Stack enough of these and a single riff becomes a brass-and-strings event.

The third pillar was *tape and echo*, chiefly the **Echoplex** — a tape-delay unit in which a loop of magnetic tape runs past a record head and then a playback head, the gap between them (adjustable by sliding the head) setting the delay time, with each repeat naturally darker and softer than the last. The Echoplex gave Page rhythmic, slapback, and cascading repeats, but he also exploited it as a *pre-amp*: even with the delay barely audible, running a signal through the unit added a subtle compression and a midrange thickening that helped a guitar punch through. And he reached for tools far outside the guitarist's normal kit. He used a violin **bow** on the strings, drawing the rosined hair across them to produce sustained, eerie, swelling tones — sometimes fed through that Echoplex and other effects until the guitar sounded like a string section possessed. He deployed a **theremin**, the pitch-by-proximity electronic instrument played without contact, for the shrieking, sweeping chaos of the "Whole Lotta Love" breakdown. And for fuzz he favored the **Tone Bender**, a British germanium fuzz circuit derived from the same family as the Maestro Fuzz-Tone but voiced thicker and more sustaining — the saturated, slightly compressed, almost cello-like fuzz tones that crop up across the catalog. Page, in short, treated the guitar as the *center* of a sound but never its boundary.

I "Whole Lotta Love": A Riff and a Maelstrom

The riff that opens "Whole Lotta Love" (from *Led Zeppelin II*, 1969) is one of the most recognized in rock, and it is built from almost nothing — a tiny cell of notes hammered with relentless rhythmic certainty. It lives in E, and its power comes from the way it leans on the flattened seventh (the D natural) against the E root, the interval that gives so much hard rock its swaggering, bluesy, *Mixolydian* color. The Mixolydian mode is a major scale with a flattened seventh degree; over an E it spells E F#

G# A B C# D, and that D — a whole step below the octave instead of the major-scale's half step — is what makes a riff sound rock-and-roll rather than sweet. Here is an illustrative riff in that idiom, not a transcription but a lick built from the same DNA.

Medium-heavy, swung sixteenths, Les Paul bridge pickup into a cranked Marshall, palm mute the low notes:

TAB

```
e|-----|
B|-----|
G|-----|
D|-----2-----2-----|
A|-----2p0-----0-----2/4-----0-----2-----0-----|
E|--0--0--0-----0-----0--3--0~-----|
    PM PM      PM
```

An E-rooted, Mixolydian-flavored riff: the open E and the D-to-E pull build menace; let the amp's natural breakup do the work and keep the right hand stiff and percussive.

The genius of the actual song, though, is structural. Page sets up the riff, gets the verse rolling, and then — at the moment a lesser record would simply head to a chorus — drops the floor out entirely. The middle of "Whole Lotta Love" dissolves into a free-floating sound collage: the theremin shrieking and swooping as Page sweeps his hand toward and away from its antenna, backwards-tape echo, panning effects that hurl Robert Plant's moans from one speaker to the other, slide-guitar smears, percussion clattering in the void. This was Page the producer flexing the full studio. It is musique concrète dropped into the middle of a hard-rock single, and it works because the riff on either side is so concrete that the chaos feels like a hallucination rather than a mistake. Then the riff slams back in and the world reassembles. Few records before it had used the recording studio so brazenly as a compositional instrument in a song most teenagers would hear on AM radio.

I "Stairway to Heaven": A Tonal Arc in Three Acts

"Stairway to Heaven" (from the untitled fourth album, 1971) is, among other things, a masterclass in tonal architecture — a deliberate journey from intimacy to overwhelming force, mapped in guitar tones. It opens with a fingerpicked acoustic figure, a descending bass line under arpeggiated chords, recorded close and dry and gentle. The progression famously walks the bass down chromatically — A, then G#, then G, then F# — under shifting upper voices, a "line cliché" that creates a sense of inevitability and melancholy as one note creeps down by half steps while the others hold. As the song builds, Page layers in the chime of an electric twelve-string (he played a Fender electric XII and used

a Vox twelve-string on the recordings), the doubled strings adding a natural chorus shimmer — that octave-paired richness that makes a twelve-string sound like sunlight on water. The arrangement grows: recorders, then the full band entering, then twelve-string ringing, the dynamic climbing step by step.

And then the solo. After the long build, the band drops into a vamp and Page delivers one of the most celebrated solos in rock — a sudden burst of cranked, sustaining, overdriven electric tone that arrives like a sunrise after the acoustic dawn. The famous lore is that he cut this solo on the Telecaster Jeff Beck had given him, plugged into a Supro — the same humble small-amp combination from the first album, returning for the band's grandest moment. Page has said as much in interviews, and it is a lovely symmetry if true. As with the first-album Supro, treat it as his stated recollection rather than gospel; accounts and memories differ, and the exact rig has been debated by people who care deeply about such things. What is not debatable is the *effect*: the tone is liquid and vocal, the notes bloom and sustain, and the phrasing — built largely from the **A minor pentatonic** scale (A C D E G, the five-note minor scale that is the bedrock of blues-rock lead playing) with bluesy bends and a singing sense of melody — turns a series of fast licks into something that feels composed rather than improvised. Page reportedly worked the solo out in pieces, and you can hear the architecture: a question, an answer, a climb, a release. Here is a phrase in that spirit.

Freely, building intensity, neck-position bends with wide finger vibrato, amp on the edge of feedback:

TAB

```
e|-----5--8b(10)r8-5---|
B|-----5--8b(10)r8-8-----|
G|-----5--7b(9)-----|
D|--7-----|
A|-----|
E|-----|
```

A minor pentatonic phrase in the "Stairway" solo idiom: bend hard up to the target pitch in parentheses, hold it, then release; the vibrato should be slow and wide so each held note sings rather than wavers.

The lesson of "Stairway" for any player is that *tone is dynamics over time*. The clean acoustic open exists to make the cranked electric solo feel enormous. Had the whole song been loud, the solo would land as merely more loudness. Page understood that contrast is the most powerful effect in the studio, and he built a six-minute piece as a single crescendo of timbre.

I "Black Dog," "Kashmir," and the Architecture of the Riff

"Black Dog," which opens the fourth album in the same breath that "Stairway" closes it, is a different kind of showcase — a study in *rhythmic displacement*. The main riff, conceived by bassist John Paul Jones, is a slithering pentatonic line that refuses to sit squarely on the beat; it starts in unexpected places and lands where you don't expect, so that the band's stop-start call-and-response with Plant's a cappella vocal lines feels like it's perpetually about to fall over and never does. Page reportedly multi-tracked the guitars through a direct-injection technique that ran the signal through a microphone preamp to get a compressed, slightly synthetic, hugely thick tone — another instance of him refusing the obvious miked-amp route when a stranger path got a more striking sound. The riff's swagger comes from its refusal to align neatly with the pulse, a trick that makes the listener lean in and count, which is exactly what makes it feel dangerous.

"Kashmir," from *Physical Graffiti* (1975), is Page the orchestrator at his most monumental. The song rides a riff in an altered tuning — Page tuned to **DADGAD**, the so-called "Celtic" or modal tuning in which the strings, low to high, read D A D G A D rather than the standard E A D G B E. (To get there from standard, drop the low E to D, the B to A, and the high E to D; the result is a droning open Dsus4 chord when strummed open.) DADGAD removes the major third from the open strings, leaving fourths, fifths, and octaves that ring with an ambiguous, ancient, neither-major-nor-minor quality — perfect for the song's faux-Eastern grandeur. Over that drone, the "Kashmir" guitar climbs in a staircase of close intervals, each chord shape sliding up the neck while the open or fretted drone strings hold beneath, so the harmony seems to spiral upward without ever leaving home. The riff was famously voiced not just by guitars but doubled and answered by a string-and-brass orchestral arrangement (scored with John Paul Jones), the guitars and the orchestra trading the same ascending figure until the distinction blurs — the ultimate realization of Page's "guitar as orchestra" idea, now with an actual orchestra fused to it. Here is a riff in that idiom, in DADGAD.

Slow and heavy, half-time feel, let every note ring into the next, clean-to-edge-of-breakup tone with a touch of the room:

TAB

```
e|--0--0--0--0--0--0--0--0--0--0--0--0--0-----|
B|--0--0--0--0--0--0--0--0--0--0--0--0--0-----|
G|--0--0--2--2--4--4--5--5--4--4--2--2-----|
D|--0--0--2--2--4--4--5--5--4--4--2--2-----|
A|-----|
E|--0--0--0--0--0--0--0--0--0--0--0--0--0-----|
```

A DADGAD ascending-drone riff in the "Kashmir" spirit (tuning low-to-high: D A D G A D): the open D strings on top and bottom drone while the inner shapes climb chromatically; the rub between the moving notes and the fixed drones is the whole effect, so favor a clean enough tone that the dissonances stay legible.

Notice what the altered tuning *buys* him. In standard tuning, sustaining a drone under a moving line means awkward stretches and muted strings. In DADGAD the drones are simply the open strings, free to ring while the fretting hand walks a parallel-fourths shape up the neck. The tuning is not a gimmick; it is the engine that makes the orchestral riffing physically possible and harmonically open. This is modal writing — the riff lives largely in a Dorian or Aeolian (natural minor) color depending on where it sits, the *Aeolian* mode being the plain natural minor scale (in D: D E F G A Bb C) with its flattened sixth giving that somber, weighty cast — and it deliberately avoids resolving to a bright major chord, keeping the music suspended and vast.

I What the Studio Taught Him, and Us

The thread running through every one of these records is that Page never separated *playing* from *recording*. Most guitarists conceive a part and then hand it to an engineer to capture. Page conceived the part and its capture as one act: the riff and the mic distance and the layering and the tape echo were all decisions made by the same imagination at the same time. When he reached for a Tele instead of a Les Paul, or a small Supro instead of a Marshall stack, or a violin bow instead of a pick, he was choosing a *color* the way a painter chooses a pigment, with the finished canvas already in mind. The "armies" of guitars on a track like "Achilles Last Stand" or the orchestral terraces of "Kashmir" are not overplaying; they are arranging. He thought like a composer who happened to write for distorted electric guitar and a stone stairwell instead of woodwinds and a concert hall.

For the player at home, the takeaways are concrete and humbling. First, that *size is recorded, not generated* — a cranked small amp in a live room, captured with one close and one distant mic and blended, will sound bigger than a wall of stacks miked tight and dry. Second, that *layering with intent* beats playing louder: double-track a rhythm part and pan it wide, add a harmony a third above on the chorus, and a thin riff becomes a thick one. Third, that *contrast is the master effect* — the quietest passage you record determines how loud the loud ones feel. And fourth, that the *tuning* you choose is a compositional decision, not just a convenience; DADGAD writes different music than standard tuning does, because it makes different things easy and different things ring. Page knew all of this not from theory but from a thousand session dates and a freezing house in Hampshire where he heard a drum kit in a stairwell and understood, instantly, that the building was part of the band.

- **"When the Levee Breaks"** (*Led Zeppelin IV*, 1971): the gargantuan drum sound is Bonham in the Headley Grange stairwell with mics hung high above — Page's "distance makes depth" rendered in percussion. Hear how the guitar and harmonica swim in that same cavernous ambience.
- **"Whole Lotta Love"** (*Led Zeppelin II*, 1969): the spitting Mixolydian riff, then the middle breakdown — theremin sweeps, backwards-echo, hard-panned vocals, slide smears. Headphones reveal how violently the sounds move across the stereo field.
- **"Stairway to Heaven"** (*Led Zeppelin IV*, 1971): track the tonal arc from dry fingerpicked acoustic, through the chiming electric twelve-string layers, to the sudden bloom of the cranked solo (lore says Telecaster into a Supro). Listen to the wide, slow vibrato on the held bent notes.
- **"Kashmir"** (*Physical Graffiti*, 1975): the ascending DADGAD riff fused with orchestral strings and brass — try to hear where the guitars end and the orchestra begins, and notice how the open-string drones never let the harmony fully resolve.
- **"Black Dog"** (*Led Zeppelin IV*, 1971): the rhythmically displaced riff that seems to land off the beat, and the thick, compressed, direct-injected guitar tone Page chose over a conventional miked amp.

David Gilmour: The Architecture of a Solo

THE NOTE HANGS IN THE DARK OF EARLS COURT LIKE A SINGLE STAR COMING ON AT dusk. It is one note, a high B, and it does not hurry. It swells up out of silence, bends a fraction sharp and settles, blooms wider, and only then begins to move -- and the eighteen thousand people in the room have stopped breathing because they know, the way you know the shape of a face before you can name it, exactly where this is going. This is the second solo of "Comfortably Numb." David Gilmour is not playing fast. He is barely playing at all, by the standards of the men who came up alongside him. What he is doing instead is building something: laying one stone, waiting to see how it catches the light, then laying the next. By the time the solo reaches its summit -- that long, screaming, vibrato-soaked high bend that seems to lift the whole stadium off the ground -- he has constructed, out of perhaps two dozen carefully chosen notes, a cathedral.

That is the thing to understand about Gilmour before any talk of amps or pedals: he is an architect. Where his contemporaries built tone out of velocity, he built it out of space. He understood, earlier and more completely than almost anyone of his generation, that a guitar solo could be composed -- that it could have a beginning, a development, a climax, and a resolution, like a piece of writing or a building or a life. The gear served that vision. It did not create it. But the gear -- a black Stratocaster, a wall of clean Hiwatt power, a fuzz that sounded like a distant artillery barrage, an echo unit built in Milan, a rotating-speaker simulator that made the air itself seem to turn -- gave the vision its unmistakable color. This chapter is about how those two things, the architecture and the color, fused into one of the most recognizable voices in the history of the instrument.

| A Cambridge Boy and a Black Stratocaster

David Jon Gilmour was born in Cambridge in 1946, into the same provincial English ferment that produced Syd Barrett, Roger Waters, and the band that would become Pink Floyd. He and Barrett were friends and sometime guitar-swapping companions in their teens; they busked together in France. When Barrett's mind began to come apart under the weight of his own genius and a great deal of LSD, it was Gilmour who was brought in, in early 1968, first to cover for him and then, agonizingly, to replace him. For a few weeks there were five members of Pink Floyd. Then there were four, and Gilmour -- the steady, blues-rooted player drafted in to stabilize a band built on Barrett's

whimsy -- found himself the lead voice of one of the strangest and most ambitious rock groups on earth.

His instrument, eventually, became the most famous Stratocaster on the planet. The **black Strat** was not some pristine vintage relic; it was a working tool, bought from Manny's music store in New York in 1970 to replace a guitar stolen in transit. Over the years Gilmour modified it relentlessly -- different necks, a shortened tremolo arm, an added switch that let him combine the neck and bridge pickups, and assorted pickup changes. It is a black-finished, maple-and-rosewood (and at times maple-fingerboard) Fender Stratocaster, and its single-coil pickups are central to his sound: glassy, vocal, slightly hollow in the midrange, with that characteristic Strat "quack" available from the in-between switch positions where two pickups combine out of phase. Later, famously, Gilmour also played a Stratocaster loaded with **EMG active pickups** -- the EMG-SA single-coils and an SPC "presence" control -- which gave him a hotter, quieter, more compressed signal that suited the polished productions of the 1980s and the *Momentary Lapse of Reason* and *Division Bell* tours. Purists argue forever about which sounds "better." The honest answer is that they sound *different*, and Gilmour made glorious music with both.

What never changed was the amplifier philosophy. Gilmour's foundation is the **Hiwatt**, the hand-wired British amplifier built by Dave Reeves, typically the DR103 100-watt head running into 4x12 cabinets loaded with Fane or, on many rigs, Celestion speakers. The crucial point about Hiwatts is that they are *clean*. Where a Marshall of the same era was voiced to break up early and growl, the Hiwatt was built with enormous headroom, a stiff power supply, and a famously linear, full-frequency response -- a hi-fi amplifier, almost, that reproduced whatever you fed it with thunderous clarity and a slightly scooped, three-dimensional midrange. This is the single most important and least understood fact about Gilmour's tone. The grit, the fuzz, the sustain -- almost none of it comes from the amp. The amp is a clean, powerful, faithful canvas. The color is painted on in front of it, by the pedals. And because the Hiwatt stays clean even at stage volume, every nuance of those pedals, and every flicker of Gilmour's right-hand dynamics, comes through undistorted and enormous.

| The Color Box: Muff, Tube Driver, Echorec, Uni-Vibe

If the Hiwatt is the canvas, the **Big Muff** is the brush that paints the lead voice. The Electro-Harmonix Big Muff Pi, designed in New York around 1969-70, is not an overdrive and not really a distortion in the Marshall sense -- it is a fuzz, built from a cascade of transistor gain stages and clipping diodes, with a tone control that scoops the midrange into a deep valley. On its own, through a clean amp, a Big Muff sounds thick, woolly, almost orchestral: a violiny, sustaining wall of harmonics with a soft, rounded attack. Gilmour cycled through several -- the early "Ram's Head" version, a

Sovtek "Civil War" green model, and others -- and his tech-built signature units chase that voice precisely. The Muff is why his lead tone *sustains* the way it does: feed a clean 100-watt amp a signal that is already a dense forest of even and odd harmonics, and notes simply do not die. They hang, and bloom, and feed back gently, for as long as the player wants them.

Layered with the Muff, or used alone for a grittier, more vocal break-up, is the **Tube Driver** -- specifically the BK Butler Tube Driver, a pedal containing a real 12AX7 vacuum tube run at high voltage, which gives a warmer, more amp-like, midrange-forward overdrive than the scooped Muff. Gilmour often stacks them, or uses the Tube Driver to add presence and "push" on top of the Muff's wall, or for rhythm and lower-gain lead work. The interplay -- Muff for the orchestral sustain, Tube Driver for the bite and articulation -- is a huge part of the post-1977 Gilmour sound.

Then there is the echo, and here we touch something almost mystical. In the early years Gilmour's delay came from the **Binson Echorec**, an Italian-made unit that recorded the signal not onto tape but onto a rotating *magnetic drum*, with multiple playback heads tapping the drum at different points to produce rhythmic, swirling, slightly degraded repeats. The Echorec's repeats are darker and grainier than a clean digital delay, and crucially they can be set to complex multi-tap patterns that turn a single picked note into a cascading rhythmic figure. The hypnotic, pulsing eighth-note delays that define early Floyd -- and the swelling, ringing repeats all over *The Dark Side of the Moon* and *Wish You Were Here* -- owe their character to that drum. Later Gilmour moved to tape echoes and then to studio and rack digital delays (the MXR Digital Delay, the TC Electronic 2290, and others), but the *concept* never changed: the delay is not an effect sitting behind the guitar. It is a second guitarist, playing in rhythmic counterpoint, and Gilmour composes his lines knowing exactly what the echo will answer back.

Two more colors complete the palette. The **Uni-Vibe** -- a late-'60s phase-shifting unit originally built to imitate a Leslie rotating speaker, and famously misused by Hendrix -- gives a watery, throbbing, underwater shimmer; Gilmour leaned on it for the seasick, oceanic textures of pieces like "Breathe." And **compression**, usually an MXR Dyna Comp or similar, evens out his dynamics and -- critically -- extends sustain and adds a percussive "pop" to the front of each note, especially on the clean, bell-like arpeggios and the long volume swells he favors. That last technique deserves its own mention: by rolling the Strat's volume knob up *after* picking, or by using a volume pedal, Gilmour removes the attack transient entirely, so notes well up out of nothing like bowed strings or a synthesizer pad. It is the sonic equivalent of his whole aesthetic -- the elimination of haste, the privileging of the swell over the strike.

I The Theory of Space: Why Less Becomes More

To understand why Gilmour's solos hit the way they do, we have to talk about silence, and about pitch, and about the small number of "wrong" notes that he turns into the most expressive ones.

Start with space. In music, a *phrase* is a musical sentence -- a coherent unit of melody with a sense of beginning and end, usually a few bars long. Most rock soloists, especially the fast ones, run phrases together with little gap, the way an excited talker barely pauses for breath. Gilmour does the opposite. He leaves the gaps in. He plays a phrase, then *stops*, and lets the band, the echo, and the listener's own anticipation fill the silence. This is **call and response** -- a structure inherited from the blues and ultimately from African and gospel traditions, in which a statement (the call) is answered by a reply (the response). In a Gilmour solo the "call" is often his phrase and the "response" is the silence itself, or the echo's repeat, or the chord change underneath. Silence, used this way, is not empty. It is *tension*. It makes the next note matter more, because the ear has been waiting for it.

Now the pitch. Gilmour is, at root, a blues player, and his harmonic home base is the **minor pentatonic scale** -- a five-note scale (root, flat-3rd, 4th, 5th, flat-7th) that is the bedrock of rock and blues lead playing. In the key of A minor those notes are A, C, D, E, G. Add one more note, the flat-tened 5th (E-flat in A), and you get the **blues scale**, whose extra note is the dark, dissonant "blue note" that you slide through rather than land on. But Gilmour rarely stays purely inside the minor pentatonic, and this is where his color lives. He routinely sweetens it with two notes borrowed from the major world: the **major 2nd** (B in the key of A) and the **major 6th** (F-sharp in A). Those two additions -- root, 2nd, flat-3rd, 4th, 5th, 6th, flat-7th -- give him the **Dorian mode**.

A word on what a "mode" is, since the term scares people off. A mode is simply a scale built by starting and emphasizing a different note within a parent scale, which shifts the pattern of whole-steps and half-steps and therefore the *mood*. **Dorian** is a minor-flavored mode (it has the flat-3rd and flat-7th that make it sound minor) but with a *raised, major 6th* that brightens it, lifts it, gives it a wistful, hopeful, slightly jazzy quality rather than the pure sorrow of the natural minor (the **Aeolian** mode, which has a flat-6th). That major 6th is, more than any single thing, the Gilmour note. You hear it constantly: the bend that resolves not to the safe flat-3rd but to the bright 6th, the long held tone that turns out to be the 6th hanging over the chord. The flat-7th, meanwhile -- the note that separates Dorian and Mixolydian from the major scale -- gives his lines their bluesy, unresolved, "modal" openness, refusing the leading-tone pull toward the tonic that classical harmony insists on.

The third pillar is **targeting chord tones**. A chord tone is simply a note that belongs to the chord currently sounding underneath you -- in a C major chord, the notes C, E, and G. The single most powerful trick in melodic soloing is to *arrive* on a chord tone, especially on a strong beat, especially at the end of a phrase, and most especially as the harmony changes beneath you. Gilmour is a master of

this. When the chord moves, his held note will often be a tone that was tense over the old chord and consonant over the new one, so the same pitch seems to *change emotional color* as the band moves under it. This is why his solos feel composed rather than improvised even when they are improvised: he is hearing the harmony as a moving thing and placing his notes to ride its changes, the way a great singer phrases against a chord progression.

And the bends. A bend that lands precisely, perfectly in tune, at exactly the right moment, on exactly the right note, is one of the most vocal things a guitar can do. Gilmour's **intonation** -- his accuracy of pitch when bending -- is famously, almost supernaturally exact. He bends slowly, so you hear the pitch travel; he bends to the *target* and not past it; and he applies **vibrato** -- a controlled, pitch-wavering oscillation -- only once he has arrived, so the note settles into place and *then* comes alive. Compare this to a hurried player who bends sharp and corrects, or whose vibrato is a nervous twitch. Gilmour's bend is a singer leaning into a high note and holding it true. The slowness is the point. The accuracy is the emotion.

| Four Notes and a Universe: "Shine On You Crazy Diamond"

In 1975 Pink Floyd released *Wish You Were Here*, an album haunted from end to end by the ghost of Syd Barrett, the friend Gilmour had replaced and watched disintegrate. Its centerpiece is "Shine On You Crazy Diamond," a multi-part suite that opens with minutes of slowly evolving synthesizer and clean, echoing guitar before Gilmour states the theme -- and the theme is *four notes*. Just four. A descending-then-leaping phrase that is so simple, so spacious, so devastatingly sad, that it became the emotional thesis statement not just of the album but arguably of the whole band. Reportedly Roger Waters heard Gilmour play that phrase and recognized it instantly as the sound of Syd, of loss, of the diamond who shone and burned out.

Here is an original phrase in that spirit -- four notes, room to breathe, the bright Dorian 6th doing the heavy lifting -- showing how Gilmour states a tiny idea and then *develops* it rather than abandoning it.

Free, very slow, rubato — in the spirit of G minor; let every note ring fully.

TAB

```
e|-----|
B|--6~~~~--8b(10)~~~~--6~~~~|
G|-----7-----7~~~~--5-----|
D|-----|
A|-----|
E|-----|
```

Caption: a four-note theme in the spirit of "Shine On You Crazy Diamond."

The opening leap from the b3 up to a sung high note, then a wide bend that resolves to the bright 6th; play it slowly, with deep vibrato only *after* each note arrives, and let the spaces sit. Neck pickup, clean Hiwatt tone with a touch of compression and long delay.

Notice what makes it work: the *gaps* between notes are as long as the notes themselves, and the bend is slow and lands true. On the record the figure floats over a single sustained minor chord, so the listener has nothing to do but wait, and the waiting is the feeling. This is composition with a guitar -- a melody you could whistle, set into an architecture of silence.


| Building the Cathedral: "Comfortably Numb" and "Time"

The two solos in "Comfortably Numb," from 1979's *The Wall*, are the most studied lead-guitar passages of their era, and they reward the study. The first solo is comparatively contained, melodic, almost a second vocal. The second -- the outro solo -- is the architectural masterpiece, a slow, patient ascent that begins low and conversational and climbs, phrase by phrase, to that final, shrieking, sustained bend high on the neck, before fading out still climbing, as if the solo could have gone on forever and was simply turned down. The tone is pure Gilmour: a Big Muff feeding the clean Hiwatts for that sustaining, vocal wall, with delay set to repeat in time so each phrase trails a rhythmic ghost of itself, and the whole thing soaked in the natural sustain of an already-saturated signal hitting a loud, clean amp.

What the solo *teaches* is the narrative arc. It does not start at its emotional peak; it earns it. The early phrases sit in the middle of the neck, leaving space, asking questions. Each successive phrase reaches a little higher and leaves a little less room, so tension accumulates almost imperceptibly. By the time Gilmour is up at the top of the fingerboard, bending and screaming, the listener has been carried up the whole staircase one step at a time and doesn't notice the height until the view opens out. That is structure. That is the difference between a solo that thrills for eight bars and one that you remember for the rest of your life.

Here is an illustrative phrase in that idiom -- a sustained Muff bend with delay-timing notes -- the kind of long, blooming, vocal gesture the outro is built from.

Slow rock, roughly 63 BPM; set a single delay to a dotted eighth (about 360 ms) so each held note answers itself.



Caption: a sustained Muff bend with delay-timing notes, in the spirit of the "Comfortably Numb" outro.

A full-step bend up to the 5th, held with slow vibrato while the delay echoes it; then a higher bend up to the root that hangs and screams. Big Muff into a clean amp for sustain; the dotted-eighth delay turns one note into a pulsing conversation, so leave space and let the repeats speak.

The dotted-eighth timing is worth dwelling on. A *dotted eighth note* is three-quarters of a beat, so against a steady pulse the echo lands on the off-beats, weaving a syncopated rhythmic lattice around the held notes. Gilmour and his engineers tuned these delay times to the tempo of the song deliberately; the repeats are not random ambience but rhythmically locked counterpoint. When you set a delay this way and then *leave gaps*, the gaps fill with echo, and suddenly a single sustained bend becomes a duet. This is the secret machinery behind the "huge" sound: not more notes, but each note multiplied in time.

"Time," from *The Dark Side of the Moon* (1973), shows the same architecture in a more aggressive register. After the famous clattering bank of clocks and a long, tense verse, Gilmour delivers a solo that is all bite and bend -- a sharper, mid-forward tone (the kind a Tube Driver or hot fuzz gives you) over a stark D-minor-to-A-minor vamp, with the lines hammering home blue notes and big, vocal bends, building in intensity through repetition and rhythmic insistence rather than scalar speed. The lesson repeats: he takes a small melodic cell, states it, and turns it like a jeweler turning a stone, finding new light in it with each pass. Repetition, in Gilmour's hands, is not laziness. It is *rhetoric* -- the way a great speaker repeats a phrase to drive it home.

I The Riff in Seven: "Money"

Most rock is in 4/4 time -- four beats to the bar, the steady, walking pulse that the whole genre is built on. "Money," the most unlikely hit single Pink Floyd ever had, is in 7/4 -- seven beats to the bar -- which is part of why its main riff feels at once propulsive and strangely off-kilter, like a machine with a limp that somehow keeps perfect time. A *time signature* tells you how many beats fill a bar and which note value gets the beat; the top number, 7, means the riff resolves and restarts every seven beats instead of the expected eight, so just as your foot expects the loop to come around, it stretches

one beat further. The genius is that it never sounds like math. It sounds like money -- the cash-register chime, the relentless, slightly greedy churn.

Roger Waters wrote the riff on bass, but it lives in the guitar's blues-rooted phrasing too. Here is an original 7/4 riff in that grinding, bluesy spirit, built on the minor pentatonic with a sliding blue note, so you can feel the odd-meter loop in your hands.

Medium, swung feel, in 7/4 — count "1 2 3 4 5 6 7" and feel the loop turn over on beat 7.

TAB

e|-----|

B|-----|

G|-----|

D|--7--7--10--7--5--7-----7--7--10--7--5--3-/5-----|

A|-----5--7-----5--7--|

E|-----|

Caption: an original 7/4 riff on the minor pentatonic with a sliding blue note, in the spirit of "Money."

A loping, blues-scale figure that resolves every seventh beat; palm-mute lightly for the churn and let beat 7 land hard before the loop restarts. A clean-to-edge-of-breakup tone — bridge-and-middle pickups, a little Tube Driver — keeps it tight and percussive.

Count it out loud and you will feel the trick: seven beats, then around again, the loop arriving a hair before or after where 4/4 has trained you to expect it. That displacement is the whole hook. It is one of the clearest examples in popular music of how rhythm alone -- not melody, not harmony -- can create the feeling of a song. Money is restless, and so is its meter.

| What the Architecture Teaches

Strip away the gear talk and a single principle remains, the one that makes Gilmour worth studying for any player who wants to say something rather than merely demonstrate something. He treats a solo as a structure in time. Every choice -- the slow bend, the held 6th, the dotted-eighth echo, the long silence before the high note, the small phrase repeated until it becomes inevitable -- serves the shape of the whole. The Hiwatt's clean power and the Muff's orchestral sustain and the Echorec's swirling repeats are not the point. They are the materials. The point is what he builds with them: a piece of music with a beginning that asks a question, a middle that earns its tension, and an ending that resolves -- or, in his most haunting work, refuses to resolve, and fades out still climbing toward a peak you are left to imagine.

Learn the gear if you like. Buy the fuzz and set the delay to a dotted eighth and roll your volume up after you pick. But the deeper lesson is free and costs everything: play fewer notes, mean every one, and build. Leave the silence in. Bend slowly, and land true. Let the echo answer. And remember that the most powerful note in any solo is very often the one you choose not to play.

♪ LISTEN FOR

- **"Shine On You Crazy Diamond (Parts I-V)," *Wish You Were Here* (1975):** the four-note theme entering around the 8:30 mark after the long intro. Hear how much space surrounds each note, and how the bright major 6th makes the phrase ache. The clean, echoing guitar over sustained chords is the architecture in its purest form.
- **"Comfortably Numb," *The Wall* (1979):** the outro solo. Track how it starts low and contained and climbs, phrase by phrase, to the final screaming bend. Listen for the Big Muff sustain feeding the clean Hiwatts and the in-time delay trailing each line. Notice you never feel the climb happening -- only that you've arrived.
- **"Time," *The Dark Side of the Moon* (1973):** the central solo. A sharper, mid-forward tone and big vocal bends over the D-minor vamp; hear repetition used as rhetoric, a small cell turned over and over to build intensity.
- **"Money," *The Dark Side of the Moon* (1973):** the 7/4 riff. Count the seven beats and feel the loop turn over one beat "late." Then catch the guitar solo's shift to a straighter feel in the middle -- a rhythmic release that makes the return to seven hit even harder.
- **"Breathe (In the Air)," *The Dark Side of the Moon* (1973):** for the watery Uni-Vibe shimmer and the lap-steel-like volume swells -- Gilmour's clean, oceanic palette, the calm against which the fuzz-driven solos burn so bright.

Eddie Van Halen: The Sound That Changed Everything

THE NEEDLE DROPS, AND FOR ONE MINUTE AND FORTY-TWO SECONDS THE RULES OF the electric guitar are quietly suspended. "Eruption" begins almost politely -- a few muscular phrases, a little bluesy strut -- and then, somewhere around the forty-second mark, a sound arrives that nobody at the listening party in 1978 had heard before. It is liquid and impossibly fast, a cascade of notes spilling down the neck like water over rocks, and the maddening thing is that it does not sound like picking. It does not sound like anything. Guitarists who had spent a decade learning Clapton and Page and Beck leaned closer to their speakers, lifted the tonearm, dropped it again, and asked the question that would haunt music stores for the next ten years: *how is he doing that?*

The answer was a young man named Edward Lodewijk Van Halen, hunched over a guitar he had built himself out of factory rejects, tapping the fretboard with the index finger of his right hand. But the deeper answer -- the one this chapter is about -- is that Eddie did not invent a single trick so much as he rebuilt the entire signal chain, from the wood under his fingers to the speaker cone moving the air, and in doing so he changed what a loud, distorted electric guitar was *for*. He made it sing.

| The Pasadena Workshop

Eddie and his older brother Alex were born in Nijmegen, the Netherlands -- Eddie in 1955 -- to a Dutch father, Jan, a working jazz clarinetist and saxophonist, and an Indonesian mother, Eugenia. The family emigrated to Pasadena, California, in 1962 with almost no money and a piano. Both boys took classical piano lessons; Eddie, by his own much-repeated account, never learned to read music well and faked his way through recitals by ear, watching his teacher's hands and memorizing the pieces. That single fact -- a virtuoso who navigated by sound and feel rather than the page -- explains more about his playing than any piece of gear. He heard music as shape and motion, not notation.

Alex started on guitar and Eddie on drums, and in one of rock's great accidents they swapped. By the early 1970s the brothers were gigging around Los Angeles in a band that would eventually become **Van Halen**, fronted by the irrepressible David Lee Roth and anchored on bass by Michael Anthony, whose high harmony vocals became as much a part of the band's signature as anything

Eddie played. They worked the Sunset Strip and the backyard-party circuit relentlessly. And all the while, Eddie was in his bedroom and his garage, taking guitars and amplifiers apart.

This is the crucial backdrop. Eddie came up at a moment when the available tools did not do what he wanted. A Gibson Les Paul through a Marshall could roar, but it was thick and a little stiff. A Fender Stratocaster had the bright, springy attack and the whammy bar he craved, but its single-coil pickups were thin and hummed under the distortion he needed. Eddie wanted the fat, sustaining humbucker voice of a Gibson, the body and tremolo of a Fender, and a level of saturation that no amp would politely hand over. So he built it.

| The Frankenstrat

The **Frankenstrat** -- sometimes "Frankenstein" -- is the most consequential home-build in the history of the instrument. Eddie assembled it from parts: a factory-second ash body he reportedly bought for around twenty-five dollars from Wayne Charvel's shop, and a maple neck of similar bargain origin. The wiring was famously, defiantly minimal. He mounted a single humbucking pickup in the bridge position -- in the early days a Gibson PAF-style pickup he is widely said to have rewound or potted himself, dipping the coils in paraffin wax to tame the high-pitched microphonic squeal that plagued high-gain rigs. There was one volume knob, which he labeled "tone" as a joke, no tone control, and no neck pickup doing anything useful. The signal path inside the guitar was as short as a guitar's signal path can be: strings, pickup, volume pot, output jack, done.

Then he painted it. The first iconic finish was black with white stripes; later he taped over that and sprayed red, peeling the tape to leave the chaotic red-white-black pattern that became a visual logo as recognizable as the Coca-Cola script. He bolted on a Floyd Rose locking tremolo once that system matured, screwed a quarter into the body as a pickup-ring spacer, hung reflectors off the back, and generally treated a guitar the way a hot-rodder treats a small-block Chevy -- as a platform to be modified until it did exactly what he wanted and looked like nobody else's.

That single-humbucker-and-one-knob austerity is itself a tone decision. With no tone capacitor bleeding off treble and no second pickup loading the circuit, the signal hits the amp with maximum brightness and output. The Frankenstrat was, in effect, a delivery system for slamming a hot, full-range signal into an amplifier that was already on the edge of chaos.

| The Brown Sound

Which brings us to the most argued-about tone in rock and roll. Eddie called his amplifier voice the "**brown sound**" -- warm, vocal, enormously thick yet articulate, distorted to the point of endless sustain but never fizzy or buzzy. The core of it, certainly on the first several Van Halen records, was a **Marshall Super Lead** 100-watt "plexi"-era head, the kind of amp Hendrix and Townshend had used, loaded with the classic British power-tube complement of **EL34** valves and **12AX7** (ECC83) preamp tubes, pushed through a 4x12 cabinet stocked with **Celestion** speakers.

Here is where lore and physics collide, and honesty demands we separate them. Eddie spent decades cheerfully misdirecting interviewers about how he got his sound, and the result is a thicket of half-truths. The most durable myth is the **Variac** story: that Eddie ran his Marshall through a variable transformer to drop the wall voltage, "browning out" the amp to roughly 89 or 90 volts to get more saturation at lower volume. He did use a Variac. But the popular notion that *the Variac alone* produced the brown sound, or that lowering voltage is a magic gain trick, is overstated and frequently garbled. Reducing the mains voltage to a tube amp lowers the plate voltages, which softens the power supply, reduces clean headroom, and changes how the output tubes compress and sag -- it makes the amp feel spongier and break up sooner. It does not conjure gain from nowhere, and depending on the amp it can sound worse, not better. Eddie himself gave conflicting accounts over the years, sometimes claiming he lowered voltage and other times implying he ran amps wide open. Treat any single "secret" -- a specific voltage, a magic resistor swap, one perfect setting -- as contested. The brown sound was a *system*: a hot pickup, a cranked Marshall running its EL34s deep into compression, a 4x12 moving real air at real volume, and, not incidentally, the hands of a player with a ferociously precise right hand and a vibrato that came from his wrist and his ear.

It is worth lingering on that last point because it is the part that no gear chart captures. Much of what we hear as "tone" in Eddie's playing is *touch* -- the angle and force of the pick, the instant he mutes a note with his palm, the way he lets the amp's compression do the work so that a lightly struck note blooms into sustain. The "feel" of the brown sound lives as much in the milliseconds of attack and decay as in any frequency curve. You can buy the exact pickup and the exact amp and still not sound like him, which is precisely why a generation of teenagers in 1980 discovered, to their frustration, that the gear was the easy part.

In the early 1980s Eddie partnered with the amplifier builder Jose Arredondo, who modified Marshalls for more gain and a master-volume-style control, and over the decade he chased that elusive voice through countless rigs. Finally, in 1991, he collaborated with Peavey to build an amplifier engineered to *be* the brown sound on demand: the **5150**, named after the Van Halen home studio (and, knowingly, after the California police code for an involuntary psychiatric hold). The 5150 --

high-gain, tight, saturated, with a midrange that cuts -- became one of the defining metal amplifiers of the next thirty years, the foundation under entire genres Eddie never played. After a trademark dispute he later renamed his line the **EVH 5150**, and the circuit's DNA is in a vast number of modern high-gain amps.

| A Short Pedalboard

For a player so associated with a huge sound, Eddie's effects were spare and chosen with a craftsman's economy. Three boxes define the early records.

The **MXR Phase 90** is the orange stompbox responsible for the swirling, watery throb you hear under "Eruption" and laced through the first album. A **phaser** works by splitting the signal, shifting the phase of one copy across a sweeping series of frequencies using an all-pass filter network, and recombining the two; where the copies cancel, you get moving *notches* in the frequency spectrum -- a series of sweeping holes that the ear reads as a hollow, jet-like whoosh. The Phase 90 had a single Speed knob and a fixed, fairly heavy intensity, which is why it sounds so unmistakably *thick* rather than subtle. Eddie often ran it fast enough to add a shimmering animation to sustained, distorted notes, turning a static chord into something that breathed.

The **MXR Flanger** does something kin to phasing but more extreme. A **flanger** mixes the signal with a very short, continuously varying *time delay* of itself -- on the order of a few milliseconds -- so that the cancellations occur at a whole harmonic series of evenly spaced frequencies rather than a few notches. The result is a more dramatic, metallic, "jet plane" sweep. You hear it most famously in the slow, building introduction to "Ain't Talkin' 'bout Love" and in the eerie intro textures of "Unchained," where the flanger's resonant sweep turns a simple figure into something vast and slightly menacing.

The third pillar was the **Echoplex**, a tape-based delay unit (Eddie favored the solid-state EP-3 in the studio) whose real contribution was often not the echo at all but its **preamp**. The EP-3's input buffer adds a subtle midrange push and treble sparkle, a gentle thickening that countless players have since chased with dedicated "Echoplex preamp" pedals. Eddie kept it in the chain partly for the slap-back repeats and partly because it sweetened the front end of his whole rig. He routed his effects through the loop of a custom system rather than simply stacking them in front of the amp -- another sign that he thought about signal flow as an engineer, not just a stomp-and-go player.

I How Two-Handed Tapping Actually Works

Now to the technique that launched ten thousand imitators. **Tapping** -- striking a string against the fretboard with a finger of the picking hand to sound a note -- was not, strictly, Eddie's invention. Players had touched on it before; he often credited seeing techniques that sparked the idea. But Eddie *systematized* it, turned it from a parlor trick into a fluent vocabulary, and built it into the architecture of his solos. To understand why it sounded like nothing else, you have to understand what it let him do musically.

Think about an arpeggio -- the notes of a chord played one at a time. On a single string, an A minor triad is the notes A, C, and E. With only your fretting hand, reaching all three of those notes on one string means spanning a wide stretch -- five frets between the A and the C, three more up to the E -- and your four fretting fingers simply cannot comfortably cover that range in one position. So guitarists historically played arpeggios *across* the strings, in compact boxes. Tapping breaks that limitation. By fretting the lower two notes normally and reaching way up the neck with the right-hand index finger to tap the third, Eddie could lay out a wide, *vertical* arpeggio on a single string -- notes spaced like a pianist's hand, not a guitarist's box.

That is the secret hidden inside "Eruption." It is not random shredding; it is **arpeggios** -- the harmonic skeletons of chords -- stretched across the full width of the neck and fired off at the speed of a hammer-on, pull-off, and tap machine. Eddie's piano training shows here in plain sight: he was voicing chords across the fretboard the way his hands once moved across a keyboard.

The mechanics are deceptively simple and brutally hard to clean up. A typical figure works in a three-note cell: the picking-hand finger *taps* a high note and immediately pulls off it (flicking sideways to sound the lower string), revealing a note fretted by the left hand; the left hand then hammers on or pulls off to a third note; and the tap returns. Repeat fast and you get the rippling triplet feel that defines the sound. The right-hand muting is everything -- the heel of the palm and the unused fingers have to choke off every string you are not playing, or the high gain turns the whole thing into a screaming mess. This is why it *requires* a saturated amp: each tapped and hammered note has very little pick attack, so it needs the amp's compression and sustain to bloom into a singing, even line. Clean, the same notes sound weak and plinky. Through the brown sound, they roar.

Tempo: brisk, even triplets, around 132 BPM. Count "1-trip-let, 2-trip-let."

Legend: **t** = tapped by the right-hand index finger; **p** = pull-off; **h** = hammer-on. All other notes are fretted by the left hand.

TAB

	Am	Am	C	C	Dm
e	-----				
B	--12t-p5-h8--12t-p5-h8--13t-p5-h8--13t-p5-h8--15t-p5-h8				
G	-----				
D	-----				
A	-----				
E	-----				

Figure 36.1 -- An "Eruption"-style tapping arpeggio. Tap the 12th fret with the right-hand index finger, pull off to the 5th (left index), then hammer to the 8th (left pinky). Each three-note cell spells a triad spread wide across one string -- A-E-C against the 5th and 8th gives an A-minor color, and sliding the tap up to the 13th and 15th walks the harmony to C and D-minor shapes. Keep the right hand's palm muting tight and let the cranked, compressed amp do the sustaining; the notes should ripple, not stutter.

| The Tremolo Bar as a Voice

The other half of Eddie's revolution hung off the bridge: the **Floyd Rose** locking tremolo. Earlier vibrato systems -- the Fender synchronized tremolo, the Bigsby -- could waver pitch gently, but dive hard or pull a string up sharply and the guitar would go out of tune, because the strings slipped at the nut. Floyd Rose's design clamped the strings at *both* ends, at the nut and at the saddles, so you could slam the bar to the body, drop the pitch into a guttural growl, snap it back, and land dead in tune. It turned the whammy bar from a garnish into a fully expressive control surface.

Eddie used it like a singer uses the slides and scoops between notes. The **divebomb** -- pushing the bar down until the strings go slack and the pitch plummets into a roaring nosedive -- became his exclamation point, the sound of a dive-bombing plane or a great machine winding down. But just as important were the small gestures: a quick flutter of the bar to make a held note shimmer, a subtle pull-up to bend a chord sharp and let it settle, the famous "horse whinny" of harmonics scooped and warbled. The tremolo bar let him treat *pitch itself* as a continuous, sculptable thing rather than a grid of fixed frets -- the way a fretless instrument or a human voice can slide between the cracks.

Tempo: free, dramatic. Let each note breathe before the dive.

Legend: ~ = wide vibrato; AH = artificial (pinch) harmonic; w/bar = with the tremolo bar; \\\ \ = a long, slow pitch dive into a slack string.

```

e|-----|
B|-----|
G|--7~-----|
D|-----AH-----w/bar-----|
A|-----5-----dive\\\\|
E|-----to slack|

```

Figure 36.2 -- A *divebomb* figure. Ring a fretted note with wide vibrato (the ~ from the wrist), grab a screaming pinch harmonic, then push the bar down so the pitch falls all the way into a slack-string growl (\\\\ shows the long descent). Dial it in with high gain and the bridge humbucker; the harmonic needs saturation to scream, and the dive needs a locking tremolo to come back in tune. Keep the palm ready to mute the moment the dive bottoms out.

Open Strings, Ringing Air, and the Riffs

If "Eruption" is the showpiece, the riffs are where Eddie quietly rewrote rhythm guitar, and the engine room of that style is the **ringing combination of open and fretted strings**. Listen to "Panama" or the verse churn of countless Van Halen songs and you hear it: a fretted figure on the lower strings against open strings left to ring, so that the chord blurs into a wash of overtones rather than a clean, contained shape. This is acoustics doing the work. An open string vibrates along its full length and is rich in the **harmonic series** -- the natural overtones (octave, fifth, octave, major third, and on up) stacked above a fundamental that give a sustained string its shimmer. Let an open string ring underneath a moving fretted line and those overtones pile up, the notes bleed into one another, and a simple riff acquires a huge, three-dimensional spread.

Eddie loved chord voicings that exploited this. The **add9** chord is a favorite: a plain major triad (root, third, fifth) with the *ninth* added on top -- the ninth being the note an octave-plus-a-whole-step above the root, the same pitch class as the second of the scale. So a D major triad is D-F#-A; a Dadd9 stacks an E on top, giving D-F#-A-E. That added ninth introduces a bright, ringing dissonance a whole step from the root and the third -- not the smooth resolution of a major chord, but a suspended, chiming shimmer that never quite settles. It is the sound of "Ain't Talkin' 'bout Love," whose hypnotic riff is essentially an **Am add9** figure ringing under the flanger, the open and fretted notes clanging together in a way that sounds both folk-modal and futuristic. Combine that voicing with the swirling flanger sweep and you get the song's signature: melancholy and propulsive at once.

This is also where Eddie's harmonic vocabulary brushes up against the **modes** -- scales built by starting the familiar major scale on a different degree, each with its own emotional color. The brood-

ing, vamping quality of a riff built on a single minor chord with a ringing ninth often lives in **Aeolian** (the natural minor) or hints at **Dorian** (natural minor with a raised sixth, brighter and a touch jazzier). Eddie rarely talked theory, but his ear gravitated to these flat, modal, one-chord vamps that let the riff and the overtones become the whole event, no chord progression required.

Tempo: driving eighth notes, around 142 BPM, slightly behind the beat.

Legend: **h** = hammer-on. Let the open A and high strings ring where they are not muted (the Aadd9 color rings throughout).

TAB

e|-----|

B|-----|

G|-----2-----2-----2-----2-----|

D|--2h4--2-----2-----2h4--2-----2-----|

A|--0-----0-----0-----0-----0-----0-----|

E|-----|

Figure 36.3 -- An "Ain't Talkin'"-style flanged add9 riff. Keep the open A string droning while the fretted notes on the D and G strings give an A-add9 shimmer (the B note at the 2nd fret of the G string is the ninth against the open A root). Hammer from the 2nd to the 4th fret on the D string for the riff's lurch. Set the flanger to a slow, wide sweep with high resonance so the open-string overtones get caught in the jet-engine swirl; a touch of palm mute on the low notes keeps it from turning to mush.

| Case Studies: The Records That Detonated

"Eruption" (Van Halen, 1978). The case study that needs the least introduction and rewards the most study. What sounds like chaos is a tightly composed étude: bluesy opening salvos, a passage of fast picked runs, the Phase 90 swirling underneath the whole thing, a divebomb or two, and then the tapping section -- those wide single-string arpeggios -- that ends the piece in a blur. The tone is the brown sound at its purest: the cranked Marshall, the single Frankenstrat humbucker, almost no effects but the phaser and a little echo. The lesson for any player is that the velocity is a vehicle, not the point; underneath the speed is *harmony*, clearly outlined triads and arpeggios that you could spell out one note at a time. Eddie, famously, did not even want it on the album -- he considered it a warm-up exercise the producer happened to record. It became the most influential guitar instrumental of its era.

"Ain't Talkin' 'bout Love" (Van Halen, 1978). The flanger-and-add9 song. The riff is harmonically dead simple -- essentially one ringing minor-with-a-ninth shape vamped -- but the *sound* is enor-

mous: the MXR Flanger sweeping its metallic resonance across the open-string overtones, the rhythm section pounding underneath, Roth sneering over the top. It is a perfect demonstration of how a modest chord voicing, the right effect, and ringing open strings combine into something that feels far bigger than its parts. Eddie reportedly thought the riff was almost too simple to use, a "punk" throwaway -- proof that his instincts for texture were as sharp as his chops.

"Hot for Teacher" (1984, 1984). Here the gear story becomes a *band* story. Alex Van Halen opens with a double-bass-drum shuffle that swings like a freight train, and Eddie answers with a flurry of tapping and a slippery, picked riff that locks to the drums with terrifying precision. The shuffle feel -- triplet-based, with the middle note of each triplet implied -- is the rhythmic key, and it shows how deeply the brothers played as a *unit*, Eddie's right hand glued to Alex's kick drum. The brown sound by 1984 was a little more refined, the rig more elaborate, but the DNA is identical: short signal path, hot pickup, saturated tube amp, and a player attacking the instrument like a drummer.

"Panama" and "Runnin' with the Devil." "Panama" (also from 1984) is the open-string riffing masterclass -- a low, chugging figure with strings left ringing and a swaggering bend at its peak, the guitar sounding like a revving engine, which was rather the idea. "Runnin' with the Devil" (1978) opens with a slow, droning fanfare -- Eddie reportedly built it partly from the sound of car horns wired together -- and settles into a wide, simple power-chord vamp that proves how much *space* he left in the rhythmic guitar parts. Both songs make the same quiet argument: Eddie's rhythm playing, with its ringing open strings and its huge, uncluttered voicings, was every bit as revolutionary as the solos that got the headlines.

| What He Left Behind

Eddie Van Halen died in October 2020, and the tributes converged on a single idea: that he had been to the electric guitar what very few players ever are -- a true *before-and-after* figure, a line in the history of the instrument. After him, tapping was a standard technique taught in every guitar method. The locking tremolo was everywhere. The high-gain, tight, midrange-forward amplifier he helped define became the sound of metal itself. And the spirit of the Frankenstrat -- the idea that you should build the guitar that does what *you* need, factory be damned -- became gospel for the modding, partscaster, boutique-everything culture that followed.

But the part that resists imitation is the part that mattered most. Eddie played a loud, distorted electric guitar with the joy and lyricism of a singer and the rhythmic snap of a drummer, and he heard the whole instrument -- wood, pickup, cable, pedal, tube, speaker, air -- as one continuous, living thing to be shaped by touch. The gear can be bought. The signal chain can be diagrammed, voltage by voltage. The feel was his.

LISTEN FOR

• LISTEN FOR

- **"Eruption"** (*Van Halen*, 1978): the swirling MXR Phase 90 under the whole track; at roughly the 0:42 mark, the single-string tapped arpeggios -- listen for clearly outlined triads firing off as triplets, the harmony hidden inside the speed.
- **"Ain't Talkin' 'bout Love"** (*Van Halen*, 1978): the MXR Flanger's metallic jet-sweep across the open-string add9 riff; notice the bright, unresolved ninth ringing a whole step against the root.
- **"Hot for Teacher"** (1984, 1984): Alex's double-bass shuffle and how exactly Eddie's tapping and riffing lock to the kick drum -- the band as a single rhythmic machine.
- **"Panama"** (1984, 1984): open strings left ringing under the low riff, and the engine-rev bend at the top of the figure.
- **"Runnin' with the Devil"** (*Van Halen*, 1978): the droning horn-fanfare intro, then the huge, spacious power-chord vamp -- the brown sound carrying a riff with almost nothing in it.

Stevie Ray Vaughan: A Texas Flood of Tone

THE MONTREUX JAZZ FESTIVAL, JULY 1982. A TEXAS TRIO NOBODY IN EUROPE HAD heard of walked onto the stage of a famously polite jazz crowd and detonated. The guitarist wore a flat-brimmed hat and a serape, and when he hit the opening of an instrumental called "Rude Mood" his hands moved so fast and so hard that the sound seemed to physically push at the room. Part of the audience booed. They had come for jazz and gotten a hurricane. But two men were watching who understood exactly what they were hearing: David Bowie, who would soon hire that guitarist for *Let's Dance*, and Jackson Browne, who would offer him free studio time. Within a year the booed unknown had recorded a debut album that re-lit the pilot light of the blues for an entire generation. His name was Stevie Ray Vaughan, and the sound that frightened that Swiss crowd was the sound of a man playing a guitar harder than almost anyone before or since.

That is the first thing to understand about SRV's tone, and the thing most often missed by players who chase it through gear catalogs: it began in the hands. The amps and the pedals mattered enormously, and we will get to all of them. But the foundation was a right hand that attacked the strings with the force of a hammer and a left hand strong enough to bend telephone cables, working a guitar set up to fight back every inch of the way. Tone, in the SRV story, is physics married to muscle.

| A Kid from Oak Cliff

Stephen Ray Vaughan was born in Dallas in 1954 and grew up in the working-class neighborhood of Oak Cliff, three years behind his older brother Jimmie, who would become a formidable guitarist himself with The Fabulous Thunderbirds. Jimmie got the records and the first guitars; Stevie got Jimmie's hand-me-downs and an obsession that bordered on the pathological. He played until his fingers bled and then played more. The records were the deep stuff: the three Kings of the blues -- B.B., Albert, and Freddie -- plus Buddy Guy, Otis Rush, Lonnie Mack, Guitar Slim, and above all the twin towers of his imagination, Albert King for the bending and the vocal phrasing, and Jimi Hendrix for the sheer cosmic possibility of the electric guitar.

By the mid-1970s he had dropped out of school and moved to Austin, the one town in Texas where a long-haired kid who wanted to play nothing but blues could find a stage every night. He gigged relentlessly through bands with names like the Cobras and Triple Threat before forming

Double Trouble -- named for an Otis Rush song -- with bassist Tommy Shannon (who had played with Johnny Winter at Woodstock) and eventually drummer Chris Layton. They worked the Austin clubs for years, building the ferocious live tightness that would later let them cut a debut album, *Texas Flood*, in about three days.

That speed was possible because the band could already play the music in their sleep, and because Vaughan had already found the central instrument of his life.

I Number One

He called it **Number One**, or sometimes "First Wife." It was a **Fender Stratocaster**, a battered sunburst that Vaughan bought from an Austin music store in 1973 and played until the day he died. The neck plate read 1959 and the neck stamp suggested a 1962 date, while the pickups have been variously cited as late-1950s units; in truth Number One was a parts guitar, a Frankenstein of Fender components assembled across years, which is part of why arguments about its "real" year are endless and ultimately beside the point. What mattered was that it became an extension of his nervous system. Over the years he added a left-handed vintage **tremolo** unit -- a direct homage to Hendrix, who played right-handed guitars flipped over, putting the trem arm above the strings -- and gold hardware, and he wore the finish down to bare wood where his forearm and picking hand lived.

Then there were the strings. Vaughan strung Number One with extraordinarily heavy gauges, commonly cited as a set running from around **.013 on the high E** up to .058 or even heavier on the low E, occasionally going up to .017 or .018 on the top string in certain periods. For comparison, many rock players use .009 or .010 sets. He tuned down a half step to E-flat, which takes some of the tension off and, as a bonus, dropped his voice and the guitar into a slightly darker, fatter register. But even tuned down, those cables required real strength to fret cleanly and brute force to bend. The trade-off was tone. A heavier string has more mass, which means more sustain, a fuller fundamental, and a richer spray of overtones -- the **harmonic series**, the stack of higher pitches that sound faintly above any fundamental note and give a tone its color. Thick strings driven hard pour out those harmonics, and that is a large part of why a single SRV note sounds so enormous and so vocal. The guitar was a physical instrument in the most literal sense, and it punished anyone with a lighter touch who picked it up expecting magic.

The frets, too, were tall and chunky, and the action -- the height of the strings above the fretboard -- was set high, which kept the heavy strings from buzzing when he dug in and forced even more commitment from his fretting hand. Everything about the setup conspired to make the guitar harder to play and bigger-sounding when conquered.

I The Signal Chain: Tubes, Screammers, and a Dumble

Vaughan's amplifier philosophy was simple and old-fashioned: use loud, clean tube amps and overdrive them with your hands and a couple of pedals. He was not chasing high-gain distortion in the metal sense. He wanted the sound of a great Fender amp pushed to the cusp of breakup, where the tubes compress and bloom and add harmonic grit without losing the fundamental note.

His backbone amps were Fenders built around **6L6 power tubes** -- the big, firm-sounding American power tube that gives blackface and tweed Fenders their characteristic clean headroom and tight low end. He favored the **Fender Vibroverb** (especially the 1964 model with a single 15-inch speaker, prized for its deep, round bottom) and the **Fender Super Reverb**, a 4x10 combo whose four ten-inch speakers produce a focused midrange punch and a chiming top. Live, he ran a wall of amps, often pairing Fenders with a Marshall or a Dumble for a blend of American sparkle and a thicker, more compressed lead voice. The **Howard Dumble Steel String Singer**, a rare and expensive boutique amp, gave him a smooth, singing overdrive and a huge clean platform; you hear its creamy sustain on many of the live recordings and on tracks where the lead tone sounds almost liquid.

In front of the amps sat the pedal that became inseparable from his name: the **Ibanez Tube Screamer**, in its various incarnations (the TS-808 and the later TS-9). The Tube Screamer is not a heavy distortion. It is an overdrive built around an op-amp clipping stage, and its defining trait is a midrange hump -- it gently rolls off the extreme lows and highs and pushes a bump around 700 Hz to 1 kHz, the frequency band where the guitar speaks most like a human voice. Vaughan typically ran it with the drive set low and the level high, using it less as a distortion box and more as a clean boost that shoved his already-loud Fenders harder into their natural breakup while thickening the midrange. That midrange focus is the secret weapon. It is why his tone cuts through a band like a knife even when it is "clean," and why a phrase seems to leap out of the speaker and grab you by the collar.

Around that core he kept a small arsenal of effects, most of them descended directly from Hendrix. A **Vox wah** for the cocked, vocal-y midrange honk. A **Dallas Arbiter Fuzz Face**, the round, germanium-then-silicon fuzz that gave Hendrix his thickest tones, which Vaughan used for the most saturated, woolly lead sounds. A **Tycobrahe Octavia** (an octave-fuzz that adds a note one octave up, producing a glassy, ring-modulated upper voice). And, crucially, a **Univox Uni-Vibe**.

The Uni-Vibe deserves its own sentence, because it is responsible for some of the most beautiful sounds in Vaughan's catalog. Originally designed to imitate a rotating Leslie speaker, the Uni-Vibe is really a four-stage phase-shifter with mismatched capacitors, producing a watery, throbbing, slightly seasick modulation that is warmer and more three-dimensional than an ordinary phaser. Listen to "**Cold Shot**" or the title track of *Couldn't Stand the Weather*, and that swirling, underwater pulse be-

neath the rhythm is the Uni-Vibe, breathing like a living thing. It is the sound of Hendrix's "Machine Gun" filtered through a Texas blues sensibility.

| How the Touch Makes the Tone

Here is where we have to talk about the right hand, because no pedal can fake it.

Vaughan generally held a pick, but he attacked with a hybrid technique, using the pick and his bare fingers almost interchangeably, sometimes letting the pick slip and digging in with flesh for a rounder, snappier attack. He picked hard -- alarmingly hard -- and that hardness is itself a tone control. When you strike a string with more force, you excite more of the harmonic series and you push the front edge of the note into the amp with more energy, which means a clean-ish amp on the edge of breakup will distort momentarily on the attack and then clean up as the note decays. That dynamic, where the pick attack snarls and the sustain blooms clean, is the living, breathing quality that separates great tube tone from a static distortion patch.

Then there is the **rake**. A rake is the technique of dragging the pick across the muted lower strings on the way up to the target note, producing a percussive *scrrritch* of dead-string clatter that lands like a drum hit right before the pitch arrives. Vaughan raked constantly, and it is central to both his rhythm and lead vocabulary. In a shuffle it functions almost like a snare backbeat inside the guitar part; in a solo it gives each phrase a violent, vocal entrance, like a singer catching their breath before a shouted line. You mute the strings below your target with the fretting hand, drag the pick across them, and let only the last note ring. Done with conviction, it sounds like the guitar is being attacked rather than played.

And the **vibrato**. SRV's vibrato is one of the largest and most recognizable in the history of the instrument -- wide, fast, and unrelenting, a full-bodied wobble that owes everything to Albert King and to the blues idea that a guitar should *sing*, even *cry*. Vibrato is the rhythmic, repeated raising and lowering of a fretted note's pitch, and where a player like B.B. King used a fast, narrow, almost mandolin-like shimmer, Vaughan bent the string up and down across nearly a semitone or more, using the strength in his whole hand and wrist. Combined with the heavy strings, that vibrato moved a lot of metal, which is again why his sustained notes sound so massive: he was physically pumping the harmonic content of the note up and down. It takes serious hand strength to do on .013s, and that strength is inseparable from the tone.

| The Texas Shuffle

The rhythmic engine under all of this is the **shuffle**, and specifically the Texas shuffle, the groove that defines half of Vaughan's catalog and reaches its apex in "**Pride and Joy**."

A shuffle is a triplet-based feel. Take a steady beat and divide each beat into three equal parts (a triplet), then play only the first and third parts, leaving a gap in the middle. The result is the loping, galloping *dah-da, dah-da, dah-da* that underlies most blues and a great deal of early rock and roll. It is the difference between the stiff, even eighth notes of a march and the swinging, behind-the-beat lurch of a juke joint. The Texas version, as Vaughan played it, is heavier and more aggressive than the jazzy swing of a Chicago shuffle: it leans hard into the low strings, uses raking to add percussive snap, and often runs a walking or boogie bass figure under chord stabs, so that one guitar does the work of a whole rhythm section.

Here is an illustrative Texas shuffle pattern in the style of "Pride and Joy," in the key of E (remember Vaughan tuned to E-flat, so it sounds a half step lower than written). The feel is everything -- swing those eighths hard.

TAB

Texas Shuffle in E -- "Pride and Joy" style (~120 BPM, swing the 8ths hard)
Legend: x = raked dead-string scratch before the chord; PM the low E lightly

```
e|-----|
B|-----|
G|-----|
D|-----2-2-----2-2-----2-2-----2-2-----|
A|--2-2--2-2--2-2--2-2-----0-0-----2-2--2-2--2-2-----|
E|--0-0-x-0-0-x-0-0-x-0-0-x-----0-0-x-x--0-0-x-0-0-x-0-0-x-----|
```

A boogie-shuffle groove: thumb-pick or rake the low strings hard, let the "x" dead notes pop like a snare, and keep the swing loose and heavy. This is one guitar doing the job of a rhythm section.

Notice that the part is simultaneously a bass line and a chord part -- low-string boogie movement with percussive rakes filling the gaps. Vaughan would weave single-note fills and pinches into this without ever dropping the groove, which is the genius of his rhythm playing: there was no separation between "rhythm" and "lead." He played the whole song at once.

| Double Stops and the Blues Scale

Melodically, Vaughan lived inside the **blues scale**, which is best understood as the **minor pentatonic** with one extra note added. The minor pentatonic is a five-note scale -- in A, that is A, C, D, E, G (the

root, flat third, fourth, fifth, and flat seventh). Add the flat fifth (E-flat in A) and you have the six-note blues scale, that flat fifth being the famous "blue note," the note that sounds simultaneously wrong and exactly right, full of tension and ache. Vaughan also leaned heavily on the **major pentatonic** (in A: A, B, C-sharp, E, F-sharp) for sweeter, more major-key passages, and he mixed major and minor pentatonic constantly, sliding between the bright major third and the bluesy flat third the way a great vocalist bends pitch -- which is exactly the point. The blues lives in the cracks between the notes, and bending is how a guitarist sings into those cracks.

A signature device was the **double stop**: two notes played at once, usually a third or a fourth apart on adjacent strings. Double stops give a lead line harmonic weight and a vocal, horn-section thickness, and Vaughan loved to rake into them and shake them with vibrato. They are everywhere in his playing, from the sweet major-key fills of "Pride and Joy" to the grinding turnarounds of his shuffles.

Here is a double-stop blues phrase in the style of Vaughan's sweeter fills, in the key of E, the kind of thing he would drop between vocal lines.

TAB

Double-Stop Blues Fill in E (~115 BPM, moderate shuffle)

Legend: b = bend, r = release, / = slide, ~ = wide vibrato

Attack each pair with pick + middle finger together; let them ring

```
e|-----|
B|--5b6r5---5-----5--5-----|
G|--4---4---4---4/6---6~---4---4---4---4-----|
D|-----5/7-----|
A|-----|
E|-----|
```

Bend the G/B double stop up and let it cry, then slide the pair for that vocal, horn-like sweetness. Attack both strings together with pick and middle finger; the bend on the B string against the held note creates the "talking" quality.

The **5b6r5** at the start means you bend that B-string note from the 5th fret up a half step (to the pitch of the 6th fret) and release it back, while the G-string note underneath holds steady -- one finger crying upward against an anchor, the essence of vocal blues phrasing.

| Three Songs, Three Tones

"**Texas Flood**" is the slow blues that gave the debut album its name, originally a Larry Davis song. Here Vaughan's tone is at its most exposed and most vocal: a clean-to-edge-of-breakup Fender sound,

neck or middle pickup, with the volume rolled to taste so that soft passages stay sweet and the loud, raking attacks bite. The solo is a master class in dynamics and in *space* -- he leaves enormous gaps, lets notes hang and decay with that massive vibrato, then answers his own phrases. That call-and-response, the musical conversation where one phrase poses a question and the next answers it, is the bedrock of blues phrasing, learned from horn players and gospel singers, and Vaughan deploys it with an actor's sense of timing. To approach this tone: a 6L6 Fender on the edge of breakup, a Tube Screamer barely on as a boost, neck pickup, and a guitar volume you actually use as an instrument.

"**Lenny**," the gentle instrumental that closes the same album, is the other pole entirely. Named for his then-wife Lenora, written late one night on a guitar she had helped him buy, it is tender, floating, and clean, built on lush major-key chords and a melody that drifts rather than attacks. The tone is glassy and warm, with the vibrato slowed to a caress and the Uni-Vibe or a touch of amp tremolo adding gentle movement. It proves that the man who frightened Montreux could whisper as convincingly as he could roar, and that his enormous touch could be dialed all the way down to a feather. The harmonic vocabulary here goes beyond straight pentatonics into chord-melody playing -- he voices extended chords (sevenths and ninths, chords that stack additional notes above the basic triad for a jazzier, more colorful sound) and picks out a melody on top of them.

"**Little Wing**," his reverent instrumental cover of the Hendrix ballad (released on *The Sky Is Crying*), is where the Hendrix debt comes fully due. Vaughan takes Jimi's gorgeous, bittersweet changes and stretches them into a long, building instrumental, weaving the chordal "rhythm" figures and the singing lead lines into a single continuous statement -- exactly the integrated approach we saw in the shuffle, now applied to a ballad. The Uni-Vibe and a thick, sustaining overdrive (often the Dumble's singing voice) make the guitar sound like it is weeping. It is one of the great tribute performances in rock, a student honoring a master while sounding utterly like himself.

A fourth, for contrast: "**Scuttle Buttin'**," the ferocious instrumental that opens *Couldn't Stand the Weather*, is pure speed and attack -- a blistering, repeating pentatonic figure built on the kind of fast, raked picking that made jaws drop. The tone is bright, aggressive, and compressed, the Tube Screamer pushing hard, every note articulated by that sledgehammer right hand.

| An Aggressive Phrase

Finally, the lead vocabulary in full cry: a stinging pentatonic phrase in A minor (sounding in A-flat at Vaughan's tuning) with rakes and the trademark wide vibrato, the kind of line he might fire off at the climax of a solo.

Aggressive Lead Phrase in A Minor Pentatonic (~130 BPM, driving shuffle)

Legend: x = raked dead notes, b = bend, r = release, ~ = wide vibrato

Rake hard into the first note -- full aggressive attack

```

e|-----|
B|-----8b10r8-----5~~~~~|
G|-----7b9r7--7--5-----7-----|
D|-----7--5-7-----|
A|--x-x-x-5-7-----5-7-----|
E|--x-x-x-----|
  
```

Start with a violent rake into the 5th-fret root, climb the minor pentatonic box, then bend the G and B strings up a whole step and shake them hard. The wide, fast vibrato on the final held note is the SRV signature -- use your whole wrist and forearm, not just a finger.

The phrase climbs the A minor pentatonic "box" (the most common fingering shape for the scale), targeting strong notes on the way up, then resolves with full whole-step bends -- bending the 7th fret of the G string up two frets' worth of pitch to land on a target tone. The trick is not the notes, which are simple; it is the savagery of the attack, the rakes that announce each move, and that earthquake vibrato at the end. Play it timidly and it is a beginner lick. Play it like you mean to break the strings, on strings heavy enough to fight back, and it becomes Stevie Ray Vaughan.

I The Flood, and After

Texas Flood arrived in 1983 and landed like a thunderclap. At a moment when mainstream rock guitar was awash in processed, gated, synthetic tones, here was a record that sounded like a man and a tube amp in a room, played with overwhelming conviction. It did not just revive Vaughan's career; it helped revive the blues itself as a commercial and creative force, opening doors for a wave of players and reminding the industry that raw tone and raw feeling still moved people. Over the next seven years came *Couldn't Stand the Weather*, *Soul to Soul*, the live *Live Alive*, and, after Vaughan got sober following a brutal stretch of addiction, the triumphant *In Step* in 1989, his cleanest and arguably finest studio record.

Then, on August 27, 1990, after a blistering performance and an all-star jam at Alpine Valley in Wisconsin, Vaughan boarded a helicopter in heavy fog. It crashed into a hillside, killing everyone aboard. He was thirty-five. *The Sky Is Crying*, the posthumous collection that gave us his "Little Wing," arrived the following year and went straight to the heart of every guitarist who had been paying attention.

What he left was a sound that players still chase three decades on -- and the chase always ends in the same humbling place. You can buy the signature Strat and the reissue Tube Screamer and the heavy strings and the half-step-down tuning. You can stack the Fenders and find a Uni-Vibe. And it will sound good. But it will not sound like him, because the irreducible ingredient was a pair of hands that hit the strings harder, bent them further, and shook them wider than nearly anyone who ever lived, on a guitar set up to demand exactly that. The flood started in Oak Cliff, in the bleeding fingers of a kid who could not stop playing. The gear only gave it somewhere to go.

♪ LISTEN FOR

- **"Pride and Joy"** (*Texas Flood*, 1983): the Texas shuffle as a single guitar playing bass, chords, and fills at once. Listen to the raked dead-string snap between the boogie notes and the sweet major-pentatonic double-stop fills between vocal lines.
- **"Texas Flood"** (*Texas Flood*, 1983): a slow blues clinic in dynamics. Hear how the attack snarls and the sustain blooms clean on the edge-of-breakup Fender tone, and how much he says with silence and that enormous vibrato.
- **"Lenny"** (*Texas Flood*, 1983): the tender opposite -- glassy clean tone, slow caressing vibrato, chord-melody phrasing, and gentle Uni-Vibe/tremolo movement. Proof the hurricane could whisper.
- **"Cold Shot"** and **"Couldn't Stand the Weather"** (*Couldn't Stand the Weather*, 1984): the Uni-Vibe in full effect -- that watery, throbbing swirl under the rhythm. Listen for the seasick, three-dimensional phase movement, warmer than an ordinary phaser.
- **"Scuttle Buttin'"** (*Couldn't Stand the Weather*, 1984): the right hand as a weapon. Fast, raked pentatonic fury through a hard-pushed Tube Screamer -- every note articulated by sheer attack.
- **"Little Wing"** (*The Sky Is Crying*, 1991): the Hendrix debt paid in full. A long, weeping instrumental where rhythm and lead become one continuous statement, the Uni-Vibe and thick singing overdrive making the guitar cry.

The Edge: Delay as Composition

THE OPENING OF "WHERE THE STREETS HAVE NO NAME" ARRIVES LIKE WEATHER. A church organ swells out of silence, holds, and then a single guitar figure begins to fall through it — bright, glassy notes tumbling downward in a pattern that seems to multiply itself, each note answered by a ghost of the note before, until the air is thick with a shimmering, interlocking lattice of sixteenth notes. By the time Larry Mullen Jr.'s kick drum punches in and the band lifts off, you have already heard the most important thing about The Edge: he is not playing all of those notes. He is playing perhaps half of them. The rest are echoes, generated by a digital delay unit set to a very specific repeat time, and the genius of the part lies precisely in the spaces he leaves for the machine to fill.

This is the central idea of The Edge's guitar playing, and it is genuinely radical: the delay pedal is not an effect applied to the guitar after the fact. It is a compositional collaborator. The repeats are not garnish; they are structural. Take the delay away and the part collapses into a sparse, almost skeletal sequence of single notes that would sound unfinished, even amateurish. Add it back, and a lone Irishman with a Stratocaster sounds like an orchestra of bells. No guitarist before him had built a whole vocabulary — a whole career, arguably a whole band's sound — on the rhythmic and harmonic interaction between what the hands play and what the machine returns. To understand The Edge is to understand that for him, time itself, measured in milliseconds, is a songwriting tool.

| The Player Who Subtracted

David Howell Evans was born in 1961 in Barking, East London, to Welsh parents, and moved to Dublin as a child. The nickname "The Edge" attached itself in the mid-1970s — variously attributed to the sharp angularity of his features and the sharpness of his mind — and stuck so completely that it became, for all practical purposes, his name. When he answered Larry Mullen's now-famous 1976 notice on a Mount Temple School bulletin board, the four teenagers who became **U2** could barely play. That turned out to matter enormously, and in an unexpected direction.

Because The Edge could not, at first, play like the guitar heroes of the early seventies — could not summon the blues-rock fluency of a Jimmy Page or the saturated lyricism of a David Gilmour — he was forced to invent a way of sounding complete with very few notes. Punk had cleared the ground;

the prevailing ethos in Dublin and London circa 1978 prized attitude over chops. But where the Sex Pistols and The Clash answered limited technique with raw aggression and barre-chord density, The Edge answered it with the opposite: extreme economy, ringing open strings, and, crucially, electronics that could turn one player into many. The story he has told in interviews and in the 2008 documentary *It Might Get Loud* is that the delay let him do harmonically and rhythmically what his hands alone could not. Necessity, as so often in this book, fathered a sound.

The signal chain that produced it grew elaborate over the years, but its anchor never moved. From the band's earliest recordings, The Edge played into the **Vox AC30**, the 30-watt, EL84-powered, Class-A British combo whose chiming top end and compressed, harmonically rich breakup had already defined the jangle of the 1960s. The AC30's character is essential to his tone: its **Celestion Alnico Blue** speakers (and later Greenbacks in some cabinets) deliver a glassy, bell-like presence in the upper midrange and treble, and the amp's natural compression — it begins to soften and bloom as you push it — smooths the attack of each note so that the delay repeats blend into one another rather than stacking up as a percussive clatter. A harder, tighter amp would expose the mechanism; the AC30 hides the seams.

His guitars were chosen as much for their attack and harmonic content as for their pedigree. The famous early instrument was a **1973 Gibson Explorer**, bought in New York, whose mahogany body and humbuckers gave the chiming parts a surprising weight and sustain underneath all that treble. Over time a **Fender Stratocaster** — single-coil, scooped, percussive in the high end — became the workhorse for the most crystalline delay parts, including "Where the Streets Have No Name." A black **Gibson Les Paul Custom** appears on heavier material. The point is not brand loyalty; it is that each guitar feeds the delay a different transient and a different overtone spectrum, and The Edge chose among them the way a painter chooses a brush.

| The Machines: Memory Man to the 2290

The first crucial box was the **Electro-Harmonix Deluxe Memory Man**, an analog delay built around bucket-brigade device (BBD) chips. A bucket-brigade is exactly what it sounds like: the audio signal is passed hand-to-hand down a long chain of tiny capacitor stages, each one holding the sample for a fraction of an instant before passing it on, so that what emerges at the far end is delayed in time. Because each handoff loses a little fidelity, analog delays darken and soften their repeats — the echoes lose treble and grow blurry as they decay, like a memory fading. The Deluxe Memory Man added a subtle chorus/vibrato to its repeats via a modulating clock, which is why The Edge's early-eighties tone has that liquid, slightly seasick shimmer underneath the chime. You hear it all over *Boy* (1980) and *War* (1983).

As U2 grew into arenas, the rig went rack-mounted and digital, and the legendary unit became the **TC Electronic TC 2290 Dynamic Digital Delay**, introduced in 1985. The 2290 was a studio-grade, crystal-clean digital delay with long delay times, precise programmable repeat values, and — its namesake feature — dynamic control, which let the input signal's level modulate the delay parameters (so harder playing could duck or swell the repeats). For a player whose entire art is the relationship between dry note and wet echo, the 2290 was a revelation: he could dial a delay time to the exact millisecond, store it, recall it instantly between songs, and trust it to repeat with pristine clarity so that complex interlocking patterns stayed legible even at stadium volume. Often he ran more than one delay at once — one short, one long — to build rhythmic counterpoint. His longtime guitar technician Dallas Schoo has spent decades maintaining and programming this ever-growing system, and the number of delay and modulation units in the touring rack has at times run well into the dozens. But the conceptual core is simple and unchanging: pick a repeat time tied to the song's tempo, and play the part that the echo completes.

| How It Works: The Rhythmic Math of Delay

Here is the engine room of The Edge's sound, and it is pure arithmetic married to feel.

A delay's repeat time is set in milliseconds. To make a delay musical — to lock its echoes to the pulse of a song rather than letting them fall randomly between the beats — you tune the delay time to a rhythmic subdivision of the tempo. The conversion every player should know starts from a single fact: there are 60,000 milliseconds in a minute. So the duration of one quarter note, in milliseconds, is simply:

$$\text{ms per quarter note} = 60,000 / \text{BPM}$$

At 120 beats per minute, a quarter note lasts $60,000 / 120 = 500$ ms. An eighth note is half of that, 250 ms. A sixteenth note is 125 ms. So far, so straightforward — that is a basic tempo-synced echo.

The Edge's signature trick goes one step further, to the **dotted eighth note**. A dot adds half again to a note's value, so a dotted eighth equals an eighth plus a sixteenth — three sixteenths in total, or three-quarters of a quarter note. In milliseconds:

$$\text{dotted eighth} = (60,000 / \text{BPM}) \times 0.75$$

At 120 BPM that is $500 \times 0.75 = 375$ ms. This single number is the secret behind "Where the Streets Have No Name," "Pride (In the Name of Love)," "Bad," and a dozen other U2 anthems. (The actual recorded tempos vary; "Streets" sits around 126 BPM, which puts its dotted-eighth delay near 357 ms — the principle holds, only the arithmetic shifts.)

Why is the dotted eighth so magical? Because of where the echo lands relative to the pulse. If you play a steady stream of straight eighth notes and set a dotted-eighth delay, each echo arrives three sixteenths after its source note — which means it falls into the gap *between* your eighth notes, on the offbeat sixteenth. Played note and echoed note interlock into a continuous sixteenth-note texture, but with a syncopated, rolling, off-kilter feel because the accent pattern created by your picking hand and the accent pattern created by the machine are displaced from each other by that "extra" sixteenth. The result is the famous galloping, cascading shimmer: more notes than you played, arranged in a rhythm that no single hand could comfortably produce, with a built-in syncopation that pushes the music forward.

The deepest lesson is that **you must play differently to account for the repeats**. If The Edge played a dense part and then added a dotted-eighth delay, the echoes would crash into the next played notes and the whole thing would turn to mud. So he subtracts. He plays a sparse pattern — often just two or three notes per bar of the arpeggio — and lets the delay supply the notes in between. He is, in a very real sense, playing duets with himself across a 375-millisecond gap, and he composes the played part and the imagined echoed part as a single interlocking whole. This is why his rhythm hand is so disciplined and his note choices so deliberate: every note must work both as itself and as the echo of the note that came three sixteenths earlier. Space is not the absence of music here. Space is where the machine sings.

Let's make the math audible. The first example shows a single repeating motif as the hands play it, followed by a timing diagram of what the listener actually hears once the dotted-eighth echo is added.

Bright, clean Strat into an AC30; quarter-note pulse at ~ 120 BPM, dotted-eighth delay ≈ 375 ms, one repeat at moderate level.

TAB

e|-----|

B|-----|

G|--9-----9-----|

D|-----11-----11-----|

A|-----|

E|-----|

1 + 2 + 3 + 4 +

Played: only four notes per bar, picked cleanly and allowed to ring — note the deliberate gaps.

Now the same bar, with the echoes written in (the played notes are bare; the delayed repeats are marked in parentheses) so you can see the cascade the audience perceives:

Same setting; (X) = note generated by the dotted-eighth delay, landing three sixteenths after its source.

TAB

```
e|-----|
B|-----|
G|--9------(9)-----9------(9)-----|
D|-----11------(11)-----11------(11)---|
A|-----|
E|-----|
  1 e + a 2 e + a 3 e + a 4 ...
```

Hands play on the beats; the machine fills the "+a" subdivisions, weaving a continuous sixteenth-note lattice from a handful of struck notes. Set repeats to roughly one strong echo with a short feedback tail so the pattern stays clear.

I Voicings, Drones, and the Theory of Ringing

The delay supplies the rhythmic density. The other half of The Edge's sound is harmonic, and it lives in his chord voicings and his love of open, droning strings.

Begin with intervals, the raw material. An interval is the distance between two pitches, and the **overtone series** — the ladder of higher frequencies that sounds, softly, above any fundamental note — explains why some intervals feel consonant and others tense. The first overtones above a struck string are the octave, then the fifth, then another octave, then the major third. Those intervals (octave, perfect fifth, major third) are the ones our ears hear as stable and "open," because they are already present, faintly, in the note itself. The Edge's voicings lean hard on these consonances and on the ringing of fundamentals plus their octaves and fifths — which is exactly what makes his chords sound so clean and bell-like even through gain and delay. He tends to *avoid* dense, clustered voicings packed with thirds and sevenths, because those would muddy the repeats. Clarity is the priority, and clarity comes from spacing intervals widely and letting open strings ring.

This leads to his most characteristic chords: the **suspended** voicings. A suspended chord replaces the third — the note that tells your ear whether a chord is major (a major third, four semitones up from the root) or minor (a minor third, three semitones) — with either the second (sus2) or the fourth (sus4) above the root. With no third, the chord is neither happy nor sad; it is open, ambiguous, hovering, asking to resolve. A **sus2** has a bright, airy, slightly modern ring; a **sus4** has a yearn-

ing, almost devotional tension. Because suspended chords leave out the most opinionated note, they blur beautifully under delay — the echoes don't argue with the chord changes underneath them. The Edge will frequently let an open high E or B string drone across a chord change, so that the same ringing pitch belongs to several different chords in succession, gluing the harmony together while the bass moves beneath it. That single sustained note, recontextualized by each new chord, is one of his most-used and most-imitated devices.

Here is a chiming arpeggio in that idiom, exploiting open-string drones and a sus2-to-sus4 motion, the kind of figure that opens or carries a U2 verse.

Add9/sus feel in D; clean Strat, AC30 edge-of-breakup, light dotted-eighth delay; let every note ring into the next.

TAB

```
e|--0-----0-----0-----0-----0-----0-----|
B|---3-----3-----0-----0-----3-----3-----|
G|---2-----2-----2-----2-----2-----2-----|
D|--0-----0-----0-----0-----0-----0-----|
A|-----|
E|-----|
   Dsus2  ----  Dadd9  ----  Dsus2  ----
```

The open high E (string 1) and open D (string 4) drone throughout while the B string moves 3→0→3, shifting the color from a suspended brightness to an open, unresolved chime. Pick fingerstyle or hybrid so notes overlap and bleed into the echoes; keep the delay subtle here so the arpeggio leads and the repeats merely thicken.

This is also where U2's harmony often sits in a modal world rather than strict major or minor. **Mixolydian** — a major scale with a flattened seventh — gives many of their anthems that uplifting-yet-grounded, neither-quite-resolved quality, because the lowered seventh refuses the leading-tone pull of a standard major key. **Aeolian** (the natural minor mode) colors the darker songs. The Edge rarely spells these modes out in scalar runs — that is not his vocabulary — but his droning open strings and suspended voicings keep the harmony hovering in modal space, where a single chord can ring for bars without needing to "go" anywhere. The stillness is the point.

Case Study One: "Where the Streets Have No Name" (The Joshua Tree, 1987)

Recorded with producers Daniel Lanois and Brian Eno, "Streets" is the definitive demonstration. The Edge plays a Stratocaster into AC30s, with a dotted-eighth digital delay (the kind of clean, pro-

grammable repeat the era's rack units, including the 2290, were built for) tuned to the song's tempo of roughly 126 BPM. The famous intro figure is a six-note descending arpeggio in the bright upper register; what your hands feel as a deliberate, almost slow sequence of struck notes becomes, through the delay, a churning sixteenth-note cascade. The interaction is so tightly wound that the song was notoriously difficult to track — the band has recounted spending an enormous and frustrating amount of studio time getting the part and the delay to lock, a struggle Eno reportedly considered abandoning. What survives on the record is the sound of arithmetic and inspiration fused: a guitar part that is half human, half machine, and wholly transcendent. Listen to how little the picking hand does and how much arrives at your ear — that gap is the whole lesson of this chapter.

Case Study Two: "Pride (In the Name of Love)" (The Unforgettable Fire, 1984)

"Pride" rides another dotted-eighth delay, here driving a ringing, anthemic figure rather than a delicate arpeggio. The Edge plays bold, wide-voiced shapes high on the neck with open strings ringing through, and the delay's offbeat repeats turn his strummed and picked accents into a propulsive, syncopated pulse that locks with Adam Clayton's bass and Mullen's snare. Note the economy: the part is built from a handful of notes per bar, voiced for maximum ring and minimum clutter, so the echoes have room to breathe. This is The Edge using delay not for shimmer but for momentum — the repeats push against the backbeat and give the chorus its airborne, fist-in-the-air lift. The harmony hovers in that uplifting modal brightness, chords ringing without rushing to resolve, exactly the stillness-in-motion that defines U2 at full anthemic stretch.

Here is a melodic figure in the harmonized-delay spirit — a single line that, with a pitch-shifting or precisely doubled delay, returns a third or an octave above, creating two-part harmony from one played voice.

Anthemic, ringing; clean-to-edge tone, delay set to repeat a major third (or octave) above the played note. Let it ring.

TAB

e|-----7---9---7-----|

B|-----7---8---10-----10---8---|

G|--9-----9---|

D|-----|

A|-----|

E|-----|

play the line cleanly; harmonized echo trails a 3rd/8ve up

Play this as a bare single-note melody. A harmonizing delay (or a second delay feeding a pitch shifter) answers each note a major third above — the played G–B–C–E rising line returns as a B–D–E–G shadow, so one finger sounds like two players in close harmony. For shimmer instead, set the echo an octave up with long feedback and it dissolves into a glassy halo above the melody. Keep your own line spare; the harmony is the second voice.

Case Study Three: "With or Without You" (The Joshua Tree, 1987) and the Infinite Guitar

The third masterpiece moves away from rhythmic delay toward pure, weeping sustain. The soaring, vocal lead that arrives in the back half of "With or Without You" was played on the **Infinite Guitar**, a one-off instrument built by inventor Michael Brook that used controlled electronic feedback to make a note sustain indefinitely, without decay, like a bowed string or a singer's held breath. The Edge could fade a note in from nothing, hold it forever, and bend it with aching slowness. Layered with delay and reverb and Eno's atmospheric production, the result is one of the most emotionally devastating guitar sounds ever recorded — and notably, it is barely "guitar" at all in the conventional sense. There is no fast playing, no blues licks, no display. There is one note, held and shaped, doing the work of an entire vocal melody. It is the ultimate statement of The Edge's philosophy: the note you sustain and the space you leave matter more than the notes you cram in. (Players today approximate the Infinite Guitar with sustainer pickups and EBows; the original was a bespoke contraption, and the recorded sound owes as much to the studio as to the instrument.)

Listen For

- **"Where the Streets Have No Name"** (*The Joshua Tree*, 1987): The intro. Count along in sixteenth notes and try to separate the notes The Edge picks from the notes the dotted-eighth delay returns — roughly half the cascade is machine, landing on the offbeat "+a" of each beat. Listen for the bell-like Strat-into-AC30 chime and how the church-organ pad underneath makes the guitar's entrance feel like sunrise.
- **"Pride (In the Name of Love)"** (*The Unforgettable Fire*, 1984): The driving guitar pulse in the verses. Hear how few notes are actually struck and how the offbeat delay repeats create the propulsive, syncopated momentum that carries the chorus aloft.
- **"With or Without You"** (*The Joshua Tree*, 1987): The lead from about the three-minute mark. The Infinite Guitar's endless sustain — notes that fade in from silence and never die — bending slowly over Clayton's two-note bass ostinato. Almost no notes, infinite feeling.
- **"I Will Follow"** (*Boy*, 1980): Early Edge through the Deluxe Memory Man. Hear the darker, modulated analog repeats and the relentless single-note drive — the blueprint, before the dotted-eighth template fully crystallized, for everything that came after.
- **"Bad"** (*The Unforgettable Fire*, 1984): A masterclass in delay-as-arpeggio and dynamic restraint. Follow how a sparse, ringing two- and three-note pattern, multiplied by the echo and built ever so gradually in intensity, becomes one of the great slow-burn crescendos in rock — proof that subtraction, in the right hands and the right milliseconds, is the most powerful addition of all.

Kurt Cobain and the Power of Restraint

THE VERSE IS BARELY THERE. A CLEAN FENDER CHORD RINGS OUT, THEN ANOTHER, and a single insolent two-note figure circles in the gaps like cigarette smoke under a street-light. There is so much space in it that you lean in. You turn the volume up. And exactly when you have leaned in close enough to be vulnerable, the band detonates: four chords, distortion like a collapsing building, the snare cracking like a rifle, a voice shredding itself raw. That is the architecture of "Smells Like Teen Spirit," and it is also, in miniature, the entire aesthetic argument of Kurt Cobain. The loud was only loud because the quiet had been *that* quiet. The payoff lived inside the restraint.

This is the great irony at the center of Cobain's playing. The man who, more than any other single guitarist, ended the reign of the eighties shredder -- who made the tapping, the sweep-picking, the spandex pyrotechnic solo suddenly look absurd and even a little embarrassing -- was not anti-technique because he couldn't play. He chose less. He understood, with an intuition that most virtuosos never reach, that a song is not a display case for the hands. It is a shape made of tension and release, of held breath and exhalation, and the guitar's job is to serve that shape. He picked broken, cheap, left-handed guitars; he ran them through fizzy mass-market distortion boxes; he wrote riffs a beginner could learn in an afternoon. And out of those deliberately humble materials he made some of the most emotionally violent and structurally perfect rock records ever cut. Restraint, in his hands, was not absence. It was a weapon.

| The Anti-Hero and His Broken Guitars

Cobain grew up in Aberdeen, Washington, a damp logging town where the rain is a personality and the cultural options for an angry, artistic, asthmatic teenager were limited to the point of cruelty. He came up through the Pacific Northwest punk and indie underground -- the world of K Records, the Melvins, Mudhoney, the slow churning heaviness that would later get the unfortunate marketing label "grunge." His guitar heroes were not the arena gods. They were the Pixies, whose quiet-loud songwriting he openly and repeatedly credited as the blueprint for his own; they were the dissonant art-punk of Sonic Youth; they were the Vaselines, the gentle Scottish twee-pop band whose songs he covered with the tenderness of a true fan. He was a melodicist who hid inside a wall of noise.

His relationship with gear was famously, almost programmatically, contrarian. While the rest of the rock world chased Les Pauls and Stratocasters, Cobain bought the guitars nobody else wanted: the orphaned, offbeat student and surf models from the back of the Fender catalog. He favored the **Fender Mustang**, a short-scale (24-inch) student guitar from 1964 with a quirky floating tremolo and oddly wired slide-switch pickups that even Cobain admitted were temperamental and hard to keep in tune -- which was, of course, exactly why he loved them. "They're cheap and they're totally inefficient," he said in a much-quoted *Guitar World* interview, "and they sound like crap and are very small." He also played the **Fender Jaguar**, another offset oddball, a left-handed sunburst model he bought through a classified ad and treated as a primary instrument for much of *Nevermind*-era touring. Being left-handed, he was further marooned from the mainstream; lefty guitars were scarce, so he often flipped right-handed instruments or hunted down the rare southpaw model, and he smashed enough of them onstage that his guitar tech's main job became keeping a working one in his hands.

Out of this frustration came the one instrument Cobain actually designed. Working with Fender around 1993, he sketched -- reportedly using two Polaroids of a Jaguar and a Mustang taped together -- a hybrid he wanted built to his own left-handed spec. The result was the **Fender Jag-Stang**: the offset Jaguar body shape married to the short Mustang scale, loaded with a single-coil neck pickup and a hotter humbucker in the bridge for the heavy stuff. He played the first prototypes during the band's final tours in late 1993 and 1994. It was the rare custom guitar designed not for more capability but for a *specific limited palette* -- exactly the gear philosophy of a man who distrusted anything that made playing too easy.

The amps followed the same logic of grit over polish. For most of his peak years Cobain ran solid-state and hybrid **Mesa/Boogie** heads -- a Mesa Studio .22 Preamp and a Mesa/Boogie Mark series-style power section are commonly cited from his rigs -- pushed into a couple of 4x12 cabinets, often loaded with the kind of speakers that would sag and fart out under abuse. In the studio and in the early club days he also leaned on **Fender combos**; engineers who worked on the records describe a stew of whatever was around, blended together rather than precisely chosen. The point was never a hi-fi tone. The point was a thick, slightly ragged, mid-forward roar that could swallow a room.

| Two Pedals and a Chorus: The Whole Toolkit

If you want to understand how little Cobain needed, look at his pedalboard, which for years could have fit in a lunchbox. The core of his dirt was the **Boss DS-1 Distortion** and, later and more famously, the **Boss DS-2 Turbo Distortion** -- that orange box and that bright reddish-orange box you can still buy new for less money than a nice dinner. These are not boutique units. They are aggres-

sive, slightly fizzy, midrange-heavy distortion pedals built around hard clipping -- diodes that brutally chop the tops and bottoms off the waveform, generating a dense thicket of odd-order harmonics that reads to the ear as buzzsaw aggression rather than the warm, compressed sustain of a tube amp pushed gently into overdrive. The DS-2's "Turbo" mode pushes the gain and the upper-mid honk even harder. Plugged into an already-loud amp, the DS gives you that signature *Nevermind* chorus sound: not smooth, not creamy, but spitting, immediate, and enormous.

For the cleaner, dreamier side of the spectrum, Cobain reached for an **Electro-Harmonix Small Clone** chorus. Chorus works by splitting the signal, delaying one copy by a few milliseconds, continuously wobbling that delay time with a low-frequency oscillator (LFO), and mixing it back in. The slight, wavering pitch difference between the dry and delayed signals creates beating and shimmer -- the sonic illusion of two slightly out-of-tune guitars playing in unison, which is literally what a choir is. The Small Clone in particular has a deep, watery, almost seasick modulation that became the unmistakable signature of "Come as You Are." That underwater quality is the LFO swinging wide and slow, smearing the pitch noticeably; it is the sound of a guitar heard through several feet of cold water.

Beyond those, the cupboard was nearly bare. There was an occasional **Electro-Harmonix Big Muff** -- the fuzz, all soft-clipping sustain and scooped, wooly thickness, a very different and creamier kind of dirt than the DS-1's hard buzz -- and not much else. No rack of effects. No delay carpet. No expression pedals sweeping filters. The restraint of the tone was the restraint of the man: pick the fewest tools, commit to them completely, and let the song do the work.

| The Power Chord, Anatomy of a Wall

To understand Cobain's harmonic vocabulary you have to understand the power chord, because it is very nearly his entire vocabulary, and because he wielded it with more intelligence than its reputation as the lazy beginner's chord suggests.

A power chord is not, technically, a chord at all in the traditional sense. A full chord needs a third -- the interval that sits a major third (four semitones) or minor third (three semitones) above the root and tells your ear whether the chord is happy (major) or sad (minor). The power chord deliberately omits the third. It is just the root and the fifth -- the interval seven semitones above the root, the most consonant interval there is after the octave, the one that sits second in the harmonic overtone series. (Pluck any string and it vibrates not only at its fundamental but at a whole ladder of quieter overtones: the octave, then the fifth above that, then the next octave, the major third, and on up. The fifth is the strongest, most stable harmonic in that ladder, which is why a root-and-fifth dyad sounds so rock-solid and so neutral.) Players write it as "5" -- A5, F5, E5 -- precisely because there is

no third to make it major or minor. It is harmonically ambiguous, and that ambiguity is exactly what makes it bulletproof under heavy distortion.

Here is the physics. Distortion adds harmonics, and it also generates *intermodulation* products -- new frequencies that are the sums and differences of the notes you feed it. Play a rich major or minor chord through a fuzz pedal and all those thirds and their overtones collide and beat against each other, producing a muddy, dissonant mush. But feed distortion a power chord -- two notes a perfect fifth apart, related by the simple frequency ratio of 3:2 -- and the intermodulation products line up neatly with the natural overtones already present. The result stays clean, focused, and massive. The power chord is, in a real sense, the chord *engineered by the gear itself*. It is what survives the wall of distortion intact.

Cobain then did the smart thing with this neutral building block: because power chords have no third, the same shape can stand in for either a major or a minor chord, and he could slide one fretted shape up and down the neck to spell out a progression in seconds. He also voiced and inverted them for weight. The classic shape stacks root, fifth, octave; drop the octave and you get a leaner two-note dyad; play the fifth *underneath* the root and you get a fatter, lower inversion that sits like a foundation. He moved between these voicings instinctively, fattening the choruses and thinning the bridges, using register and voicing the way another writer might use dynamics in an orchestra.

The watery clean side of his writing shows the same economy from the opposite direction. The "Come as You Are" main figure is essentially a single-note line walking around a couple of fretted notes, drenched in that Small Clone chorus, with the strings nearly clean so every detail of the modulation can be heard. Here is an original line written in that spirit -- a watery, descending two-finger motif over a low pedal tone:

TAB

Feel: slow, hypnotic, ~120 BPM. Clean amp, Small Clone chorus ON (depth high, rate slow). Let it ring.

e	-----
B	-----
G	-----
D	---2---2---2-2---4---4---4-4-----2---2---2-2---0-----
A	---3---3---3---3---3---3-----3---3---3---3---3-----
E	-----

Tab 1 - Watery clean motif (Small Clone chorus, let ring)

Played on the wound strings near the third fret with a near-clean amp; the magic is entirely the chorus. Set the Small Clone deep and slow, dig in softly with a flat pick, and let the wobble do the singing. Roll your guitar volume down slightly so the notes stay glassy, never crunchy.

Notice how few notes that is. Two strings, a handful of frets, no fast playing anywhere. The expression lives in the *patience* of the line and the seasick shimmer of the effect, not in the difficulty.

Loud-Quiet-Loud: The Song as Architecture

The single most important compositional idea Cobain inherited from the Pixies and made his own was dynamic contrast as *structure*. Most pop songwriting builds and releases tension through harmony -- moving away from the home chord and pulling back toward it. Cobain built and released tension primarily through *volume and density*. The verse would be sparse, clean or lightly driven, intimate, almost withholding. The chorus would explode into full distortion, full band, full throat. The contrast itself was the hook. You did not need a clever chord change when the difference between a whispered clean verse and a detonating fuzz chorus was already the most dramatic event in the song.

This is harder to write than it looks, because it depends on genuine restraint in the quiet parts. If the verse is too busy, the chorus has nowhere to go. Cobain's discipline was in keeping the verses *open* -- a couple of chords, a lot of air, his voice doing the emotional work in a low mutter -- so that when the distortion hit, the sheer increase in energy felt like a physical event. The gear made this binary switch easy and dramatic: clean amp channel or guitar volume down for the verse, then stomp the DS-2 and dig in for the chorus, and the floor drops out from under the listener.

Here is a loud-quiet sketch in that mold -- two clean, ringing single-note bars answered by four slamming power chords -- the whole Cobain song structure compressed into eight bars:

TAB

Feel: ~150 BPM, half-time swagger. Bars 1-2 CLEAN + chorus, pick soft. Bars 3-4 stomp DS-2, dig in hard.

clean, let ring	DISTORTION ON, full attack
e -----	-----
B -----	-----
G -----	-----9-9---7-7-----
D --2---0---2-----	---5-5---3-3---7-7-----9-9---7-7-----
A ---3---3---3--0---	---5-5---3-3---7-7-----7-7---5-5-----
E -----	---3-3---1-1---5-5-----

Tab 2 - Loud-quiet sketch: clean figure (bars 1-2) into power chords (bars 3-4)

The first two bars are a near-naked clean figure -- almost nothing, deliberately. Bars 3-4 are root-fifth power chords (C5, Bb5, E5, then a higher F#5/E5 pair) hammered in eighths with the DS-2 wide open. The drama is the jump cut, not the notes. Practice the exact moment of the stomp until the dynamic shift lands like a punch.

That F#-and-E pair at the end shows the inversion trick: by stacking the higher power chords on the lighter strings you brighten and lift the wall, giving the chorus a sense of climbing even though you are only sliding two-note shapes around. Cobain did this constantly -- using *register* as a substitute for harmonic motion.

| Case Studies: Four Songs, Almost No Notes

"Smells Like Teen Spirit" (Nevermind, 1991)

The song that detonated a decade is built on four chords -- F5, Bb5, Ab5, Db5 -- and a riff so simple that, as the band was fond of pointing out, it borrows the gravitational logic of Boston's "More Than a Feeling." (Cobain was self-aware about this; he reportedly told the band they sounded like a Boston rip-off, then leaned into it anyway.) The genius is not the chords. It is the staging. The intro states the four power chords clean-ish and arpeggiated; then the band drops to near-silence for the verse, where a clean, nervy guitar figure and Krist Novoselic's bass carry an enormous amount of empty space; then the pre-chorus tightens with the muttered "hello, hello" and a building drum tension; then the four chords return at full distorted force for the chorus. Producer Butch Vig captured it at Sound City in Los Angeles in 1991, layering the chorus guitars to thicken that wall while keeping the verses dry and exposed. The dynamic plunge from verse to chorus is the song. It is loud-quiet-loud rendered as a generational anthem, and it is, signal-chain-wise, just a Jaguar, a DS-1-family distortion box, and a loud amp.

"Come as You Are" (Nevermind, 1991)

If "Teen Spirit" is the dynamite, "Come as You Are" is the standing pool of cold water. The main riff is a slow, descending, single-note line played low on the wound strings, soaked in the **Small Clone** chorus set deep and watery -- the most famous chorus tone in nineties rock. The riff itself bears an unmistakable resemblance to Killing Joke's "Eighties," a likeness that became contested lore and the subject of quiet legal grumbling; whatever the truth of the influence, Cobain transformed it utterly

with that underwater modulation and his hollow, doubled vocal. Here the restraint is total: there is barely any distortion in the verse, almost no movement in the hands, and the entire mood -- narcotic, ambivalent, beautiful -- comes from the chorus pedal's wide LFO swing smearing the pitch of a handful of clean notes. The chorus sections add the DS distortion and lift into power chords, but the song's identity is that watery riff, and the watery riff is mostly *effect and space*.

"Heart-Shaped Box" (In Utero, 1993)

For *In Utero* the band recruited Steve Albini, the famously purist Chicago engineer, to capture them raw, loud, and unvarnished at Pachyderm Studio in Minnesota. "Heart-Shaped Box" is the loud-quiet template grown more harmonically shadowed and more textured. The verses prowl on a dark, clean-ish figure; the choruses erupt -- and crucially, the lead guitar in the solo and chorus swells uses a thick, gargling fuzz tone (Cobain's use of an Electro-Harmonix Big Muff-style fuzz is commonly cited here) that is wetter and more saturated than the spitting DS-1 buzz of *Nevermind*. The solo is the perfect Cobain statement: it largely tracks the vocal melody, bends and wails rather than dazzles, and trades virtuosity for raw, almost vocal expression. It is a solo that *says something* precisely because it refuses to show off.

"In Bloom" (Nevermind, 1991)

"In Bloom" is Cobain's loud-quiet machine running at its most muscular, and its lyric is a sly knife aimed at exactly the kind of listener who "likes all the pretty songs" and "likes to sing along" but "knows not what it means." Musically it is a thick, mid-heavy distorted verse riff that already sits in the red, opening into an even bigger, more anthemic chorus -- proof that the dynamic principle did not always mean clean-versus-dirty. Sometimes it meant *loud* versus *enormous*, the contrast achieved through density, register, and the sheer fattening of the power-chord voicings rather than a clean channel. The riff's chunky, palm-near attack and its descending power-chord motion show Cobain using the simplest possible materials to build something that feels inevitable and huge.

| The Slacker Lead

Cobain's soloing deserves its own defense, because it is the purest expression of his anti-virtuoso creed. He did not play scales fast. He often played the *vocal melody*, or a deliberately crude, bent, noisy approximation of it, treating the solo as another verse rather than a sprint. This is, quietly, sophisticated musicianship: targeting chord tones and melodic resolution points instead of running patterns. When he did reach for scale material it was the blues vocabulary every rock player shares -- the **mi-**

nor pentatonic (the five-note scale of root, flat third, fourth, fifth, and flat seventh) with the flat-fifth dropped in to make the **blues scale**, that flat-five "blue note" giving the sour, unstable cry that has powered rock leads since the beginning. But he used it sparingly, sourly, almost sarcastically, bending notes past pitch and letting feedback and dead notes into the line as features rather than mistakes.

Here is an original "slacker lead" in that spirit -- an A minor pentatonic / blues-scale phrase that leans on bends and noise rather than speed, the kind of thing that answers a vocal line:

TAB

Feel: ~120 BPM, lazy and behind the beat. DS-2 ON, neck pickup, lots of attack. Let bends sit slightly sharp.

```
e|-----|
B|-----5b7~-----5b7r5-----3-----|
G|-----5b7~-----5-----7--5-----7b9~-----5\--|
D|-7--7-----7-----7-----|
A|-----|
E|-----|
```

Tab 3 - "Slacker lead": A minor pentatonic / blues scale, bends over speed

Legend: b = bend, r = release, ~ = vibrato, \ = slide down

A minor pentatonic with the bluesy bends pushed hard; the b5 flavor lurks in the phrasing. The line is deliberately sparse -- play it dirty, let the DS-2 fizz, and treat the bends as the whole event. Dial it in by rolling the bridge-amp gain high and the tone control toward the bright, nasal side, then attack each bend like you mean it and let the vibrato (~) wobble wide and slow.

There is real musical thinking in that economy. The bend up to the fourth and the long sit on a bent note are *targeting* moves -- aiming the ear at a stable, satisfying pitch and then bending into it, which creates more tension and release than a flurry of clean notes ever could. The phrasing breathes; it leaves gaps; it sounds like a person talking rather than a machine executing. That is the whole point. Cobain proved that a guitar solo could be a small, raw, human gesture instead of an athletic event, and in doing so he gave permission to an entire generation of players who would never have the hands of a shred god but had something to say.

| The Argument of Less

What Cobain left behind is not a technique to copy. There is almost no technique to copy. What he left is a philosophy, and it is one of the most durable in the history of the instrument: that the emotional power of electric guitar does not scale with the number of notes, and that restraint -- real, disciplined, structural restraint -- is itself a form of expression as valid as any cascade of sixteenth notes. He understood the gear deeply enough to keep it simple: a fifth has no third to muddy under distortion, a wide-LFO chorus can carry a whole song, a clean verse exists to make a fuzz chorus devastating. He picked broken guitars and cheap pedals on purpose, because limitation forced him to write rather than to display. And when the band hit those four chords in the chorus, the entire world heard what had been gained by everything that was withheld.

♪ LISTEN FOR

- **"Smells Like Teen Spirit"** (*Nevermind*, 1991): the moment the clean, nervy verse jump-cuts into the fully distorted four-chord chorus. Listen to how *much* space the verse leaves, and how the layered chorus guitars suddenly fill every inch. The dynamic plunge is the whole song.
- **"Come as You Are"** (*Nevermind*, 1991): the Small Clone chorus on the main riff. Hear the wide, slow pitch-wobble -- two slightly detuned guitars' worth of shimmer -- on an almost-clean, single-note line low on the wound strings. The effect *is* the riff.
- **"Heart-Shaped Box"** (*In Utero*, 1993): the thicker, wetter Big Muff-style fuzz in the solo and chorus, versus the spitting hard-clip buzz of the *Nevermind* records. Notice the solo tracking the vocal melody -- expression over flash.
- **"In Bloom"** (*Nevermind*, 1991): loud-versus-enormous rather than clean-versus-dirty. Hear how the chorus gets bigger through register and density, the power-chord voicings fattening, not through a clean-channel drop.
- Cue your ears, too, to the **Pixies'** **"Where Is My Mind?"** and **Killing Joke's "Eighties"** to hear the loud-quiet blueprint and the contested riff DNA that Cobain absorbed and transfigured into something unmistakably his own.

The Modern Blues Torchbearers: Mayer, Moore, and Bonamassa

THE NOTE ARRIVES BEFORE YOU EXPECT IT AND LINGERS LONG AFTER YOU THINK IT should die. It is a single high bend, somewhere around the fourteenth fret of a Stratocaster's first string, pushed up a whole step and held — and as it hangs there it begins to shimmer, a slow vibrato widening like a singer leaning into the back half of a held vowel. There is no flurry of notes around it, no scale run rushing to fill the silence. Just that one tone, vibrating, breathing, asking a question the band will answer in the next bar. This is the sound of the blues tradition not preserved under glass but carried forward, still warm, still capable of breaking your heart in a stadium full of people who were born decades after Muddy Waters cut "Hoochie Coochie Man." The torch did not go out when the giants passed. It was handed off — to a soft-spoken Connecticut pop star with a jazz harmony habit, to a thunderous Irishman whose Les Paul could sustain a single note for what felt like an entire verse, and to a Long Island obsessive who turned the curation of vintage amplifiers into a kind of devotional art. John Mayer, Gary Moore, and Joe Bonamassa do not sound alike. But they share a conviction that the electric blues lead, played with enough touch and taste, remains one of the most expressive vehicles a human being has ever built — and that the way you get there is through your hands, your ears, and a signal chain you understand down to its capacitors.

| Keepers of a Living Flame

By the late 1990s the blues-rock guitar hero looked, to a lot of observers, like a museum piece. Stevie Ray Vaughan had died in 1990; the British blues boom that produced Clapton, Beck, and Page was three decades gone; grunge had made the long, vibrato-soaked lead solo briefly unfashionable. Yet underneath the cultural weather, a handful of players kept the practice alive by treating it not as nostalgia but as craft — something to be studied, internalized, and personalized.

John Mayer was, improbably, the one who brought it back to the mainstream. He arrived in the early 2000s as a singer-songwriter with acoustic hits and a clean-cut image, and a great many people did not notice, at first, that the kid could genuinely *play*. The reveal came with the **John Mayer Trio**, his 2005 power-trio project with bassist Pino Palladino and drummer Steve Jordan, and the live album *Try!*. Here was the SRV-and-Hendrix lineage made explicit: a **Fender Stratocaster**, a tone that

could go from glassy clean to a fat, vocal overdrive, and a phrasing sensibility that prized space and feel over speed. Mayer had done the homework — you can hear the Stevie Ray in his aggressive raked double stops and the Hendrix in his thumb-over-the-neck chordal embellishments — but he filtered it through his own softer, more conversational touch.

Gary Moore came at the tradition from the opposite direction and an earlier generation. Born in Belfast in 1952, he spent the 1970s and '80s as a fearsomely fast rock and fusion player — a member of Thin Lizzy, a solo artist with hard-rock and even synth-driven records to his name. Then in 1990 he made *Still Got the Blues*, an album that returned him to the music he'd loved as a teenager idolizing Peter Green, and it became the defining statement of his career. Moore's blues were not understated. They were operatic — enormous sustain, a vibrato so wide and intense it bordered on the violent, and a Les Paul tone with the gain and the volume to make a single bent note feel like a scream held until the lungs give out. He died suddenly in 2011, and the loss still echoes through every player who learned what real vibrato sounds like by trying, and failing, to copy him.

Joe Bonamassa is the curator. Born on Long Island in 1977, a child prodigy who opened for B.B. King at twelve, Bonamassa built a career almost entirely outside radio and turned it into one of the most successful independent operations in modern blues. His signature is maximalism in service of the song: a famously enormous collection of vintage amplifiers and guitars, an onstage rig that might run multiple **tweed Fender** and **Marshall** heads simultaneously through a carefully blended array of cabinets, and an obsessive attention to how each piece of gear contributes its sliver of frequency and feel. Where a lesser player would drown in options, Bonamassa uses the abundance with discipline — every amp, every pedal, chosen because it does one thing the song needs.

I The Dumble Mystique and the Amps Behind the Touch

To understand Mayer's tone you have to understand the most mythologized amplifier in guitar history: the **Dumble Overdrive Special**. Built one at a time by the reclusive Howard Alexander Dumble from the 1970s until his death in 2022, these amps — perhaps a few hundred ever made — became objects of near-religious obsession among players who could afford the six-figure prices. The Dumble sound is hard to summarize because Dumble voiced each one for its specific buyer, but the legend rests on a particular quality: a clean channel of startling dimensionality and an overdrive that feels less like distortion and more like the amp simply leaning into the note with you, compressing and singing without losing clarity. It is, above all, *touch-responsive* — roll back the guitar's volume knob and it cleans up; dig in with the pick and it blooms.

Mayer's relationship with the Dumble world runs through **Two-Rock**, a California company whose amplifiers are widely understood as Dumble-inspired designs made (relatively) available. He

has used various Two-Rock models extensively, and the company has produced signature versions associated with him. The point of this circuit lineage is not the brand name; it is what the architecture does. These amps typically use a 6L6 power section for firm, full-range American clean headroom and a preamp gain structure that produces a smooth, harmonically rich overdrive at the top of its range — the opposite of a fizzy, high-gain pedal sound. That headroom is what lets Mayer's touch read so clearly. On a low-headroom amp, dynamics get squashed; on a Dumble-style platform, the difference between a feather-light note and a hard-dug one survives all the way to the speaker.

In front of that amp sit two of the most famous overdrive pedals ever made, and they do different jobs. The **Ibanez Tube Screamer** (the TS808 and its descendants) is a mid-hump overdrive: it boosts the midrange around 700–900 Hz, gently rolls off the lowest lows and the harshest highs, and adds a soft, compressed clipping that makes single notes sing and push to the front of a mix. It is the sound of a thousand blues solos for exactly this reason — it sacrifices a little low-end thump and a little top-end air in exchange for focus and sustain. The **Klon Centaur**, by contrast, is the famously "transparent" overdrive, designed by Bill Finnegan and built in small numbers in the 1990s and early 2000s before becoming a collector's grail. The Klon's trick is a clever circuit that blends your clean signal with a clipped signal, so even cranked it keeps the fundamental clarity and low-end of your guitar intact while adding gain and a treble lift. Players often run a Klon as an "always-on" sweetener or a clean boost to push the amp itself into overdrive. Stacked together — Tube Screamer for the focused lead voice, Klon for the open, transparent push — they give a player a remarkably wide palette without ever reaching for a high-gain distortion box.

Gary Moore's signal chain was a study in brute simplicity married to one famous instrument. For much of his blues period he was associated with a **1959 Gibson Les Paul Standard** — the so-called "Greeny," a guitar with a storied history: it had belonged to Peter Green of Fleetwood Mac (and before Moore, the basis of Green's haunting tone), and its neck pickup was reportedly installed out of phase, producing that distinctive thin, nasal, hollow quality on the middle position. Moore drove **Marshall** amplifiers — EL34-powered British heads whose midrange aggression and singing breakup are the bedrock of rock guitar — and he pushed the front end hard, frequently with a boost or overdrive to maximize sustain. The result was a tone with enormous sustain and a vocal, crying midrange. When you hear a Moore solo seemingly sustain forever, you are hearing the physics of a hot humbucker feeding a loud, midrange-forward tube amp at volumes high enough that the speaker's vibration feeds back into the strings — controlled, musical feedback as a sustain pedal made of pure air pressure.

Bonamassa's rig defies tidy description because abundance is the design. He has been documented running combinations of vintage tweed Fender amps (Twins and Bassmans from the 1950s, prized for their loose, harmonically saturated breakup), Marshalls (for the British midrange snarl), and oth-

er classics, often several at once, blended so that each contributes a layer — American sparkle and bloom from one, British grind from another. In front sit overdrives and boosts, including Tube Screamer-style pedals and his own signature designs, plus modulation and delay used with restraint. The genius is editorial: with that many tonal ingredients available, the discipline lies in choosing which two or three to combine for a given song so the guitar occupies exactly the right frequency space. It is maximalism governed by an obsessive's ear for what serves the music.

I Vibrato as a Fingerprint

If there is one technique that separates a great blues player from a merely fast one, it is **vibrato** — the controlled, periodic variation in a note's pitch that turns a static tone into a living, breathing thing. A note without vibrato is information. A note with great vibrato is *expression*. And crucially, vibrato is the most personal element in a player's vocabulary: B.B. King's fluttery "butterfly" wrist vibrato, SRV's aggressive shake, Clapton's measured wide vibrato, and Gary Moore's nearly operatic width are all instantly identifiable, the way you can recognize a singer from a single sustained syllable.

The mechanics matter. Vibrato has two parameters: *width* (how far the pitch moves — a slight waver, a quarter-tone, a full semitone or more) and *rate* (how fast the oscillations come). Most blues vibrato is produced by the fretting hand rocking the string — either by rotating the wrist (a "door-knob" motion) or, for wider vibrato, by bending and releasing the string repeatedly in a controlled pulse. The deepest, most vocal vibrato, the kind Moore deployed, is essentially a series of small, fast, perfectly even bends and releases, with the note typically vibrated *up* from its pitch and back rather than below. The discipline is in the evenness: amateur vibrato is irregular and seasick; master vibrato is metronomic in its pulse even when wide, like the controlled wobble at the end of an operatic phrase. Notice that you must arrive *in tune* and then add vibrato around the true pitch — vibrato cannot rescue a note that lands flat.

Here is a Mayer-flavored slow-blues phrase that lives entirely on touch and space — the kind of statement that says everything in four notes and lets the silence do the rest.

Slow blues, ~60 BPM, 12/8 feel. Let each note ring; arrive in tune, *then* add the vibrato.




Figure 40.1 — Mayer-style slow-blues phrase: bend, breathe, and let a wide vibrato hang.

Bend the G string up a whole step and release, drop into a couple of conversational notes, then leave a wide, slow vibrato hanging on the B string — the space between phrases is the instrument.

Phrase the way a singer would: state a short idea, breathe, answer it. This is **call-and-response**, the structural DNA of the blues, lifted from the field hollers and church services where a leader sang a line and a congregation answered. Mayer plays it within his own solos — a high, questioning bend answered by a low, resolving phrase — so the guitar seems to be holding a conversation with itself. The space is not empty; it is the room in which the listener's ear finishes the sentence.

I The Soaring Bend and the Vocal Note

Gary Moore's signature gesture is the long, climbing, sustained bend that arrives at a target note and then *blooms* — sustain feeding into vibrato feeding, sometimes, into feedback. To make this work you need three things in alignment: an instrument and amp combination loud and saturated enough to sustain, a target note that resolves the underlying harmony, and the patience to let the note develop rather than rushing on.

The theory underneath it is the **harmonic series**, the stack of overtones that any vibrating string produces above its fundamental pitch. When you pluck a low string, you also faintly sound the octave above it, then the fifth above that, then the next octave, then the major third, and so on up a fixed mathematical ladder. A clean tone lets you hear mostly the fundamental; a saturated tube-amp tone, by clipping the waveform, generates and emphasizes these upper harmonics, which is *why* an overdriven note sustains and sings — the energy that would have died away in the fundamental gets continuously fed into the harmonics, and at high volume the speaker's output excites those same harmonic frequencies in the string itself, creating feedback. Moore's enormous sustain is the harmonic series made audible and self-sustaining. It is also why his tone sounds "vocal": the human voice is rich in upper harmonics too, and a saturated guitar pushed into its harmonic bloom shares that overtone-dense quality.

Here is a Moore-style soaring phrase built around a held, vibratoed bend to a strong chord tone.

Slow, anthemic, ~70 BPM. High volume and a midrange-forward amp; let the bend bloom and sustain.

TAB

```
e|-----15b17~~~~~|
B|-----15-----15b17r15-----15----|
G|--14b16~~~14-----|
D|-----|
A|-----|
E|-----|
```

Figure 40.2 — Moore-style soaring bend: climb to the target note, then let sustain melt into vibrato.

Push the G-string bend up a whole step and shake it wide, then climb to the high E and bend up to the target — hold it, sustain it, and only add vibrato once the pitch is dead-on. Volume and patience do the work, not speed.

The note choice is deliberate. Landing a long bend on the root or the fifth of the underlying chord gives resolution and weight; landing it on the flat-seventh or the fourth and *holding* it creates tension that begs to resolve. This is the principle of **target tones** — the idea that in a solo, the notes that matter most are the ones you land on and sustain over chord changes, especially **chord tones** (the root, third, fifth, and seventh of whatever chord the band is playing). A flashy run is just connective tissue between target tones; the target tone is where the meaning lives. Moore understood that a single, perfectly chosen, perfectly sustained note over the right chord could be more devastating than a hundred fast ones.

| Blending Major and Minor: The Color of the Blues

The deepest harmonic lesson these three players teach is the artful blending of **major and minor pentatonic** scales — the move that separates a one-dimensional blues vocabulary from a rich, three-dimensional one.

Start with the building blocks. A **pentatonic scale** is a five-note scale. The **minor pentatonic** (in A: A–C–D–E–G) is the first scale most blues players learn — dark, vocal, and forgiving, full of the flatted thirds (C against an A) and flatted sevenths (G against an A) that give the blues its mournful color. The **blues scale** is the minor pentatonic with one note added: the flat-fifth or "blue note" (E ♭ in A), the famously dissonant tone that, used as a passing note, supplies the music's signature grit and slither. The **major pentatonic** (in A: A–B–C♯–E–F♯) is its sunnier cousin, built from the major

scale, bright and sweet and the sound of country and gospel-inflected blues — think of the cheerful, vocal quality in much of B.B. King's and SRV's softer playing.

The secret is that over a dominant blues progression (the I–IV–V of nearly every twelve-bar blues, built on **dominant seventh chords** — a major triad with a flatted seventh, like A7 = A–C#–E–G), *both* scales work, and great players slide between them constantly. The minor pentatonic supplies the dark, expressive flatted third; the major pentatonic supplies the sweet major third and sixth. Because the two scales share the same root, fifth, and flat-seventh, you can blend them into a single hybrid vocabulary, leaning minor for grit and major for sweetness — often within the same phrase. The hallmark lick is bending the minor third up toward the major third, or simply placing them next to each other so the ear hears the friction. Mayer does this constantly; it is the core of his SRV inheritance and a huge part of why his playing sounds simultaneously sophisticated and bluesy.

Here is a major/minor-blended lick in A, the kind of phrase that has one foot in the dark and one in the light.

Medium shuffle, ~95 BPM, over an A7 chord. Let the major and minor thirds rub against each other.

TAB

```
e|-----|
B|-----5--8b8r5-----|
G|--5b6(1/2)r5-----4--6-----6-----|
D|--7-----7--5--7-----|
A|-----5h7-----|
E|-----|
```

Figure 40.3 — Major/minor-blended lick in A: bend the minor third toward the major third for the blues rub.

The half-step bend on the G string pushes the minor third (C) up toward the major third (C#) — that bend, sitting between the two, is the whole sound; release it to drop back into minor-pentatonic grit, then resolve sweetly up high.

Theory in the hands: when you bend that C a half step toward C#, you are literally sliding from the Dorian/minor color into the major color and letting your ear choose where to rest. Over the IV chord (D7) the same blended approach shifts emphasis — the notes that were tense over A7 become consonant over D7, which is why holding a note through a chord change can transform its meaning without your moving a finger. This is the **Mixolydian** sensibility that underlies dominant-chord blues: Mixolydian is the major scale with a flatted seventh (in A: A–B–C#–D–E–F#–G), the natural

scale of a dominant chord, and the major-pentatonic-plus-blue-notes vocabulary is essentially Mixolydian thinking expressed through the hands rather than the theory book.

| Case Studies: Three Ways to Sing

John Mayer — "Slow Dancing in a Burning Room" and "Gravity." On *Continuum* (2006), Mayer recorded the two songs that best display his torch-bearing. "Slow Dancing in a Burning Room" is a masterclass in restraint: the lead lines are slow, vocal, drenched in wide vibrato, and surrounded by space, played on a Stratocaster through his Two-Rock-style clean-to-edge-of-breakup tone with the neck and middle pickups for warmth. The bends are deliberate and patient; he lets notes hang and decay rather than crowding them. "Gravity," which became his signature live vehicle, is even more spacious — a slow gospel-blues in which the solo might be a handful of perfectly placed bends over an entire chorus, each one milked for vibrato. His approximate approach is well documented in interviews: a Strat, the amp set for clean headroom, a Tube Screamer for lead push and a Klon for transparent boost, with the tone shaped far more by his pick attack and volume-knob rolling than by stomping switches. Mayer's lesson is that touch is a tone control — the same rig sounds like three different amplifiers depending on how hard he digs in.

Gary Moore — "Still Got the Blues." The 1990 title track is one of the most recognizable blues-rock recordings ever made, and the solo is a clinic in the soaring sustained bend and the vocal long note. Moore's tone here — reportedly the Les Paul into cranked Marshall-style amplification with the gain pushed for maximum sustain — is thick, midrange-rich, and seemingly endless. Listen to how he builds: he does not open with fireworks but with long, climbing bends that arrive on target tones and then bloom into that enormous, wide vibrato, the note sustaining well past where a clean tone would have died. The phrasing is operatic, structured in long arcs that rise and fall like a sung melody, and the emotional climax comes not from speed but from a held, screaming note at the top of a bend. Moore's lesson is the opposite of Mayer's restraint and yet the same at heart: maximum intensity, but every note earned and placed, the vibrato carrying the feeling that the volume amplifies.

Joe Bonamassa — "Sloe Gin" and the album *Blues Deluxe*. Bonamassa's 2007 reading of "Sloe Gin" (a song written by Bob Ezrin and Michael Kamen, popularized in the blues world by Tim Curry's original and Bonamassa's cover) is a slow-burn epic that showcases his curatorial tone philosophy — multiple amplifiers blended for a lead sound that is huge yet detailed, with the long sustained notes sitting in a bed of vintage-amp harmonic richness. His earlier *Blues Deluxe* (2003) wears its tradition openly, including a cover of the Jeff Beck-era Yardbirds tune of the same name, and demonstrates his command of the vintage tweed-and-Marshall palette. What unites Bonamassa's work is the discipline behind the abundance: even with a stage full of amps, the recorded solos serve the song, the gain is

controlled, and the note choice is conservative in the best sense — he reaches for the right note over the fast one. His lesson is curation as artistry: that owning every tone in the world means nothing unless you have the editorial taste to choose the two that the song actually needs.

What all three players ultimately demonstrate is that the modern blues lead is not about reinvention but about *internalization* — taking a hundred years of vocabulary, understanding it down to the harmonic series and the chord tones, and then playing it so personally that a single bent, vibratoed note carries a fingerprint no one else could leave. The gear matters enormously, but it matters because it faithfully transmits the hands. Turn down the volume knob, dig in, hold the note, add the vibrato when the pitch is true, and leave a little silence. The flame is still lit.

♪ LISTEN FOR

- **John Mayer, "Slow Dancing in a Burning Room"** (*Continuum*, 2006): the patient, wide vibrato on the held lead notes and the cavernous space between phrases — listen to how the Strat's neck-pickup warmth and the edge-of-breakup amp let his pick dynamics shape each bend.
- **John Mayer, "Gravity"** (*Continuum*, 2006; and the live *Where the Light Is*, 2008): a solo built from a handful of perfectly placed bends, each milked for vibrato over a slow gospel-blues — taste over flash, made audible.
- **Gary Moore, "Still Got the Blues"** (*Still Got the Blues*, 1990): the soaring, climbing bends that arrive on target tones and bloom into enormous sustain and operatic vibrato — the harmonic series feeding itself through a cranked tube amp.
- **Joe Bonamassa, "Sloe Gin"** (*Sloe Gin*, 2007): the slow-burn lead tone built from blended vintage amplifiers — huge yet detailed, the long sustained notes resting in a bed of harmonic richness.
- **John Mayer Trio, "Who Did You Think I Was"** (*Try!*, 2005): the SRV/Hendrix inheritance made explicit — raked double stops, thumb-over chordal fills, and major/minor-blended phrasing in a power-trio setting.

Brian May and the Orchestra of One Guitar

THE NOTE ARRIVES BEFORE THE BAND DOES. ON THE STUDIO VERSION OF "BOHEMIAN Rhapsody," after the operatic madness collapses and the hard-rock section roars in, a guitar enters that does not sound like a guitar so much as a brass section that has been taught to scream. It is fat and vocal, with a midrange that seems to come from somewhere behind the bridge of the nose, and it sustains — not as a dead held tone but as a living thing that swells, blooms, and tilts upward into the next phrase. Then it answers itself in harmony, two and three voices moving in parallel like a choir of glass. This is one man. One guitar he built with his father out of a fireplace mantel. One coin where a pick should be. And a wall of small green amplifiers turned up until the whole rig sang back at him. Brian May spent his career proving that an electric guitar could be an orchestra, and the strangest part is that he did it with gear almost nobody else has ever used.

| The Mantelpiece and the Coin

The story of Brian May's tone begins not in a music shop but in a workshop in Feltham, west London, around 1963, when a teenage May and his father Harold — an electronics engineer for the Ministry of Aviation — decided that the guitars they wanted were too expensive and resolved to build one. Over roughly two years they constructed what May would call the **Red Special** (also known affectionately as the Old Lady or the Fireplace). The neck was carved from a century-old mahogany mantelpiece a friend was throwing out, the worm-holes filled and the whole thing finished by hand. The body was an oak-block-and-blockboard semi-hollow design, mahogany-faced, built around acoustic chambers that gave it resonance and a faint, woody hollowness. They shaped the fretboard from oak, painted it to look like ebony, and inlaid the position markers with mother-of-pearl buttons from Harold's sewing box. The tremolo was knife-edge and home-engineered, the springs reputedly salvaged from a motorcycle's valve gear, and the tremolo arm tipped with a knitting needle and a bit of a bicycle saddlebag.

What makes the Red Special more than a charming origin story is the electronics, because they are the root of so much of what we hear. The guitar carries three **Burns Tri-Sonic** single-coil pickups, and rather than the usual selector switch, May and his father wired each pickup to its own on/off switch plus a phase-reversal switch. That little array — six switches in a row — gives a startling

number of pickup combinations, and crucially it allows pickups to be combined either in phase or out of phase. Out-of-phase combinations cancel certain frequencies and leave a thin, hollow, nasal honk, full of upper-midrange bite; in-phase combinations fatten up. The famous May lead tone often uses the bridge and middle pickups together, and many of his rhythm textures come from these phase tricks. He also wired the Tri-Sonic pickups in series rather than the more common parallel, which yields a hotter, fuller output that pushes an amplifier harder. The result is a guitar that is at once bright and articulate and capable of producing an enormous, vocal midrange when slammed into a cranked amp — a sonic personality you cannot quite get from a Strat or a Les Paul, because no Strat or Les Paul is wired or chambered like this.

Then there is the pick that is not a pick. From his earliest playing days May used a **sixpence** — a small, milled-edge British coin — held against the strings instead of a conventional plectrum. The logic is pure physics of attack. A nylon or celluloid pick flexes; it gives, rounding off the transient and softening the leading edge of each note. A coin does not flex at all. It transfers the player's motion to the string almost rigidly, producing a hard, immediate attack with a complex burst of high-frequency content in the pick noise itself. May discovered that by angling the coin and letting its serrated milled edge graze the string, he could get a scratchy, almost vocal articulation — closer to a bow's bite or a consonant in speech than to the rounded "pock" of a flatpick. That serrated edge is part of why his single notes seem to *speak*; the attack has texture, a little grit of consonant before the vowel of the sustained tone. It is one of the most personal sounds in rock, and it costs about as much as it did in 1960.

| A Wall of Small Amplifiers

The amplifier half of the equation is, if anything, even more contrarian. By the time Queen formed in 1970, May had settled on the **Vox AC30**, the 30-watt British combo loaded with a quartet of **EL84** power tubes and **Celestion Alnico Blue** speakers — the AC30's "Top Boost" circuit, with its extra gain stage and treble/bass tone controls, became central to his sound. The AC30 is a Class-A-leaning design that does not stay clean when pushed; it compresses and breaks up into a chimy, harmonically rich overdrive, the EL84s adding a glassy upper-midrange sparkle quite unlike the thicker, scooped crunch of an EL34-powered Marshall or the round warmth of a 6L6 Fender. May did not use one AC30. Famously he ran banks of them — for big productions, a wall, sometimes a dozen or more, often split into groups so that different signal paths (dry, and various delays) each had their own amplifiers, allowing those multi-amp harmony and echo effects to occupy distinct positions and not simply pile up in one speaker.

In front of the amps sat the device that turned a loud clean amp into a singing lead voice: a **Dallas Rangemaster Treble Booster**. The Rangemaster, a small germanium-transistor box from the early 1960s originally sold to help thin British amps cut through, is a treble-and-upper-midrange boost. May used it (and later custom-built variants made by his friend and tech, often credited to Pete Cornish and others) not so much for treble as for level and midrange focus: it slams the front end of the AC30 with a hot, mid-forward signal, driving the amp deep into natural tube overdrive while keeping the tone tight and vocal rather than woolly. The booster does not make the distortion; the *amp* makes the distortion. The booster simply ensures the amp is always being pushed into that sweet, compressed region where notes bloom and sustain. This is a critical point and a recurring theme in the history of great tone: May's overdrive is power-tube and preamp saturation from a real amplifier worked hard, shaped by a clean boost — not the sound of a distortion pedal. That is why it breathes the way it does.

I Why It Sustains, and Why It Sings Back

Put those pieces together and you get the two qualities everyone notices: endless, vocal sustain, and exquisitely controlled feedback. Both come from the same place — gain structure and the relationship between guitar, amp, and air.

Sustain is, physically, the fight between the energy you put into a string and the energy that bleeds away. A plucked string decays as its vibration is lost to friction, to the air, and to the guitar body. An overdriven amplifier fights back in two ways. First, **compression**: as a note decays and gets quieter, a saturating amp turns it back up, because saturation reduces the difference between loud and soft. The tail of the note is squeezed up toward the level of the attack, so the note seems to hang. Second, and more dramatically, **regenerative feedback**: the loud speaker pushes air, that air vibrates the guitar's strings and body, those vibrations are picked up and amplified again, and if the loop gain is high enough the note will sustain indefinitely or even grow. May, standing in his particular sweet spot in front of his particular wall of amps, learned to ride that loop like a surfer rides a wave. He can sustain a note until it blooms into a higher harmonic — the octave, the twelfth, the double octave — by subtly changing his distance and angle to the speakers, coaxing the feedback to lock onto an overtone rather than the fundamental. When you hear a May note slowly swell and then lift up a fifth or an octave without him picking again, that is the harmonic series made audible (more on that series below), controlled by a man who happens to also hold a PhD in astrophysics and understands resonance from the inside out.

The vocal quality, the sense that the guitar is *singing words*, comes from the marriage of that sustain with the coin's hard, consonant-like attack and the Tri-Sonic pickups' aggressive midrange.

Human speech and singing live largely in the midrange, roughly 1 to 4 kHz, where our ears are most sensitive and where vowels and consonants are defined. May's rig is unusually concentrated in exactly this band: the AC30's chimey EL84 upper-mids, the Rangemaster's mid-forward push, the series-wired single-coils' honk, and the out-of-phase nasal options all stack energy where the human voice lives. The coin supplies the consonants, the sustain supplies the held vowels, and his vibrato — wide, slow, and deliberate, more like an operatic singer's than a bluesman's nervous shimmer — supplies the phrasing. It is no accident that his guitar so often sounds like a voice or a horn. He built and dialed a rig that lives in the frequency range of the human throat.

| The Orchestra of One Guitar

If the singing lead tone is May's signature color, the multi-tracked **guitar orchestra** is his signature *architecture*. From the first Queen album onward — and the sleeves famously declared "No Synthesizers!" as a point of pride — May built lush, brass-and-strings textures entirely from layered Red Special parts, each overdubbed separately and panned across the stereo field. To understand why these work so beautifully we need a little theory, woven in.

Start with the **harmonic series**, the stack of overtones every vibrating string produces above its fundamental: octave, then a fifth, then another octave, then a major third, and on up. This natural stack is why two notes a third or a sixth apart sound consonant and sweet — the intervals echo relationships already present in the overtone series. An **interval** is simply the distance between two pitches; a **major third** spans four semitones (frets), a minor third three, a major sixth nine, a minor sixth eight. When May harmonizes a melody, he most often does it in **thirds** and **sixths**, because parallel thirds and sixths are the bread and butter of vocal harmony and of orchestral writing — close, warm, and stable. (Thirds and sixths are actually inversions of each other: flip a third upside down and you get a sixth, which is why they feel like cousins.)

But May rarely stops at two parts. The breathtaking moments — the central section of "Bohemian Rhapsody," the codas of "Killer Queen," the interludes of "Good Company" — stack three or more independent guitar lines into full **triads** and beyond. A triad is a three-note chord: a root, a third, and a fifth. By recording the root on one track, the third on another, and the fifth on a third track, May builds chords not by strumming but by *orchestrating*, exactly as a composer assigns notes to first horn, second horn, and third horn. Crucially, the lines move with attention to **voice-leading** — the art of moving each individual voice by the smallest, smoothest distance to the next chord, avoiding awkward leaps and keeping common tones where possible. This is the discipline of Bach chorales and barbershop quartets alike, and it is why May's stacks sound like a real ensemble breathing together rather than a chord machine. When the parts move in genuinely independent directions — one rising

while another falls — he crosses into **counterpoint**, the interplay of simultaneous melodies, and the orchestra comes alive with internal motion.

There is also a production secret hiding in plain sight: because each part is a separate performance on the same guitar, tiny differences in timing, pitch, and pick attack between the takes create a natural chorusing and width, the way twenty violins playing "in unison" are never truly identical and so sound huge. May's orchestra is convincing partly because it is humanly imperfect, multiplied.

| Case Study: "Bohemian Rhapsody" (1975)

The solo in "Bohemian Rhapsody," from *A Night at the Opera*, is the single most famous demonstration of the May voice. It is melodic to the point of being singable — May has said the goal was a tune that complemented the song rather than a display of speed — and it is built on that fat, vocal, mid-forward lead tone: Red Special into a treble booster into cranked AC30s, the notes blooming with amp-driven sustain and shaped by wide, vocal vibrato. Listen to how a sustained note will swell and then lift into a harmonic at the ends of phrases; that is the feedback loop and the harmonic series working in real time. Then comes the operatic centre and, after it, the hard-rock return, where the guitar orchestra detonates: thick stacked triads and harmonized lines, panned and layered, the "No Synthesizers" promise made flesh. Everything the rig was built to do — sing, sustain, and multiply into a choir — is on this one track.

| Case Study: "Killer Queen" (1974) and "We Will Rock You" (1977)

"Killer Queen," from *Sheer Heart Attack*, shows the orchestra in its most elegant, almost chamber-music mode. The guitar passages are jewel-like cascades of harmonized parts — bell-clean and precise — closer to a woodwind choir or a music box than to rock, the layered Tri-Sonic tone bright and articulate, the harmonies tumbling in thirds and sixths over the song's campy swing. It is proof that May's orchestration could be delicate and witty, not merely massive.

"We Will Rock You," from *News of the World*, is the opposite extreme and a perfect teaching example of dynamics. For most of its length there is no guitar at all — only stomps, claps, and voice, that deliberately primitive arena chant. Then, at the very end, the Red Special finally enters with a short, decisive solo, and the contrast is everything: after two minutes of bare percussion, the singing, sustaining, mid-rich tone explodes in like a sunrise. May understood that an instrument's tone is felt

most powerfully in relation to its absence; the outro solo hits so hard precisely because the song withheld the guitar until that moment.

| Case Study: "Brighton Rock" (1974) — the Echo Machine

If "Bohemian Rhapsody" shows the harmony orchestra and "We Will Rock You" shows dynamics, "Brighton Rock," also from *Sheer Heart Attack*, shows May playing a duet — and then a trio — with himself in real time using **tape delay**. Live and on record, May used echo units (associated with Binson and similar tape/echo devices and later rack delays) set to long repeat times of roughly several hundred milliseconds to a second or more, often feeding two separate delay times into two separate amplifiers. By playing a phrase and then a complementary phrase in the gap, he could create call-and-response harmony with his own echoes, the repeats answering the live notes in counterpoint. With two delay lines panned to opposite amplifiers, a single guitar becomes three guitars trading lines across the stereo field. The timing is not free — it is locked to the tempo and the chosen delay length, a kind of mathematical canon (a "round," like *Frère Jacques*) performed with a guitar and a clock. "Brighton Rock" remains the showcase, and onstage May built it into an extended solo feature where the audience hears one man become an ensemble through nothing but echo and impeccable timing.

| Three Things to Play

The following examples are original and illustrative, written in May's style rather than transcribed from the records, so you can feel the techniques in your hands. All use the standard legend in this book; note that ~ is vibrato (May's is wide and slow), b / r are bend/release, and / is a slide up.

First, harmony in thirds and sixths. May would record the lower line on one track and the upper on another. Here both parts are stacked so you can see the intervals; play the lower line first, then overdub or have a friend play the upper. In the key of A major, the melody is harmonized mostly a third above, opening out into a sixth.

TAB

Harmony in thirds and sixths – UPPER VOICE

Moderate, stately quarter-and-eighth feel (~88 BPM)

```
e|-----|
B|--5----7---9---10---9---7---5-----|
G|-----|
D|-----|
A|-----|
E|-----|
```

Harmony in thirds and sixths – LOWER VOICE

Same tempo, locked rhythm

```
e|-----|
B|-----|
G|--2----4---6---7---6---4---2-----|
D|-----|
A|-----|
E|-----|
```

Each pair sounds a major or minor third apart — the warm, vocal harmony heard all over Queen records. Keep both takes bright and articulate with a hard, near-the-bridge attack so the lines stay distinct.

Second, the singing sustained bend with feedback bloom. This is about tone and control, not notes: play it loud into a cranked amp (or a good amp-sim equivalent), step into the speaker, and let the held note ring until it lifts.

TAB

Sustained bend with feedback bloom

Slow and vocal (~66 BPM), full overdrive, amp loud enough to feed back

```
e|-----|
B|-----|
G|--7b9-----7b9r7-----9~~~~~(11)~~~~~|
D|-----|
A|-----|
E|-----|
```

Bend the G-string 7th fret up a whole step to the 9 and hold; the (11) in parentheses is the note the sustain blooms *up* to as feedback locks onto the next harmonic — you do not pick it, you coax it by leaning toward the amp. Wide, slow vibrato on the held tones makes the guitar "sing" like a voice.

Third, an orchestral stacked triad — three independent overdubs forming a moving chord with smooth voice-leading. In C major, the chords move C to F to G; notice how each voice steps by the smallest possible distance.

TAB

Orchestral stacked triad – TOP VOICE (the melody line)

Hymn-like, ~76 BPM

```
e|--8-----10-----12-----|
B|-----|
G|-----|
D|-----|
A|-----|
E|-----|
```

Orchestral stacked triad – MIDDLE VOICE (overdub 2)

```
e|-----|
B|--8-----10-----12-----|
G|--5-----5-----7-----|
D|-----|
A|-----|
E|-----|
```

Orchestral stacked triad – BOTTOM VOICE (overdub 3)

```
e|-----|
B|-----|
G|-----|
D|--10-----10-----12-----|
A|-----|
E|--8-----8-----10-----|
```

Recorded as three separate passes on one guitar, these lines fuse into full C, F, and G chords; because the voices move stepwise (good voice-leading) and the takes differ slightly, the result sounds like a brass section breathing together rather than a strummed chord — the essence of the May orchestra. The bottom voice carries the low root that anchors each chord, the middle voice supplies the third and fifth, and the top voice sings the melody above.

I The Lesson of the Red Special

What May proved, and what makes him such an instructive figure in any history of tone, is that a sound is a *system*, not a single magic box. His tone is the chambered, series-wired, phase-switchable Red Special; the rigid serrated coin; the mid-forward treble booster; the cranked, chimey, EL84-driven AC30s; the player's body in the feedback field; and the compositional mind that thinks in thirds, sixths, triads, and counterpoint. Remove any one element and the spell weakens. You cannot buy his tone, because most of it was built by hand, and the rest was built by understanding — of resonance, of the harmonic series, of how a voice moves. He took the most personal possible tools and used them to make the least personal-sounding thing imaginable: an orchestra. One guitar, played by one man, somehow became a choir.

LISTEN FOR

- **"Bohemian Rhapsody"** (*A Night at the Opera*, 1975): the main guitar solo's fat, vocal, mid-forward tone and singable melody; then the hard-rock return after the operatic section for the layered guitar-orchestra triads and harmonies — the "No Synthesizers" sound in full.
- **"Killer Queen"** (*Sheer Heart Attack*, 1974): the delicate, bell-clean harmonized guitar cascades in thirds and sixths — chamber-music orchestration, witty and precise.
- **"Brighton Rock"** (*Sheer Heart Attack*, 1974): the central solo's tape-delay duet, where two long echo lines panned to separate amps let one guitar answer itself in counterpoint — a self-played round.
- **"We Will Rock You"** (*News of the World*, 1977): the outro solo's sudden entrance after two minutes of stomp-and-clap — listen to how withholding the guitar makes its singing, sustaining tone hit like a sunrise.
- Throughout, listen at phrase-ends for sustained notes that *bloom upward* into a higher harmonic without being picked again — the feedback loop and the overtone series, ridden by hand.

Tom Morello: Texture as Tone

THE SOUND THAT OPENS THE SOLO OF "BULLS ON PARADE" SHOULD NOT EXIST. IT ARRIVES like a record being scratched by a DJ who has somehow wandered into a metal band -- a rhythmic, vowel-shaped *wikka-wikka-wow* that swells and snaps and stutters, more turntable than guitar, more sampler than six strings. For years after Rage Against the Machine released *Evil Empire* in 1996, message boards filled with the same disbelieving question: what is that? A keyboard? A scratch from vinyl? Some studio sorcery? The answer, gloriously, was nothing of the kind. It was a man standing still on a stage, his right hand worrying a wah pedal back and forth, his left hand doing almost nothing -- and his picking hand reaching up between phrases to flick the three-way pickup selector on his guitar like a switch on a wall. On, off, on, off. The strings rang and died, rang and died, faster than any pick could articulate, and the wah filter painted each gasp a different color. He had turned the most ignored piece of hardware on the instrument -- the toggle switch, a thing most players use exactly twice a song -- into a percussion instrument.

That single discovery tells you everything about Tom Morello. Where most guitarists ask "what notes do I play," Morello asks "what *sound* can this machine make, and can I make it rhythmic?" He treats the electric guitar not as a singing voice but as a box of noise and texture to be sequenced, scratched, gated, and slammed into a groove. The melody, when it comes, is almost a bonus. The *rhythm* is the music.

| The Harvard Marxist with a Hardware-Store Guitar

Morello's path to the instrument was unusual, and it shaped how he heard it. Born in 1964, raised in Libertyville, Illinois, by a single mother who taught civics and free speech, he came to guitar relatively late and with a chip on his shoulder about technique. He has often told the story of locking himself in a room and practicing scales obsessively before realizing -- after watching shred-era virtuosos pile notes on notes -- that out-running everyone else's fingers was a losing game and, more importantly, a *boring* one. He graduated from Harvard in 1986 with a degree in social studies, moved to Los Angeles, and spent the late '80s in a glossy, doomed band called Lock Up before the pieces of Rage Against the Machine fell together in 1991 with vocalist Zack de la Rocha, bassist Tim Commerford, and drummer Brad Wilk.

The gear that became his signature is famously, almost defiantly humble. The black "**Arm the Homeless**" guitar -- the political slogan hand-painted across its body in his own scrawl, beneath a pair of childlike flowers -- is a custom partscaster he assembled cheaply, then spent years cursing because, by his own account, it never sounded quite the way he wanted. Its electronics evolved over time, eventually settling on a humbucker in the bridge and a single-coil-sized humbucker in the neck, but the guitar's legend has always rested less on what was in it than on the toggle switch screwed into its face. The toggle is what mattered, because Morello rewired the way a guitarist thinks about it.

Alongside "Arm the Homeless" sat a workhorse with deeper pedigree: a **Fender Telecaster**, the 1950s-rooted plank that Leo Fender designed for working musicians, fitted with a humbucker in the bridge and marked, in Morello's hand, "Sendero Luminoso." The Tele matters because its bridge pickup -- bright, cutting, with a hard upper-midrange spike around 3 to 4 kHz -- gives that toggle-switch stutter its glassy attack. Into the front of a **Marshall JCM800**, the brutally simple British master-volume amp of the 1980s, that brightness becomes a saw blade.

The JCM800 is the engine room of the Rage sound, and it is worth being precise about it. It is a single-channel amp built around EL34 power tubes and a cascaded-gain preamp, voiced with the aggressive upper-midrange honk that defines the Marshall character. Morello is widely reported to have run his clean -- or nearly clean -- with the gain only moderately up, leaning on the natural compression of cranked EL34s and the guitar's own pickups for grind, rather than burying everything in saturation the way a thrash player would. That relative restraint is the secret to why his riffs *cut*: a wall of high-gain mush has no transient, no snap, nothing for a stutter or a scratch to bite against. Morello kept enough clarity that every percussive event -- every flick of the switch, every stab of the pick -- reads as a distinct hit. The distortion is mostly courtesy of a green **Ibanez Tube Screamer**-style overdrive pushing the front end, and -- on the records where he wanted it -- a **DOD overdrive** stacked in. The point is that the dirt serves the rhythm rather than smothering it.

| The Pedalboard as Turntable

The rest of the board reads like a list of effects used wrong, which is to say, used brilliantly. A **DigiTech Whammy** -- the red expander pedal that pitch-shifts in real time as you rock a treadle -- became, in Morello's hands, the source of those impossible upward shrieks, jacked a full octave or two octaves above the played note so a single bent string screams up into the stratosphere like a siren or a dive-bombing jet. A **Cry Baby wah** does the filtering you heard on "Bulls." An **Electro-Harmonix flanger** (Morello has long favored the chrome **Deluxe Electric Mistress**, the lush, watery flanger that built David Gilmour's clouds) adds the seasick swirl. A **Boss DD-2/DD-3 digital**

delay gets used not as a tasteful ambient wash but *percussively* -- short repeats, sometimes self-oscillating, the feedback knob cranked so the delay becomes a rhythmic machine-gun stutter or a spiraling helicopter blade. There were ring-modulator and Whammy-as-detune tricks, the occasional pitch-shifted harmony, and -- famously -- effects he triggered by literally raking the toggle switch while a delay or oscillation hung in the air.

The conceptual leap is the same one a hip-hop DJ makes. Morello came up loving Public Enemy and the dense, sample-collage production of the Bomb Squad as much as he loved Led Zeppelin and Black Sabbath. A turntablist does not "play notes"; they manipulate *sound objects* in time -- scratching, cutting, gating a sample on and off in rhythm. Morello realized the guitar could do the same. The toggle switch, with one pickup turned all the way down and the other up, becomes a kill switch: flick to the silent pickup and the sound vanishes instantly; flick back and it returns. Do that fast, in time, while a note or a feedback tone or a delay rings underneath, and you are *scratching* -- chopping a continuous sound into rhythmic fragments. This is the foundational idea of his entire vocabulary, and it costs nothing. No rack, no boutique anything. Just a fifty-cent switch and an imagination that refused to hear the guitar as only a melodic instrument.

| How the Kill-Switch Stutter Actually Works

Here is the mechanism in plain terms. A standard three-way (or three-position) pickup selector chooses between the bridge pickup, both pickups, and the neck pickup. If you roll one pickup's volume knob to zero, you have created two states: *sound* (the loud pickup selected) and *silence* (the dead pickup selected). The switch now toggles audio on and off with a hard, instantaneous edge -- no fade, no envelope, just a square gate. That hard edge is musically crucial: it produces a clicky, percussive *attack* on the front of every "on" event, which is exactly what makes the technique read as rhythm rather than as tremolo.

The genius is in *combining* this gate with sustaining sound sources. On its own, a flicked switch over a strummed chord gives you the classic Bo Diddley / "How Soon Is Now?" stutter. But Morello stacks it. He lets the amp feed back -- a sustaining tone that never decays -- then chops it with the switch, so the pitch is constant and the *rhythm* is everything. Or he sets the delay oscillating and gates the runaway repeats. Or, on "Bulls on Parade," he parks his fretting hand on a muted, scratchy non-note up the neck, works the wah to sweep the filter's resonant peak across the frequency spectrum, and uses the switch to articulate the gaps. The wah is doing the "vowel" (sweeping a resonant bandpass peak from a dark *ooo* around 400 Hz up to a nasal *eee* near 2 kHz), the muted strings supply a pitchless rasp full of harmonics, and the toggle supplies the rhythm. The result sounds like scratch-

ing because, functionally, it is scratching: a broadband textured sound, gated on and off in a groove, swept by a filter.

Let us put it under the fingers. The feel is sixteenth-note funk, around 100 BPM, swung hard; the left hand barely frets at all.

TAD

Tempo ~100 BPM, heavy 16th swing. Wah rocking in time. Vol on neck pup = 0.

"k" = kill (flick to silent pickup), "o" = open (flick back). Strings lightly muted.

e | -x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-
B | -x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-
G | -7-7-7-7-7-7-7-7-7-7-7-7-7-7-7-7-7-7-
D | -x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-
A | _____
E | _____

o k o k o k o k o k o k o k o k

Tab: the kill-switch scratch behind "Bulls on Parade" -- the fretted 7 on the G string is barely touched, a muted, pitchless rasp. Rock the wah on every beat and flick the selector on the off-beats; the toggle's hard gate makes each "o" pop like a scratch. Bridge humbucker into a cranked JCM800, gain moderate so the transients survive.

The theory worth naming here is that **rhythm is functioning as the primary musical element** -- not harmony, not melody. In most Western pop the chord progression carries the meaning and rhythm is the delivery truck. Morello inverts the hierarchy. The "note" on the G string above is irrelevant; you could fret anywhere. What carries the music is the *placement of events in time* and the *timbre* of each event. This is closer to how a drummer or a turntablist thinks than how a singer does, and it's why Rage grooves so hard: the guitar is part of the rhythm section's syncopated conversation with Wilk's drums and Commerford's bass, not floating above it.

The Whammy Shriek and the Octave as a Color

The other half of Morello's signature is the upward scream, and it lives in the **DigiTech Whammy**. Set the pedal to its "+1 octave" or "+2 octave" mode, and rocking the treadle from heel-down to toe-down sweeps the pitch from the played note up by that interval, continuously, like a pitch-bend with no string-tension limit. An octave, recall, is the interval where the frequency exactly doubles -- the same note name, twice as high, the most consonant interval there is because the upper note's fundamental aligns perfectly with the lower note's second harmonic in the overtone series. When Morello slams the treadle to the toe-down "+2 octave" position on a high, ringing note, the pitch leaps up two octaves -- a frequency multiplication by four -- and because the Whammy's tracking gets glitchy

and grainy at extremes, the tone fractures into a digital, siren-like shriek that no fretted note could produce. It reads as a *sound effect* -- a jet, an alarm, a turntable rewind -- precisely because it has escaped the range and articulation of a normal guitar.

Here is an idiomatic shriek figure: hold a feeding-back note, then ride the Whammy up.

TAB

Free time, building. Whammy set to +2 OCT. Amp on the edge of feedback.

"W^" = push treadle toe-down (pitch climbs +2 oct). "Wv" = heel-down (back to unison).

```
e|--15~~~~~~|
B|-----|
G|-----|
D|-----|
A|-----|
E|-----|
  let ring / feedback ---->  Wv.....W^.....Wv...W^
```

Tab: the Whammy shriek. Strike the high note, let the cranked JCM800 sustain it into feedback, then rock the Whammy from heel to toe to throw the pitch up two octaves and back. The grainy tracking at the top is the point -- it shatters into a siren. A touch of Electric Mistress flanger widens the scream.

You hear this device everywhere in his playing once you know it: the dive-bombing whoops in "Killing in the Name," the air-raid wails that punctuate "Bulls on Parade," the spiraling solo gestures across *Evil Empire*. The octave shift is being used not as a harmony but as a *texture* -- a way to push the guitar's voice clean out of its natural register and into the realm of pure noise. The interval is doing color work, not melodic work.

I Drop D, Syncopation, and the Riff as Groove

For all the texture, Rage Against the Machine swung on riffs, and most of the heaviest ones live in **drop-D tuning**: the low E string detuned a whole step down to D, so the bottom three strings (D-A-D) sound a power chord -- root, fifth, octave -- across one straight fret. Drop D does two things at once. It drops the lowest note a whole step, deepening the band's low-end thud (and dropping the fundamental of the open string from around 82 Hz to roughly 73 Hz, into a chestier, more menacing register). And it makes power chords playable with a single finger barred across the bottom strings, which frees the fretting hand to *move fast and rhythmically* up and down the neck. That mobility is what lets Morello play riffs that feel less like chord changes and more like a kick drum talking.

A **power chord**, to define it, is just the root and the perfect fifth (and usually the octave) -- no third, so it is neither major nor minor, harmonically neutral and indestructible under high gain, be-

cause without a third there are no clashing overtones to turn into mud. Stack distortion on a major or minor triad and the third's harmonics beat against the root's; stack it on a root-fifth and you get pure, focused power. Drop D makes those chords one-finger-easy and lets the riff become rhythmic architecture.

The signature Rage move is to take a drop-D power chord and *syncopate* it against the beat -- placing accents on the off-beats and the "and-of" subdivisions so the riff lurches and pushes rather than marching squarely on the downbeats. **Syncopation** means stressing the weak parts of the measure (the off-beats, the sixteenth-note upbeat) instead of the strong ones; it is the engine of funk and the reason a riff can feel like it is leaning forward, pulling against the drums. Add palm muting -- the side of the picking hand resting lightly on the strings near the bridge to choke the sustain into a tight, percussive *chug* -- and the low chord becomes nearly a drum.

TAB

Tempo ~88 BPM. Drop D tuning (low string = D). Heavy, behind the beat.
PM = palm mute. Accents (>) land OFF the beat -- push, don't march.

```
e|-----|
B|-----|
G|-----|
D|--0--0-----0-0---3>-----0-0-----0-0---5>-----|
A|--0--0-----0-0---3>-----0-0-----0-0---5>-----|
D|--0--0-----0-0---3>-----0-0-----0-0---5>-----|
    PM PM      PM PM >ring    PM PM    PM PM >ring
```

Tab: the syncopated drop-D groove. Chug the open drop-D (0) tightly palm-muted, then let the off-beat power chords at the 3rd and 5th fret ring out a hair late so they shove against the kick drum. Bridge humbucker, JCM800 gain at maybe two-thirds, a Tube Screamer tightening the low end. The groove is in the silences between the chugs.

This is the architecture of "Bombtrack," of the verse riffs in "Killing in the Name," of countless Rage moments: a coiled, palm-muted low-string pulse, broken by syncopated open chords, the whole thing locked so tightly to Brad Wilk's drumming that guitar and kit read as a single rhythmic organism. The harmony barely moves -- a few power chords -- because, again, the *rhythm is the content*.

I Three Songs, Three Lessons

"Killing in the Name" (1992, *Rage Against the Machine*). The most famous drop-D riff in the band's catalog opens with that nasty, sliding, wah-inflected figure before the song detonates into its monolithic main groove. Listen to how little harmonic information there is and how much *rhythmic* information -- the riff is built from a handful of notes, but the syncopated placement, the slides, and the

half-time stomp of the breakdown make it feel enormous. The closing mantra rides one churning drop-D figure into chaos, Morello layering feedback and Whammy shrieks over the top. The lesson: a great riff is a rhythm first and a melody a distant second.

"Bulls on Parade" (1996, *Evil Empire*). The toggle-switch solo, discussed above, is the single most influential thirty seconds of his career. Standing nearly motionless, he produces a solo that sounds like a DJ scratching a record -- wah sweeping the timbre, the pickup selector chopping the gate, his fretting hand muted and irrelevant. It is the purest statement of his thesis: *texture and rhythm are notes*. There is no scale here, no key-center to analyze, and that is the entire point. He proved a guitar solo need not contain a single conventional "lick" to be a great guitar solo.

"Like a Stone" (2002, *Audioslave*). When Rage dissolved and Morello, Commerford, and Wilk joined former Soundgarden singer Chris Cornell to form **Audioslave**, the texture-monster had to learn to sing. "Like a Stone" is the proof he could. The verses ride a gently arpeggiated, clean progression -- chords broken into individual notes, picked one at a time so the harmony shimmers rather than slams -- and the solo, against everything his Rage reputation would predict, is genuinely *melodic*, built on phrasing and bends and the kind of patient, vocal call-and-response that answers Cornell's lines. **Call-and-response** is the old blues and gospel structure where one phrase "asks" and another "answers"; Morello's solo phrases breathe in the gaps Cornell leaves, replying to the vocal melody. He still reaches for the Whammy and the texture tricks, but here they decorate a tune rather than replace one. The lesson: the noise vocabulary was always a *choice*, not a limitation. The man who turned a toggle switch into a turntable could, when the song asked, simply play beautifully.

That range -- from the pure-rhythm abstraction of "Bulls" to the singing lyricism of "Like a Stone" -- is what elevates Morello above the gimmick his detractors sometimes accuse him of. The kill switch and the Whammy are not tricks; they are an *argument* about what the electric guitar is for. For most of its life the instrument has chased the human voice -- bending, vibrato-ing, crying like a singer. Morello insisted it could also be a drum, a record, a siren, a noise box, and that those sounds, placed in a groove, are as musical as any solo built from the blues scale. He heard the guitar the way a producer hears a sampler, and in doing so he handed every guitarist after him a second instrument hidden inside the first.

- **"Bulls on Parade,"** *Evil Empire* (1996): the solo at roughly 2:35. Forget melody -- hear the *rhythm* of the toggle switch chopping the wah-swept noise into a DJ scratch. Note how the muted strings give a pitchless, broadband rasp for the filter to color.
- **"Killing in the Name,"** *Rage Against the Machine* (1992): the opening drop-D riff and the half-time breakdown. Listen to how syncopation and palm muting -- not chord changes -- make a few notes feel monumental, and how guitar and kick drum lock into one pulse.
- **"Bombtrack,"** *Rage Against the Machine* (1992): the coiled, palm-muted low-string verse riff. Hear the silences between the chugs doing as much work as the notes.
- **"Like a Stone,"** Audioslave (2002): the clean, arpeggiated verses and the melodic solo. Proof the texture vocabulary was a choice -- here he answers Cornell's vocal in patient call-and-response, bending and phrasing like a singer.
- Throughout: the upward **Whammy** shriek (+1 and +2 octave), used as a siren-like *texture* rather than a melodic interval -- listen for it punctuating "Killing in the Name" and screaming over the end of "Bulls on Parade."

PART VIII

Building Your Rig



Signal Chain Order: Why Sequence Is Tone




FIGURE 9 A typical signal chain — each effect hears whatever sits in front of it, so order is tone.

TWO GUITARISTS BUY THE IDENTICAL PEDALS. SAME WAH, SAME FUZZ, SAME CHORUS, same delay, same overdrive in the same scuffed enclosures. They plug into the same amp in the same room. One sounds like a hornet trapped in a paper bag — gated, spitting, lifeless. The other sounds like Hendrix at the Fillmore, the notes blooming and swelling, vowel-like, alive under the fingers. The only difference between them is the order of the cables. Nothing else. The boxes are the same boxes; the sequence is not the same sequence, and sequence, it turns out, is tone.

This is the secret that takes most players years to internalize, because it runs against intuition. We tend to think of effects as seasonings — a little reverb here, a touch of compression there — as if each one acts on "the sound" independently, the way you might salt a dish that's already cooked. But an effects chain is not a spice rack. It is a series of small machines wired nose to tail, and each machine does not hear "your guitar." It hears whatever the machine in front of it just handed over. Move one box and you have not merely rearranged the menu; you have changed what every downstream box is being fed for dinner. The wah no longer sweeps a clean note — now it sweeps a wall of fuzz. The compressor no longer squeezes your pick attack — now it squeezes the tail of a delay. Same ingredients, different meal.

I The Conventional Order, and the Logic Underneath It

There is a "standard" pedalboard order, and it is worth learning not because it is sacred but because it encodes decades of hard-won listening. Reading left to right — guitar first, amp last — it runs roughly: **tuner**, then **wah** (and other filters), then **compressor**, then the dirt section of **overdrive**, **distortion**, and **fuzz**, then **modulation** (chorus, flanger, phaser), and finally the time-based effects, **delay** and **reverb**. Almost every commercial pedalboard you will ever see is some variation on this spine. The reasons are not arbitrary.

The **tuner** goes first for a coldly practical reason: it wants the cleanest, most unprocessed copy of your string's pitch it can get. Feed a tuner a fuzz-saturated signal full of octave artifacts and intermodulation hash and it will hunt and stutter, unsure which frequency you actually mean. Feed it a naked string and it locks instantly. Many pedalboard tuners also double as the board's master mute — a buffered "off" that kills the whole rig silently for tuning between songs — which is another argument for putting it at the front of the queue.

The **wah** sits early, ideally right after the tuner, because a wah pedal is a sweepable filter — a resonant bandpass peak you slide up and down the frequency spectrum with your foot — and a filter wants to act on the rawest harmonic content available. We will return to the great wah-versus-fuzz war shortly, because it is the most famous exception in all of pedaldom, but the baseline instinct is: filter early, so it shapes the source before the source gets mangled.

Compression traditionally lands after the wah and before the dirt, and here the logic is about dynamics. A **compressor** reduces the distance between your loudest and quietest moments — it clamps down on a hard pick attack and then, as the note decays, turns the gain back up to keep the tail audible, which is why a compressed Telecaster has that endless, glassy, country-bumper sustain. You generally want to control your raw dynamics first, then feed that evened-out signal into the gain stages. Put compression early and it tames your fingers; we will see that putting it late, after the dirt, does something altogether different and occasionally wonderful.

Then comes the **dirt** — overdrive, distortion, fuzz — and this is the gravitational center of the whole arrangement, because distortion is the most violently transformative thing that happens in the chain. Distortion is, at heart, the deliberate clipping of a waveform: you drive a signal hard enough that the circuit can no longer reproduce its peaks, the rounded sine-like tops get sheared flat, and that shearing manufactures a swarm of new harmonics that were not in the original note. Soft, gradual clipping (the gentle tube-like grind of a **Tube Screamer**) rounds the corners and emphasizes warm even-order harmonics — the octave, the octave-plus-a-fifth — which the ear hears as fat and musical. Hard clipping (a brutal distortion or a fuzz slammed into a near-square wave) generates aggressive odd-order harmonics and a buzzing, vocal density. Either way, the dirt box is a harmonic fac-

tory, and everything you place after it will be processing that thick new harmonic stew rather than your clean guitar.

Which is exactly why **modulation** — chorus, flanger, phaser — comes after the dirt and not before. These effects work by splitting your signal, delaying one copy by a few milliseconds, continuously varying that delay time, and remixing the copies so the comb-filter notches sweep through the spectrum. A **phaser** sweeps a few notches and gives you that watery, rotating Leslie-ish whoosh; a **flanger** uses a shorter delay and feedback for the dramatic jet-plane "whoosh-pshhhh"; a **chorus** uses a slightly longer, gently wavering delay to fake the shimmer of two players almost in unison. Run these into a distortion and the distortion will partly flatten and re-clip their carefully sculpted output, smearing the effect. Run the distortion into them and the modulation gets to dance across a stable, already-saturated tone — which is the lush, three-dimensional sound you know from a hundred records.

Last come the **time-based effects: delay** and **reverb**. The reasoning is the most intuitive of all, because it mirrors physical reality. In a real room, you play a note, the note is what it is, and then the room throws back echoes and a decaying tail of reflections. The echo is a copy of the finished sound. So delay and reverb sit at the end, repeating and surrounding a tone that is already fully formed — distorted, modulated, complete. Put delay before distortion and you ask the distortion to chew on your echoes, with results we will tab out in a moment.

I Why Order Changes the Sound and Not Just the Convenience

Sit with the central principle, because everything else is a footnote to it: each effect hears only what is immediately in front of it, and processes that, blind to your original intention. The chain has no memory of the dry guitar once the first box has had its way.

Consider distortion and volume. A distortion circuit clips based on how hard it is driven — the bigger the incoming signal, the more it slams into its clipping ceiling and the more saturated and compressed it sounds. Now put a delay in front of that distortion. Your dry note hits the distortion at full strength and clips hard. But the delay's repeats, each one quieter than the last, arrive at the distortion progressively weaker — so each echo clips less, distorts less, sounds cleaner and thinner than the one before. The result is a strange, ghostly decrescendo of grit, the echoes fading not just in volume but in dirtiness, dissolving toward clean. Some players hate it; some, like the textural ambient crowd, build entire soundscapes on it.

Flip the order — distortion first, then delay — and the distortion clips your note once, fully and consistently, then the delay copies that finished distorted sound and repeats it faithfully. Every echo

is as filthy as the original, a clean string of identical dirty pearls fading into the dark. This is the "correct," predictable, arena-rock answer, and it is why delay almost always goes after dirt.

The same blindness governs modulation. A phaser placed before a high-gain amp sends its swept notches into the gain stage, but high gain is also high compression: it squashes the dynamic peaks and valleys of the phaser's sweep, so the effect arrives flattened and subtle, more of a textural shimmer than a dramatic whoosh. Place that same phaser after the distortion (or in the effects loop) and its full, undulating depth survives intact, sweeping boldly across the saturated tone. Neither is wrong. They are different instruments.

The Effects Loop: Where Time-Based Effects Really Want to Live

There is one more structural fact that reorganizes everything, and it concerns where your distortion actually comes from. On a clean amp you crank the volume on, all your dirt lives on the pedalboard, in front of the amp's input — so your "in front" chain order is the whole story. But the moment you get your overdrive from the **amp's own preamp** — a cranked **Marshall**, a **Mesa/Boogie Rectifier**, any high-gain head where the gain knob does the distorting — the geometry changes, because now there is a distortion stage living *inside the amp*, between the front input and the speaker.

This is the entire reason the **effects loop** exists. An effects loop is a pair of jacks (Send and Return) that tap the signal *after* the preamp's distortion but *before* the power amp, letting you insert pedals in the middle of the amp rather than only at its front door. If your distortion is coming from the preamp and you run your delay into the front input, you have unwittingly recreated the "delay before distortion" problem on a grand scale: the preamp distorts your echoes, smearing repeat into repeat into mud, especially at high gain. Put that delay in the loop instead — after the preamp's distortion — and you get clean, articulate repeats of an already-distorted tone, every echo crisp and separate. This is why nearly every high-gain rig runs delay and reverb in the loop and the dirt-dependent pedals (wah, overdrive used as a boost, fuzz) out front. The rule of thumb writes itself: anything that should hear your clean-ish attack goes in front; anything that should repeat or surround your finished distorted tone goes in the loop. The loop is just "after the distortion" relocated to wherever the distortion happens to be.

| The Great Debates

Wah Before Fuzz, or Fuzz Before Wah

This is the holy war, and it is genuinely a matter of taste rather than correctness, though there is real circuitry underneath the disagreement. The standard order is wah first, then fuzz: you sweep a clean-ish note and then fuzz the swept result, giving you that throaty, talking, hugely vocal sound — think of the way a wah'd fuzz seems to pronounce vowels. Hendrix is most often cited here, wah feeding fuzz, the filter shaping the note that then gets shredded into harmonics.

But there is a notorious technical wrinkle. Vintage fuzzes — especially germanium **Fuzz Face** circuits — have a very low and very particular input impedance, and they are designed to interact directly with the high-impedance output of a guitar's pickups. When you place a wah *before* a vintage fuzz, the wah's output stage drives the fuzz's input instead, and the impedance mismatch can make the wah sound thin, harsh, and shrieky, with an oscillating squeal as you rock the treadle. Reverse them — fuzz first, then wah — and the fuzz gets the pickup loading it craves, while the wah filters the finished fuzz, often yielding a smoother, more singing sweep. Many germanium-fuzz devotees swear by fuzz-into-wah for exactly this reason. The tradeoff is a different flavor of vocal-ness and, sometimes, a wah that feels less dramatic because it is filtering an already-dense signal.

This same low input impedance is why a **buffer** placed in front of a vintage fuzz is so infamous. A buffer — the impedance-converting circuit lurking inside most tuners, wireless units, and any "true bypass-versus-buffered" debate — presents a clean, low-impedance, textbook-perfect signal to whatever follows. A germanium Fuzz Face *hates* that. Fed a buffered signal it goes brittle, gated, and spitty, losing the woolly bloom that makes it magical. This is the real reason a buffered tuner at the very front of the board can secretly wreck a fuzz tone three pedals downstream — the fuzz is no longer seeing your guitar, it is seeing the buffer, and the wool falls right out of the tone. The fix is to put the fuzz first, before any buffer, or to use a fuzz designed with a modern high input impedance.

Where Compression Truly Belongs

Compression early — before the dirt — evens out your pick dynamics and feeds the gain stage a consistent level, which can make the distortion itself feel more uniform and controlled. But there is a strong minority argument for compression *after* the dirt, particularly after fuzz. Placed last, a compressor catches the long, raggedy decay of a distorted note and props it up, fattening sustain and gluing the tone into something dense and even. The cost is noise: a compressor turns the gain up as the note fades, so it also turns up the hiss and hum that the dirt pedal generated, and your noise floor

rises with every silent moment. Country and funk players often compress first for snap; ambient and lead players sometimes compress last for sustain. Both are defensible; your ears arbitrate.

Hearing It: Three Examples

The fastest way to feel all of this is to play one phrase and physically move the cables. Here is a phrase to live with.

TAB

Slow blues feel, ~70 BPM, let it breathe

e	-----
B	-----
G	-----7b9r7-----
D	---7---9---9-7-9-----9-7-----7---
A	---7-----9-----
E	-----

A simple minor-pentatonic lick in A. Play it at three positions and listen: (1) clean — bare, dynamic, every fingertip audible; (2) into overdrive — the bend at the 9th fret blooms and sustains, harmonics thicken; (3) overdrive THEN delay — each repeat stays as gritty as the source. Now move the delay in FRONT of the overdrive and replay: the echoes audibly clean up and thin out as they fade. Same notes, three tones, one moved cable.

That bend, by the way, is doing real harmonic work. Bending the minor third (the C at the 8th fret on the G string, here written as a 7b9 to reach it from the 7th) up toward the major third is the oldest move in the blues — it puts you in the cracks between the "sad" minor third and the "happy" major third, the so-called blue note, and distortion exaggerates the effect because the added harmonics make the microtonal smear between those pitches scream that much louder.

Now the wah-and-fuzz question, in your hands:

TAB

Funky 16ths, ~96 BPM, rock the wah treadle on every note

e	-----
B	-----
G	--7/9--9--7--9~~~7/9--9--7--5~~~
D	-----
A	-----
E	-----

One single-note line, two chain orders. WAH then FUZZ: throaty and vocal, the filter shapes a clean-ish note that then explodes into fuzz — the classic talking-wah scream, hugely pronounced consonants. FUZZ then WAH: the wah now sweeps a wall of already-saturated harmonics, smoother and more singing, less spitty on a vintage germanium unit because the fuzz finally gets the pickup loading it wants. Decide with your ears, not your assumptions.

And the delay debate, isolated so you cannot miss it:

TAB

Sparse and deliberate, ~80 BPM, dotted-eighth delay, ~2 repeats

```
e|-----|
B|--8-----8-----|
G|-----9-----9-----|
D|-----|
A|-----|
E|-----|
```

Two notes, ringing, with delay engaged. DELAY AFTER DIRT: distortion clips each note fully, then the delay repeats those finished dirty notes — crisp, uniform, identical echoes fading into black. DELAY BEFORE DIRT (or delay out front while the amp's preamp supplies the gain): the dry note distorts hard, but each quieter repeat hits the gain stage weaker and clips less, so the echoes audibly grow cleaner and thinner as they decay — ghostly and dissolving. For tight, predictable repeats, put it after the dirt, or in the amp's effects loop.

| Case Studies in Sequence

Jimi Hendrix is the foundational text. His core front-of-amp chain on the late-1960s recordings was, broadly, guitar into a **Vox wah**, into a **Dallas Arbiter Fuzz Face** (germanium early, silicon later), into a **Uni-Vibe** (a phaser-like pitch-and-amplitude modulator built to ape a rotating Leslie speaker), into a wall of **Marshall Super Lead 100-watt** stacks. Notice the order: filter, then fuzz, then modulation, then a loud clean-ish amp doing some of its own breakup. On "Voodoo Child (Slight Return)" from *Electric Ladyland*, the opening is the wah feeding the fuzz — that gargantuan, talking, vowel-shaped attack is the filter shaping notes before the Fuzz Face detonates them into harmonics. Hendrix also leaned hard on the **7#9 chord** — the so-called "Hendrix chord," a dominant seventh with a sharpened ninth stacked on top, which crams a major third and a minor third into the same voicing and produces that gloriously dissonant, bluesy crunch you hear stabbing through "Purple Haze." Voiced low on the fretboard and shoved through a fuzz, the 7#9's clashing thirds and the fuzz's harmonic density feed each other in a way no clean amp could ever match — the order (chord into fuzz, not fuzz reshaping a clean chord arriving later) is part of why it bites.

Eddie Van Halen offers the opposite philosophy: get the distortion from the amp, keep the front of the chain almost empty, and put the time-based and modulation effects in the loop or in parallel. His legendary "brown sound" came primarily from a cranked **Marshall** Super Lead pushing the power tubes hard, with very little dirt in front of the amp. (The persistent lore that a **Variac** — a variable transformer he used to lower the amp's wall voltage — was the secret to the brown sound is exactly that, contested lore; Eddie himself gave shifting accounts over the years, and lowering voltage changes feel and headroom but is not a magic distortion knob. Treat it as part of the legend, not settled fact.) Crucially, his **MXR Phase 90** and **Flanger** and his echo sat where modulation and time effects belong relative to that amp-derived gain, not slammed into the front of a clean channel. On "Eruption" from *Van Halen* (1978), the tapping cascade rings out over a tail of echo and a slow phaser shimmer — effects decorating an already-saturated, preamp-distorted tone, which is precisely the loop logic at work. His tapping, theoretically, is just extending the reach of a pentatonic or arpeggio shape: the tapping finger sounds notes too far up the neck for the fretting hand alone, outlining triads and pentatonic fragments at high speed.

David Gilmour is the master of putting time effects exactly where they sing, and of the "dirt then delay" discipline. His rigs are famously elaborate, but the architecture is consistent: dynamics and dirt early (a **Big Muff** fuzz for the thick lead tone, a compressor for sustain), then modulation, then **delay** — often a precisely tuned repeat — handling the spatial work last, so every echo is a faithful copy of a finished, sustaining, distorted note rather than a smeared mess. On "Comfortably Numb" from Pink Floyd's *The Wall* (1979), the second solo is a clinic: long, vocal, bent notes from a fuzz-and-compression front end, sustained almost endlessly, with delay repeating those completed notes cleanly into the vast stereo field. The bends lean on target tones — Gilmour will bend *to* a chord tone and hold it, so the note resolves into the harmony underneath rather than fighting it, the melodic equivalent of landing exactly on your feet. Had he placed that delay before the fuzz, the echoes would have thinned and cleaned as they decayed, and the cathedral-like sustain that defines the solo would have collapsed. Sequence, again, is the sound.

A useful theory thread runs through all three. Hendrix and Gilmour both live largely in the **minor pentatonic** and the **blues scale** (the minor pentatonic with an added flatted fifth — the "blue note" that gives the scale its anxious, unresolved tension), bending the minor third toward the major to find the cracks; Van Halen's tapping often outlines arpeggios and the **Aeolian** (natural minor) and **Dorian** flavors that sit under classic-rock progressions. None of this theory is academic decoration — the distorted harmonics generated by the dirt pedal *are themselves an extension of the overtone series*, the same physics of stacked intervals that defines a chord. When you fuzz a note, you are manufacturing its upper partials — octaves, fifths, thirds — which is why a single distorted note already sounds like

a chord, and why the order in which you sculpt and repeat those manufactured harmonics determines whether your tone reads as rich or as rubble.

♪ LISTEN FOR

- **Jimi Hendrix, "Voodoo Child (Slight Return)"** (*Electric Ladyland*, 1968): the opening figure — hear the wah *in front of* the Fuzz Face, the filter shaping a vocal, talking attack before the fuzz explodes it. Listen to how "pronounced" the notes feel, like syllables.
- **Jimi Hendrix, "Purple Haze"** (*Are You Experienced*, 1967): the central riff and the 7#9 "Hendrix chord" stabs — a dom7 with a sharp 9 crammed full of clashing thirds, voiced low and shoved into fuzz so the harmonics pile up.
- **Eddie Van Halen, "Eruption"** (*Van Halen*, 1978): the tapping cascade and its trailing echo and slow phaser — amp-derived "brown sound" distortion with the time and modulation effects sitting *after* the gain, the effects-loop logic in audible form.
- **Pink Floyd, "Comfortably Numb"** (*The Wall*, 1979): the second solo — "dirt then delay" perfected. Hear the endlessly sustaining fuzz-and-compression notes bending *to* chord tones, with clean, faithful delay repeats handling the space last.
- **An experiment, your own hands:** take any dirt pedal and any delay, play one held note, and move the delay from after the dirt to before it. The echoes will visibly clean up and thin out as they fade. You will never forget the lesson once you have heard it on your own rig.

Gain Staging: The Art of Stacking Dirt




FIGURE 10 *Stacking gain: each stage adds level and saturation as it pushes into the next.*

STEVIE RAY VAUGHAN STANDS IN A CONVERTED CHURCH IN DALLAS IN 1983, AND THE sound coming off the floor is doing something that shouldn't be possible from a single guitar into a few amplifiers. It is thick but not muddy, loud but not harsh, and when he rolls the volume knob on the battered Number One back a hair the whole tone opens up like a window thrown wide on a humid morning. There is grit on the note and air around it at the same time. Engineers who heard those Fender amps cranked into a Tube Screamer in a tracking room described the feeling of the wave hitting their chest before it hit their ears. What Vaughan had discovered -- what every player who chases this sound eventually has to learn -- is that distortion is not one thing you turn up. It is a stack. It is a sequence of stages, each one adding a little compression and a little harmonic content, and the difference between glory and garbage is entirely in how you balance them.

This is the discipline of gain staging, and it is the single most misunderstood skill in the electric guitar's entire vocabulary. Players hear a tone they love, ask "what pedal is that," buy the pedal, plug it in, and get mud. The pedal was never the answer. The *order*, the *levels*, and the *interaction between stages* were the answer. A signal chain is a relay race, and the baton is your guitar's signal. Each stage decides how cleanly it hands the baton to the next. Get the handoffs right and you arrive at the finish line with clarity, sustain, and a note that sings for days. Get them wrong and you arrive with a smeared, undefined wash that sounds smaller the louder it gets.

| What "Dirt" Actually Is, in Four Flavors

Before you can stack distortion you have to understand that "distortion" is a family, not an individual, and the members behave very differently when you put them in a room together.

A **clean boost** adds no distortion of its own -- or aspires to add none. It is a transparent volume lift, a circuit whose only job is to make the signal bigger before it reaches whatever comes next. A boost might add 6, 12, even 20-plus decibels of gain. On its own, into a clean amp, you just get louder. But shove that hotter signal into an amp that is already near the edge of breakup, and the boost does its real work: it pushes the *amp's* tubes harder, and the amp distorts. The **Electro-Harmonix LPB-1** (Linear Power Booster, 1968) was the archetype, a single-transistor circuit Mike Matthews built specifically to slam the front end of an amp into overdrive.

An **overdrive** is a soft-clipping circuit. When the signal swings past a certain threshold, the peaks of the waveform get gently rounded off rather than sheared flat. This soft, rounded clipping is musically gentle -- it adds primarily lower-order harmonics (the octave, the fifth, the octave-plus-third) that the ear hears as warm and consonant rather than buzzy. The **Ibanez Tube Screamer** (the TS808, 1979, and its successor the TS9) is the most influential overdrive ever built, and we will spend real time with it because it is the perfect stacking pedal.

A **distortion** pedal clips harder -- often using a higher-gain circuit and tighter clipping that flattens the waveform more aggressively, generating more upper harmonics and a thicker, more saturated, more compressed result. The **Boss DS-1** (1978) and the **ProCo RAT** (1978) are the canonical examples, the RAT in particular sitting in a fertile no-man's-land between overdrive and full distortion depending on how you set it.

Fuzz is the oldest and the wildest. A fuzz circuit drives its gain stages so hard that the waveform is clipped almost into a square wave, the signal essentially slammed against its rails. The result is rich in harmonics, often unstable, frequently interactive with your guitar's pickups and volume knob in ways the other circuits are not. The **Dallas Arbiter Fuzz Face** (1966, germanium transistors) and the **Electro-Harmonix Big Muff Pi** (1969, four cascaded clipping stages) define the two poles -- the Fuzz Face spitty and dynamic, the Muff a thick liquid wall.

Here is the crucial physical idea that ties them together. Every one of these stages does two things at once: it adds harmonic content, and it adds **compression**. Compression is the reduction of dynamic range -- the gap between your softest and loudest playing gets squeezed smaller. A little compression is the secret of sustain, because as a note's natural volume decays, a compressed stage holds its level up, and the note appears to ring longer. But compression *accumulates*. Each stage you add compresses what the last stage already compressed. Stack four heavily compressing stages and you have a signal with almost no dynamic range left -- every note the same volume, attack obliterated, a flat

buzzing wall. Stack two carefully chosen stages and you have endless singing sustain that still breathes with your pick attack. The entire art is in managing that accumulation.

I Headroom and Gain Structure: The Engineer's Secret

Recording engineers have a phrase: **gain structure**. It means setting the level at every point in a chain so that each stage operates in its sweet spot -- hot enough to stay above the noise floor, but with enough **headroom** (room below the point of clipping) that you control *where* the distortion happens rather than letting it happen by accident in the wrong place.

Think of each stage as a vessel of a certain size. The signal is water you pour in. Headroom is the empty space above the waterline. A high-headroom stage -- a clean boost, a Fender Twin Reverb at conversational volume -- is a tall glass; you can pour a lot in before it overflows into distortion. A low-headroom stage -- a cranked tweed amp, a fuzz -- is a shot glass that overflows almost immediately, which is exactly why those things distort so easily and so musically.

The reason a Tube Screamer into a cranked amp sounds glorious while a Tube Screamer into a clean, high-headroom amp can sound thin and honky comes down to *where the clipping lives*. When the amp has headroom to spare, all the dirt is being generated by the pedal's two little clipping diodes, and the Tube Screamer's diodes alone are a fairly polite, mid-focused sound. But when the amp is already on the edge, the Screamer's job changes entirely: it stops being the source of distortion and becomes a *driver*, hitting the amp's front end harder and pushing the amp's own tubes into the rich, three-dimensional, speaker-loaded breakup that no pedal fully replicates. The pedal's gain knob, in that scenario, is really controlling how hard you slam the amp.

This is why the single most useful default for the Tube Screamer in a stacking context is what players call the "transparent boost" setting: **Drive low (8 to 9 o'clock), Tone to taste (around noon), Level high (2 to 3 o'clock or higher)**. With drive low, the pedal adds little clipping of its own. With level high, it pours a hotter signal into the amp. The Screamer effectively becomes a midrange-focused clean boost with a slight tightening of the low end -- and that low-end tightening is itself a gift, because the TS circuit rolls off some bass before its clipping stage, which keeps the *amp's* distortion from getting flubby and undefined. The amp does the talking; the pedal just leans on it and cleans up the bottom.

| Setting Each Stage So They Add Up

The governing principle when you stack two dirt boxes is this: **the first pedal shapes the second; the second pedal you barely touch.** The pedal closest to your guitar sets the character and the attack; the pedal after it amplifies and saturates whatever it receives.

Consider two overdrives in series, the classic configuration. You do *not* want both cranked. If both are at high gain you are compressing an already-compressed signal and the result is fizz with no body. Instead you pick roles. Most commonly: a low-gain, midrange-pushing overdrive (a Tube Screamer, drive low) sits *after* a higher-gain, more open overdrive (something like a **Klon Centaur**-style circuit or a transparent OD), so the front pedal provides body and gain while the Screamer behind it focuses the mids, tightens the low end, and pushes the whole stacked signal into the amp. Or you reverse it -- a low-gain always-on overdrive feeding a hotter overdrive you kick on for solos. Either way, *one pedal is the foundation and one is the lift.* You are not adding two distortions; you are using one to season the other.

The mistake that produces mush is symmetrical settings -- everything at noon, both pedals contributing equal gain. That guarantees redundant compression and a pile-up of midrange honk with no definition. Asymmetry is clarity. One stage with body and low gain, the next with a tight, focused push, and the amp doing the heavy lifting underneath.

Output level is the other half. Each pedal's level/volume knob is a gain stage in its own right. Set a pedal's output so it hits the next stage at the intensity you actually want. A boost in front of an overdrive should be loud enough to push the OD harder; a boost *after* all your dirt, going into the amp, can be set for unity gain (no volume change) just to add a few decibels into a power amp for solos. Where you place the boost determines whether it adds *gain* (in front of dirt) or just *loudness* (after dirt, in front of a clean power section).

Now the riff that lives at the edge. Set your amp -- a cranked lower-wattage amp is ideal, an 18-watt EL84 combo or a tweed-style 6V6 amp -- right at the point where hard strumming just barely breaks up and light playing stays nearly clean. This is "the edge of breakup," the most useful place an amp can sit. From here a boost is a one-stomp transformation.

TAB

Medium shuffle, ~104 bpm. Amp at the edge of breakup; dig in.

```
e|-----|
B|-----|
G|-----|
D|-----7--7-----7--7-----5--5-----5--5-----|
A|7--7-----7--7-----5--5-----5--5-----|
E|5-----5--5--5-----5--5--3-----3--3--3-----3b5-----|
```

Tab 44.1 — Edge-of-breakup power-chord shuffle. This sits clean-ish when you play light and growls when you dig in -- the amp's natural breakup doing the work. A clean boost turns this same riff into a snarling lead voice without changing a single note.

When you stomp the clean boost in front of that already-edge-of-breakup amp, the riff doesn't get a "distortion" sound layered on top -- the amp itself crosses fully into breakup, the chords thicken, the single notes bloom and sustain, and you've gone from rhythm to lead with one switch and zero tone-character change. That continuity is the whole point. The lead is the rhythm tone, just pushed further up the same curve.


| The Lead Stack: Building Sustain Without Mud

For a singing lead, the goal is sustain and harmonic richness while keeping enough note definition that fast passages stay articulate. This is where stacking pays its biggest dividend, and where the theory of accumulated compression becomes audible.

A proven recipe: a moderate-gain amp distortion (or a good distortion/overdrive pedal set for a thick rhythm tone) as your foundation, then a Tube Screamer in front of it set the transparent-boost way -- drive low, level high. The Screamer tightens the low end so the foundation gain doesn't get muddy, pushes the front end for more sustain, and adds a midrange bump centered around 700 Hz to 900 Hz that helps a lead cut through a band mix. That midrange hump is not a flaw; it is the Tube Screamer's most famous feature and the reason solos sit on top of a dense arrangement instead of disappearing under it. The harmonic series is doing the heavy lifting here. When a string vibrates it produces not just its fundamental pitch but a whole ladder of overtones above it -- the octave, the fifth above that, the next octave, the major third, and onward. Soft clipping emphasizes the lower, more consonant rungs of that ladder; the more saturation you stack, the more upper rungs light up, which is why a well-stacked lead tone has that vocal, formant-like complexity, as though the note is made of many notes.

Here is a lead phrase built for that stacked tone -- a minor-pentatonic and blues-scale line that leans on sustained, bent target notes so you can hear the sustain the stack provides. The **minor pentatonic** is the five-note scale (root, b3, 4, 5, b7) that is the backbone of blues and rock lead playing; the **blues scale** adds one more note, the b5 ("blue note"), a passing tone that gives the line its mournful, bluesy bite. A **target note** is a note you bend or resolve *into* -- usually a chord tone -- so the phrase lands somewhere that sounds resolved rather than floating.

Slow blues feel, ~72 bpm. Stacked OD into driven amp. Let bends bloom.



Tab 44.2 — *A-minor-pentatonic-with-the-b5 lead*. Built on long bends and held vibrato; the stacked gain gives the bent notes endless bloom. Set the Screamer's drive low so the *amp* sustains and the line stays articulate between the bends rather than smearing into one continuous buzz.

Notice what makes that line work as a *test* of your gain staging: if your stack is set right, the eighth-note runs between the big bends stay clearly defined -- you hear every note's attack -- while the held bends ring out for bars. If your stack is over-compressed, those connecting notes blur together and the attack disappears; the runs turn to mush even though the sustained bends might sound impressive in isolation. The articulate run is the canary in the coal mine. Always set your lead stack by playing a fast passage, not a held note, because a held note will sound good through almost anything, while a run instantly reveals whether you have preserved or destroyed your dynamics.

I Fuzz Into a Cranked Amp, and the Order Problem

Fuzz is the exception to many rules, and stacking it requires its own logic. A vintage-style **Fuzz Face** -- germanium or silicon transistors driven into near-square-wave clipping -- is extraordinarily interactive with what comes before and after it. Famously, a Fuzz Face wants your guitar plugged more or less straight into it; many buffered pedals placed in front of a Fuzz Face will choke its low end and make it sound thin and splatty, because the Fuzz Face's input impedance interacts with the pickup directly. This is one of the few places where the *electrical* relationship between stages, not just the levels, dramatically changes the sound.

The classic fuzz-into-cranked-amp approach -- the Hendrix template -- is to put the fuzz first in the chain (or nearly first), set it fairly aggressively, and let it slam a loud, already-driven amp. The amp's own breakup rounds off the fuzz's harshest edges and adds bloom and feedback sustain. At stage volume this is how you get controlled, musical feedback: the fuzz provides enough sustain and harmonic energy that the note feeds back into a sympathetic howl rather than dying. A fuzz into a *clean, quiet* amp, by contrast, often sounds buzzy and one-dimensional, because nothing downstream is rounding it off or adding the amp's harmonic complexity. Fuzz, more than any other dirt, *needs* the amp to be part of the distortion.

If you stack fuzz *with* an overdrive, the usual move is fuzz first, then a low-gain overdrive (a Tube Screamer again) behind it to tighten the low end and add focus before the amp -- the same tightening job the Screamer does everywhere, here taming the fuzz's tendency to flub out on low notes. Reverse that order and the fuzz, receiving an already-clipped and compressed signal from the overdrive, often loses its dynamic, touch-sensitive character. Order is not arbitrary; it is the grammar of the sentence.

| The Volume Knob Is Your Master Gain

Now the technique that ties the entire chapter together and separates players who *understand* gain staging from players who merely own pedals. Your guitar's volume knob is the first gain stage in the chain, and with most overdrive and fuzz circuits -- and with a cranked amp -- it functions as a master gain control over the entire stack.

The physics: a soft-clipping or fuzz stage distorts based on how hard the incoming signal hits it. Roll your guitar's volume down and you send a smaller signal into that stage, so it clips less. Roll it up and you slam it harder, so it clips more. Crucially, with a true vintage-style overdrive or fuzz, rolling back the volume does not just make you quieter -- it makes you *cleaner*, because you have reduced the drive into every downstream stage at once. One knob, played with your pinky mid-phrase, sweeps you from sparkling clean to full saturation without ever bending down to a pedal.

This is exactly what you saw Vaughan doing, and what Hendrix, Clapton in the Cream years, and Eric Johnson built entire dynamic vocabularies around. A high-gain stack set so that *full* volume is your lead sound means that at 6 or 7 on the guitar you have a perfect crunch rhythm, and at 3 or 4 you have a clean tone with just hair on it -- all from one amp setting, one pedal configuration, controlled entirely by your right hand and that knob. The amp and pedals are set once, for the *loudest*, *dirtiest* sound you want; everything quieter and cleaner is then available instantly from the guitar.

For this to work, two things matter. First, use the taper of the volume control to your advantage and, ideally, a guitar wired so that rolling back volume doesn't also roll off all your treble (a small "treble bleed" cap across the volume pot preserves high end as you turn down -- otherwise the guitar goes dark *and* clean, which is sometimes what you want and sometimes not). Second, your dirt stages have to be the touch-sensitive kind -- low-to-moderate-gain overdrives and vintage fuzzes clean up beautifully; some very high-gain, heavily diode-clamped distortions stay saturated no matter what the guitar does, because they are slamming the clipping diodes so hard that even a reduced signal still clips fully. Knowing which of your pedals clean up and which don't is essential gain-staging knowledge.

Here is a cleanup demonstration line. Play the first bar with the guitar volume rolled back to about 4 -- you want a glassy, barely-broken-up clean. Then, without restriking differently, sweep the

volume up to 10 for the second bar and feel the same lick erupt into full overdrive.

TAB

Even eighths, ~96 bpm. One amp/pedal setting. Bar 1: vol ~4. Bar 2: vol 10.

e ----- -----	----- -----
B ----- -----	----- -----
G --7--7--5--7--5--5-----	--7--7--5--7--5--5-----
D -----7--5--7-----	-----7--5--7-----
A ----- -----	----- -----
E --0-----	--0-----
(clean, vol ~4)	(overdriven, vol 10)

Tab 44.3 — Volume-knob cleanup demonstration. The identical phrase played twice -- the only change is the guitar's volume knob sweeping 4 to 10 between bars. If your stack is set right, bar one sparkles and bar two roars from the same hands; the volume knob is your master gain, and learning its taper is learning to mix your own dirt in real time.

Practice that until the transition is musical -- until you can ride the knob inside a single phrase, dirtying up the peak of a line and cleaning down for the resolution. That is the deepest expression of gain staging: not a fixed sound you switch between, but a continuous dynamic range you play *through*, with your stages set once and your right hand conducting the whole thing.

| Case Studies in Stacked Dirt

Stevie Ray Vaughan is the patron saint of the Tube Screamer stack, and his rig is the textbook case of pedal-as-driver rather than pedal-as-distortion. Across *Texas Flood* (1983) and *Couldn't Stand the Weather* (1984), Vaughan ran one or more Ibanez Tube Screamers -- the TS808 and later the TS9 and TS10 are all associated with him at various points -- into a bank of loud, mostly clean Fender amps (Vibroverbs and Super Reverbs prominent among them), often with a **Dumble** Steel String Singer in the mix for the cleanest, loudest foundation. The amps were turned up; the Screamers, frequently set with relatively low drive and high level, were there to push those amps and add midrange focus and sustain. His heavy strings (famously gauged up, with a high E often .013) and aggressive attack meant he was feeding those stages an enormous signal, which is part of why his clean-to-dirty volume-knob dynamics were so dramatic -- there was simply more signal to work with. Listen to the title track of *Texas Flood*: the rhythm tone is the amp barely breaking up, and the solos lift through that midrange Screamer push without ever turning into a fizzy mess.

Jimi Hendrix is the fuzz-into-cranked-amp template made flesh. Through 1967 and 1968 -- *Are You Experienced*, *Axis: Bold as Love*, *Electric Ladyland* -- Hendrix ran a Fuzz Face (germanium early on,

the transistor type a subject of endless and somewhat contested collector debate) and later the Octavia into walls of cranked 100-watt Marshall stacks. The amps were doing enormous work: their breakup rounded the fuzz, and the volume in the room fed the sustain and the controlled feedback that became part of his phrasing. Equally important was his volume-knob technique. Much of Hendrix's clean, chimy rhythm work -- the shimmering chord work on "Little Wing," for instance -- is the *same* fuzz-and-Marshall rig with the guitar's volume rolled back, the fuzz cleaning up into a glassy, complex clean tone, then rolled up for the leads. He was gain staging in real time with his pinky. It is worth noting that the precise details of his rig settings are heavily mythologized, and you should treat any "exact Hendrix settings" chart with healthy skepticism; what is *not* in dispute is the architecture -- dynamic fuzz, cranked amp, volume knob as master gain.

Eric Johnson represents the meticulous, almost obsessive end of the stacking art, and his violin-like lead tone on *Ah Via Musicom* (1990), especially the instrumental "Cliffs of Dover," is a master class in how multiple carefully balanced stages produce sustain with definition. Johnson is famous -- and the subject of much affectionate ribbing -- for the granularity of his tone obsession, including claims about hearing differences between battery brands. His lead rig has long been understood to involve a Tube Screamer (the TS808) and a fuzz (a Dallas Arbiter-style Fuzz Face) into very loud Marshall amplifiers, with the fuzz providing thick saturation and sustain and the overdrive and amp shaping and focusing it, the whole stack producing that singing, horn-like sustain where individual fast notes still articulate cleanly. The lesson of Johnson's tone is precisely the lesson of this chapter: extraordinary sustain and a smooth, saturated voice are *not* achieved by one high-gain pedal cranked to maximum, but by several moderate stages, each contributing a little, balanced so their compression accumulates into sustain rather than mush.

A useful theory thread runs through all three. Vaughan's blues phrasing leans on the minor pentatonic and blues scale with heavy, vocal bends and the **call-and-response** structure inherited from blues vocals -- a lick "asks" and a second lick "answers." Hendrix's rhythm playing is built on chord voicings most rock players didn't know, including the **7#9 chord** (root, major third, flat seventh, and a sharp ninth that is enharmonically the same pitch as a minor third) -- the so-called "Hendrix chord" that crams a major and minor tonality into one tense, funky stack of notes, and which only sounds *right* when the dirt is set to articulate those clustered upper notes rather than smear them. Johnson's lines often move through **Mixolydian** color -- the major scale with a flattened seventh, the bright-but-bluesy mode that fits naturally over dominant-seventh vamps -- and his pristine gain staging is what lets those carefully chosen chord tones and extensions remain audible inside a saturated lead. In every case the gain structure serves the *music*: the dirt is set so the notes the player actually chose come through.

- **Stevie Ray Vaughan, "Texas Flood" (Texas Flood, 1983):** Hear the rhythm tone sit at the amp's barely-breaking-up edge, then the solo lift through on that midrange Tube Screamer push -- sustain and bloom on the bends with the fast runs still fully articulate. That articulation is correct gain staging.
- **Jimi Hendrix, "Little Wing" (Axis: Bold as Love, 1967):** The glassy, complex clean chord-work is a fuzz-and-Marshall rig with the guitar volume rolled back -- listen to how much *harmonic content* remains in the "clean" tone. That is a dirt stage cleaning up, not a separate clean channel.
- **Jimi Hendrix, "Voodoo Child (Slight Return)" (Electric Ladyland, 1968):** Fuzz into a cranked stack at full cry -- notice the controlled feedback and the way the amp rounds the fuzz's edges into something thick rather than buzzy.
- **Eric Johnson, "Cliffs of Dover" (Ah Via Musicom, 1990):** The benchmark for stacked sustain with definition. Hear the violin-like bloom on long notes *and* the clean articulation of the fast pentatonic runs -- multiple moderate stages balanced so compression becomes sustain, never mush.
- **A/B test for your own rig:** Set a low-gain overdrive in front of an amp on the edge of breakup, then play a fast run while rolling your guitar volume from 4 to 10. If the run stays articulate at 10 and cleans up musically at 4, your stages are balanced. If 10 turns to fizz, you have too much accumulated compression -- back off the front stage's gain.

Building the Pedalboard: Power, Buffers, and Signal Integrity

A PEDALBOARD IN SIGNAL ORDER




FIGURE 11 *A pedalboard laid out in signal order, from tuner to reverb.*

THE BUZZ ARRIVES BEFORE THE FIRST NOTE. YOU PLUG IN AT SOUNDCHECK, THE front-of-house engineer pulls up the channel, and there it is underneath everything: a low, mains-tied hum that swells when you touch the strings and dips when you let go, threaded with a faint high-pitched whine that wasn't there in your bedroom. You stomp through the board looking for the culprit, and somewhere around the delay the whine changes pitch. The room goes quiet in that particular way a room goes quiet when twelve people are waiting on you. This is the part of electric guitar nobody romanticizes -- the part that happens on the floor, between the strap buttons and the speaker, where the music is still just a fragile little current traveling down a wire, picking up the electrical autobiography of every device it passes through. The pedalboard is where tone is either protected or quietly murdered. Building one well is its own craft, and it has almost nothing to do with what color the enclosures are.

The instrument you actually play, once you have a few pedals, is the **signal chain** as a system: a sequence of impedances, a tangle of grounds, a length of capacitance pretending to be a cable. Get the architecture right and the board disappears, leaving only the sound. Get it wrong and you spend your career fighting a thin, hissing, hum-haunted version of the rig you thought you bought.

| A short history of the noise problem

When the first transistorized effects appeared in the mid-1960s -- the Maestro FZ-1 Fuzz-Tone of 1962, the Vox and Sola Sound fuzzes that followed, the Dallas Rangemaster treble booster sitting on top of an amp -- nobody had a pedalboard. You had a box, a battery, and a guitar cable, and you set the thing on the floor. One device, one short cable to the amp, no problem worth naming. The trouble began when players started chaining effects together, and it accelerated viciously in the 1970s and 80s as rigs ballooned. Pete Cornish, the English engineer who built elaborate systems for Pink Floyd, Brian May, and later Jimmy Page, was effectively solving an electrical-engineering problem disguised as a guitar problem: how do you run a signal through fifteen effects and eighty feet of cable to an amp across a stadium stage without it turning to mud and noise? Cornish's answer, codified through the 70s, was to treat the whole rig as one designed circuit -- buffered inputs and outputs, a proper grounding scheme, switching that took unused pedals entirely out of the path. His boards are legendary partly for their sound and partly because they were quiet, and quiet was hard.

The other half of the history is the **true-bypass** movement, which arrived as a corrective and then, like most corrections, overshot. Through the 80s and 90s a great many mass-market pedals used cheap, poorly implemented buffered bypass -- a transistor or op-amp stage left in the signal path even when the effect was "off." Some of these circuits genuinely degraded the tone: a mediocre buffer with the wrong input loading could thin out the highs or add a grainy edge, and players noticed their guitar sounded better plugged straight into the amp. Boutique builders in the 90s -- Robert Keeley's modifications, the Fulltone and Analog Man shops, countless others -- made "true bypass" a rallying cry, using mechanical 3PDT footswitches to lift the effect completely out of the path in the off state, connecting input jack straight to output jack with a hard piece of wire. It was a real fix for a real problem. But the cure had a side effect that took the community years to fully diagnose, and understanding that side effect is the key to everything else in this chapter.

| Tone suck: what is actually happening

Here is the truth that gets garbled in forum arguments. A guitar's magnetic pickup is a high-impedance source -- think of it as a weak signal that does not like to "drive" a load. Specifically, a passive pickup is a coil of many thousands of turns of fine wire; electrically it behaves like an inductor in series with a fairly high resistance, and its output impedance can climb into the tens of kilohms or higher at the frequencies where your treble lives. Connect that fragile source to a long cable, and the cable's **capacitance** -- every guitar cable has some, on the order of 80 to 150 picofarads per foot -- forms a low-pass filter with the pickup's impedance. The pickup's inductance and the cable's capaci-

tance even form a resonant peak, and above that peak the high frequencies roll off. Longer cable means more total capacitance, means a lower, duller resonant frequency, means audibly less sparkle and air on top.

Now add a chain of true-bypass pedals. When they are all off, you have not added any buffering -- you have simply added more cable. Your guitar now sees the patch cables between every pedal plus the long cable to the amp, all summed into one big capacitive load hanging off your defenseless pickups. A pristine pedalboard full of revered true-bypass boxes, all switched off, can sound *worse* than a single cheap pedal with a decent buffer, because the cheap buffer was doing a job you didn't know needed doing. That job is impedance conversion: a **buffer** is a unity-gain stage (it does not make the signal louder; ideally output equals input) that presents a very high input impedance to your pickups -- a million ohms or more, so the cable's capacitance has almost nothing to resonate against from the source side -- and a very low output impedance to everything downstream, so it can drive long cable runs without the highs rolling off. Place one good buffer early in the chain and the signal afterward is robust, low-impedance, and immune to cable capacitance. *That* is the real story of tone suck: not that buffers are evil, and not that true bypass is magic, but that somewhere in a long chain you need at least one quality buffer to drive the line, and a board built entirely of true-bypass pedals has removed every one of them.

You can hear the difference before you can measure it. Here is a clean test riff for judging whether your high end has survived the trip.

TAB

Clean test riff -- neck/middle pickup, amp set bright, free time, let every note ring

```
e|-----0-----0-----0-----|
B|-----3-----3-----1-----1-----0-----0-----|
G|-----0-----0-----0-----0-----0-----0-----|
D|--2-----2-----2-----2-----2-----2-----|
A|--3-----3-----0-----0-----0-----0-----|
E|-----|
```

Play this straight into the amp, then through your whole board (all pedals off), and listen to the top end of the ringing chords; if the second pass sounds duller, blanketed, or less "chimey," your chain is loading down the highs and wants a buffer.

The harmonic content of those open-string chords is exactly what makes the test work. When you pluck a string it does not vibrate at a single frequency; it sounds a fundamental plus a series of **over-tones** -- the harmonic series -- at integer multiples of that fundamental. The brightness and "presence" of a chord lives in those upper harmonics, the 4th, 5th, 6th partials and beyond, sitting up in the 2 to 6 kilohertz region and above. A capacitive low-pass filter eats those first. So a chord with lots

of open, ringing strings -- lots of energy in the high partials -- is a far more sensitive detector of high-frequency loss than a palm-muted power chord, which has most of its energy down low where the filter doesn't reach. That Cmaj-ish voicing with the open high E and B strings ringing against fretted notes is a tiny spectrum analyzer you carry in your hands.

I Where to put the buffer

The general rule: you want a buffer near the front of the chain to protect the signal coming out of the guitar, and ideally a low-impedance output stage at the back to drive the long cable to the amp. But there are crucial exceptions, and they are about which pedals *want* to see a real, high-impedance pickup rather than a buffered signal.

Two families of effect are famously buffer-sensitive at the input: vintage-style **fuzz** pedals (especially germanium Fuzz Faces and their descendants) and **wah** pedals (the classic inductor-based circuits). A germanium Fuzz Face's input impedance is low and interacts directly with the guitar's pickups and volume pot -- that interaction is *the sound*, the way the fuzz cleans up when you roll back your guitar volume, the splattery sputter as a note decays. Stick a buffer in front of it and you feed it a low-impedance signal it was never designed to see; the cleanup behavior dies and the fuzz can turn harsh or gated. The classic vintage wah has a related sensitivity, sometimes producing oscillation or a thinner sweep when fed from a buffer. So the time-honored arrangement is: fuzz first, or fuzz and wah first, *before* any buffer, then the buffer, then the rest of the board. If you run a buffered tuner or a wireless system (which is buffered) at the very front, you may find your vintage fuzz no longer behaves -- that is not a defect, it is physics, and the fix is to put the fuzz ahead of the buffered device.

Delays and reverbs are the opposite case: they generally *benefit* from a buffered, low-impedance feed and from buffered bypass, because they often sit at the end of a long chain and their trails want to be driven cleanly. Many of the best-loved delays -- the classic Boss units among them -- use buffered bypass deliberately, and one well-implemented buffer there can be the thing quietly holding your whole top end together. This is why a thoughtful real-world board is usually a *hybrid*: true-bypass where the magic depends on impedance interaction, buffered bypass (or a dedicated buffer) where you need to drive a line.

A practical, defensible chain order for a working board, front to back: **tuner** (buffered tuners double as a front-end buffer, but place after fuzz/wah if you keep a vintage fuzz), then **wah** and **fuzz/overdrive/distortion** in the dynamics-and-gain cluster, then **modulation** (chorus, phaser, flanger), then **delay**, then **reverb** at the very end, feeding the amp. Gain before time-based effects so your echoes repeat a finished, distorted sound rather than distorting your echoes into mush; modulation before delay so the repeats carry the swirl rather than swirling the repeats into seasickness.

None of this is law -- running fuzz *after* a clean boost, or reverb into delay, are legitimate creative choices with their own sounds -- but it is the orientation most boards start from, and you deviate on purpose, not by accident.


| Power: the other half of quiet

Everything above concerns the signal path. The second great source of board noise is **power**, and here the enemy has a specific name: the ground loop. When two pieces of gear are connected both by your signal cables and by a shared power ground, and those two ground paths have even a tiny voltage difference between them, current circulates around the loop and induces hum -- usually the 60-cycle (or 50-cycle, outside North America) mains tone and its harmonics, that fat low buzz under everything. Daisy-chaining pedals from a single cheap supply is the classic way to manufacture ground loops, because every pedal shares one ground reference and one current path, and digital pedals dumping switching noise back into that shared rail makes it worse -- you get hum plus a high-frequency hash that rises and falls with the digital pedal's activity.

The fix that transformed pedalboards is the **isolated power supply**. Inside it, each output has its own separate, electrically isolated winding -- the outputs do not share a ground reference with each other -- so there is no loop to circulate current around. A good isolated supply (the long-standing benchmark being units like the Voodoo Lab Pedal Power and the Strymon Zuma and Ojai, among others) is the single most effective hum-reduction purchase most players will make. A few practical disciplines stack on top of it. Honor the current ratings: a pedal that draws 100 milliamps will misbehave -- thin out, distort oddly, or simply die mid-set -- on a 20-milliamp output, so read the label and match it. Keep power wiring away from signal wiring; running them in parallel for a long stretch lets the power leak into the signal by induction, so cross them at right angles where they must meet. And resist the urge to "lift" safety grounds with those little three-prong-to-two-prong cheater plugs to kill a stubborn hum -- it sometimes works and it is also a genuine shock hazard, the kind that has killed performers; solve the loop properly instead, usually by getting every device onto one isolated supply and one mains outlet.

To test the noise floor itself -- the hum and hiss that live *under* the music -- you want a high-gain, palm-muted figure, because gain amplifies the noise floor mercilessly and palm muting gives you repeated little windows of near-silence between the chugs where any hum or hash stands naked.

Noise-floor test -- high gain, bridge pickup, palm-muted throughout, ~120 bpm



Chug the muted power chords, then stop your hand dead on the strings and hold silence for a full beat; in that gap you should hear near-nothing -- if you hear a steady low hum, suspect a ground loop or non-isolated power; if you hear a hiss or whine that changes with a digital pedal, suspect shared power or a noisy supply.

I Cables, connectors, and the curious mathematics

A word on **patch cables**, the short jumpers between pedals, because they are where boards quietly fail. A board with twelve pedals has eleven patch cables and twenty-two solder joints, and any one cold joint or marginal connector is an intermittent crackle waiting for your worst gig. Buy or build good ones: solid connectors, properly soldered or properly crimped, with low-capacitance cable. The total capacitance that loads your pickups is the *sum* of every cable between guitar and the first buffer, so short patch cables of decent cable help keep that number down -- though once a buffer is in the path, the cables *after* it are driven by a low impedance and their capacitance stops mattering much, which is the whole point of buffering.

For the genuinely curious, the arithmetic is simple and worth knowing. The corner of the low-pass roll-off sits roughly at the frequency where the source impedance and the cable's capacitive reactance are equal. Capacitive reactance falls as frequency rises, so a higher source impedance (your pickup) and a larger capacitance (a longer or cheaper cable) both push that corner *down* into the audible range. With a passive pickup whose impedance climbs into the tens of kilohms and a cable totaling a few thousand picofarads, you can drag the response peak and roll-off down into the low kilohertz -- right into the region your ear reads as "presence" -- which is exactly why a thirty-foot run of mediocre cable sounds darker than a six-foot run. A buffer's gift is that its output impedance is low, often a few hundred ohms or less, so the same capacitance now corners far above the audible band and the highs survive. You do not need to compute any of this to play well, but knowing the mechanism turns "tone suck" from superstition into a solvable engineering problem.

Here is a quick A/B comparison phrase -- a single short lick, designed to be played twice in immediate succession (path A, then path B) so you can judge attack, top-end, and note bloom honestly.

TAB

A/B comparison lick -- moderate gain, neck pickup, expressive, ~90 bpm

```
e|-----|
B|-----8b9r8-----5h8p5-----|
G|--7b9~-----7-----7~-----|
D|-----|
A|-----|
E|-----|
```

A Dorian-flavored phrase (the b9 bend pushes the 4th up toward the 5th, the slinky minor-third move sits over a minor groove); play it once straight-to-amp and once through the board and compare the bite of the pick attack and the sustain of the vibrato -- a healthy chain keeps the attack crisp and the bent notes singing, not blunted.

The vibrato at the end of that phrase is doing double duty as a tone test, and it is worth saying why. **Vibrato** -- the controlled, oscillating bend that makes a held note breathe -- is mostly upper-harmonic motion; the wobble lives in how the overtones shimmer as the pitch swings. A chain that has eaten your highs robs vibrato of its vocal quality, flattening a singing note into a dull one. The b9 bend (bending the flatted-9th-ish neighbor up a half step toward the target) and the minor-third hammer/pull figure are idiomatic to the **Dorian mode** -- a minor scale with a raised, major 6th that gives it that hopeful, jazzy lift over a minor vamp -- and they reward a responsive rig with exactly the dynamics this whole chapter is about protecting.

| Loops, switchers, and the size question

Once a board grows past a handful of pedals, manually tap-dancing through five stomps to change from a clean verse to a chorused lead becomes a liability, and every active pedal you leave switched on adds its own noise to the floor. The professional solution is the **loop switcher** (or audio router / programmable switching system) -- the modern descendant of Pete Cornish's hand-wired boards. The switcher places each pedal, or group of pedals, in its own true-bypass loop and lets you engage any combination with a single footswitch press, recallable as a preset. Two payoffs: one footstep recalls a whole scene instead of five, and -- crucially for noise -- pedals not in use are lifted entirely out of the signal path, so a hissy fuzz or a noisy octave divider contributes nothing until you actually call for it. Many switchers also include one or more buffers and a tuner output, centralizing the impedance management this chapter keeps circling back to. The trade-off is cost, complexity, weight, and one more thing that can fail.

Which brings us to the oldest question in rig-building: how big? A **tiny grab-and-go board** -- a tuner, an overdrive, a delay, maybe a single modulation, on a board you can carry in one hand with the guitar in the other -- is a joy. It sets up in thirty seconds, it forces you to make music with your

hands instead of your feet, and there is almost nothing to go wrong; a short chain with one good buffer is inherently quiet and reliable. Its limit is obvious: when the gig calls for a sound you didn't bring, you are stuck. The **big do-everything board** answers every musical situation and lets you build elaborate layered textures, but it asks for an isolated supply, careful cable dressing, probably a switcher, more setup time, and more troubleshooting surface area -- more cables, more joints, more grounds, more chances for that soundcheck hum. There is no universally correct answer, only an honest reckoning with what you actually play. The session musician with a switcher-driven monster and the indie songwriter with a four-pedal plank are both right. The mistake is the unconsidered middle: a sprawling board assembled by accretion, daisy-chained off a cheap supply, strung with whatever patch cables were in the drawer, that hums at every show and gets blamed on the amp.

Build it as a system. One isolated supply sized to your pedals. Good patch cables and short runs into at least one quality buffer placed *after* your impedance-sensitive fuzz and wah. A deliberate chain order, hybrid bypass by design rather than dogma, and a switcher if the board has outgrown your feet. Do that, and the buzz never arrives at soundcheck -- there is only your guitar, intact, sounding exactly like itself all the way to the speaker.

♪ LISTEN FOR

- **Jimi Hendrix, "Voodoo Child (Slight Return)"** (*Electric Ladyland*, 1968): the wah and Fuzz Face sitting first in the chain, fed straight from the pickups -- hear how the fuzz cleans up and spits as he rolls his guitar volume and digs in. That interaction would vanish behind a front-end buffer; it is the whole argument for fuzz-first.
- **David Gilmour, Pink Floyd, "Shine On You Crazy Diamond"** (*Wish You Were Here*, 1975): a large, Pete Cornish-era rig kept dead quiet and pristine, with singing, sustaining lead notes whose top-end shimmer survives a long, complex signal path -- buffered signal integrity in service of patience and tone.
- **The Edge, U2, "Where the Streets Have No Name"** (*The Joshua Tree*, 1987): rhythmic dotted-eighth delay as a structural instrument, the repeats arriving clean and articulate from the end of the chain -- exactly what a well-driven, well-ordered board (gain into modulation into delay) preserves, and what a loaded-down, hum-ridden one destroys.

Matching Tone to the Music: Choosing Your Voice

THE DRUMMER COUNTS IT IN, AND IN THE HALF-SECOND BEFORE YOUR FIRST CHORD lands you have already made a hundred decisions. Most of them you made weeks ago, in a room alone, turning knobs. How much gain. How much low end. Whether the note should bloom and sustain or snap and die. Whether the amp should fight you or follow you. By the time the band hits the downbeat, your tone is not a thing you are choosing — it is a thing you have already chosen, baked into the rig, and the only question left is whether it serves the song or steps on it.

That last phrase is the whole chapter. *Serves the song or steps on it.* A guitar tone is never good or bad in the abstract; it is good or bad in context. The fat, syrupy, sustaining lead voice that makes a power ballad weep will turn a fast country shuffle into mud. The glassy, scooped, high-gain rhythm tone that lets a metal riff sound like a chainsaw will vanish completely the instant a singer opens their mouth over it, because it lives in exactly the wrong part of the frequency spectrum. Choosing your voice means choosing the right tool for a *style*, a specific *song*, and the *room* you are standing in — and then leaving space for everyone else. Let us walk through how the great tones get matched to the music, genre by genre, and then talk about the two decisions that sit underneath all of them: headroom versus breakup, and how loud you actually need to be.

| The First Fork in the Road: Headroom or Breakup

Before genre, before pedals, before anything, there is one decision that shapes everything downstream. Do you want an amplifier with **headroom**, or one that **breaks up**?

Headroom is the amount of clean signal an amp can produce before it begins to distort. A high-headroom amp — think a **blackface Fender Twin Reverb**, with its two 6L6 power tubes pushing 85 watts into a pair of speakers — stays clean, glassy, and undistorted even when it is loud enough to hurt. The note you put in is the note that comes out, only bigger. That is the sound of country, of funk, of clean jazz, of any music where clarity and snap matter more than grit. Breakup is the opposite: the moment when an overdriven tube stage rounds off the peaks of the waveform, compresses the dynamics, and adds the warm, vocal-like harmonic distortion we hear as "drive." A low-headroom

amp — a small **tweed Fender Deluxe**, maybe 15 watts from a pair of 6V6 tubes — starts to break up at conversational volume, and by the time it is gig-loud it is singing.

Here is the part players get wrong for years: distortion is not just a sound, it is a *behavior*. A clean amp is a transparent window; a cranked amp is a compressor and a saturator that responds to how hard you pick. Dig in and it snarls; back off and it cleans up under your fingers. That dynamic touch-sensitivity — the amp reacting to your right hand like a sparring partner — is the soul of blues and classic rock, and it is the single thing that cannot be faked by simply turning a "gain" knob up on an otherwise clean platform. The harmonic content of overdrive also matters. Gentle tube clipping is rich in *even-order* harmonics — the octave, the octave-plus-fifth — which sound musical and warm because they reinforce notes already present in the overtone series. (Every note you play is not a single frequency but a stack of quieter frequencies above it: the octave, the fifth above that, the next octave, the major third above *that*, and on up. This is the **harmonic series**, and it is the physics behind why some distortion sounds sweet and some sounds ugly.) Harder, more aggressive clipping introduces *odd-order* harmonics and intermodulation products that read as edge, fizz, and aggression — exactly what metal wants and jazz does not.

So the first question is never "what amp" — it is "do I want the amp clean and loud, or dirty and singing, and at what volume does that happen?" Everything else is detail.

I **Blues: Low Gain, Fat Mids, and an Amp That Argues Back**

Stand in front of a **tweed Fender Bassman** or a small tweed **Deluxe** with a **Telecaster** or a **Stratocaster**, roll the amp up until it is just starting to grind, and play one note hard. Then play it soft. If the loud note distorts and the soft note nearly cleans up, you have found the blues. This is the most *touch-sensitive* tone in the book, and it is built on low-to-moderate gain, a midrange-forward voice, and an amp run right at the edge of breakup.

Why the mids? Because the blues is a conversation between the guitar and the voice, and the human voice lives in the midrange — roughly 300 Hz to 3 kHz. A blues guitar that is scooped (mids pulled out, bass and treble boosted, the "smile" EQ) will sound huge alone and disappear in a band. A blues guitar with the midrange pushed up to around 600 Hz–1 kHz cuts through, sings, and sits in the same conversational register as the singer — so the guitar can answer the voice line for line. That call-and-response is the structural DNA of the form: the singer states a phrase, the guitar replies, exactly as a preacher and congregation trade lines.

The harmonic vocabulary is the **minor pentatonic** scale — five notes, the root, flat third, fourth, fifth, and flat seventh (in A: A–C–D–E–G) — with one extra note, the flat fifth (the E ♭ in A), slipped in as a passing tone. Add that note and you have the **blues scale**, and that flat fifth is the "blue note,"

the dissonant smear you bend through rather than land on. The magic of the blues is that this minor-pentatonic vocabulary gets played over *dominant seventh* chords (a major chord with a flat seventh added — A7 is A–C#–E–G), so the flat third of your scale grinds against the major third of the chord. That clash, the minor-third-over-major-chord tension, is the sound of the blues itself, and a fat, midrange-rich, lightly overdriven tone lets every microtonal bend and every bit of that tension ring out.

If your amp won't quite break up at the volume you can play, the fix is a **light overdrive** pedal set low — not as a distortion box but as a *boost into the front of the amp*, nudging an already-warm preamp over the edge while preserving touch response. Set the pedal's drive low, its level near unity or a touch above, its tone to taste, and let the amp do the distorting.

Here is a classic slow-blues phrase. Feel it as a triplet shuffle, around 60 BPM, with the whole-step bends pushed slow and held with wide vibrato.

Slow blues in A — A minor pentatonic over A7, triplet shuffle, ~60 BPM, tweed amp at the edge of breakup.

TAB

```
e|-----|
B|--8b(10)r8----5h8p5-----|
G|-----7b(9)~~~~~5-----|
D|-----7-----7-----|
A|-----|
E|-----|
```

The slow whole-step bend (fret 8 pushed up to the pitch of fret 10) and the wide vibrato on the G string are pure touch-blues — dial a tweed amp to the edge of breakup, choose the neck or middle pickup, and let the guitar's volume knob do the cleanup.

CASE STUDY — Stevie Ray Vaughan, "Texas Flood" (Texas Flood, 1983). SRV ran a Stratocaster (famously strung with heavy strings and tuned down a half step) into a small army of amps — **Fender** Vibroverbs and **Marshall**-style heads among them — cranked hard. The lesson is not the specific amps but the *approach*: fat single-coil bridge-and-middle tone, amps run loud enough to break up on their own, almost no distortion pedals doing the heavy lifting, and an attack so violent the dynamics did the talking. Listen to how the loud notes spit and the quiet fills nearly clean up. That is touch, not a knob.

| Country: Headroom, Compression, and the Slapback Snap

Now flip every one of those decisions. Where blues wants breakup, country wants *headroom*. The defining country sound — Telecaster bridge pickup into a **blackface Fender** (a Deluxe Reverb, a Twin) — is bright, clean, snappy, and loud, with the note's transient attack landing like a struck match. The bridge single-coil of a Tele, with its steel baseplate and twangy upper-midrange spike around 3 kHz, into a clean blackface circuit, is the twang. There is almost no distortion at all.

Two effects make it country rather than just clean. First, a **compressor**, which evens out the dynamic range — it turns down the loud transient and turns up the quiet sustain, so that fast chicken-pickin' lines sound even and percussive and every note sustains a beat longer than physics would allow. Set a compressor with moderate sustain, a touch of attack let through so the pick still snaps, and you get that signature pop-and-sustain. Second, **slapback delay**: a single, short echo, commonly 80 to 130 milliseconds, with no feedback (one repeat, not many) and the level tucked just under the dry signal. That short slap is the sound of the **Sun Records** room in 1955 — Scotty Moore behind Elvis — and it adds a rockabilly bounce and a sense of space without smearing the timing.

The theory here is about *space in the frequency spectrum and in time*. Country production is dense with instruments — bass, drums, often a second guitar, pedal steel, fiddle, piano — and a clean, bright, compressed guitar with a tidy slapback occupies a narrow, high, percussive lane that doesn't fight the warm low-mid body of the vocal or the bass. **Double stops** — two notes played together, usually a third or a sixth apart — are the country lead vocabulary, harmonizing the line the way two singers would, and they only read as separate, ringing voices if the tone is clean enough to keep them distinct.

Bright and snappy, ~120 BPM — Tele bridge pickup into a clean blackface amp with slapback.

TAB

```
e|--7--7\5--5--3--3-----0-----|
B|--8--8\6--6--5--5-----3h5p3-----|
G|-----2-----|
D|-----|
A|-----|
E|-----|
```

Sixth-interval double stops sliding down a G major idea. Add a compressor for sustain and a ~120 ms single-repeat slapback. The downward slides (the backslash) and the open-string ring are the steel-guitar imitation at the heart of Tele country.

CASE STUDY — Brad Paisley / the Telecaster tradition. The modern country lead sound — Paisley, and before him **James Burton**, **Albert Lee**, **Don Rich** with Buck Owens — is a Tele bridge pickup into clean Fender-style headroom, a compressor for the chicken-pickin' pop, and a discreet slapback or short delay. Burton's work with Ricky Nelson and later Elvis is the template: bright, articulate, every note distinct. Crucially, the gain stays low so the hybrid-picking attack (pick and bare fingers together) snaps cleanly and the double stops never blur into one another.

| Indie and Jangle: AC30 Chime, Modulation, and Open Voicings

There is a particular sound — shimmering, glassy, slightly compressed, with a high-end sparkle that seems to ring above the note itself — that has defined jangle pop from the British Invasion through R.E.M. and into a thousand modern indie bands. Its source is the **Vox AC30**.

The AC30's history is worth telling correctly, because it is usually told sloppily. The amp arrived around 1959, and it was not conceived as the chiming jangle box we now revere — it was built as a *louder* amp. **Dick Denney**, Vox's chief engineer, had designed the smaller **AC15**, and when **Hank Marvin** of The Shadows found that a 15-watt amp could not be heard over the screaming crowds at Cliff Richard shows, he asked Vox for a bigger brother. The result, essentially a double-powered AC15 with a quartet of **EL84** power tubes running in a cathode-biased, near-Class-A configuration into a pair of speakers, was the AC30. Its character — that rich, chimy, harmonically complex top end that compresses and blooms when you push it — comes from that EL84 power section and (in the early "Normal" and "Brilliant" channels) preamp voicings that ran on tubes like the **EF86** pentode.

The famous **Top Boost** circuit was *not* on the original amp. It began as an add-on: an extra ECC83 (12AX7) preamp stage with its own treble and bass controls, first offered around 1961 on the AC30 "Super Twin" range, and then supplied as a retrofit kit and front-panel factory option around 1963. (Denney is often credited with developing a retrofit treble/bass "brilliance" circuit around 1962 — reportedly after studying a Fender tone stack — though the exact authorship of the original Super Twin Top Boost is murkier than the popular story admits, and is best treated as JMI-era engineering lore rather than settled fact.) Whoever drew the schematic, the effect is the thing: that extra treble stage is the source of the cutting, glassy upper-midrange chime that became the British Invasion's signature, and that an entire generation of jangle bands chased.

What you do with that chime is play *open, ringing voicings* and let modulation widen them. A **chorus** pedal — which splits the signal, detunes and delays one copy slightly, and recombines them — turns one guitar into a shimmering pair, the detuning beating against the dry note to create movement. A short, clean **delay** with a couple of repeats adds dimension and a sense of two guitars answering each other. And the voicings matter: jangle lives on **add9** chords (a major triad with the ninth — the second scale degree an octave up — added, so a Cadd9 is C–E–G–D, the D ringing brightly against the chord) and **sus2/sus4** chords (suspensions where the third is replaced by the second or the fourth, leaving the chord unresolved and open). These voicings leave the major third either un-doubled or absent, so the chords sound airy and unsettled rather than thick — perfect for a bright amp and a 12-string-ish sparkle. The classic jangle move uses a capo and droning open strings so that fretted notes ring against open ones, producing a harp-like cascade.

Bright and chiming, ~150 BPM — AC30-style amp with light chorus and a short delay.

TAB

```
e|--0-----0-----0-----0-----3-----3-----0-----0-----|
B|--3-----3-----1-----1-----3-----3-----1-----1-----|
G|--0-----0-----0-----0-----0-----0-----0-----0-----|
D|--2-----2-----2-----2-----0-----0-----2-----2-----|
A|--3-----3-----3-----3-----3-----3-----3-----3-----|
E|-----3-----3-----3-----3-----3-----3-----3-----3-----|
```

Cadd9 to Csus2/G to Gadd9 — note the open G and high E ringing through every change. Set an AC30-style amp clean and bright, add a subtle chorus and a single short delay repeat. The droning open strings against the moving fretted notes are the whole trick.

CASE STUDY — R.E.M., "Pretty Persuasion" / Reckoning (1984). Peter Buck built the American jangle template on a **Rickenbacker** (and later other guitars) into clean, bright amplification, arpeggiating open-voiced chords rather than strumming barre chords, with the high strings ringing. The Rickenbacker's bright, jangly single-coils and Buck's preference for chiming arpeggios over distortion is the lineage that runs straight back to the Vox-driven British Invasion and forward into Johnny Marr's work with The Smiths — Marr layering multiple jangling, modulated guitar parts (a Rickenbacker among them) into a single shimmering bed.

| Classic Rock: A Cranked Plexi and a Boost

Roll the calendar to the late 1960s and turn everything up. The sound of classic rock — the Who, Cream-era Clapton, early Zeppelin, countless others — is a **Marshall "Plexi"** (the late-'60s Super Lead, named for its Plexiglas front panel) running four **EL34** power tubes, cranked until the whole amp is saturating, into a 4x12 cabinet loaded with **Celestion** Greenback speakers. This is breakup taken to its glorious extreme: not a pedal's worth of fizz, but an entire 100-watt amplifier compressing and distorting as a single living system, the power tubes sagging, the output transformer saturating, the speakers breaking up.

The midrange aggression of the EL34 — more upper-midrange bite and "crunch" than the rounder American 6L6 — is the Marshall voice, and it sits right where a rock guitar needs to cut. To get there at a usable volume, or to push an already-cranked amp into thicker sustain, players put a **clean boost** or a treble booster in front. The boost doesn't make its own distortion; it slams the front of the Marshall harder, driving the preamp deeper into saturation and tightening the low end. (The **Rangemaster treble booster** in front of a cranked amp is the foundational British tone — more on a famous user below.)

The harmonic language is the **minor pentatonic** again, but now stretched across the neck with aggressive full-step and even step-and-a-half bends, and increasingly flavored with the **Mixolydian mode** — a major scale with a flat seventh (in A: A–B–C♯–D–E–F♯–G), which is the natural fit over the dominant-seventh and major-key riffs of rock because it has the bright major third *and* the bluesy flat seventh. That combination — major-third brightness with flat-seventh grit — is why a cranked Plexi playing a Mixolydian-flavored riff sounds simultaneously triumphant and dangerous.

Cranked-Plexi swagger, ~110 BPM — neck or bridge humbucker, amp on the edge.

TAB

```
e|-----|
B|-----|
G|--7b(9) r7--5-----5/7-----7~-----|
D|-----7-----7--5--7-----|
A|-----|
E|-----|
```

A major pentatonic / Mixolydian rock lead. Push the boost into a cranked Marshall so the full bend (fret 7 pushed up to the pitch of fret 9) blooms and sustains. The slide up (the forward slash) and the held vibrato want a saturated, singing amp, not a buzzy fuzz.

CASE STUDY — Eric Clapton, Cream, "Sunshine of Your Love" (Disraeli Gears, 1967).

The "woman tone" — Clapton's thick, vocal, sustaining lead voice — came from a **Gibson** (a humbucker-equipped SG, famously the psychedelic "Fool" guitar) into cranked Marshall amplification, neck pickup, tone rolled back, the amp doing the saturating. The riff itself is a textbook blues-scale-over-dominant idea, and the sustain that lets each bent note hang in the air is power-amp compression, not a distortion pedal. The lesson endures: for classic rock lead, the *amp* makes the gain, and a boost just feeds it.

| Metal: High Gain, a Tube Screamer in Front, and a Tight Cab

Modern metal inverts the classic-rock recipe in one crucial way. Where a Plexi makes its gain in the *power section* (sag, bloom, touch), high-gain metal makes its gain in the *preamp* — cascading gain stages stacked one into the next, in amps like a **Mesa/Boogie** Rectifier, a **Peavey 5150** (the EVH-derived 6L6 monster), or a modern **EVH 5150III**. This produces vastly more distortion, far tighter and more consistent, with the dynamics deliberately compressed flat so that fast, palm-muted, down-picked riffs come out machine-even.

The single most important trick in metal rhythm tone is counterintuitive: you put a **Tube Screamer** (or any green-style overdrive) *in front* of an already-high-gain amp, but you turn the **drive down to nearly zero**, the **level up**, and the **tone to taste**. You are not using it for distortion. The Tube Screamer's circuit has a midrange hump and rolls off low frequencies, so what it actually does is *tighten the bass* going into the amp (preventing the low end from turning to flubby mush under high gain) and *push the midrange*, focusing the attack. This "TS-in-front" technique is the backbone of nearly every recorded high-gain rhythm tone of the last thirty years.

Then comes the cabinet — or, increasingly, the **IR** (impulse response), a digital snapshot of a real speaker cabinet and microphone captured as a filter you load into a modeler or load-box. A tight, focused 4x12 with **Celestion V30** (Vintage 30) speakers — known for their aggressive upper-midrange spike and tight low end — is the metal-cab default, and a good V30 IR delivers that same voice straight to the desk. The reason metal obsesses over a *tight* cab is the same reason it scoops some midrange: a wall of fast, low, downtuned palm-muted notes will turn into an undifferentiated roar unless the low end is controlled and the attack is sharp. But here is the production paradox — players love to *scoop* the mids for a brutal solo-guitar sound, yet a fully scooped guitar vanishes in a full mix, because it has abandoned the exact frequencies that let it be heard against bass and vocals. The pros split the difference: tight, controlled lows, a present (not scooped) upper-midrange for cut, and

high-passed mud below ~80 Hz so the guitar leaves the sub-bass region entirely to the bass guitar and kick drum.

Metal's harmonic vocabulary leans on the **Aeolian** (natural minor) and **Phrygian** modes — Phrygian being a minor scale with a flat *second* (in E: E–F–G–A–B–C–D), that flat second a half step above the root giving the dark, "Spanish"/menacing flavor metal loves — and on the raw, rootless power chord (root and fifth, no third), which stays clean and tight under high gain precisely because it omits the third that would beat and clash when distorted.

Tight and aggressive, ~160 BPM — high gain with a Tube Screamer in front, palm-muted.

TAB

PM-----PM----

e|-----|

B|-----|

G|-----|

D|-----2-2-2-----|

A|--2-2-2--3--0--0--2-2-2--0--0-----0-----|

E|--0-0-0-0--1--0--0--0-0-0--0--0-----1-----|

An E Phrygian power-chord riff (note the F at fret 1 on the low E — the flat-second menace). Palm-mute the open-string chugs tight against the desk, drop the Tube Screamer's drive near zero with the level up to focus the attack, and run a V30 cab or IR for the upper-mid bite.

CASE STUDY — Metallica, "Master of Puppets" (Master of Puppets, 1986) and the EVH lineage. James Hetfield's crushing rhythm tone has long relied on the TS-in-front-of-high-gain approach (Mesa/Boogie amplification in the studio era), with the overdrive tightening and focusing rather than adding fizz, and downpicked palm mutes executed with metronomic precision. The whole high-gain American school traces to **Eddie Van Halen**, whose "brown sound" players still argue about — the popular **Variac** story (that he ran his Marshall off a Variac to lower the voltage) is repeated everywhere but remains contested lore rather than a verified recipe, and is best heard as one ingredient in a tone nobody has fully reverse-engineered.

Ambient: Headroom, Big Delay and Reverb, and Slow Modulation

The last voice is the most spacious. Ambient and post-rock guitar — think the swelling, cathedral-sized textures of players like The Edge or Brian Eno-influenced soundscapes — starts from a *clean*, high-headroom platform and builds outward with time-based effects until the guitar stops sounding like a guitar and starts sounding like weather. The signal chain is the instrument here as much as the strings.

The core is a **delay** with long repeats and high feedback — often a **dotted-eighth** rhythmic delay (a repeat that lands three sixteenth-notes after the dry note, which against a straight eighth-note part creates a galloping, interlocking cascade) — stacked with a second, longer delay and a large **reverb** (hall, shimmer, or modulated plate) that washes the whole thing into a continuous bed. **Slow modulation** — a gentle chorus or a slow phaser — drifts across the top to keep the wash alive and breathing rather than static. Because every note is being multiplied and sustained, you must start clean: feed a distorted signal into long delays and high feedback and you get noise; feed a clean, glassy signal in and you get sky.

The defining *technique* is the **volume swell** — picking a note (or chord) with the guitar's volume off, then rolling the volume up so the attack transient vanishes and the note *fades in* like a bowed string, with no pick sound at all. Done into a big delay and reverb, each swelled note blooms, overlaps the last, and the chords melt into one another. The theory at work is about *removing the transient* — the percussive attack that says "guitar" — and letting only the sustained harmonic content through, so the ear hears pitch and texture instead of plucks. Arpeggiated, suspended, and add9 voicings (those open, third-light chords again) work beautifully because as the notes overlap in the delay trails they stack into rich, unresolved clusters rather than clashing.

Free and rubato — roll the volume up after each pick, big delay and hall reverb.

TAB

```
e | --0-----0-----3-----|
B | ---3-----5-----3-----|
G | ---2-----4-----0-----|
D | -----|
A | -----|
E | -----|
```

A volume-swell figure over open-voiced shapes. Set the guitar volume to zero, pick each note, then roll the volume knob (or a volume pedal) up so the note fades in with no attack — let a long dotted-eighth delay and a hall reverb blur the notes into one another.

| Room, Stage, Studio: The Volume That Changes Everything

All of this assumes you can hit the volume your tone needs — and that assumption breaks the moment you leave the stage. A cranked Plexi is a religious experience in a club and a noise complaint in an apartment. The volume is part of the tone, because power-tube saturation, speaker breakup, and amp compression only happen when the amp is working hard. This is the central frustration of the bedroom player: the tones we love were designed loud.

There are real answers. An **attenuator** sits between a cranked amp and its speaker, burning off wattage as heat so you can run the power tubes hard at living-room volume (at some cost to feel and high-end, since speakers themselves behave differently at different volumes). A **load box / reactive load** takes the speaker out entirely, lets you crank the amp into a dummy load, and sends the signal to an **IR** — a captured cabinet — so you hear a fully driven amp through headphones or straight to a recording interface. And digital **amp modelers** sidestep the problem altogether, simulating the cranked-amp-and-mic'd-cab signal at any volume, which is why they have taken over silent stages and home studios.

In the studio, the classic capture is a single **Shure SM57** on a mic'd cabinet — a dynamic mic that handles huge volume and has a useful presence bump in the upper-midrange. Placement is the whole game. Aim it at the *center of the speaker's dust cap* and you get the brightest, most aggressive tone; move it toward the *edge of the cone* and it darkens and thickens; pull it back a few inches off the grille and you capture more room and low end; angle it off-axis and the top end softens. Engineers spend more time moving that one mic an inch at a time than on almost anything else, because an inch changes the tone more than most EQ ever will. Modern players replace the whole mic'd-cab step with an IR, which bakes a specific mic-on-a-specific-cab into a single file — repeatable, silent, and stage-friendly.

| Leaving Space: The Tone Is Not a Solo

The deepest principle in this chapter is the one that has nothing to do with gear. Every tone decision is really a decision about *where in the frequency spectrum your guitar will live*, and a band is a spectrum that has to be shared. The bass owns the bottom (roughly below 250 Hz); the kick drum fights it for the sub-low; the vocal owns the heart of the midrange (300 Hz–3 kHz) where intelligibility lives; the cymbals and air own the top. A guitar tone that sounds enormous alone — full-range, scooped, drenched — is usually a guitar tone that is trying to occupy *all* of those lanes at once, and in a band it will either bury the vocal or get buried by everything else.

The fix is to carve the guitar a lane and stay in it. High-pass the lows below ~80–100 Hz so you are not fighting the bass and kick. Don't fully scoop the mids if you need to be heard — that is your

cutting frequency. Use the *dynamics* of the part, not just its EQ, to leave room: a busy vocal wants a sparse, low-activity guitar part; a sparse arrangement lets the guitar fill more space. This is why a clean country guitar lives high and percussive, why a blues guitar shares the vocal's register and answers it in the *gaps*, why a metal rhythm tone is tight and high-passed so the low end stays the bass's job, and why an ambient wash works precisely because there is nothing else competing for that vast reverberant space. Choosing your voice, in the end, is choosing what *not* to play, and what frequencies to leave for everyone else.

♪ LISTEN FOR

- **Stevie Ray Vaughan, "Texas Flood" (Texas Flood, 1983):** loud notes that spit and quiet fills that nearly clean up — touch-sensitive amp breakup, almost no pedal distortion.
- **The Beatles / British Invasion-era Vox recordings:** the glassy, chiming upper-midrange of EL84-driven amplification — the sound the Top Boost treble stage later concentrated into the jangle template.
- **R.E.M., "Pretty Persuasion" (Reckoning, 1984):** Peter Buck arpeggiating open, add9/sus voicings on a bright Rickenbacker — jangle built from ringing strings, not distortion.
- **Cream, "Sunshine of Your Love" (Disraeli Gears, 1967):** Clapton's "woman tone" — neck humbucker into a cranked Marshall, the *amp* making the sustain, tone rolled back.
- **Metallica, "Master of Puppets" (Master of Puppets, 1986):** machine-tight downpicked palm mutes — a Tube Screamer tightening the front of a high-gain amp, controlled lows leaving room for the bass.
- **Buck Owens & the Buckaroos (Don Rich) / James Burton sides:** Telecaster bridge pickup, clean blackface headroom, compression and slapback — the twang lane sitting high and percussive above the vocal.

Appendices



A Glossary of Tone and Gear

EVERY CRAFT HAS ITS PRIVATE LANGUAGE, AND THE PURSUIT OF ELECTRIC GUITAR tone is no exception. Sit in on a conversation between two obsessives comparing a tweed Deluxe to a plexi Marshall and you will hear talk of *sag* and *bloom*, *breakup* and *headroom*, *mid-scoop* and *presence*, as if these were ordinary household words. They are not. They are terms of art, hammered into shape over seventy years of players chasing a sound they could hear in their heads before any circuit existed to produce it. This glossary gathers the working vocabulary used throughout this book and defines it plainly, with an eye toward both the physics and the feel. Where a term is contested or wrapped in lore, the entry says so. The aim is not to settle every argument but to let you walk into any amp room, pedal forum, or studio control booth and understand exactly what is being claimed -- and whether it is true.

A note on cross-references: many of these terms interlock. *Bias* affects *sag*; *sag* affects *bloom*; *headroom* governs *breakup*. Read a few entries in sequence and the signal chain begins to assemble itself in your mind, which is precisely the point. The vocabulary is not a list of trivia. It is a map of how a plucked string becomes the sound that moves a room.

| A

Alnico -- An alloy of aluminum, nickel, and cobalt used both in magnets for guitar pickups and in loudspeaker magnets. Alnico pickups and speakers (the Celestion **Alnico Blue** being the canonical example) are prized for a warm, slightly compressed response with a soft, musical high end, in contrast to the firmer, louder ceramic magnets that largely replaced them by the late 1960s.

Attack -- The initial transient of a note, the percussive instant when the pick meets the string before the tone settles into sustain. Compression, pick material, and amp response all shape attack; a hard attack reads as aggressive and present, a soft attack as smooth or vocal.

Attenuator -- A device placed between amplifier and speaker that absorbs some of the power as heat, allowing a tube amp to be driven to its loud, saturated sweet spot at lower volume. Because much of a cranked amp's character comes from the power section, attenuators let players capture that *power-tube saturation* without deafening the room. Aggressive attenuation can dull the high end and stress the output transformer.

| B

Bias -- The idle voltage setting that determines how much current flows through the power tubes at rest. Bias governs where each tube sits on its operating curve, shaping warmth, distortion character, and tube life. A "colder" bias yields more *headroom* and a tighter, slightly harder feel; a "hotter" bias gives earlier *breakup* and richer harmonics but runs the tubes harder.

Bloom -- The way a note seems to swell or open up slightly *after* the initial attack, gaining body and harmonic richness as it sustains. Bloom is associated with the dynamic interaction of a slightly sagging power supply and a responsive speaker, and is one of the most cherished qualities of a great vintage amp.

Breakup -- The point at which an amplifier transitions from clean to distorted as it is pushed harder, the gritty edge that appears on hard-struck notes while soft ones stay clean. The volume at which breakup begins depends on the amp's *headroom*; low-headroom amps break up early and reward dynamic playing.

Bucket-brigade / BBD -- A bucket-brigade device is an analog integrated circuit that passes a sampled audio signal from one capacitor "bucket" to the next in sequence, clocked by an oscillator, introducing a controllable delay. BBDs are the analog heart of classic chorus, flanger, and analog-delay pedals; their slight high-frequency loss and warmth give analog modulation its characteristic smear.

Buffer -- A circuit, usually a unity-gain *op-amp* or transistor stage, that takes a high-impedance guitar signal and presents it at low impedance, so it can drive long cables and multiple pedals without losing high end. A buffer prevents *tone suck*, the dulling that occurs when a weak signal meets too much cable capacitance.

| C

Cascading gain -- A preamp design in which the output of one high-gain stage feeds directly into another, multiplying overall gain and producing thick, saturated distortion. Pioneered in high-gain amp design from the late 1970s onward, cascaded gain stages are the architectural basis of nearly every modern high-gain amplifier.

Class A -- An amplifier topology in which the output tube(s) conduct through the entire signal waveform, never switching off. True Class A runs hot and inefficient but is associated with a rich, harmonically complex sound. Many amps marketed as "Class A" (including the famous **Vox AC30**) are technically *cathode-biased Class AB*; the label is widely used loosely.

Class AB -- The most common power-amp topology for guitar, using pairs of tubes in *push-pull* where each tube conducts for slightly more than half the waveform. Class AB delivers more power

and efficiency than Class A and is the foundation of most Fender and Marshall designs.

Comb filter -- The pattern of peaks and notches in the frequency response created when a signal is mixed with a slightly delayed copy of itself, so named because the response resembles a comb's teeth. Comb filtering is the underlying mechanism of flanging and phasing and also occurs acoustically when two speakers or two mics interact.

Compression -- The reduction of dynamic range, bringing loud and soft notes closer in volume. Compression occurs naturally as tubes and speakers approach their limits (giving sustain and "feel") and can be applied deliberately with a compressor pedal for even, singing sustain and a snappy, consistent attack -- the spanky quality heard in much country and funk playing.

| D

Distortion -- See *overdrive vs distortion vs fuzz*.

Dotted-eighth -- A rhythmic delay setting in which the echo falls three-sixteenths of a beat after the note (a dotted-eighth note), creating an interlocking, galloping pattern against straight eighths. Famously central to the rhythmic delay sound of The Edge; setting it requires matching the delay time to the song's tempo.

| E

ECC83 -- See *12AX7 / ECC83*.

EL34 -- A pentode power tube, the sonic signature of the British Marshall sound. EL34s offer a pronounced midrange "crunch," aggressive upper-mid bite, and earlier *breakup* than American 6L6 tubes, with a slightly looser low end. The classic plexi and JCM800 voice lives here.

EL84 -- A smaller pentode power tube, the voice of the Vox AC30 and many lower-wattage combos. EL84s produce a chimey, harmonically rich top end and break up sweetly and early, giving small amps their outsized character. They run hot and are typically cathode-biased.

| F

Formant -- A resonant peak in a frequency spectrum, the concept borrowed from human vowel sounds. A *wah* pedal sweeps a formant-like resonant peak across the spectrum, which is why a wah sounds vocal, almost like the guitar is saying "wah." Fixed formant filters underlie cocked-wah and envelope-filter tones.

| G

Gain staging -- The deliberate management of signal level at each point in the chain, so each stage is driven appropriately -- neither starved (weak, noisy) nor overdriven unintentionally. Good gain staging is the difference between articulate, musical distortion and an undefined mush; it is the quiet discipline behind every great tone.

Germanium vs silicon -- The two transistor types used in fuzz and overdrive circuits. **Germanium** transistors (as in early **Fuzz Faces** and **Tone Benders**) sound warm, soft, and slightly woolly, and react sensitively to temperature and guitar volume. **Silicon** transistors are brighter, more aggressive, more stable, and higher-gain -- the spikier, more cutting fuzz of the later 1960s and beyond.

Ground loop -- An unwanted current path created when two pieces of equipment are grounded through more than one route, producing an audible 50/60-cycle hum. Ground loops are the bane of pedalboards and recording rigs; isolated power supplies and balanced connections are the usual cures.

| H

Harmonic series -- The set of frequencies, called overtones or partials, that sound above a fundamental pitch at whole-number multiples of its frequency. Pluck a low E and you also produce, in decreasing strength, the octave, the octave-plus-fifth, the double octave, the major third above that, and so on. This natural series is *why* power chords (root and fifth) sound so consonant and stable, why distortion that emphasizes even-order harmonics (octaves, the rich "tube" sound) feels warm while odd-order harmonics (fifths, ninths) feel hollow or harsh, and why a guitar sounds like a guitar at all. The series is the bedrock under nearly every entry in this glossary.

Headroom -- The amount of clean signal an amp can produce before it begins to distort. A high-headroom amp (a blackface Fender Twin, say, with its big transformers and 6L6 tubes) stays clean and loud, ideal for pedal platforms and clean funk or country; a low-headroom amp breaks up early and is played for its dirt.

Humbucker -- A pickup using two coils wound in opposite directions with opposite magnetic polarity, so that hum induced equally in both coils cancels out while the string signal adds together. Invented at Gibson in the mid-1950s, the humbucker is louder, thicker, and warmer than a *single-coil*, with a fatter midrange and rolled-off top. See *PAF*.

I

Impedance -- The AC resistance a circuit presents to a signal, measured in ohms. Mismatched impedance between guitar, pedals, amp, and speaker affects tone and level; the high output impedance of a passive guitar pickup is why *buffers* and short cables matter so much.

Impulse response (IR) -- A digital capture of the complete frequency-and-time behavior of a speaker, cabinet, and microphone in a room, stored as a short audio file. Loaded into modeling hardware or plugins, an IR lets a direct signal sound as if it were recorded through that exact miked cabinet, the crucial final link in convincing digital guitar tone.

Inductor -- A coil of wire that resists changes in current and stores energy in a magnetic field. Inductors form resonant filters with capacitors; the inductor in a classic wah pedal sets the character of its sweep, and certain prized vintage wah tones are attributed to specific inductor types.

L

LFO -- A low-frequency oscillator, a sub-audio waveform (sine, triangle, square) used not to make sound directly but to *modulate* another parameter. The LFO sweeps the delay time in a chorus or flanger, the filter in an auto-wah, and the volume in tremolo; its rate and depth controls shape the motion you hear.

M

Mid-scoop -- A tone shape in which the midrange frequencies (roughly 400 Hz to 1 kHz) are reduced, leaving boosted bass and treble. Scooped mids sound huge and hi-fi alone -- the classic recorded metal rhythm tone -- but can vanish in a band mix, since the midrange is where the guitar competes for space. A perennial trade-off between bedroom impressiveness and stage cut.

N

Noise gate -- A circuit that mutes the signal when it falls below a set threshold, silencing hum and hiss between notes. Essential for tight, palm-muted high-gain rhythm playing, where it clamps the chugging silences; set too aggressively it can chop off sustain and decay.

O

Op-amp -- An operational amplifier, an integrated circuit that amplifies the difference between two inputs with very high gain. Op-amps power countless pedals; the specific chip (the much-discussed **JRC4558** in the **Tube Screamer**, for example) contributes subtly to a circuit's character, though their importance is sometimes overstated relative to the surrounding components.

Overdrive vs distortion vs fuzz -- Three overlapping flavors of clipping. **Overdrive** lightly clips the signal for a warm, dynamic, tube-like grit that cleans up when you back off the guitar volume (think Tube Screamer or a cranked low-watt amp). **Distortion** clips harder and more symmetrically for a thicker, more sustaining, less dynamic sound (the high-gain amp-in-a-box). **Fuzz** clips so extremely that the waveform is nearly squared off, producing a fat, ragged, sometimes sputtering tone rich in harmonics (the Fuzz Face, **Big Muff**, Tone Bender). The boundaries blur, but the spectrum runs from gentle to savage.

P

PAF -- "Patent Applied For," the nickname for Gibson's original *humbucking* pickups from roughly 1957 to 1962, before the patent number replaced the sticker. PAFs are revered for a balanced, open, slightly underwound voice with airy highs and clear note separation; their exact magic is partly genuine design and partly the romance of vintage scarcity.

Palm mute -- A technique in which the picking-hand palm rests lightly on the strings near the bridge, damping them to produce a tight, percussive, *PM*-marked "chug." Combined with distortion, palm muting is the rhythmic engine of hard rock and metal; the closer to the bridge, the tighter and more articulate the note.

Phase inverter -- Also called the *phase splitter*, the preamp stage that splits the signal into two opposite-polarity halves to feed a *push-pull* power section. Its design (often a long-tailed-pair 12AX7) strongly influences the feel, distortion, and dynamic response of an amp as it is pushed hard.

Photocell -- A light-sensitive resistor whose resistance changes with illumination. Paired with a small lamp or LED in an "optocoupler," photocells create the smooth, slightly laggy volume swells of optical tremolo (as in brownface and blackface Fenders) and the gentle action of optical compressors.

Presence -- A control that boosts very high frequencies by adjusting the negative feedback in the power amp, adding edge, air, and cut. Distinct from a treble control because it works in the feedback loop; turning up presence makes an amp feel more aggressive and forward without simply adding fizz.

Push-pull -- A power-amp arrangement using two tubes (or sets of tubes) that amplify opposite halves of the waveform and recombine them, the basis of *Class AB*. Push-pull cancels even-order distortion and hum and delivers more power efficiently than single-ended designs.

| R

Rectifier -- The circuit that converts the AC from the power transformer into the DC the amp needs. A **tube rectifier** (such as the GZ34/5AR4 or 5U4) has internal resistance that allows the voltage to dip momentarily under hard playing, producing *sag*; a **solid-state rectifier** holds voltage firmly, giving a tighter, more immediate response and more *headroom*.

| S

Sag -- The momentary dip in supply voltage when an amp is hit hard, especially with a tube *rectifier*, heard as a soft compression and slight delay before the note swells. Sag is felt as much as heard -- it makes an amp "give" under the pick -- and is central to the spongy, touch-responsive feel of vintage tweed and blackface amps.

Single-coil -- A pickup with one coil of wire around magnetic poles, the original electric guitar pickup and the voice of the Fender **Stratocaster** and **Telecaster**. Single-coils are bright, clear, and articulate with a glassy top end and tight lows, but pick up mains hum -- the trade-off the *humbucker* was invented to solve.

Slapback -- A single, short echo (commonly around 80 to 150 milliseconds) with little or no repeat, the signature of 1950s rockabilly and early rock and roll. Born from tape-machine delay, slapback thickens a guitar or vocal and adds a sense of space and swagger without obvious repeats.

Soft vs hard clipping -- How abruptly a circuit limits the peaks of a waveform. **Soft clipping** rounds the peaks gradually (often with diodes in an op-amp feedback loop), producing warm, compressed, overdrive-style distortion rich in lower-order harmonics. **Hard clipping** flattens the peaks sharply (diodes straight to ground), producing a brighter, more aggressive, more sustaining distortion with stronger upper harmonics.

Sustain -- How long a note rings before decaying to silence. Sustain comes from the guitar (mass, resonance, a stiff neck joint), from *compression* and distortion (which raise quiet decay back toward full volume), and at the extreme from controlled feedback. Long, vocal sustain is a defining goal of lead tone.

T

Tone stack -- The passive network of bass, mid, and treble controls in an amplifier or pedal, built from resistors and capacitors. Different tone-stack designs (the bright, scooped Fender-style; the midrange-forward Marshall-style; the interactive Vox cut control) impose a fundamental tonal fingerprint on an amp before a single note is shaped further. The mids are often most "scooped" when all controls sit at noon.

Transient -- A brief, high-energy spike at the very start of a sound, the click or snap of the pick striking the string before the steady tone develops. Preserving transients keeps a tone articulate and percussive; heavy *compression* softens them for smoothness, a deliberate trade.

Treble bleed -- A small capacitor (sometimes with a resistor) wired across a guitar's volume control so that high frequencies are retained as the volume is rolled down, preventing the tone from going dull and muddy at lower settings. A favorite modification for players who use the volume knob as a dynamic tone control.

Tremolo -- See *vibrato vs tremolo*.

True bypass -- A switching scheme in which a disengaged pedal routes the signal through a mechanical path that completely bypasses its circuitry, preserving signal integrity. True bypass avoids the tone-loading of poorly buffered pedals, though a long all-true-bypass chain may itself benefit from a single dedicated *buffer*.

12AX7 / ECC83 -- The standard high-gain dual-triode preamp tube, known as 12AX7 in America and ECC83 in Europe. Nearly every classic guitar amp uses 12AX7s in its preamp; they provide the voltage gain that shapes a circuit's clean tone and *breakup*. Lower-gain relatives (12AT7, 12AU7) appear in some stages.

6L6 -- A beam-tetrode power tube, the backbone of the American (Fender) sound. 6L6s deliver firm lows, scooped-feeling mids, sparkling highs, and abundant *headroom*, breaking up late and cleanly -- the foundation of big clean Fender amps. The military-spec 5881 is a close relative.

6V6 -- A smaller beam-tetrode power tube, the heart of lower-wattage American combos like the tweed and blackface Deluxe. The 6V6 offers warm, sweet, slightly soft distortion that arrives at manageable volumes, beloved for recording and small-room blues.

V

Variac -- A variable autotransformer that adjusts incoming AC line voltage. Famously associated with the "brown sound," the claim being that lowering line voltage starves the amp for a particular sagging, compressed tone. The lore around Eddie Van Halen and a Variac is genuinely debated; low-

ering voltage does change feel, but how much it contributed to any specific recorded tone is unverified and probably overstated.

Vibrato vs tremolo -- Two effects the guitar world persistently mislabels. **Vibrato** is a periodic variation in *pitch* (your fretting-hand finger does it; so does a true pitch-vibrato circuit like the **Magnatone**). **Tremolo** is a periodic variation in *volume* (the pulsing effect built into many Fender amps). Confusingly, Fender labeled its volume-tremolo circuits "Vibrato" and its pitch-shifting bridge the "Synchronized Tremolo" -- a naming error now permanently baked into the language.

W

Wah -- A pedal containing a resonant filter, swept by a foot treadle, that moves a peak (*formant*) up and down through the spectrum for a vocal "wah" effect. Held in one position ("cocked wah"), it becomes a fixed midrange-boost filter. Born in the mid-1960s, the wah is among the most expressive and instantly recognizable effects in the guitar canon.



A glossary is, in the end, a kind of training for the ear. Once you can name *bloom* you start to hear it; once you understand *mid-scoop* you stop wondering why your living-room metal tone disappears at band practice; once you grasp the *harmonic series* you understand why a power chord through a fuzz feels like the floor opening up. The three short examples that follow put a handful of these terms into the player's hands, because vocabulary only becomes knowledge when it passes through the fingers.

The first demonstrates *palm muting* and *gain staging*: a tight, *PM*-damped low-string figure that depends on a *noise gate* and a *mid-scoop* to read cleanly.

TAB

Heavy, downpicked eighths, ~120 BPM, high-gain rhythm tone

```
e|-----|
B|-----|
G|-----|
D|-----|
A|--2--2--2--2-----3--3--3--3-----0--0--0--0|
E|--0--0--0--0-----1--1--1--1-----0--0--0--0|
PM-----|
```

Caption: Power-chord chug for palm muting, gain staging, and mid-scoop. Palm mute throughout, picking hand resting near the bridge; the chug lives entirely in the attack, so keep the noise gate fast and the mids only mildly scooped or the riff vanishes in a mix.

The second shows a blues scale lead phrase built for sag and bloom: hit the bent note hard so the amp's power supply dips and the note swells. The blues scale is the minor pentatonic (1, b3, 4, 5, b7) with an added flatted fifth (b5), the "blue note" that gives the phrase its ache.

TAB

Slow blues, ~66 BPM, low-headroom amp on the edge of breakup

e	-----
B	-----8b9r8-----5-----
G	-----5b7~-----7b9r7--5---
D	---7-----7~
A	-----
E	-----

Caption: A-minor blues lead phrase built for sag and bloom. Bend into the target tones and lean on the vibrato (~) so each sustained note blooms as the tube rectifier sags; back the guitar volume off slightly to clean up the attack between phrases.

The third illustrates the dotted-eighth delay against a single-coil arpeggio, the interlocking ripple associated with The Edge. Set the delay time to a dotted-eighth of the tempo so the echoes weave between the played notes rather than blurring them.

TAB

Bright clean tone, ~120 BPM, dotted-eighth delay (~250 ms), ~40% mix

e	--0-----0-----0-----0-----0-----0-----
B	-----0-----0-----0-----0-----0-----0-----
G	-----1-----1-----
D	-----
A	-----
E	--3-----3-----

Caption: Dotted-eighth delay against a single-coil arpeggio, the interlocking ripple associated with The Edge. Play cleanly and evenly with a single-coil bridge or neck pickup; the delay's dotted-eighth repeats fill the gaps, so let the amp keep its headroom and let the echoes -- not your pick -- create the busy-ness.

LISTEN FOR

• LISTEN FOR

- The *sag* and *bloom* of a cranked low-headroom amp: the soft swell on the sustained, bent notes throughout Eric Clapton's playing on John Mayall's *Blues Breakers with Eric Clapton* (1966), a Les Paul into a cranked Marshall combo.
- *Single-coil* glass and *dotted-eighth* delay: the chiming, interlocking guitar figure of U2's "Where the Streets Have No Name" (*The Joshua Tree*, 1987) -- hear how the rhythmic delay, not faster picking, creates the cascade.
- *Fuzz* and the *harmonic series* in action: the squared-off, harmonically saturated lead tone of Jimi Hendrix's "Voodoo Child (Slight Return)" (*Electric Ladyland*, 1968), where the fuzz feeds rich overtones into controlled feedback.
- *Mid-scoop* versus midrange cut: compare the huge scooped rhythm tone of Metallica's *Master of Puppets* (1986) with a midrange-forward Marshall sound and hear which one would survive without the studio's separation.

APPENDIX B

A Visual Timeline of Amps and Effects




FIGURE 12 *A century of amplifiers and effects, at a glance.*

LAY THE WHOLE STORY END TO END AND A SHAPE APPEARS. A SINGLE HORSESHOE magnet wrapped in wire becomes, within a human lifetime, a fingernail of silicon running mathematics fast enough to fool a working professional's ears. The arc from the **Rickenbacker Frying Pan** to the **Neural DSP Quad Cortex** is not a straight climb toward "better" -- it is a series of accidents, frustrations, and stubborn personalities, each one solving the previous generation's problem and quietly creating the next. A timeline flattens that drama into dates, but read the dates with the stories already in your ears and you can hear the century move: the cardboard rasp of an overdriven valve in 1951, the synthetic snarl of germanium in 1962, the glassy chime of cathode-biased EL84s, the digital convolution of a real cabinet's impulse response captured in a quiet room.

A word on how to read what follows. Each entry gives a year, an em dash, the milestone, an em dash, and a one-line note on why it matters. Dates for mass-produced gear are knowable and I have kept them honest; where a year is genuinely soft -- a slow rollout, a disputed "first," a model that trickled out before its official announcement -- I have marked it **c.** (circa) or flagged the dispute in the note. Treat the round numbers in the decade headings as conveniences, not gospel. The electric guitar was built by tinkerers, and tinkerers rarely keep good records.

| The 1930s

The instrument has to exist before its amplifier can matter. The decade's achievement is simply proving that a magnetic pickup -- a coil of wire sensing a vibrating steel string and turning it into a tiny alternating voltage -- could be loud, useful, and musical.

- **1931** -- *Rickenbacker "Frying Pan" (A-22/A-25)* -- the first commercially produced electric guitar; its horseshoe-magnet pickup proves the magnetic-coil principle that every entry below depends on.
- **1932** -- *Ro-Pat-In / Electro String amplifier* -- among the earliest purpose-built guitar amps, a small field-coil speaker box made to partner the Frying Pan rather than a radio repurposed by accident.
- **1936** -- *Gibson ES-150* -- the first widely successful "Spanish" electric archtop; its bar pickup, later nicknamed the "Charlie Christian" pickup, gave the new music of amplified single-note jazz its founding voice.
- **1939** -- *Gibson EH-185 amplifier* -- a comparatively powerful pre-war combo whose clean headroom set the template Leo Fender would study and improve.

| The 1940s

War swallowed the middle of the decade; vacuum tubes went to radar and radios, not guitar amps. What survives is the groundwork -- and, at the very end, a small Southern California shop that would change the trade.

- **1946** -- *Fender Electric Instrument Company founded* -- Leo Fender turns from radio repair to building amplifiers, treating the amp as a serious instrument in its own right.
- **c. 1948** -- *Fender "Woodie" / early Princeton and Deluxe* -- small tweed-era combos in wooden cabinets establish Fender's house sound: bright, immediate, eager to break up.

| The 1950s

This is the decade tone is born twice -- first as glorious clean power, then as the happy accident of distortion. The defining circuit is the cathode-biased, class-AB push-pull power section feeding a guitar speaker hard enough that the tubes themselves begin to clip.

- **1951** -- *Fender "wide-panel" tweed Bassman (5B6)* -- built for the new Precision Bass, but guitarists discover that a cranked Bassman has a singing, harmonically rich overdrive nobody designed on

purpose.

- **1954** -- *Fender Stratocaster* (and the **5C8/5D8 tweed era continues**) -- the guitar arrives that will define the platform; meanwhile the tweed lineup matures toward its sweetest voicing.
- **1955** -- *Tweed Deluxe (5E3)* -- a low-wattage, two-knob combo whose touch-sensitive breakup becomes the benchmark for "amp-only" overdrive for the next seventy years.
- **1958** -- *Fender 5F6-A tweed Bassman* -- four 10-inch speakers, two 5881/6L6 output tubes, a long-tailed-pair phase inverter; the single most copied amplifier circuit in history.
- **1959** -- *Fender "high-power" tweed Twin* -- roughly 80 watts of clean before grit; the loud, glassy headroom that would anchor country, surf, and clean funk.

| The 1960s

Everything happens at once. America cleans up and gets louder; Britain learns from a borrowed Bassman and reinvents it twice; and a tiny stomp-box industry is born when engineers learn to put distortion, modulation, and echo in a box on the floor. The harmonic logic underneath the era is the **overtone series** -- when a string vibrates, it sounds not only its fundamental but a stack of quieter integer multiples (octave, fifth, octave, major third...). Overdriving an amp or a fuzz multiplies and reshuffles those overtones, which is exactly why distortion makes a power chord sound "thick" rather than merely loud.

- **1960** -- *Fender "brownface" / dawn of blackface design* -- fixed-bias, cleaner, more headroom; the move away from tweed grit toward the scooped, sparkling clean that defines "Fender clean."
- **1962** -- *Maestro FZ-1 Fuzz-Tone* -- the first mass-marketed fuzz pedal; its splatty, transistor-driven distortion sounds like a torn speaker because, in spirit, that is what it imitates.
- **1962** -- *Vox AC30 "Top Boost"* -- the Top Boost circuit (an extra ECC83 gain/tone stage) gives the cathode-biased, EL84-powered AC30 its chiming high end and vocal midrange; the sound of the British Invasion.
- **1965** -- *Marshall JTM45* -- Jim Marshall and Ken Bran build, essentially, a 5F6-A Bassman with British parts; KT66 power tubes and a different transformer push it toward a darker, more aggressive roar.
- **1965** -- *Sola Sound Tone Bender MkI* -- a British answer to the FZ-1; thicker and more sustaining, the bridge between the Maestro and the Fuzz Face.

- **1966** -- *Arbiter Fuzz Face* -- two germanium transistors in a round enclosure; touch-responsive, cleaning up with the guitar's volume knob, it becomes Hendrix's signature gain stage.
- **1966** -- *Marshall 1959 "Plexi" Super Lead (100W) and 1987 (50W)* -- EL34 power tubes and no negative-feedback tinkering yield the canonical British stack crunch.
- **1967** -- *Vox / Warwick Electronics Clyde McCoy wah* -- the first wah pedal, a swept band-pass filter on a treadle; a year later the line becomes the **Vox/Thomas Organ Cry Baby**.
- **1968** -- *Uni-Vibe (Shin-ei / Univox)* -- four staggered phase stages meant to fake a rotating Leslie speaker; it misses that target and lands on its own seasick, watery shimmer instead.
- **1969** -- *Electro-Harmonix Big Muff Pi* -- four cascaded transistor clipping stages with a scooped midrange; endless violin-like sustain and a wall of fuzz, soon a Gilmour staple.

| The 1970s

The amplifiers grow up and grow angry. Players who had been overdriving the *power* section now want gain earlier in the chain, at lower volume; the answer is cascaded *preamp* gain, and it remakes rock. Meanwhile the pedalboard fills with the modulation and overdrive shapes still in print today. Much of the decade's lead playing lives in the **minor pentatonic** and **blues scale** -- the five-note minor pattern (root, b3, 4, 5, b7) with a chromatic b5 "blue note" slipped between the 4 and 5 -- because distortion rewards the strong, vocal intervals of those scales and punishes harmonic clutter.

- **1971** -- *Mesa/Boogie Mark I* -- Randall Smith's hot-rodded, cascaded-gain Princeton: high-gain lead tone at club volume, the birth of the modern "boutique" amp.
- **1972** -- *MXR Phase 90* -- a one-knob, four-stage phaser; its warm, swirling sweep becomes an instant studio shortcut and an Eddie Van Halen rhythm signature.
- **c. 1972** -- *Maestro Echoplex EP-3 (solid-state)* -- the tape-echo standard; players prize its **preamp** as much as its repeats, since the EP-3's input buffer adds a treble-forward "sparkle" coveted to this day.
- **1974** -- *Electro-Harmonix Electric Mistress* -- an early flanger in a box, its metallic jet-sweep heard across mid-seventies rock and reggae.
- **1976** -- *Boss CE-1 Chorus Ensemble* -- the first dedicated chorus pedal, derived from the Roland Jazz Chorus amp's circuit; lush, three-dimensional shimmer that defines clean tone for a decade.
- **1977** -- *Ibanez TS-808 Tube Screamer (Overdrive Pro)* -- a soft-clipping op-amp overdrive with a mid-hump; designed to push an already-cooking amp, it becomes the most imitated dirt pedal

ever built.

- **1978** -- *Roland Jazz Chorus JC-120* -- solid-state, brutally clean, with stereo chorus built in; the reference clean platform for funk, post-punk, and pop.

| The 1980s

The decade of more: more gain, more compression, more rack gear, more chrome. The high-gain amp reaches its mature form -- a tight, saturated lead voice with a defined low end and a singing top -- and the first digital effects arrive, hinting that the whole signal chain might one day live inside a chip. Lead vocabulary leans on **modes** now: the **Aeolian** (natural minor) for dark rock, the **Dorian** (minor with a raised 6th) for a brighter blues-rock color, the **Phrygian** (minor with a b2) for the Spanish-tinged menace of metal.

- **c. 1980** -- *Mesa/Boogie Mark IIB/IIC and IIC+* -- the IIC+ (1983-85) becomes a holy grail for liquid, sustaining lead tone; Metallica and countless others chase it.
- **1981** -- *Marshall JCM800 (2203/2204)* -- a single-channel master-volume EL34 amp with cascaded gain; the no-nonsense crunch that powers eighties hard rock and, distorted further, thrash.
- **1983** -- *Boss DS-1 / and the early digital era* -- cheap, bright distortion in an orange box; meanwhile rack digital reverb and delay (Lexicon, Roland SDE-3000) reshape studio space.
- **1985** -- *Boss DD-2 Digital Delay* -- the first compact digital delay pedal; clean, long, repeatable echoes finally fit on a pedalboard.
- **1987** -- *Soldano SLO-100 (Super Lead Overdrive)* -- Mike Soldano's hand-built, high-gain 6L6 amp; smooth, harmonically dense saturation that influences nearly every "modded Marshall" boutique build to follow.
- **1989** -- *Dumble Overdrive Special (peak-era reputation)* -- Alexander Dumble's secretive, made-to-order amps (built since the late 1970s) reach mythic status; the touch-sensitive "D-style" clean-into-smooth-overdrive voice becomes a holy grail and a boutique-cloning industry.

| The 1990s

Two opposite impulses define the nineties. One reaches backward, reissuing tweed and plexi and germanium for players chasing vintage authenticity. The other reaches forward and asks the heretical question: what if the amplifier were *software*? The answer arrives at the very end of the decade and quietly begins to hollow out the tube amp's monopoly.

- **1991** -- *Matchless DC-30* -- a hand-wired, EL84 boutique amp reviving the Vox-style chime with modern build quality; the boutique-amp boom begins in earnest.
- **1992** -- *Marshall JCM900 and widespread reissue culture* -- diode-clipped higher gain on one hand; on the other, a market-wide hunger for **reissue** plexis, tweeds, and blackfaces.
- **1992** -- *Mesa/Boogie Dual Rectifier* -- a tube-rectified, scooped, saturated monster; the defining rhythm tone of nineties alt-metal and nu-metal.
- **1995** -- *Fulltone, Z.Vex, and the boutique-pedal wave* -- small builders reissue and refine germanium fuzz and transparent overdrive; the pedal becomes a connoisseur's object.
- **1996** -- *Line 6 AxSys 212 / Flextone* -- early digital-modeling combo amps; crude by later standards, but proof that DSP could imitate a tube amp's voice.
- **1998** -- *Line 6 POD* -- the kidney-bean modeler that put dozens of amp and cab "models" into a desktop box; it democratizes direct recording and makes "amp modeling" a household phrase.

| The 2000s

Digital modeling stops apologizing. The decade's leap is the **impulse response** -- a recording of exactly how a specific speaker cabinet and microphone color the sound -- combined with steadily better amp-circuit simulation. For the first time, a serious player could record an album direct and have listeners argue about whether they heard tubes or transistors.

- **2001** -- *Fractal Audio Axe-Fx (Standard)* -- a rackmount processor whose amp models and cab IRs aim at studio-grade realism; it becomes the high end of modeling.
- **2003** -- *Line 6 POD XT* -- expanded models and effects; modeling goes mainstream on stages and in bedrooms alike.
- **2007** -- *Kemper Profiler (development era)* -- Christoph Kemper pioneers "profiling": rather than model a circuit, the unit captures a sonic fingerprint of a real, mic'd amp; publicly unveiled in 2011.
- **2008** -- *Strymon (founding) and the DSP-pedal renaissance* -- studio-grade reverb, delay, and modulation in compact pedals; the stompbox catches up to the rack.

| The 2010s

Modeling and profiling become not just acceptable but, on many big tours and records, preferred -- lighter, quieter, infinitely recallable. The argument shifts from "can it sound real?" to "do I even need the real thing?" Tone debates move from tube types to firmware versions.

- **2011** -- *Kemper Profiler (commercial release)* -- profiling reaches the public; touring acts begin leaving real heads at home, carrying captured "profiles" instead.
- **2013** -- *Fractal Audio Axe-Fx II XL* -- a refinement widely regarded as a turning point where modeled tone satisfied a large share of professionals.
- **2015** -- *Line 6 Helix* -- a flexible, friendly floor modeler with a clear interface; modeling becomes genuinely easy to use, not just powerful.
- **2019** -- *Neural DSP Quad Cortex (announced)* -- a powerful quad-core floor unit with onboard "Neural Capture," promising profiling and modeling in one; it ships in 2021 and signals the machine-learning era of tone capture.

| The 2020s and Beyond

The newest tools blur the last lines. Neural networks now "learn" an amp from a short audio sample; cab IRs give way to dynamic, mic-position-modeled captures; and the humble overdrive pedal, after sixty years, is still being reissued, cloned, and revered. The instrument's tone is now equal parts physics and mathematics -- but the hand on the strings, the **vibrato** in a held note, the **bend** that lands a quarter-step sharp for tension and resolves home, still decides everything.

- **2021** -- *Neural DSP Quad Cortex (shipping)* -- neural-network capture brings machine learning into mainstream tone; a new front in the modeling-vs.-tubes conversation.
- **c. 2022-present** -- *AI/neural amp captures (NAM and others) go open-source* -- hobbyist and professional capture tools proliferate; the cost of a "real amp's fingerprint" approaches zero.
- **present** -- *Tube amps, boutique builders, and vintage reissues endure* -- the valve refuses to die; players keep choosing the feel and the air-moving push of a real speaker even as the digital tools grow indistinguishable on a recording.



Three short examples make the timeline audible. Each is original and illustrative -- play them on whatever rig you have and you will hear the decade it belongs to.

Example 1 -- 1950s/early-1960s clean-archtop jazz-blues. Moderate swing feel, ~120 BPM. Neck pickup, amp just breaking up.

TAB

```
e|-----|
B|-----|
G|--7b9r7--5-----5--7-----5~--|
D|-----7--5--7-----7--5--7~--7-----|
A|-----5--7-----|
E|-----|
```

In the spirit of the ES-150: minor pentatonic in A with a half-step bend (b9r7) -- dial a warm neck pickup into an amp on the edge of breakup, tone rolled back, very little gain.

Example 2 -- 1980s JCM800 power-chord chug. Steady eighths, ~132 BPM, heavy palm mute. EL34 amp, master volume up.

TAB

```
e|-----|
B|-----|
G|-----|
D|-----5--5--5--5--7--7--5-----|
A|--5--5--5--5--7--7--5-----5--5--5--5--7--7--5-----|
E|--3--3--3--3--5--5--3-----3--3--3--3--5--5--3-----|
```

Root-fifth "5" chords on the bottom strings with tight PM (palm muting) on every note -- set the preamp high and the bass moderate so the low end stays defined rather than flubby, and let the EL34s tighten the attack.

Example 3 -- Late-1980s SLO-100/IIC+ liquid lead. Free, vocal phrasing, ~80 BPM. High-gain lead channel, long delay behind it.

TAB

```
e|--15b17r15--12-----12~-----|
B|-----15b17--13--15~-----|
G|-----|
D|-----|
A|-----|
E|-----|
```

Aeolian-flavored minor pentatonic phrasing in A with whole-step bends (b17r15) and wide, slow vibrato on the held notes -- the smooth, compressed high gain plus a subtle delay is what lets a single sustained note bloom and sing.

♪ LISTEN FOR

The whole century in five records. Hear the *clean valve power* on the Fender-tweed snap of Buddy Holly's "Peggy Sue" (1957). Hear *germanium fuzz that cleans up with the volume knob* on Jimi Hendrix's "Foxy Lady" from *Are You Experienced* (1967) -- a Fuzz Face into a cranked plexi. Hear *cascaded preamp gain and chorus shimmer* across Van Halen's 1984 (1984), Phase 90 swirl and "brown" saturation side by side. Hear *eighties high-gain rhythm precision* on Metallica's *Master of Puppets* (1986), the Mesa Mark-series chug at the heart of the riffs. And hear *modern modeling/profiling in the wild* on recent direct-recorded metal and pop -- much of it tracked through an Axe-Fx, Kemper, or Quad Cortex -- where the cab you "hear" is an impulse response and the amp is math, yet the bends and vibrato are still entirely human.

Tablature and Technique Reference

THERE IS A MOMENT, SOMEWHERE IN EVERY GUITARIST'S FIRST YEAR, WHEN THE dots on a chart stop being a code and start being a sound. You stare at a row of numbers, your fingers find the frets, you strike the string -- and suddenly the abstraction collapses into music. That collapse is what tablature exists to engineer. Standard musical notation tells you *what pitch* to play; tablature tells you *where to put your hands*. On an instrument where the same note lives in five different places, each with its own timbre and tension, that "where" is not a convenience. It is half the art. The low E at the third fret of the D string sounds rounder and darker than the open G a whisper away on the next string; a phrase played up the neck on the wider-wound strings carries a thickness that the same notes, played in the open position, simply cannot. Tab encodes the *gesture* of guitar playing, and the gesture is where the personality lives.

This appendix is your decoder ring and your gym in one. First, the complete legend -- every line, every number, every articulation mark used throughout this book, restated so you never have to flip back to the front matter mid-solo. Then a series of short technique lessons, each anchored by a tiny worked example you can pick up and play in under a minute. Treat the tabs as etudes: small, idiomatic, and built to isolate one physical skill at a time. Master them slowly and in isolation, and the famous passages described elsewhere in these pages will stop looking like magic and start looking like vocabulary you already own.

| The Staff: Six Lines, High to Low

A tablature staff is six horizontal lines, and here is the single most important fact about reading it: **the lines are the strings, drawn as if you tilted your guitar flat and looked down at the fretboard.** The top line is your thinnest, highest-pitched string -- high E -- and the bottom line is your fattest, lowest string -- low E. From top to bottom the order is always:

TAB

```
e |-----| <-- high E (thinnest, 1st string)
B |-----|
G |-----|
D |-----|
A |-----|
E |-----| <-- low E (thickest, 6th string)
```

The blank six-line staff, oriented high to low. Memorize this orientation; every example in the book uses it.

Note that this is upside-down relative to how the strings sit when you hold the guitar in playing position, where the low E is physically on top, nearest your chin. Tab inverts that on purpose so the visual layout matches the *pitch* layout of standard notation -- high notes up and low notes down. Beginners trip on this constantly, then never think about it again.

A **number placed on a line tells you which fret to press on that string**. A **0** means play the string open -- struck with no fretting finger down. A **5** on the B line means press the fifth fret of the B string and pick it. Numbers are read left to right as time flowing forward, exactly like words on a page.

TAB

```
e |-----0-----|
B |-----1-----|
G |-----0-----|
D |-----2-----|
A |-----3-----|
E |-----|
```

Reading left to right: low A (5th string, 3rd fret), then D, then open G, then C, then open high E -- one note at a time, ascending.

When numbers are **stacked vertically in a single column, you play them together as a chord**. Strum or pick all the stacked notes simultaneously. Here is an open G major chord written as a stack:

TAB

```
e |-3-|
B |-0-|
G |-0-|
D |-0-|
A |-2-|
E |-3-|
```

A single column with six numbers stacked: strike all six strings at once for an open G chord.

| The Articulation Legend

Pitch and rhythm are only the skeleton. The articulation marks are the muscle and breath -- they tell you *how* a note is attacked, sustained, bent, or killed. The entire alphabet of symbols used in this book follows. Read it once carefully; the mini-lessons below put each one into your hands.

- **h -- hammer-on.** `5h7` means pick the 5th fret, then slam a finger down onto the 7th fret of the same string hard enough to sound the new note without picking again.
- **p -- pull-off.** `7p5` means sound the 7th fret, then pull the fretting finger off and slightly downward so it flicks the string and the 5th fret rings out, again without a pick stroke.
- **b -- bend.** Push (or pull) the string across the fretboard to raise its pitch. `7b9` means fret the 7th, bend until it sounds like the 9th fret -- a **full bend** (a whole step). `7b8` is a **half bend** (a half step). A number followed by `b` with the target in parentheses, like `7b(9)`, means the same thing with the destination pitch shown.
- **pb -- pre-bend.** Written `(7)b9` or `7pb9` in some sources; here we use **pb**. Bend the string up *before* you pick it, then strike it already bent. The listener hears the high pitch arrive with no audible rise.
- **r -- release.** Lower a bend back to its original pitch. `7b9r7` means bend up a whole step, then release back down to the unbent 7th.
- **/ -- slide up.** A forward slash means slide from a lower fret to a higher one while keeping pressure on the string. `5/7` = pick the 5th, slide up to the 7th.
- **\ -- slide down.** A backslash means slide from a higher fret down to a lower one. `7\5` = pick the 7th, slide down to the 5th.
- **~ -- vibrato.** A tilde after a note means oscillate the pitch by repeatedly bending and releasing a small amount. `7~` = fret the 7th and shake it.
- **x -- dead note.** A muted, pitchless click. Lay a finger lightly across the string without pressing to the fret, then pick. Used for percussive rhythm.
- **PM -- palm mute.** Written above the staff with a dotted line showing its duration. Rest the edge of your picking-hand palm on the strings just ahead of the bridge saddles to choke the sustain into a tight, percussive thud.
- **t -- tap.** Use a picking-hand finger to hammer directly onto a fret, usually high up the neck. `t12` taps the 12th fret.

- **NH -- natural harmonic.** Touch (don't press) the string directly over a fret wire -- the 12th, 7th, or 5th are the easiest -- and pick to produce a chiming overtone. Written `<NH>12` or `NH12`.
- **AH -- artificial / pinch harmonic.** Fret a note normally, then let the edge of your thumb brush the string a fraction of a second after the pick catches it, producing a squealing harmonic.
- **() -- ghost note.** A fret number in parentheses is a ghost or grace note: played very softly, or implied, or a tied continuation of a note already ringing. Felt more than heard.

| The Mini-Lessons

Bends: Bending Pitch With Your Hands

The bend is the guitar's most vocal device, the move that lets six steel strings cry, plead, and laugh. To bend, you push the string toward the ceiling (on the lower strings, you often pull it toward the floor instead) so the increased tension raises the pitch. The crucial discipline is *intonation*: a bend that stops short of its target sounds sour, and a bend that overshoots sounds amateurish. Train your ear by first playing the target fret as a reference, then bending up to match it exactly.

Use multiple fingers for support -- when bending with the ring finger, place the middle and index behind it on the same string and push as a unit. Your wrist, not your fingertip, supplies the power; rotate the forearm as if turning a doorknob.

A bend can travel different distances. A **half-step bend** raises the pitch by one fret's worth (a *minor second*, the smallest interval in Western music, the distance between two adjacent keys on a piano). A **full bend** raises it by two frets (a *major second*, or whole step). Bends of a step and a half are common in blues, and the occasional two-step bend is a showpiece of finger strength.

Slow, around 70 BPM, with full intent on the pitch:

TAB

```
e |-----|
B |-----8b10r8-----|
G |--7b9~-----7b8-----7b9-----|
D |-----|
A |-----|
E |-----|
```

Four bends in sequence: a full bend with vibrato on the G string, a half bend, a bend-up-and-release on the B string, and a final full bend. Dial in a touch of breakup so the sustain blooms and lets each bend ring.

The **pre-bend** flips the drama. Instead of letting the listener hear the pitch climb, you bend in silence and strike the note already raised, then release it *down* into the unbent pitch -- a sob in reverse, a note that sighs downward.

Slow and expressive:

TAB

```
e |-----|
B |--(10)pb10r8-----|
G |-----9b11r9-----|
D |-----|
A |-----|
E |-----|
```

A pre-bend on the B string struck already bent then released down a whole step, followed by a standard bend-and-release. The parenthesized fret shows where the pitch starts before you pick.

The **unison bend** is a guitarist's secret weapon for thickness: hold a fretted note steady on one string while bending a lower string up to match the same pitch. The two strings ring as one fattened, slightly chorused note, the tiny imperfection between them adding shimmer. This is the sound of countless classic-rock leads and Chuck Berry double-stops alike.

Medium tempo, around 100 BPM, with a confident attack:

TAB

```
e |-----|
B |--10-----10-----10-----|
G |--9b11-----9b11-----9b11-----|
D |-----|
A |-----|
E |-----|
```

The G string bends a whole step up to meet the held B-string note at the same pitch. Both strings are struck together. Add gain and the two unisons fuse into a single screaming tone.

Vibrato: The Signature in Your Fingertip

If a bend is a word, vibrato is the accent you say it with -- and it is the single most personal thing a guitarist does. No two players' vibrato is alike, which is why a veteran can name a soloist in three notes. Vibrato is a controlled, repeated micro-bend: you raise and lower the pitch in a steady oscillation around a center note.

There are two broad mechanical schools. **Finger vibrato** moves the pitch by rocking the fingertip itself, a narrow and quick flutter often associated with classical and jazz phrasing. **Wrist vibrato** -- the blues-rock standard -- locks the finger and shakes the whole hand from the wrist, producing a wider, slower, more vocal wail. The width (how far the pitch travels) and the speed (how fast it oscillates) are independent variables you control: B.B. King's vibrato is fast and narrow, a hummingbird; many of the British blues players favored a slow, wide, throat-grabbing shake.

Hold each note and shake it; let the last one ring long:

TAB

```
e |-----|
B |--8~~~~~|
G |-----|
D |-----|
A |-----|
E |-----|
```

A single sustained note worked with vibrato. Start narrow, then widen as the note sustains. The cleaner your amp, the more every wobble is exposed -- which is why great vibrato shows best on a near-clean tone with long sustain.

Slides: Connecting Without Re-Picking

A slide moves your fretting finger along a string while it sustains, gliding between two pitches without re-striking. It is the smoothest connective tissue in the guitarist's vocabulary, smearing two notes into a single legato gesture. The forward slash `/` slides up to a higher fret; the backslash `\` slides down to a lower one. Keep steady pressure throughout, or the note dies mid-glide.

Slides also come in an "indefinite" variety -- a slide *into* a note from nowhere in particular (just start a few frets below and slide up into the target), or a slide *off* a note into silence. These give phrases a scooped, vocal entrance and a tapering exit.

Relaxed, around 90 BPM, smooth and connected:

TAB

```
e |-----|
B |-----|
G |--7/9----9\7----7/9/11-----|
D |-----|
A |-----|
E |-----|
```

Slide up, slide back down, then a compound slide climbing through two positions on one pick stroke. Only the first note of each slide group is picked; the rest sound purely from the glide.

Hammer-Ons, Pull-Offs, and Legato

These are the techniques that let your fretting hand produce notes the picking hand never touches, and together they form **legato** -- smooth, connected phrasing in which a single pick stroke launches a cascade of notes. A **hammer-on** (**h**) sounds a higher note by forcefully fretting it; a **pull-off** (**p**) sounds a lower note by plucking the string with the releasing finger. String them together and you get the fluid, liquid runs that define players from Allan Holdsworth to Eddie Van Halen.

The musical payoff is articulation contrast: picked notes have a hard attack, legato notes a soft one, and alternating between them gives a phrase dynamic shading no purely-picked line can match. These examples sit naturally in the **minor pentatonic scale** -- the five-note scale (root, flat third, fourth, fifth, flat seventh) that is the bedrock of blues and rock lead playing. In A minor pentatonic, that's the notes A, C, D, E, and G, and the box below lives at the fifth fret.

Steady and even, around 110 BPM:

TAB

```
e |-----|
B |-----|
G |-----|
D |--7h9p7----7h9----9p7-----|
A |-----7-----7h8h10-----|
E |-----|
```

A legato run in the A-minor pentatonic box: one pick stroke per group, the rest sounded by hammers and pulls. The smoother and quieter your hammer/pull notes, the more vocal the line.

Two-Hand Tapping: The Picking Hand Joins the Fretboard

Tapping extends legato to the other hand. A picking-hand finger hammers directly onto a high fret (**t**), then pulls off to a note held by the fretting hand, which can then hammer or pull to a third note -- letting you span intervals far too wide to reach with one hand. Popularized explosively in the late 1970s, it turned the guitar into something that could sound like a keyboard or harp, spinning out fast arpeggios across a single string. The most idiomatic shape is a repeating three-note figure: tap a high note, pull off to a low fretted note, then hammer to a middle one, looping the cycle into a blur.

Fast and rhythmic; let it ripple in triplets:

TAB

```
e |--t12p5h8--t12p5h8--t12p5h8--t12p5h8-----|
B |-----|
G |-----|
D |-----|
A |-----|
E |-----|
```

A tapping triplet on the high E string: the right-hand finger taps fret 12, pulls off to the fretted 5th, then hammers to the 8th, repeating. Keep the fretting fingers planted; only the tap and the pull-off attack each note. A little compression and gain helps the quieter taps sing.

Natural and Pinch Harmonics: Chimes and Squeals

Touch a vibrating string at certain precise points and you silence its fundamental while letting an overtone ring -- a *harmonic*. The clearest **natural harmonics** (NH) live directly over the 12th fret (one octave up), the 7th fret (an octave and a fifth), and the 5th fret (two octaves). Rest a finger lightly on the string right above the fret wire, pick, and lift -- a glassy bell tone chimes out. These overtones are the harmonic series made audible, the same physics that gives every note its timbre.

Let each harmonic ring fully:

TAB

```
e |-----|
B |-----|
G |--<NH>12-----<NH>7-----<NH>5-----|
D |-----|
A |-----|
E |-----|
```

Three natural harmonics on the G string at the 12th, 7th, and 5th frets -- an octave, then higher, then higher still. A clean, reverberant amp lets the bell tones bloom.

The **pinch (or artificial) harmonic** (AH) is the snarling cousin. Fret any note normally, then choke up on the pick so a corner of your thumb grazes the string a hair after the pick strikes it. Done right, the fundamental drops out and a high harmonic screams. Add gain and the squeal cuts like a knife -- the spice of countless hard-rock and metal leads.

Palm Muting: Choking the Sustain

Rest the fleshy edge of your picking-hand palm lightly across the strings just where they meet the bridge saddles, and the notes turn short, fat, and percussive -- a tight "chunk" instead of an open ring. **Palm muting** (**PM**) is the engine of palm-muted riffing, the controlled aggression beneath rock and metal rhythm. Slide the palm slightly forward toward the neck and the mute deepens; ease it back toward the bridge and the notes open up. The interplay between muted and open notes within one riff is what gives heavy rhythm playing its breathing, dynamic pulse.

Driving eighth notes, around 130 BPM, with a tight gallop:

TAB

PM- - - - - PM- - - - -

e |-----|

B |-----|

G |-----|

D |-----|

A |-----|

E |--0-0-0-0-0-0-3-5-----0-0-0-0-3-----|

Palm-muted open low-E chugs punctuated by open (unmuted) accents. The dotted PM line shows where the palm rests; lift it on the higher frets to let them ring. Pile on the gain and tighten the palm for that percussive low-end thud.

Raking: Percussive Approach Notes

A **rake** is a quick drag of the pick across two or three muted strings just before landing on the target note -- a percussive *scratch* that gives a note a dramatic, swaggering entrance. Mute the strings below your target with the fretting hand, drag the pick across them, and let the momentum carry into the note you actually want. It costs nothing and adds enormous attitude, a favorite of blues and rock soloists for kicking off a phrase.

With a confident, dragging downstroke:

TAB

e |-----|

B |-----8~-----|

G |--x-x-----|

D |--x-x-----|

A |-----|

E |-----|

Two raked dead notes drag the pick into a sustained, vibratoed target note. The x's are muted clicks; the rake is one continuous downstroke landing on the B-string note.

Double-Stops: Two Notes at Once

A **double-stop** is simply two notes played together -- a fragment of a chord, a slice of harmony inside a single-note line. The most idiomatic ones move in parallel: two notes a *third* or a *fourth* apart sliding up the neck together. Thirds (notes two scale-steps apart) sound sweet and major or plaintive and minor depending on their size; fourths sound open and modern. Sliding double-stops are the connective harmony of rock and roll rhythm and soul guitar alike.

Mid-tempo, around 96 BPM, with a relaxed swing:

TAB

```
e |-----|
B |--8/10---10---8-----|
G |--7/9---9---7-----|
D |-----|
A |-----|
E |-----|
```

Parallel double-stops a third apart, slid up the neck and back. Strike both strings together. A touch of overdrive thickens them into a single voice -- the classic Chuck Berry and soul-rhythm sound.

The Tremolo Bar: Pitch on a Lever

A **tremolo bar** (more accurately a *vibrato* bar -- the naming has been confused since the 1950s) is a spring-loaded lever that slackens or tightens all the strings at once, dropping or raising their pitch en masse. A gentle push gives a shimmering wobble; a hard dive drops the pitch into a growl or a screaming dive-bomb; flicking it produces a fluttering warble. Tab notates bar moves with directional arrows or text above the staff -- here we mark a dive as **-1** (drop a step) returning to **0** (pitch), and label dramatic moves in words.

Expressive, free in time:

TAB

```

                (dive)      (return)
e |-----|
B |-----|
G |--9-----\\\\-----//-----|
D |-----|
A |-----|
E |-----|

```

Strike the G-string note, then dive the bar to drop the pitch and bring it smoothly back. The backslashes suggest the falling pitch and the forward slashes the return; the exact depth is yours to feel. A floating tremolo lets you push up as well as down.

Volume Swells: Notes Without Attack

Roll the guitar's volume knob (or work a **volume pedal**) from zero up to full *after* you pick, and the note's hard attack vanishes -- it fades in like a bowed string or a synth pad. **Volume swells** turn the guitar into something that breathes, a favorite of ambient and atmospheric players. Pick the string with the volume off, then swell the knob with your pinky as the note blooms. Tab shows it with a text cue, since the pitch information stays ordinary.

Slow and atmospheric; swell each note in:

TAB

```

      (vol. swell each note)
e |-----|
B |-----|
G |--9-----11-----9-----7-----|
D |-----|
A |-----|
E |-----|

```

Pick each note with the volume rolled off, then swell it up so it fades in with no pick attack. A long reverb or delay smears the swells into a glassy wash.

| Reading Rhythm in Tab

The honest truth about tablature is that, on its own, it is weak on rhythm. It tells you *which* notes and *how* to articulate them, but plain ASCII tab cannot show note durations the way standard notation's flags and beams can. This is the one place tab asks for your trust and your ears. Most readers

learn a passage by knowing the song, letting the recording supply the timing while the tab supplies the fingering -- the two halves clicking together into a whole.

Still, you can read a great deal from the layout if you respect the columns. **Horizontal space represents time.** Notes that line up vertically sound together; notes spaced evenly apart sound evenly apart in time; a note followed by a long stretch of dashes is held or left to ring. Twice the horizontal gap suggests roughly twice the duration. When a tab is carefully aligned -- and every example in this book is built to be -- you can often *see* the rhythm in the spacing: a tight cluster reads as fast notes, a generous spread as slow ones.

Many printed tabs, including some in this book where rhythm is subtle, place rhythm markers or note-value stems above the staff, or simply note the feel in words: "straight eighths," "shuffle," "let ring," "triplets." A *triplet* divides a beat into three even pulses instead of two, the lilting engine behind shuffle blues and much of rock and roll; a *shuffle* (or swing) feel lengthens the first of each pair of eighth notes and shortens the second, giving that loping, galloping bounce. When you see such a note above an example, internalize it before you play -- the feel is as load-bearing as the pitches.

The deepest lesson is this: tab is a map, not the territory. It will get your hands to the right place, but the music -- the timing, the touch, the swell of a bend, the precise shiver of a vibrato -- lives in your ears and your hands. Use the map to find the road. Then close your eyes and listen for where it wants to go.

♪ LISTEN FOR

To hear vibrato as a fingerprint, compare B.B. King's fast, narrow shake on *Live at the Regal* (1965) with the slow, wide, vocal vibrato Eric Clapton plays throughout John Mayall's *Blues Breakers with Eric Clapton* (1966) -- same device, two signatures. For the unison bend and raked, swaggering phrase entrances, drop the needle on almost any Chuck Berry single from the late 1950s. For two-hand tapping in its first shock of arrival, listen to the unaccompanied break on Van Halen's "Eruption" from *Van Halen* (1978) and hear the harp-like cascade those three-note tapping figures produce. And to hear the volume swell turn a guitar into something that breathes, listen for the attack-less, fading-in lines that drift through atmospheric and ambient rock -- the pick stroke erased, leaving only the bloom.

Recommended Listening: A Tone Discography

A BOOK ABOUT TONE CAN ONLY POINT. THE SOUND ITSELF LIVES IN THE GROOVES, on the tape, in the bitstream — in the rooms where these records were cut and the speakers that moved the air. What follows is not a "greatest guitar solos" list. It is a map of *textures*, organized by the sound rather than the player, so that you can hear a single idea — a tweed amp folding in on itself, a Plexi opening its throat, a Big Muff swelling like an organ — traced across decades and genres until the character of the thing becomes unmistakable to your ear.

Listen on the best system you have, or good headphones. Many of these recordings predate stereo, or use it strangely; mono is often where the truth is. Where a year would be a guess, it has been left off rather than invented. Treat each entry as an invitation to put the needle down and *hear the circuit* described elsewhere in this book actually doing its work. Tone is learned the way language is — by immersion, by hearing it again and again until you stop noticing the words and start understanding the meaning.

| Tweed Breakup

The sound of a low-powered cathode-biased amp — a **Fender Tweed Deluxe** or Bassman — pushed until the power tubes sag and the note blooms into soft, vowel-like distortion. Warm, compressed, touch-sensitive: roll back the guitar volume and it cleans up.

- Neil Young — "Cinnamon Girl" — *Everybody Knows This Is Nowhere* (1969) — "Old Black" into a cranked Tweed Deluxe; hear the woolly low-mid saturation and the way the chords smear.
- The Rolling Stones — "Brown Sugar" — *Sticky Fingers* (1971) — Keith Richards' open-G Telecaster through small tweed-style amps; ragged, in-the-red rhythm tone.
- Larry Carlton — "Room 335" — *Larry Carlton* (1978) — a 335 into a Tweed-style combo; listen for the creamy edge-of-breakup that never fully distorts.
- Billy Gibbons — "La Grange" — *Tres Hombres* (1973) — spitting, harmonically dense tweed grind under the half-cocked-wah honk.

| Plexi Roar

The **Marshall** Super Lead and JTM45 lineage: EL34 power tubes, a 4x12 of Celestion Greenbacks, and the midrange shove that built hard rock. Aggressive, throaty, glorious when slammed.

- Jimi Hendrix — "Voodoo Child (Slight Return)" — *Electric Ladyland* (1968) — Strat into stacked 100-watt Marshalls; the sound is all teeth and air.
- Free — "All Right Now" — *Fire and Water* (1970) — Paul Kossoff's Les Paul into a Marshall; vibrato so vocal it sounds like a second singer.
- Led Zeppelin — "Whole Lotta Love" — *Led Zeppelin II* (1969) — Page's Les Paul and Marshall, thick and brown, the riff carved out of midrange.
- AC/DC — "Back in Black" — *Back in Black* (1980) — Angus and Malcolm Young, minimal gain, maximum air-moving Plexi authority.
- Van Halen — "Ain't Talkin' 'Bout Love" — *Van Halen* (1978) — the famous modified Plexi; saturated yet still snappy on the pick attack.

| Vox Chime & Jangle

The **Vox AC30**: EL84 power tubes, no negative feedback, a Top Boost circuit, and a treble that rings like struck glass. Bright, complex, harmonically rich — the sound of the British Invasion and everything jangly after it.

- The Beatles — "A Hard Day's Night" — *A Hard Day's Night* (1964) — the famous opening 12-string Rickenbacker chord, all AC30 chime and overtone.
- The Edge / U2 — "Where the Streets Have No Name" — *The Joshua Tree* (1987) — AC30 chime fed through a dotted-eighth delay; arpeggios shimmer and stack.
- R.E.M. — "Driver 8" — *Fables of the Reconstruction* (1985) — Peter Buck's Rickenbacker jangle, bright and ringing in the upper mids.
- Tom Petty and the Heartbreakers — "American Girl" — *Tom Petty and the Heartbreakers* (1976) — Mike Campbell's chiming Rickenbacker, all top-end sparkle.
- The Byrds — "Mr. Tambourine Man" — *Mr. Tambourine Man* (1965) — the 12-string Rickenbacker that launched jangle, compressed and bell-like.

| Blackface Clean & Spring Reverb

The **Fender Twin Reverb** and Deluxe Reverb of the mid-1960s: 6L6 power, scooped mids, glassy top, and the splash of a Hammond-built spring reverb tank. The benchmark American clean.

- Eric Johnson — "Cliffs of Dover" — *Ah Via Musicom* (1990) — violin-smooth lead, but listen to the bell-clear rhythm; pristine Fender clarity.
- The Beatles — "Don't Let Me Down" — *Past Masters* — watery, vibrato-laced clean Telecaster (John's, with a Fender amp), spacious and dimensional.
- Steely Dan — "Reelin' in the Years" — *Can't Buy a Thrill* (1972) — Elliott Randall's articulate, sparkling clean-into-light-crunch lead lines.
- John Mayer — "Slow Dancing in a Burning Room" — *Continuum* (2006) — modern blackface clean, every harmonic distinct, reverb deep and three-dimensional.

| Surf

Blackface clean's wilder cousin: a **Fender Showman** or Twin drenched in outboard spring reverb, single-coil Jaguars and Jazzmasters, fast tremolo picking, and a wet, cavernous splash on every note.

- Dick Dale — "Misirlou" — *Surfers' Choice* (1962) — the staccato single-string run, reverb crashing like surf, the founding document of the style.
- The Chantays — "Pipeline" — single (1963) — descending minor-key melody soaked in reverb, eerie and oceanic.
- The Surfaris — "Wipe Out" — single (1963) — driving, reverb-splashed rhythm under the famous drum break.
- Dick Dale — "Let's Go Trippin'" — single (1961) — arguably the first surf instrumental; hear the rhythmic chug and wet attack.

| Fuzz

Before overdrive there was *fuzz* — germanium transistors clipping a signal into ragged, sputtering square waves. The **Maestro FZ-1**, the **Sola Sound Tone Bender**, the **Fuzz Face**. Synthetic, buzzy, gated, and utterly distinct from tube distortion.

- The Rolling Stones — "(I Can't Get No) Satisfaction" — *Out of Our Heads* (1965) — Keith Richards' Maestro FZ-1 riff that put fuzz on the map.
- The Jimi Hendrix Experience — "Foxy Lady" — *Are You Experienced* (1967) — Fuzz Face into Marshall; the opening swell-into-bloom is pure germanium.
- The Beatles — "Think for Yourself" — *Rubber Soul* (1965) — fuzz bass (Paul, likely via a Tone Bender), gnarly and growling.
- Spirit — "I Got a Line on You" — *The Family That Plays Together* (1968) — bright, biting fuzz-rhythm hook.

| Wah

A foot-swept bandpass filter — the **Vox** and **Cry Baby** — sweeping a resonant peak across the midrange. Rock it for the vocal "wah-wah," or park it in one position for a fixed honk.

- Jimi Hendrix — "Voodoo Child (Slight Return)" — *Electric Ladyland* (1968) — the most famous wah intro ever recorded; hear the filter open and close.
- Cream — "White Room" — *Wheels of Fire* (1968) — Clapton's wah-drenched, almost-talking lead phrases.
- Isaac Hayes — "Theme from Shaft" — *Shaft* (1971) — Charles "Skip" Pitts' rhythmic 16th-note wah, the definitive funk pulse.
- Metallica — "Enter Sandman" — *Metallica* (1991) — Kirk Hammett's wah used as a tonal seasoning across the solo.

| Uni-Vibe

Four staggered photocells pulsing to mimic a Leslie rotating speaker — but lopsided, watery, and sea-sick in the best way. The **Univox Uni-Vibe** is part phaser, part chorus, all atmosphere.

- Jimi Hendrix — "Machine Gun" — *Band of Gypsies* (1970) — the Uni-Vibe wobble under sustained, screaming notes; the sound of a dive-bombing aircraft made musical.
- Robin Trower — "Bridge of Sighs" — *Bridge of Sighs* (1974) — the most luxuriant Uni-Vibe tone on record, thick and slow and oceanic.

- Pink Floyd — "Breathe (In the Air)" — *The Dark Side of the Moon* (1973) — Gilmour's lap-steel and guitar washed in slow modulation, dreamlike and floating.

| Big Muff Sustain

The **Electro-Harmonix Big Muff Pi**: a cascaded transistor fuzz with a scooped midrange and near-infinite, violin-like sustain. Huge, wooly, and singing.

- David Gilmour / Pink Floyd — "Comfortably Numb" — *The Wall* (1979) — the second solo: endless Muff sustain, every bend blooming and holding.
- The Smashing Pumpkins — "Cherub Rock" — *Siamese Dream* (1993) — layered Muffs creating a wall of saturated, scooped fuzz.
- Dinosaur Jr. — "Freak Scene" — *Bug* (1988) — J Mascis' ragged, sustaining Muff lead riding over the riff.
- Mudhoney — "Touch Me I'm Sick" — single (1988) — the Superfuzz-and-Muff filth that helped define the sound of a city.

| Tube-Screamer Blues

The **Ibanez Tube Screamer** (TS808/TS9): not a heavy distortion but a *push* — a mid-hump and soft clipping that tightens the low end and shoves a tube amp into singing overdrive.

- Stevie Ray Vaughan — "Pride and Joy" — *Texas Flood* (1983) — the TS into a cranked Fender; thick, mid-forward, snapping with pick attack.
- Stevie Ray Vaughan — "Texas Flood" — *Texas Flood* (1983) — slow-blues lead, every note fat and vocal, the Screamer feeding the amp's natural breakup.
- Gary Moore — "Still Got the Blues" — *Still Got the Blues* (1990) — Les Paul, overdrive, and a singing sustain rooted in the minor scale.
- John Mayer — "Gravity" (live, *Where the Light Is*, 2008) — a masterclass in dynamic overdrive that cleans and dirties with the picking hand.

| Tape Echo & Ambient Delay

Before digital, echo came from a loop of magnetic tape — the **Maestro Echoplex**, the **Roland Space Echo** — with wow, flutter, and a darkening of each repeat that no plugin fully replaces.

- The Edge / U2 — "Bad" (live, *Rattle and Hum*, 1988) — rhythmic delay used as a compositional engine, the repeats becoming part of the riff.
- Brian May / Queen — "Brighton Rock" — *Sheer Heart Attack* (1974) — multiple Echoplexes used to harmonize with himself in real time.
- Pink Floyd — "Time" — *The Dark Side of the Moon* (1973) — Gilmour's lead built around precisely timed repeats that fatten every phrase.
- The Shadows — "Apache" — single (1960) — Hank Marvin's early tape-echo melody, the template for echo-as-melody.

| Chorus & Flange (the 80s)

The decade of modulation: the **Boss CE-1** and **Roland Dimension D** chorus widening and shimmering a clean tone, the flanger adding a jet-engine sweep. Lush, glassy, and unmistakably of its era.

- The Police — "Message in a Bottle" — *Reggatta de Blanc* (1979) — Andy Summers' chorused arpeggios, wide and watery.
- The Cure — "A Forest" — *Seventeen Seconds* (1980) — chorus and flange creating cold, cavernous space.
- Rush — "Spirit of Radio" — *Permanent Waves* (1980) — Alex Lifeson's chorus-soaked clean tones and chiming harmonics.
- Van Halen — "Unchained" — *Fair Warning* (1981) — a flanger thickening the famous crunch riff into something enormous.

| Mesa High Gain

The **Mesa/Boogie** revolution: a Fender lead channel cascaded into multiple gain stages, then refined into the Rectifier era. Tight, saturated, mid-rich, and built for sustain on demand.

- Carlos Santana — "Europa" — *Amigos* (1976) — the singing, sustaining "Boogie" lead tone that named the company's myth.

- Metallica — "Wherever I May Roam" — *Metallica* (1991) — the chunky, scooped rhythm tone that defined modern metal rhythm playing.
- Dream Theater — "Pull Me Under" — *Images and Words* (1992) — John Petrucci's articulate, high-gain precision; every fast note distinct.

| The Brown Sound

The contested, near-mythic tone of early **Van Halen** — a modified Marshall, allegedly run through a Variac to lower the wall voltage and sag the amp, though the exact recipe remains debated lore rather than settled fact. Brown, saturated, alive, three-dimensional.

- Van Halen — "Eruption" — *Van Halen* (1978) — the reference recording; hear the bloom, the sag, the harmonic richness on every tapped note.
- Van Halen — "I'm the One" — *Van Halen* (1978) — the rhythm tone showing the same brown saturation in motion.
- Van Halen — "Runnin' with the Devil" — *Van Halen* (1978) — big, open chords revealing the amp's three-dimensional depth.

A note on honesty: the "brown sound" is one of the most argued-over tones in rock. The Variac story, the exact amp modifications, and the role of the room and microphones are all part of long-running debate. Listen for the *result* — the saturated-yet-dynamic character — rather than chasing a single secret setting.

| Boutique High Gain

The post-Mesa refinement: small builders — **Bogner, Diezel, Soldano** — chasing tightness, low-end control, and articulation at extreme gain. Modern, surgical, enormous.

- Eric Clapton — "The Sky Is Crying" (live) — the **Soldano SLO-100** in Clapton's late-80s setup; smooth, saturated, vocal.
- Tool — "Schism" — *Lateralus* (2001) — Adam Jones' Diezel-driven tone, dark and tight with controlled low end.
- Steve Vai — "For the Love of God" — *Passion and Warfare* (1990) — soaring, ultra-sustaining high-gain lead with surgical clarity.

| Grunge Fuzz

The early-90s reaction against polish: cheap fuzz, the **Big Muff** and **Pro Co RAT**, loud-quiet-loud dynamics, and a deliberately ragged, unglamorous wall of distortion.

- Nirvana — "Smells Like Teen Spirit" — *Nevermind* (1991) — the Small Clone chorus on the clean verses and the RAT-and-amp roar on the chorus.
- Soundgarden — "Black Hole Sun" — *Superunknown* (1994) — shimmering, slightly seasick clean tones erupting into fuzz.
- Pearl Jam — "Alive" — *Ten* (1991) — Mike McCready's singing, sustaining lead over Stone Gossard's thick rhythm.
- Mudhoney — "Touch Me I'm Sick" — single (1988) — the blueprint: filthy, fuzzed-out, gleefully ugly.

| Delay as Composition

Where echo stops being an effect and becomes the architecture — the rhythmic, melodic, structural use of repeats, dotted eighths, and feedback as a writing tool.

- The Edge / U2 — "Where the Streets Have No Name" — *The Joshua Tree* (1987) — the dotted-eighth delay turns a simple arpeggio into a cathedral.
- Pink Floyd — "Run Like Hell" — *The Wall* (1979) — a stereo, dual-delay riff that exists only because of the timed repeats.
- Eric Johnson — "Manhattan" — *Ah Via Musicom* (1990) — cascading delays woven into the melodic line itself.
- Explosions in the Sky — "Your Hand in Mine" — *The Earth Is Not a Cold Dead Place* (2003) — post-rock delay as slow-building emotional structure.

| Modern Modeling

Digital profiling and modeling — the **Line 6 Helix**, **Fractal Axe-Fx**, **Kemper**, and **Neural DSP** — recreating amps, cabs, and microphone placements in software. Listen for how convincingly the modeled "amp in a room" now translates to record.

- Periphery — "Scarlet" — *Periphery II* (2012) — early, influential use of profiling/modeling for tight modern metal rhythm.
- Plini — "Electric Sunrise" — *Handmade Cities* (2016) — glassy cleans and smooth high gain, almost entirely in the digital domain.
- Polyphia — "Goose" — *New Levels New Devils* (2018) — pristine modeled cleans and articulate lead, hi-fi and modern.
- Tim Henson / Polyphia — "Playing God" — *Remember That You Will Die* (2022) — nylon-string and modeled electric blended with studio precision.

Three Listening Studies

A discography is most useful when you stop sampling and start *comparing*. Pick a single variable and isolate it. Below are three short studies — with original, illustrative tab in the style of each era — designed to train your ear on one thing at a time. Play them yourself, then go back to the records and listen for the same move.

Study 1 — Tweed vs. Plexi, same lick

The fastest way to *hear* a circuit is to play one phrase through two voices in your head. A tweed amp compresses and rounds; a Plexi shoves the midrange forward and stays articulate. The lick below sits in the **A minor pentatonic** scale (the five-note box every blues-rock player lives in: the root A, plus C, D, E, and G) with a classic **blue note** — the flatted fifth, E-flat — bent into. On a tweed, let the notes bloom and smear; on a Plexi, dig in and hear the attack survive.

TAB

Slow blues, ~70 bpm, heavy pick attack

```
e|-----|
B|-----|
G|-----5b7r5-----5-----|
D|-7-----7--5--7-----7--5-----|
A|-----7--5-----|
E|-----|
```

A minor pentatonic with bent b5 (E-flat)

The same phrase will sound round and vocal through a cranked Tweed Deluxe and aggressive, mid-forward through a Plexi — dial the tweed with the amp near full and your guitar volume backed off; dial the Plexi wide open and ride the pick.

Study 2 — The jangle voicing

Vox chime is as much about *what you play* as the amp. The British-Invasion sound leans on open, ringing voicings — here an **add9** chord (a major triad with the 9th, the same note as the 2nd, added on top for sparkle without the tension of a full major-7). Let every string ring; the AC30's bright, feedback-free top end will turn the overtones into glass.

TAB

Bright, let ring -- AC30 Top Boost, treble up

```
e|--0-----0-----0-----0--|
B|--3-----3-----0-----0--|
G|--0-----0-----0-----0--|
D|--2-----0-----2-----2--|
A|--3-----3-----2-----2--|
E|--0-----0-----0-----0--|
    Gadd9 G/B  Em7  Em7
```

An *add9* is built root-3rd-5th-9th; voiced on the top strings into a chiming clean amp it shimmers rather than thickens — back off any gain, push the treble, and let the strings ring into each other.

Study 3 — Delay as composition

This is the dotted-eighth-note trick that built a thousand stadium anthems. With the delay set to a dotted-eighth of the tempo and fed back once or twice, you play *half* the notes and the repeats fill the gaps, so a simple line becomes a galloping, interlocking pattern. Play only the noteheads below; your delay supplies the rest.

TAB

Quarter = 120; delay = dotted-eighth, ~one repeat, ~40% mix

```
e|--12-----12-----12-----12-----|
B|-----13-----13-----13-----|
G|-----|
D|-----|
A|-----|
E|-----|
    Play noteheads only -- delay fills the gaps
```

Set a digital or tape delay to a dotted-eighth (multiply your beat's millisecond value by 0.75) with one strong repeat; the echoes interleave with your picked notes so a slow arpeggio reads as a fast, rhythmic cascade — the engine behind countless ambient-delay riffs.

The point of all of this is not to copy. It is to *recognize*. Once you can hear the difference between germanium fuzz and a tube screamer, between a blackface clean and a Vox chime, between a real tape echo and a digital one, you will never un-hear it — and every record you already love will open up another layer. The gear in this book made these sounds; these recordings are the proof.

♪ LISTEN FOR

- **Tweed bloom:** Neil Young, "Cinnamon Girl" — the way the chords swell and compress rather than snap.
- **Plexi midrange:** Free, "All Right Now" — Kossoff's vocal vibrato riding the amp's throaty mids.
- **Vox chime:** The Beatles, "A Hard Day's Night" — the opening chord, all overtone and ring.
- **Spring reverb splash:** Dick Dale, "Misirlou" — the wet, cavernous crash on every staccato note.
- **Germanium fuzz:** The Rolling Stones, "(I Can't Get No) Satisfaction" — buzzy, gated, synthetic.
- **Uni-Vibe wobble:** Jimi Hendrix, "Machine Gun" — the seasick pulse under the sustained screams.
- **Big Muff sustain:** Pink Floyd, "Comfortably Numb" (second solo) — notes that bloom and refuse to die.
- **Tube-screamer push:** Stevie Ray Vaughan, "Pride and Joy" — mid-forward, snapping, tightened low end.
- **Dotted-eighth delay:** U2, "Where the Streets Have No Name" — the repeats becoming the riff itself.